
SCOTTISH STATUTORY INSTRUMENTS

2001 No. 224

ENVIRONMENTAL PROTECTION

The Air Quality Limit Values (Scotland) Regulations 2001

<i>Made</i>	- - - -	<i>9th June 2001</i>
<i>Laid before the Scottish Parliament</i>	- - - -	<i>11th June 2001</i>
<i>Coming into force</i>	- -	<i>19th July 2001</i>

The Scottish Ministers, in exercise of the powers conferred by section 2(2) of the European Communities Act 1972^{M1} and of all other powers enabling them in that behalf, hereby make the following Regulations:

Marginal Citations

M1 1972 c.68. Section 2(2) was amended by the [Scotland Act 1998 \(c.46\), Schedule 8, paragraph 15\(3\)](#). The function conferred upon the Minister of the Crown under Section 2(2) of the European Communities Act 1972, insofar as within devolved competence, was transferred to the Scottish Ministers by virtue of section 53 of the Scotland Act 1998.

Citation, commencement and extent

1.—(1) These Regulations may be cited as the Air Quality Limit Values (Scotland) Regulations 2001 and shall come into force on 19th July 2001.

(2) These Regulations extend to Scotland only.

Definitions

2.—(1) In these Regulations—

“agglomeration” means a zone with a population concentration in excess of 250,000 inhabitants or, where the population concentration is 250,000 inhabitants or less, a population density per km² for which the Scottish Ministers consider that the need for ambient air to be assessed or managed is justified;

“alert threshold” has the meaning given by regulation 8(2);

“ambient air” means outdoor air in the troposphere, excluding work places;

“assessment” means any method used to measure, calculate, predict or estimate the level of a relevant pollutant in the ambient air;

Changes to legislation: *The Air Quality Limit Values (Scotland) Regulations 2001 is up to date with all changes known to be in force on or before 01 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes*

“fixed measurements” means measurements taken at fixed sites either continuously or by random sampling, the number of measurements being sufficiently large to enable the levels observed to be determined;

“level” means the concentration of a relevant pollutant in ambient air;

“limit value” has the meaning given by regulation 3(1);

“lower assessment threshold” has the meaning given by regulation 5(5);

“margin of tolerance” means the percentage of the limit value by which this value may be exceeded subject to the conditions laid down in Schedule 1;

“natural events” means volcanic eruptions, seismic activities, geothermal activities, wild-land fires, high-wind events or the atmospheric resuspension or transport of natural particles from dry regions;

“oxides of nitrogen” means the sum of nitric oxide and nitrogen dioxide added as parts per billion and expressed as nitrogen dioxide in microgrammes per cubic metre;

“PM_{2.5}” means particulate matter which passes through a size-selective inlet with a 50% efficiency cut-off at 2.5µm aerodynamic diameter;

“PM₁₀” means particulate matter which passes through a size-selective inlet with a 50% efficiency cut-off at 10µm aerodynamic diameter;

“relevant pollutants” means sulphur dioxide, nitrogen dioxide and oxides of nitrogen, particulate matter and lead;

“upper assessment threshold” has the meaning given in regulation 5(5); and

“zone” means a part of the territory of Scotland which is designated by Scottish Ministers for the purposes of these Regulations and shown on a map published by the Scottish Executive, Department of Environment, Transport and the Regions, the National Assembly of Wales and Department of Environment Northern Ireland on 19 January 2001, a copy of which is deposited at the offices of the Scottish Executive, Victoria Quay, Edinburgh, EH6 6QQ and displayed on the Scottish Executive website at <http://www.scotland.gov.uk/environment/airquality/publications.asp>

- (2) In these Regulations, unless the context otherwise requires, any reference to—
- (a) a numbered Regulation or Schedule is a reference to the Regulation in, or Schedule to, these Regulations bearing that number; and
 - (b) a numbered paragraph is a reference to the paragraph in that Regulation or Schedule bearing that number in the Regulation in which the reference appears.

Duty to ensure that ambient air quality is improved

3.—(1) The Scottish Ministers shall take the measures necessary to ensure that throughout Scotland in each zone concentrations of relevant pollutants in ambient air, as assessed in accordance with regulations 4 to 7, do not exceed the limit values set out in Schedule 1 from the dates specified in that Schedule.

- (2) The measures taken shall—
- (a) take into account an integrated approach to the protection of air, water and soil;
 - (b) not contravene Community legislation on the protection of safety and health of workers at work; and
 - (c) have no significant negative effects on the environment in the other Member States.

Assessment of ambient air quality

4. The Scottish Ministers shall ensure that ambient air quality is assessed in each zone in relation to each of the relevant pollutants in accordance with regulations 5 to 7.

Classification of zones

5.—(1) The Scottish Ministers shall classify each zone in relation to each of the relevant pollutants according to whether ambient air quality in that zone for that pollutant is required to be assessed by—

- (a) measurements;
- (b) a combination of measurements and modelling techniques; or
- (c) by the sole use of modelling or objective estimation techniques.

(2) Measurements must be used to assess ambient air quality in relation to a relevant pollutant in a zone if—

- (a) the zone is an agglomeration;
- (b) the levels of that pollutant in the zone are between the relevant limit values and upper assessment thresholds; or
- (c) the levels of that pollutant in the zone exceed the limit values for that pollutant.

(3) A combination of measurements and modelling techniques may be used to assess ambient air quality in any zone in relation to a relevant pollutant where the levels of the pollutant over a representative period are below the relevant upper assessment thresholds.

(4) Where the levels of a relevant pollutant in any zone are below the relevant lower assessment thresholds, the sole use of modelling or objective estimation techniques for assessing levels of that pollutant is permissible unless—

- (a) the zone is an agglomeration; and
- (b) the pollutant being assessed is sulphur dioxide or nitrogen dioxide.

(5) The upper and lower assessment thresholds for the relevant pollutants are determined in accordance with Schedule 2.

(6) Where a zone is classified in relation to a pollutant under paragraph (1)(a), modelling techniques may be used for supplementing the measurements taken in order to provide an adequate level of information on ambient air quality in relation to a relevant pollutant in a zone.

(7) The classification of zones required by paragraph (1) shall include any zones which may be classified by the Scottish Ministers as exceeding limit values for—

- (a) sulphur dioxide owing to concentrations of sulphur dioxide in ambient air due to natural sources;
- (b) PM₁₀ owing to concentrations of PM₁₀ in ambient air due to—
 - (i) natural events which result in concentrations significantly in excess of normal background levels from natural sources; or
 - (ii) the resuspension of particulates following the winter sanding of roads.

Review of classifications

6.—(1) The Scottish Ministers shall review the classification of each zone under regulation 5 at least once in every five years in accordance with Part II of Schedule 2.

Changes to legislation: The Air Quality Limit Values (Scotland) Regulations 2001 is up to date with all changes known to be in force on or before 01 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

(2) The Scottish Ministers shall also review the classification of any zone under regulation 5 in the event of significant changes in activities affecting ambient concentrations in the zone of any of the relevant pollutants.

Method of assessment of ambient air quality

7.—(1) The Scottish Ministers shall ensure that ambient air quality is assessed in each zone by following the specified method for each relevant pollutant in accordance with its current classification.

- (2) Where a zone is classified under regulation 5(1)(a) or (b) in relation to a relevant pollutant—
- (a) measurements of that pollutant must be taken at fixed sites either continuously or by random sampling; and
 - (b) the number of measurements must be sufficiently large to enable the levels of that pollutant to be properly determined.

(3) Schedule 3 shall have effect for the purposes of determining the location of sampling points for the relevant pollutants.

(4) For each zone classified under regulation 5(1)(a) the Scottish Ministers shall ensure that, in respect of a relevant pollutant, the minimum number of sampling points for fixed measurement of concentrations determined in accordance with Schedule 4 is used for sampling the concentrations of that pollutant in that zone.

(5) For each zone classified under regulation 5(1)(b) the Scottish Ministers shall ensure that, in respect of a relevant pollutant, the number of sampling points for fixed measurement of that pollutant in that zone, and the spatial resolution of other techniques, shall be sufficient for the concentrations of that pollutant to be established in accordance with Part I of Schedule 3 and Part I of Schedule 5.

- (6) Reference methods for—
- (a) the analysis of sulphur dioxide, nitrogen dioxide and oxides of nitrogen;
 - (b) the sampling and analysis of lead; and
 - (c) the sampling and measurement of PM₁₀,

are set out in Schedule 6, and these methods must be used unless other methods are used which the Scottish Ministers consider can be demonstrated to give equivalent results.

(7) The Scottish Ministers shall ensure that measuring stations to supply representative data on concentrations of PM_{2.5} are installed and operated, using any method for the sampling and measurement of PM_{2.5} that they consider suitable, and that where possible sampling points for PM_{2.5} are co-located with sampling points for PM₁₀.

(8) For zones which are classified under regulation 5(1)(b) or (c), the Scottish Ministers shall ensure that the information set out in Part II of Schedule 5 shall be compiled.

(9) For sulphur dioxide, nitrogen dioxide and oxides of nitrogen the volume must be standardised at a temperature of 293K and a pressure of 101.3 kPa.

Action plans

8.—(1) The Scottish Ministers shall draw up action plans indicating the measures to be taken in the short term where there is any risk of the limit values for any of the relevant pollutants, or the alert thresholds for sulphur dioxide or nitrogen dioxide, being exceeded, in order to reduce that risk and to limit the duration of such an occurrence.

(2) The alert threshold for sulphur dioxide is that set out in paragraph 1.2 of Part I of Schedule 1, and the alert threshold for nitrogen dioxide is that set out in paragraph 2.2 of Part II of Schedule 1.

Action to be taken where limit values are exceeded

9.—(1) The Scottish Ministers shall draw up a list of zones in which the levels of one or more of the relevant pollutants are higher than—

- (a) in a case where there is no margin of tolerance shown in Schedule 1 in relation to a limit value, the limit value;
- (b) in any other case, the limit value plus the margin of tolerance shown in Schedule 1.

(2) The Scottish Ministers shall draw up a list of zones in which the levels of one or more of the relevant pollutants are between the limit value and the limit value plus any margin of tolerance.

(3) Subject to paragraphs (6), (8) and (9), the Scottish Ministers shall draw up for each zone listed under paragraph (1) a plan or programme for attaining the limit values for the pollutants in question within the time limits specified in Schedule 1 and shall ensure that the plan or programme is implemented.

(4) The plan or programme shall at least include the information listed in Schedule 7.

(5) Where in any zone the level of more than one pollutant is higher than the limit values, an integrated plan covering all the pollutants in question shall be prepared.

(6) For zones to which regulation 5(7)(a) applies, the Scottish Ministers may provide that plans or programmes shall only be required under this regulation where the limit values are exceeded owing to man-made emissions.

(7) Plans or programmes for PM₁₀ which are prepared in accordance with this regulation shall also have the aim of reducing concentrations of PM_{2.5}.

(8) For zones to which regulation 5(7)(b)(i) applies, the Scottish Ministers may provide that plans or programmes shall only be required where the limit values are exceeded owing to causes other than natural events.

(9) For zones to which regulation 5(7)(b)(ii) applies, the Scottish Ministers may provide that plans or programmes shall only be required where the limit values are exceeded owing to PM₁₀ levels other than those caused by the resuspension of particulates following the winter sanding of roads.

Zones where the levels are lower than the limit value

10.—(1) The Scottish Ministers shall draw up a list of zones in which the levels of the relevant pollutants are below the limit values.

(2) The Scottish Ministers shall ensure that the levels of the relevant pollutants in these zones are maintained below the limit values and shall endeavour to preserve the best ambient air quality, compatible with sustainable development.

Public information

11.—(1) The Scottish Ministers shall ensure that up-to-date information on ambient concentrations of each of the relevant pollutants is routinely made available to the public.

(2) Information on ambient concentrations of sulphur dioxide, nitrogen dioxide and particulate matter shall be updated—

- (a) in the case of hourly values for sulphur dioxide and nitrogen dioxide, where practicable on an hourly basis;
- (b) in all other cases, as a minimum on a daily basis.

(3) Information on ambient concentrations of lead shall be updated on a three-monthly basis.

(4) Information made available under paragraph (1) shall include—

Changes to legislation: *The Air Quality Limit Values (Scotland) Regulations 2001 is up to date with all changes known to be in force on or before 01 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes*

- (a) an indication of the extent to which the limit values and alert thresholds for particular pollutants have been exceeded over the averaging periods specified in Schedule 1; and
 - (b) a short assessment of those exceedances and their effects on health.
- (5) When an alert threshold is exceeded, the Scottish Ministers shall ensure that the necessary steps are taken to inform the public, and the information made available shall as a minimum include the information specified in paragraphs 1.3 of Part I and 2.3 of Part II of Schedule 1.
- (6) Information to be made available to the public under this regulation shall include the map of zones prepared under regulation 2(1) and any revision of it, and action plans, plans and programmes prepared under regulations 8 and 9 respectively.
- (7) For the purposes of this regulation, the public includes, but is not limited to, health care bodies and organisations having an interest in ambient air quality and representing the interests of sensitive populations, consumers and the environment.
- (8) Information made available under this regulation shall be clear, comprehensible and accessible.

Revocations of Air Quality Standards Regulations 1989 and transitional provisions

12.—(1) The Air Quality Standards Regulations 1989^{M2} shall be revoked to the extent specified in paragraphs (2) to (4).

(2) Regulation 2(1) (limit values for sulphur dioxide and suspended particulates) and regulation 4(1) (limit value for lead in air) shall be revoked on 1st January 2005.

(3) Regulations 3 (measurement of sulphur dioxide and suspended particulates), 5 (measurement of lead in air) and 7 (measurement of nitrogen dioxide in the atmosphere) shall be revoked on 19th July 2001.

(4) Regulation 6 (limit value for nitrogen dioxide in the atmosphere) shall be revoked with effect from 1st January 2010.

(5) Notwithstanding paragraphs (2) to (4), the above revocations, from 19th July 2001 until 1st January 2005, if the methods prescribed by these regulations as regards PM₁₀ for the assessment of concentrations of suspended particulate matter are used for the purpose of demonstrating compliance with Directive [80/779/EEC](#) of 15th July 1980 on air-quality limit values and guide values for total suspended particulates^{M3}, the data so collected shall be multiplied by a factor of 1.2.

Marginal Citations

M2 [S.I. 1989/317](#).

M3 O.J. No. L 229, 30.8.80, p.30.

St. Andrew's House, Edinburgh
9th June 2001

RHONA BRANKIN
Authorised to sign by the Scottish Ministers

SCHEDULE 1

Regulations 2, 3, 8(2), 9(1), 11(5)

LIMIT VALUES, MARGINS OF TOLERANCE ETC.

PART I
SULPHUR DIOXIDE

Limit values for sulphur dioxide

1.1

	<i>Averaging Period</i>	<i>Limit value</i>	<i>Margin of Tolerance</i> <i>M4</i>	<i>Date by which limit value is to be met</i>
1.Hourly limit value for the protection of human health	1 hour	350µg/m ³ , not to be exceeded more than 24 times a calendar year	470µg/m ³ on 19th July 2001 reducing on 1st January of each following year by 30µg/m ³ to reach 350µg/m ³ by 1st January 2005	1st January 2005
2.Daily limit value for the protection of human health	24 hours	125µg/m ³ , not to be exceeded more than 3 times a calendar year	None	1st January 2005
3.Limit value for the protection of ecosystems	Calendar year and winter (1st October to 31st March)	20µg/m ³	None	19th July 2001

Marginal Citations

M4 The figures for Margins of Tolerance for each of the relevant pollutants given in this Schedule are calculated from those given in Annex I of Directive 99/30/EC (O.J. No. L 163, 22.4.99, p.41). This gave a figure above the limit value for each relevant pollutant, reducing by equal percentages from the date of entry into force of that Directive in 1999.

Alert threshold for sulphur dioxide

1.2 500µg/m³ measured over three consecutive hours at locations representative of air quality over at least 100 km² or an entire zone or agglomeration, whichever is the smaller.

Minimum Details to be made available to the public when the alert threshold for sulphur dioxide is exceeded

1.3 Details to be made available to the public should include at least:

Changes to legislation: The Air Quality Limit Values (Scotland) Regulations 2001 is up to date with all changes known to be in force on or before 01 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

- the date, hour and place of the occurrence and the reasons for the occurrence, where known;
- any forecasts of:
 - changes in concentration (improvement, stabilisation, or deterioration), together with the reasons for those changes,
 - the geographical area concerned,
 - the duration of the occurrence,
 - the type of population potentially sensitive to the occurrence,
 - the precautions to be taken by the sensitive population concerned.

PART II

NITROGEN DIOXIDE (NO₂) AND OXIDES OF NITROGEN (NO_x)

Limit values for nitrogen dioxide and oxides of nitrogen

2.1

	<i>Averaging Period</i>	<i>Limit value</i>	<i>Margin of tolerance</i>	<i>Date by which limit value is to be met</i>
1.Hourly limit value for the protection of human health	1 hour	200µg/m ³ NO ₂ not to be exceeded more than 18 times a calendar year	290µg/m ³ on 19th July 2001, reducing on 1st January of each following year by 10µg/m ³ to reach 200µg/m ³ by 1st January 2010	1st January 2010
2.Annual limit value for the protection of human health	Calendar year	40µg/m ³ NO ₂	58µg/m ³ on 19th July 2001 reducing on 1st January of each following year by 2µg/m ³ to reach 40µg/m ³ by 1st January 2010	1st January 2010
3.Annual limit value for the protection of vegetation	Calendar year	30µg/m ³ NO _x	None	19th July 2001

Alert threshold for nitrogen dioxide

2.2 400µg/m³ measured over three consecutive hours at locations representative of air quality over at least 100 km² or an entire zone or agglomeration, whichever is the smaller.

Changes to legislation: The Air Quality Limit Values (Scotland) Regulations 2001 is up to date with all changes known to be in force on or before 01 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

Minimum Details to be made available to the public when the alert threshold for nitrogen dioxide is exceeded

2.3 Details to be made available to the public should include at least:

- the date, hour and place of the occurrence and the reasons for the occurrence, where known;
- any forecasts of:
 - changes in concentration (improvement, stabilisation, or deterioration), together with the reasons for those changes,
 - the geographical area concerned,
 - the duration of the occurrence,
- the type of population potentially sensitive to the occurrence,
- the precautions to be taken by the sensitive population concerned.

PART III

PARTICULATE MATTER (PM₁₀)

	<i>Averaging Period</i>	<i>Limit value</i>	<i>Margin of tolerance</i>	<i>Date by which limit value is to be met</i>
1.24-hour limit value for the protection of human health	24 hours	50µg/m ³ PM ₁₀ not to be exceeded more than 35 times a calendar year	70µg/m ³ on 19th July 2001, reducing on 1st January of each following year by 5µg/m ³ to reach 50µg/m ³ by 1st January 2005	1st January 2005
2. Annual limit value for the protection of human health	Calendar year	40µg/m ³ PM ₁₀	46.4µg/m ³ on 19th July 2001, reducing on 1st January of each following year by 1.6µg/m ³ to reach 40µg/m ³ by 1st January 2005	1st January 2005

PART IV

LEAD

	<i>Averaging Period</i>	<i>Limit value</i>	<i>Margin of tolerance</i>	<i>Date by which limit value is to be met</i>
Annual limit value for the	Calendar year	0.5µg/m ³	0.9µg/m ³ on 19th July 2001,	1st January 2005

Changes to legislation: The Air Quality Limit Values (Scotland) Regulations 2001 is up to date with all changes known to be in force on or before 01 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

protection of human health

reducing on 1st January of each following year by $0.1\mu\text{g}/\text{m}^3$ to reach $0.5\mu\text{g}/\text{m}^3$ by 1st January 2005

SCHEDULE 2

Regulations 5(5) and 6

UPPER AND LOWER ASSESSMENT THRESHOLDS AND EXCEEDANCES

PART I

UPPER AND LOWER ASSESSMENT THRESHOLDS

The following upper and lower assessment thresholds will apply:

(a) SULPHUR DIOXIDE

	<i>Health protection</i>	<i>Ecosystem protection</i>
Upper assessment threshold	60% of 24-hour limit value ($75\mu\text{g}/\text{m}^3$, not to be exceeded more than 3 times in any calendar year)	60% of winter limit value ($12\mu\text{g}/\text{m}^3$)
Lower assessment threshold	40% of 24-hour limit value ($50\mu\text{g}/\text{m}^3$, not to be exceeded more than 3 times in any calendar year)	40% of winter limit value ($8\mu\text{g}/\text{m}^3$)

(b) NITROGEN DIOXIDE AND OXIDES OF NITROGEN

	<i>Hourly limit value for the protection of human health (NO_2)</i>	<i>Annual limit value for the protection of human health (NO_2)</i>	<i>Annual limit value for the protection of Vegetation (NO_x)</i>
Upper assessment threshold	70% of limit value ($140\mu\text{g}/\text{m}^3$, not to be exceeded more than 18 times in any calendar year)	80% of limit value ($32\mu\text{g}/\text{m}^3$)	80% of limit value ($24\mu\text{g}/\text{m}^3$)
Lower assessment threshold	50% of limit value ($100\mu\text{g}/\text{m}^3$, not to be exceeded more than 18 times in any calendar year)	65% of limit value ($26\mu\text{g}/\text{m}^3$)	65% of limit value ($19.5\mu\text{g}/\text{m}^3$)

(c) PARTICULATE MATTER ^{M5}

Changes to legislation: The Air Quality Limit Values (Scotland) Regulations 2001 is up to date with all changes known to be in force on or before 01 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

	24-hour average	Annual average
Upper assessment threshold	60% of limit (30µg/m ³ , not to be exceeded more than seven times in any calendar year)	70% of limit value (14µg/m ³)
Lower assessment threshold	40% of limit value (20µg/m ³ , not to be exceeded more than seven times in any calendar year)	50% of limit value (10µg/m ³)

(d) LEAD

	Annual average
Upper assessment threshold	70% of limit value (0.35µg/m ³)
Lower assessment threshold	50% of limit value (0.25µg/m ³)

Marginal Citations

M5 The upper and lower assessment thresholds for PM

¹⁰

are based on the following indicative limit values for 1st January 2010, which will be reviewed in the light of further information on health and environmental effects, technical feasibility and experience in the application of the existing "Stage 1" limit values: (See the following table)

Marginal Citations

M5 The upper and lower assessment thresholds for PM

¹⁰

are based on the following indicative limit values for 1st January 2010, which will be reviewed in the light of further information on health and environmental effects, technical feasibility and experience in the application of the existing "Stage 1" limit values: (See the following table)

	Averaging period	Limit value	Margin of tolerance	Date by which limit value is to be met
1.24-hour limit value for the production of human health	24 hours	50µg/m ³ PM ₁₀ not to be exceeded more than 7 times a calendar year	To be derived from date and to be equivalent to Stage 1 limit value	1st January 2010
2. Annual limit value for the protection of human health	Calendar year	20µg/m ³ PM ₁₀	50% on 1st January 2005 reducing every 12 months thereafter by	1st January 2010

Changes to legislation: The Air Quality Limit Values (Scotland) Regulations 2001 is up to date with all changes known to be in force on or before 01 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

equal percentages
to reach 0% by
1st January 2010

PART II

DETERMINATION OF EXCEEDANCES OF UPPER AND LOWER ASSESSMENT THRESHOLDS

Exceedances of upper and lower assessment thresholds must be determined on the basis of concentrations during the previous five years where sufficient data are available. An assessment threshold will be deemed to have been exceeded if during those five years the total number of exceedances of the numerical concentration of the threshold is more than three times the number of exceedances allowed each year.

Where fewer than five years' data are available, measurement campaigns of short duration during the period of the year and at locations likely to be typical of the highest pollution levels may be combined with results obtained from information from emission inventories and modelling to determine exceedances of the upper and lower assessment thresholds.

SCHEDULE 3

Regulation 7(3)

LOCATION OF SAMPLING POINTS FOR THE MEASUREMENT OF SULPHURDIOXIDE, NITROGEN DIOXIDE AND OXIDES OF NITROGEN, PARTICULATE MATTER AND LEAD IN AMBIENT AIR.

The following considerations will apply to fixed measurement.

PART I

MACROSCALE SITING

Protection of human health

- (a) Sampling points directed at the protection of human health should be sited:
- (i) to provide data on the areas within zones and agglomerations where the highest concentrations occur to which the population is likely to be directly or indirectly exposed for a period which is significant in relation to the averaging period of the limit value(s);
 - (ii) to provide data on levels in other areas within the zones and agglomerations which are representative of the exposure of the general population.

Sampling points should in general be sited to avoid measuring very small micro-environments in their immediate vicinity. As a guideline, a sampling point should be sited to be representative of air

Changes to legislation: The Air Quality Limit Values (Scotland) Regulations 2001 is up to date with all changes known to be in force on or before 01 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

quality in a surrounding area of no less than 200 m² at traffic-orientated sites and of several square kilometres at urban-background sites.

Sampling points should also, where possible, be representative of similar locations not in their immediate vicinity.

Account should be taken of the need to locate sampling points on islands, where that is necessary for the protection of human health.

Protection of ecosystems and vegetation

- (b) Sampling points targeted at the protection of ecosystems or vegetation should be sited more than 20 km from agglomerations or more than 5 km from other built-up areas, industrial installations or motorways. As a guideline, a sampling point should be sited to be representative of air quality in a surrounding area of at least 1 000 km². A sampling point may be sited at a lesser distance or to be representative of air quality in a less extended area, taking account of geographical conditions.

Account should be taken of the need to assess air quality on islands.

PART II

MICROSCALE SITING

The following guidelines should be met as far as practicable:

- the flow around the inlet sampling probe should be unrestricted without any obstructions affecting the airflow in the vicinity of the sampler (normally some metres away from buildings, balconies, trees, and other obstacles and at least 0.5 m from the nearest building in the case of sampling points representing air quality at the building line);
- in general, the inlet sampling point should be between 1.5 m (the breathing zone) and 4 m above the ground. Higher positions (up to 8 m) may be necessary in some circumstances. Higher siting may also be appropriate if the station is representative of a large area;
- the inlet probe should not be positioned in the immediate vicinity of sources in order to avoid the direct intake of emissions unmixed with ambient air;
- the sampler's exhaust outlet should be positioned so that recirculation of exhaust air to the sampler inlet is avoided;
- location of traffic-oriented samplers:
 - for all pollutants, such sampling points should be at least 25 m from the edge of major junctions and at least 4 m from the centre of the nearest traffic lane,
 - for nitrogen dioxide, inlets should be no more than 5 m from the kerbside,
 - for particulate matter and lead, inlets should be sited so as to be representative of air quality near to the building line.

The following factors may also be taken into account:

- interfering sources;
- security;
- access;
- availability of electrical power and telephone communications;

Changes to legislation: The Air Quality Limit Values (Scotland) Regulations 2001 is up to date with all changes known to be in force on or before 01 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

- visibility of the site in relation to its surroundings;
- safety of public and operators;
- the desirability of co-locating sampling points for different pollutants;
- planning requirements.

PART III

DOCUMENTATION AND REVIEW OF SITE SELECTION

The site-selection procedures should be fully documented at the classification stage by such means as compass-point photographs of the surrounding area and a detailed map. Sites should be reviewed at regular intervals with repeated documentation to ensure that selection criteria remain valid over time.

SCHEDULE 4

Regulation 7(4)

CRITERIA FOR DETERMINING MINIMUM NUMBERS OF SAMPLING POINTS FOR FIXED MEASUREMENT OF CONCENTRATIONS OF RELEVANT POLLUTANTS IN AMBIENT AIR

PART I

MINIMUM NUMBER OF SAMPLING POINTS FOR FIXED MEASUREMENT TO ASSESS COMPLIANCE WITH LIMIT VALUES FOR THE PROTECTION OF HUMAN HEALTH AND ALERT THRESHOLDS IN ZONES AND AGGLOMERATIONS WHERE FIXED MEASUREMENT IS THE SOLE SOURCE OF INFORMATION

Diffuse sources

(a)

<i>Population of agglomeration or zone (thousands)</i>	<i>If concentrations exceed the upper assessment threshold</i>	<i>If maximum concentrations are between the upper and lower assessment thresholds</i>	<i>For SO₂ and NO₂ in agglomerations where maximum concentrations are below the lower assessment threshold</i>
0–249	1	1	not applicable
250–499	2	1	1
500–749	2	1	1
750–999	3	1	1

Changes to legislation: The Air Quality Limit Values (Scotland) Regulations 2001 is up to date with all changes known to be in force on or before 01 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

1 000–1 499	4	2	1
1 500–1 999	5	2	1
2 000–2 749	6	3	2
2 750–3 749	7	3	2
3 750–4 749	8	4	2
4 750– 5 999	9	4	2
6 000	10	5	3

For NO₂ and particulate matter: to include at least one urban-background station and one traffic-orientated station

Point sources

- (b) For the assessment of pollution in the vicinity of point sources, the number of sampling points for fixed measurement should be calculated taking into account emission densities, the likely distribution patterns of ambient-air pollution and the potential exposure of the population.

PART II

MINIMUM NUMBER OF SAMPLING POINTS FOR FIXED MEASUREMENTS TO ASSESS COMPLIANCE WITH LIMIT VALUES FOR THE PROTECTION OF ECOSYSTEMS OR VEGETATION IN ZONES OTHER THAN AGGLOMERATIONS

If maximum concentrations exceed the upper assessment threshold

1 station every 20 000 km²

If maximum concentrations are between the upper and lower assessment thresholds

1 station every 40 000 km²

In island zones the number of sampling points for fixed measurement should be calculated taking into account the likely distribution patterns of ambient air pollution and the potential exposure of ecosystems or vegetation.

Changes to legislation: The Air Quality Limit Values (Scotland) Regulations 2001 is up to date with all changes known to be in force on or before 01 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

SCHEDULE 5

Regulation 7(5), (8)

DATA-QUALITY OBJECTIVES AND COMPILATION
OF RESULTS OF AIR QUALITY ASSESSMENT

PART I

DATA-QUALITY OBJECTIVES

The following data-quality objectives for the required accuracy of assessment methods, of minimum time coverage and of data capture of measurement are laid down to guide quality assurance programmes.

	<i>Sulphur dioxide, nitrogen dioxide and oxides of nitrogen</i>	<i>Particulate matter and lead</i>
Continuous measurement		
Accuracy	15%	25%
Minimum data capture	90%	90%
Indicative measurement		
Accuracy	25%	50%
Minimum data capture	90%	90%
Minimum time coverage	14% (One measurement a week at random, evenly distributed over the year, or eight weeks evenly distributed over the year.)	14% (One measurement a week at random, evenly distributed over the year, or eight weeks evenly distributed over the year.)
Modelling		
Accuracy:		
Hourly averages	50%–60%	
Daily averages	50%	
Annual averages	30%	50%
Objective estimation		
Accuracy:	75%	100%

The accuracy of the measurement is defined as laid down in the “Guide to the Expression of Uncertainty of Measurements” (ISO 1993) ^{M6} or in ISO 5725-1 “Accuracy (trueness and precision) of measurement methods and results” (ISO 1994) ^{M7}. The percentages in the table are given for individual measurements averaged, over the period considered, by the limit value, for a 95% confidence interval (bias + two times the standard deviation). The accuracy for continuous measurements should be interpreted as being applicable in the region of the appropriate limit value.

Changes to legislation: The Air Quality Limit Values (Scotland) Regulations 2001 is up to date with all changes known to be in force on or before 01 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

Marginal Citations

- M6** Copies of these International Standards Organisation publications can be purchased from the British Standards Institution "BSI" sales department either by telephone on 020-8996-9001 or by post from the BSI, Standards House, 389 Chiswick High Road, London W4 4AL.
- M7** Copies of these International Standards Organisation publications can be purchased from the British Standards Institution "BSI" sales department either by telephone on 020-8996-9001 or by post from the BSI, Standards House, 389 Chiswick High Road, London W4 4AL.

Marginal Citations

- M6** Copies of these International Standards Organisation publications can be purchased from the British Standards Institution "BSI" sales department either by telephone on 020-8996-9001 or by post from the BSI, Standards House, 389 Chiswick High Road, London W4 4AL.
- M7** Copies of these International Standards Organisation publications can be purchased from the British Standards Institution "BSI" sales department either by telephone on 020-8996-9001 or by post from the BSI, Standards House, 389 Chiswick High Road, London W4 4AL.

The accuracy for modelling and objective estimation is defined as the maximum deviation of the measured and calculated concentration levels, over the period considered by the limit value, without taking into account the timing of the events.

The requirements for minimum data capture and time coverage do not include losses of data due to the regular calibration or the normal maintenance of the instrumentation.

The Scottish Ministers may allow for random measurements to be made instead of continuous measurements for particulate matter and lead by methods for which accuracy within the 95% confidence interval with respect to continuous monitoring has been demonstrated to be within 10%. Random sampling must be spread evenly over the year.

PART II

RESULTS OF AIR QUALITY ASSESSMENT

The following information should be compiled for zones or agglomerations within which sources other than measurement are employed to supplement information from measurement or as the sole means of air quality assessment:

- a description of assessment activities carried out;
- the specific methods used, with references to descriptions of the method;
- the sources of data and information;
- a description of results, including accuracies and, in particular, the extent of any area or, if relevant, the length of road within the zone or agglomeration over which concentrations exceed limit value(s) or, as may be, limit value(s) plus applicable margin(s) of tolerance and of any area within which concentrations exceed the upper assessment threshold or the lower assessment threshold;

Changes to legislation: The Air Quality Limit Values (Scotland) Regulations 2001 is up to date with all changes known to be in force on or before 01 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

- for limit values the object of which is the protection of human health, the population potentially exposed to concentrations in excess of the limit value.

Where possible maps shall be compiled showing concentration distributions within each zone and agglomeration.

SCHEDULE 6

Regulation 7(6)

REFERENCE METHODS FOR ASSESSMENT OF CONCENTRATIONS OF SULPHUR DIOXIDE, NITROGEN DIOXIDE AND OXIDES OF NITROGEN, PARTICULATE MATTER (PM₁₀ AND PM_{2.5}) AND LEAD

PART I

REFERENCE METHOD FOR THE ANALYSIS OF SULPHUR DIOXIDE:

ISO/FDIS 10498 (Standard in draft) Ambient air – determination of sulphur dioxide – ultraviolet fluorescence method ^{M8}.

Marginal Citations

M8 Copies of these International Standards Organisation publications can be purchased from the British Standards Institution “BSI” sales department either by telephone on 020-8996-9001 or by post from the BSI, Standards House, 389 Chiswick High Road, London W4 4AL.

Marginal Citations

M8 Copies of these International Standards Organisation publications can be purchased from the British Standards Institution “BSI” sales department either by telephone on 020-8996-9001 or by post from the BSI, Standards House, 389 Chiswick High Road, London W4 4AL.

PART II

REFERENCE METHOD FOR THE ANALYSIS OF NITROGEN DIOXIDE AND OXIDES OF NITROGEN:

ISO 7996: 1985 Ambient air – determination of the mass concentrations of nitrogen oxides – chemiluminescence method ^{M9}.

Changes to legislation: The Air Quality Limit Values (Scotland) Regulations 2001 is up to date with all changes known to be in force on or before 01 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

Marginal Citations

M9 Copies of these International Standards Organisation publications can be purchased from the British Standards Institution "BSI" sales department either by telephone on 020-8996-9001 or by post from the BSI, Standards House, 389 Chiswick High Road, London W4 4AL.

Marginal Citations

M9 Copies of these International Standards Organisation publications can be purchased from the British Standards Institution "BSI" sales department either by telephone on 020-8996-9001 or by post from the BSI, Standards House, 389 Chiswick High Road, London W4 4AL.

PART IIIA

REFERENCE METHOD FOR THE SAMPLING OF LEAD:

The reference method for the sampling of lead will be that described in the Annex to Directive [82/884/EEC](#)^{M10} until such time as the limit value in Schedule 1 to these Regulations is to be met, when the reference method will be that for PM₁₀ as laid down in Part IV of this Schedule.

Marginal Citations

M10 O.J. No. L 378, 31.12.82, p.15.

Marginal Citations

M10 O.J. No. L 378, 31.12.82, p.15.

PART IIIB

REFERENCE METHOD FOR THE ANALYSIS OF LEAD:

ISO 9855: 1993 Ambient air – Determination of the particulate lead content of aerosols collected in filters. Atomic absorption spectroscopy method ^{M11}.

Marginal Citations

M11 Copies of these International Standards Organisation publications can be purchased from the British Standards Institution "BSI" sales department either by telephone on 020-8996-9001 or by post from the BSI, Standards House, 389 Chiswick High Road, London W4 4AL.

Changes to legislation: The Air Quality Limit Values (Scotland) Regulations 2001 is up to date with all changes known to be in force on or before 01 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

Marginal Citations

M11 Copies of these International Standards Organisation publications can be purchased from the British Standards Institution "BSI" sales department either by telephone on 020-8996-9001 or by post from the BSI, Standards House, 389 Chiswick High Road, London W4 4AL.

PART IV

REFERENCE METHOD FOR THE SAMPLING AND MEASUREMENT OF PM₁₀

The reference method for the sampling and measurement of PM₁₀ will be that described in EN 12341 "Air Quality – Field Test Procedure to Demonstrate Reference Equivalence of Sampling Methods for the PM₁₀ fraction of particulate matter"^{M12}. The measurement principle is based on the collection on a filter of the PM₁₀ fraction of ambient particulate matter and the gravimetric mass determination.

Marginal Citations

M12 European Standards Institute "CEN" publication reference BSEN 12341, obtainable from the British Standards Institute "BSI" as for footnote (a) above

Marginal Citations

M12 European Standards Institute "CEN" publication reference BSEN 12341, obtainable from the British Standards Institute "BSI" as for footnote (a) above

SCHEDULE 7

Regulation 9(1), (3), (4)

INFORMATION TO BE INCLUDED IN THE PLAN OR PROGRAMME FOR IMPROVEMENT OF AMBIENT AIR QUALITY

Localization of excess pollution

- region
- city (map)
- measuring station (map, geographical coordinates).

General information

- type of zone (city, industrial or rural area)
- estimate of the polluted area (km²) and of the populations exposed to the pollution
- useful climatic data
- relevant data on topography
- sufficient information on the type of targets requiring protection in the zone.

Changes to legislation: The Air Quality Limit Values (Scotland) Regulations 2001 is up to date with all changes known to be in force on or before 01 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

Responsible authorities

3. Names and addresses of persons responsible for the development and implementation of improvement plans.

Nature and assessment of pollution

- concentrations observed over previous years (before the implementation of the improvement measures)
- concentrations measured since the beginning of the project
- techniques used for the assessment.

Origin of pollution

- list of the main emission sources responsible for pollution (map)
- total quantity of emissions from these sources (tonnes/year)
- information on pollution imported from other regions.

Analysis of the situation

- details of those factors responsible for the excess (transport, including cross-border transport, formation)
- details of possible measures for improvement of air quality.

Details of those measures or projects for improvement which existed prior to 21st November 1996 i.e.

- local, regional, national, international measures
- observed effects of these measures.

Details of those measures or projects adopted with a view to reducing pollution following 21st November 1996

- listing and description of all the measures set out in the project
- timetable for implementation
- estimate of the improvement of air quality planned and of the expected time required to attain these objectives.

Details of the measures or projects planned or being researched for the long term.

9.

List of the publications, documents, work etc. used to supplement information requested in this Schedule.

10.

Changes to legislation: *The Air Quality Limit Values (Scotland) Regulations 2001 is up to date with all changes known to be in force on or before 01 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes*

EXPLANATORY NOTE

(This note is not part of the Regulations)

These regulations are made in the implementation in Scotland of Council Directive 96/62/EC on ambient air quality assessment and management, and Council Directive 99/30/EC relating to limit values for sulphur dioxide, nitrogen dioxide and oxides of nitrogen, particulate matter and lead “the relevant pollutants” in ambient air.

Regulation 3 places the Scottish Ministers under a duty to take the measures necessary to ensure that in each zone in Scotland concentrations of relevant pollutants do not exceed limit values. The limit values for each pollutant, and the date by which they are to be met, are set out in Schedule 1. Regulation 4 requires that the Scottish Ministers ensure that ambient air is assessed for each zone. Regulation 5 requires them to classify each zone in relation to each of the relevant pollutants. Regulation 5 together with Schedule 2 provide for the determination of upper and lower assessment thresholds for each relevant pollutant, and regulation 5 sets out the requirements for measurement or other assessment of air quality depending on pollution levels in relation to these thresholds.

Regulation 6 places a duty on the Scottish Ministers to review the classification of zones every five years or in the event of significant changes affecting levels of any of the relevant pollutants. Regulation 7 requires the Scottish Ministers to ensure that specified methods are used for assessing air quality for each pollutant in each zone. Schedule 3 sets out how sampling points for the relevant pollutants are to be determined. Schedule 4 sets out criteria for the minimum number of sampling points for fixed measurements to assess compliance with limit values in zones where that is the only source of information, and with limit values for the protection of ecosystems or vegetation in certain other zones. Schedule 5 makes provision for data quality objectives for the required accuracy of assessment methods, and for compilation of the results of air quality assessment. Schedule 6 prescribes reference methods for the analysis, sampling or measurement of the relevant pollutants. Regulation 7 also places a duty on the Scottish Ministers to ensure that measuring stations supply data on concentrations of PM_{2.5} particulate matter.

Regulation 8 requires the Scottish Ministers to draw up action plans indicating measures to be taken in the short term where there is a risk that limit values for any of the relevant pollutants, or alert thresholds for sulphur dioxide or nitrogen dioxide, will be exceeded. The alert thresholds for sulphur dioxide and nitrogen dioxide are set out in paragraph 1.2 of Part I and paragraph 2.2 of Part II of Schedule 1.

Regulation 9 requires the Scottish Ministers to draw up lists of zones where the levels of one or more of the relevant pollutants is above the limit value, or between the limit value and any margin of tolerance shown in Schedule 1. For such zones, regulation 9 places a duty on the Scottish Ministers to draw up a plan or programme, which must contain at least the information set out in Schedule 7 (including the location and origin of the pollution, the responsible authorities and the measures taken to deal with the pollution).

Regulation 10 requires the Scottish Ministers to list zones where levels of the relevant pollutants are below limit values, to ensure that levels of these pollutants are maintained below the limit values, and to endeavour to preserve the best ambient air quality, compatible with sustainable development.

Regulation 11 requires the Scottish Ministers to ensure that up-to-date information on ambient concentrations of each of the relevant pollutants is routinely made available to the public. It prescribes the frequency and content of such information. Where alert thresholds for sulphur dioxide or nitrogen dioxide are exceeded, further information, set out in paragraphs 1.3 of Part I and 2.3 of Part II of Schedule 1 must be provided (this includes details of the place and time of the occurrence, forecasts, and precautions to be taken by sensitive populations).

Changes to legislation: The Air Quality Limit Values (Scotland) Regulations 2001 is up to date with all changes known to be in force on or before 01 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

Regulation 12 revokes for Scotland and at different dates, parts of the Air Quality Standards Regulations 1989 giving effect to limit values for the relevant pollutants in earlier directives. The Air Quality Standards Regulations 1989, in turn implemented Council Directive [80/779/EEC](#) on air quality limit values and guidelines for sulphur dioxide and suspended particulates; Council Directive [82/884/EEC](#) on a limit value for lead in the air; and Council Directive [85/203/EEC](#) on air quality standards for nitrogen dioxide. These Directives are repealed, with transitional provisions lasting up to 2005 and 2010, by Council Directive [99/30/EC](#).

A number of provisions of existing legislation confer powers on public bodies which are relevant to the achievement of limit values for sulphur dioxide, nitrogen dioxide and oxides of nitrogen, particulate matter and lead in ambient air. The most notable of these are–

1. Provisions conferring power on local authorities–
 - a) concerning “local air quality management” under Part IV of the Environment Act 1995 (c.25);
 - b) for control of smoke emissions under the Clean Air Act 1993 (c. 11);
 - c) for the control of traffic growth and management, under the Road Traffic Reduction Act 1997 (c.54) and sections 1, 9 and 122 of the Road Traffic Regulation Act 1984 (c.27).
2. Control of industrial emissions–
 - a) by the Scottish Environment Protection Agency under “integrated pollution control” under Part I of the Environmental Protection Act 1990 (c.43);
 - b) by the Scottish Environment Protection Agency using “integrated pollution prevention and control” under the Pollution Prevention and Control Act 1999 and the Pollution Prevention and Control (Scotland) Regulations 2000 (S.I. 2000/800).
3. Control of transport emissions–

A series of vehicle emission regulations transposing EC Directives impose limits on vehicle emissions including: S.I. 1992 No. 2137 (covering [91/441/EEC](#) and [91/542/EEC](#)); S.I. 1993 No. 2199 (covering directive [93/59/EEC](#)); S.I. 1995 No. 2210 (covering directive [94/12/EC](#)); S.I. 1997 No. 1544 (covering [96/69/EC](#)) and S.I. 2000 No. 3197 (covering directive [98/69/EC](#)). Environmental standards for fuel were set in 1994 (S.I. 1994 No. 2295) and 1999 (S.I. 1999 3107). A full account of all the measures through which achievement of limit values will be sought is set out in the “Air Quality Strategy for England, Scotland, Wales and Northern Ireland” published by the Department of the Environment, Transport & the Regions, Scottish Executive, National Assembly for Wales and Northern Ireland Assembly, January 2000 (SE 2000/3), available from the Scottish Executive, Air, Climate and Engineering Unit (Air Quality Team), 1-H Victoria Quay, Edinburgh, EH6 6QQ and at <http://www.scotland.gov.uk>

Changes to legislation:

The Air Quality Limit Values (Scotland) Regulations 2001 is up to date with all changes known to be in force on or before 01 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations.

[View outstanding changes](#)

Changes and effects yet to be applied to :

- Instrument rev by [S.S.I. 2003/428 reg 16\(1\)](#)
- Sch 1 Pt I para 1.1 am (19.1.2003) by [S.S.I. 2002/556 reg 2\(1\)reg 2\(8\)\(a\)](#)
- Sch 1 Pt II para 2.1 am (19.1.2003) by [S.S.I. 2002/556 reg 2\(1\)reg 2\(8\)\(b\)](#)
- Sch 1 Pt III am (19.1.2003) by [S.S.I. 2002/556 reg 2\(1\)reg 2\(8\)\(c\)](#)
- Sch 1 Pt IV am (19.1.2003) by [S.S.I. 2002/556 reg 2\(1\)reg 2\(8\)\(d\)](#)
- Sch 2 Pt I am (19.1.2003) by [S.S.I. 2002/556 reg 2\(1\)\(9\)](#)
- Sch 2 Pt II am (19.1.2003) by [S.S.I. 2002/556 reg 2\(1\)\(10\)](#)
- Sch 3 Pt II am (19.1.2003) by [S.S.I. 2002/556 reg 2\(1\)\(11\)](#)
- Sch 4 Pt I am (19.1.2003) by [S.S.I. 2002/556 reg 2\(1\)\(12\)](#)
- Sch 5 Pt I am (19.1.2003) by [S.S.I. 2002/556 reg 2\(1\)\(13\)](#)
- reg 2 defn(s) am (19.1.2003) by [S.S.I. 2002/556 reg 2\(1\)reg 2\(2\)\(i\)](#)
- reg 2 defn(s) rev in pt (19.1.2003) by [S.S.I. 2002/556 reg 2\(1\)reg 2\(2\)\(ii\)](#)
- reg 5 am (19.1.2003) by [S.S.I. 2002/556 reg 2\(1\)\(4\)](#)
- reg 7 am (19.1.2003) by [S.S.I. 2002/556 reg 2\(1\)reg 2\(5\)\(a\)\(i\)reg 2\(5\)\(b\)\(ii\)reg 2\(5\)\(b\)\(iii\)\(c\)](#)
- reg 7 rev in pt (19.1.2003) by [S.S.I. 2002/556 reg 2\(1\)reg 2\(5\)\(a\)\(ii\)reg 2\(5\)\(b\)\(i\)](#)
- reg 11 am (19.1.2003) by [S.S.I. 2002/556 reg 2\(1\)\(6\)](#)
- reg 12 am (19.1.2003) by [S.S.I. 2002/556 reg 2\(1\)\(7\)](#)

Changes and effects yet to be applied to the whole Instrument associated Parts and Chapters:

Whole provisions yet to be inserted into this Instrument (including any effects on those provisions):

- Sch 1 PtsVVI added (19.1.2003) by [S.S.I. 2002/556 reg 2\(1\)reg 2\(8\)\(e\)](#)
- Sch 6 PtsVVI added (19.1.2003) by [S.S.I. 2002/556 reg 2\(1\)\(14\)](#)
- reg 2A added (19.1.2003) by [S.S.I. 2002/556 reg 2\(1\)\(3\)](#)