

**2005 No. 599**

**AGRICULTURE**

**PESTICIDES**

**The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2005**

*Made* - - - - - *28th November 2005*

*Laid before the Scottish Parliament* *30th November 2005*

*Coming into force* - - *22nd December 2005*

The Scottish Ministers, in exercise of the powers conferred by section 2(2) of the European Communities Act 1972(a) and of all other powers enabling them in that behalf, hereby make the following Regulations:

**Citation, commencement and extent**

1.—(1) These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2005 and shall come into force on 22nd December 2005.

(2) These Regulations shall extend to Scotland only.

**Interpretation**

2.—(1) In these Regulations—

“Directive 76/895” means Council Directive 76/895/EEC relating to the fixing of maximum levels for pesticide residues in and on fruit and vegetables(b);

“Directive 86/362” means Council Directive 86/362/EEC on the fixing of maximum levels for pesticide residues in and on cereals(c);

“Directive 86/363” means Council Directive 86/363/EEC on the fixing of maximum levels for pesticide residues in and on foodstuffs of animal origin(d);

“Directive 90/642” means Council Directive 90/642/EEC on the fixing of maximum levels for pesticide residues in and on certain products of plant origin, including fruit and vegetables(e);

“EEA State” means a Member State, Norway, Iceland or Liechtenstein;

---

(a) 1972 c.68. Section 2(2) was amended by the Scotland 1998 (c.46), Schedule 8, paragraph 15(3). The function conferred upon the Minister of the Crown under section 2(2) of the European Communities Act 1972, insofar as within devolved competence, was transferred to the Scottish Ministers by virtue of section 53 of the Scotland Act 1998.

(b) O.J. No. L 340, 9.12.1976, p.26, as last amended by Council Regulation (EC) No. 807/2003 (O.J. No. L 122, 16.5.2003, p.36).

(c) O.J. No. L 221, 7.8.1986, p.37, as last amended by Commission Directive 2005/48/EC (O.J. No. L 219, 24.8.05, p.29).

(d) O.J. No. L 221, 7.8.1986, p.43, as last amended by Commission Directive 2005/48/EC (O.J. No. L 219, 24.8.05, p.29).

(e) O.J. No. L 350, 14.12.1990, p.71, as last amended by Commission Directive 2005/48/EC (O.J. No. L 219, 24.8.05, p.29).

“fruit or vegetable” means a product referred to in Article 1 of Directive 90/642; “maximum residue level” means the maximum quantity of pesticide residue (measured in milligrams per kilogram of product) that a product is permitted to contain under regulation 3; “pesticide” means any substance, preparation or organism listed in column 1 of Schedule 1; “pesticide residue” means, in relation to any particular pesticide, the substance specified in column 2 of Schedule 1 in respect of that pesticide; “product” means any crop, food or feeding stuff specified in Schedules 2 or 3; “putting into circulation”, in relation to any product, means handing it over (post-harvest if the product is a fruit or vegetable), whether or not for consideration and any related expression shall be construed accordingly; and “the Residues Directives” means Directive 76/895, Directive 86/362, Directive 86/363 and Directive 90/642, in each case as amended on the date these Regulations are made.

(2) The words and expressions “composite food”, “drying” and “processing” when used in regulation 3 or in paragraph (c) or (d) of regulation 5 have the same meaning as when used in the Residues Directives and any related expressions shall be construed accordingly.

(3) Any reference in these Regulations to a numbered Schedule or regulation shall be construed as a reference to the Schedule or, as the case may be, regulation so numbered in these Regulations.

(4) Any reference in any Schedule to these Regulations to any product, figure or pesticide includes any qualifying words relating to that product, figure or pesticide in that Schedule.

### **Prohibition on putting into circulation products with excess residues**

3.—(1) No person shall put into circulation a product named in Schedule 2 if it contains a quantity of pesticide residue, per kilogram of the product, greater than that specified in that Schedule in respect of that product and the pesticide in question, during the period (if any) specified.

(2) Subject to paragraph (3), paragraph (1) shall also apply in relation to the putting into circulation of—

- (a) any product which after drying or processing is obtained from any of the products named in Schedule 2, and
- (b) any composite food which includes any of the products named in that Schedule, as it applies to the products so named.

(3) Where—

- (a) paragraph (1) applies in relation to a dried or processed product or a composite food by virtue of paragraph (2), and
- (b) in relation to that dried or processed product or composite food no quantity has been specified in Schedule 2 as the maximum residue level in respect of a pesticide residue which may be contained in that dried or processed product or composite food,

paragraph (1) applies as if the maximum residue level in respect of that pesticide residue were the quantity applicable under that Schedule as it has effect by virtue of regulation 5(c) or, as the case may be, (d).

(4) Any person who, without reasonable excuse, contravenes or causes or permits any other person to contravene the prohibition in paragraph (1) shall be guilty of an offence, and shall be liable—

- (a) on summary conviction, to a fine not exceeding the statutory maximum; and
- (b) on conviction on indictment, to a fine.

(5) In any proceedings for an offence under this regulation in relation to any product, whether or not dried or processed or a composite food, it is a defence for the person charged to prove that when the product was put into circulation—

- (a) it was so put with the intention of its being exported to a country which is not an EEA State and the contravention of the prohibition in paragraph (1) was caused by the product being treated in a manner-
  - (i) required by the country of destination in order to prevent the introduction of harmful organisms into its territory; or
  - (ii) necessary to protect the product from harmful organisms during transport to the country of destination and storage there, or
- (b) it was so put with the intention that-
  - (i) it be used in the manufacture of things other than foodstuffs and animal feed; or
  - (ii) it be used for sowing or planting.

(6) Sections 19 (enforcement powers), 21(5) (offences – penalties etc) and 22 (general defence of due diligence) of, and Schedule 2 (officers and their powers) to, the Food and Environment Protection Act 1985(a) shall apply for the purposes of this regulation as they apply for the purposes of that Act, taking references in those sections to that Act or any Part of it to be references to this regulation, and the general purposes of that Act to include the purposes of this regulation.

### **Seizure or disposal of crops, food or feeding stuffs**

- 4.—(1) If any product contains a quantity of pesticide residue greater than that permitted under regulation 3(1), the Scottish Ministers may—
- (a) seize or dispose of the consignment containing that product, or any part of it, or require the owner or any person appearing to be in charge of it to dispose of it, or
  - (b) direct the owner or any person appearing to be in charge of it to take such remedial action as appears to the Scottish Ministers to be necessary.
- (2) Paragraph (1) applies to any product put into circulation in circumstances referred to in regulation 3(5)(a) or (b) as it applies to other products.

### **Sampling and analysis**

5. In determining for the purposes of regulation 3(1) whether the quantity of pesticide residue contained in any product exceeds the maximum residue level—
- (a) in relation to any product specified in column 2 of Schedule 3 (and falling within a group of products specified in column 1 of that Schedule) the whole or part only of that product shall, so far as is practicable, be taken into account as specified in column 3 of that Schedule;
  - (b) the procedure to be followed for sampling for the determination of pesticide residues shall be that set out in the Annex to Commission Directive 2002/63/EC(b);
  - (c) in the case of any product which has been dried or processed, Schedule 2 shall have effect where, in relation to a pesticide residue, no such maximum residue level is specified therein for the product in its dried or processed form, as if the maximum residue level specified in that Schedule in respect of that pesticide residue and in relation to the product in question were subject to an adjustment to take account of the concentration of the product caused by the drying process or, as the case may be, the dilution or concentration of the product caused by the processing; and
  - (d) in a case where a product listed in Schedule 2 has been mixed with other products or ingredients to form a composite food, that Schedule shall have effect, in relation to that composite food, as if the products which have been mixed to form the composite food had not been mixed and accordingly the maximum residue levels specified for each of the pesticide residues specified applied in relation to each of those products separately taking into account—

---

(a) 1985 c.48.

(b) O.J. No. L 187, 16.7.2002, p.30.

- (i) the relative concentrations of each of the products in the composite food; and
- (ii) the provisions of paragraph (c).

#### **Revocations**

**6.** The Regulations specified in Schedule 4 are revoked.

*ROSS FINNIE*

A member of the Scottish Executive

St Andrew's House,  
Edinburgh  
28th November 2005

## SCHEDULE 1

Regulation 2(1)

### Pesticide Residues

Column 1 <i>Pesticide</i>	Column 2 <i>Residue</i>
1,1-dichloro-2,2-bis (4-ethyl-phenyl-) ethane	1,1-dichloro-2,2-bis (4-ethyl-phenyl-) ethane
1,2-Dibromoethane	(1) for products of plant origin other than cereals: 1,2-dibromoethane (ethylene dibromide) (2) for cereals: 1,2-dibromoethane
1,2-Dichloroethane	1,2-dichloroethane
2,4-D	(1) for products of plant origin: 2,4-D (sum of 2,4-D and its esters) expressed as 2,4-D (2) for foodstuffs of animal origin: 2,4-D
2,4-DB	2,4-DB
2,4,5-T	2,4,5-T
Abamectin	abamectin (sum of avermectin B1a, avermectin B1b and delta-8, 9 isomer of avermectin B1a)
Acephate	acephate
Acibenzolar-S-methyl	acibenzolar-S-methyl
Aldicarb	sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb
Aldrin and Dieldrin	(1) for products of plant origin other than cereals: aldrin and dieldrin combined expressed as dieldrin (2) for cereals and foodstuffs of animal origin: aldrin and dieldrin singly or combined, expressed as Dieldrin (HEOD)
Amitraz	amitraz including the metabolites containing the 2,4 dimethylaniline moiety expressed as amitraz
Amitrole	amitrole
Aramite	aramite
Atrazine	atrazine
Azimsulfuron	azimsulfuron
Azinphos-ethyl	azinphos-ethyl
Azinphos-methyl	azinphos-methyl
Azocyclotin and Cyhexatin	azocyclotin and cyhexatin (sum of azocyclotin and cyhexatin expressed as cyhexatin)
Azoxystrobin	azoxystrobin
Barban	barban
Benalaxyl	benalaxyl
Benfuracarb	benfuracarb
Benomyl, Carbendazim and Thiophanate-methyl	benomyl, carbendazim and thiophanate-methyl (expressed as carbendazim)
Bentazone	bentazone (sum of bentazone and conjugates 6-OH- and 8-OH-bentazone expressed as bentazone)
Bifenthrin	bifenthrin
Binapacryl	binapacryl
Bitertanol	bitertanol
Bromophos-ethyl	bromophos-ethyl
Bromopropylate	bromopropylate
Camphechlor (Toxaphene)	(1) for products of plant origin other than cereals: camphechlor (toxaphene)

Column 1 <i>Pesticide</i>	Column 2 <i>Residue</i>
	(2) for cereals: Camphechlor (chlorinated camphen with 67–69% chlorine) (3) for foodstuffs of animal origin: camphechlor (sum of the three indicator compounds Parlar No 26 (2-endo, 3-exo, 5-endo, 6-exo, 8, 8, 10, 10-octachlorobornane), Parlar No 50 (2-endo, 3-exo, 5-endo, 6-exo, 8, 8, 9, 10, 10-nonachlorobornane) and Parlar No 62 (2, 2, 5, 5, 8, 9, 9, 10, 10-nonachlorobornane)
Captafol	captafol
Carbaryl	carbaryl
Carbofuran	sum of carbofuran and 3-hydroxy-carbofuran, expressed as carbofuran
Carbon disulphide	carbon disulphide
Carbon tetrachloride	carbon tetrachloride
Carbosulfan	carbosulfan
Carfentrazone-ethyl	carfentrazone-ethyl (determined as carfentrazone and expressed as carfentrazone-ethyl)
Cartap	cartap
Chlorbenside	chlorbenside
Chlorbufam	chlorbufam
Chlordane	(1) for products of plant origin other than cereals: chlordane (sum of cis- and trans-chlordane) (2) for cereals: chlordane (sum of cis- and trans-isomers expressed as chlordane) (3) for foodstuffs of animal origin: (sum of cis- and trans-isomers and oxychlordane expressed as chlordane)
Chlorfenapyr	chlorfenapyr
Chlorfenson	chlorfenson
Chlorfenvinphos	sum of E- and Z-isomers of chlorfenvinphos
Chlormequat	chlormequat
Chlorobenzilate	chlorobenzilate
Chlorothalonil	chlorothalonil
Chloroxuron	chloroxuron
Chlorpyrifos	chlorpyrifos
Chlorpyrifos-methyl	chlorpyrifos-methyl
Chlozolinate	chlozolinate
Cinidon-ethyl	cinidon-ethyl (sum of cinidon-ethyl and its E-isomer)
Clofentezine	(1) for products of plant origin other than cereals: clofentezine (2) for cereals and foodstuffs of animal origin: clofentezine (sum of all compounds containing the 2-chlorobenzoyl moiety expressed as clofentezine)
Cyazofamid	cyazofamid
Cyclanilide	cyclanilide
Cyfluthrin	(1) for products of plant origin other than cereals: cyfluthrin and b-cyfluthrin (sum of isomers) (2) for cereals and foodstuffs of animal origin: cyfluthrin, including other mixed isomeric constituents (sum of isomers)
Cyhalofop butyl	cyhalofop butyl (sum of cyhalofop butyl and its free acids)
Cypermethrin	cypermethrin, including other mixtures of constituent isomers (sum of isomers)
Cyromazine	cyromazine
Daminozide	sum of daminozide and 1,1 -dimethyl-hydrazine expressed as daminozide

Column 1 <i>Pesticide</i>	Column 2 <i>Residue</i>
DDT	sum of pp'-DDT, op'-DDT, pp'-DDE and pp'-TDE (DDD) expressed as DDT
Deltamethrin	deltamethrin
Diallate	diallate
Diazinon	diazinon
Dichlofluanid	dichlofluanid
Dichlorprop	dichlorprop (including dichlorprop P)
Dichlorvos	dichlorvos
Dicofol	(1) for products of plant origin and for foodstuffs of animal origin: except liver of cattle, sheep and goats: sum of P, P' and O, P' isomers (2) for foodstuffs of animal origin: liver of cattle sheep and goats: 1,1-bis-(parachlorophenol)-2,2-dichloroethanol (PP'-FW152), expressed as dicofol
Dimethoate	dimethoate (sum of dimethoate and omethoate expressed as dimethoate)
Dinoseb	dinoseb
Dinoterb	dinoterb
Dioxathion	dioxathion
Diphenylamine	diphenylamine
Diquat	diquat
Disulfoton	sum of disulfoton, disulfoton sulphoxide and disulfoton sulphone expressed as disulfoton
DNOC	DNOC
Endosulfan	sum of alpha- and beta- isomers and of endosulfan sulphate, expressed as endosulfan
Endrin	endrin
Ethephon	ethephon
Ethion	ethion
Ethofumesate	ethofumesate (sum of ethofumesate and the metabolite 2, 3-dihydro-3,3-dimethyl-2-oxo-benzofuran-5-yl methane sulphonate expressed as ethofumesate)
Ethoxysulfuron	ethoxysulfuron
Ethylene oxide	ethylene oxide (sum of ethylene oxide and 2-chloro-ethanol expressed as ethylene oxide)
Famoxadone	famoxadone
Fenamidone	fenamidone
Fenamiphos	fenamiphos (sum of fenamiphos and its sulphoxide and sulphone expressed as fenamiphos)
Fenarimol	fenarimol
Fenbutatin oxide	fenbutatin oxide
Fenchlorphos	fenchlorphos (sum of fenchlorphos and fenchlorphos oxon, expressed as fenchlorphos)
Fenhexamid	fenhexamid
Fenitrothion	fenitrothion
Fenpropimorph	(1) for products of plant origin: fenpropimorph (2) for foodstuffs of animal origin: fenpropimorph carboxylic acid (BF 421-2) expressed as fenpropimorph
Fentin	fentin expressed as triphenyltin cation
Fentin acetate	fentin acetate
Fentin hydroxide	fentin hydroxide

Column 1 <i>Pesticide</i>	Column 2 <i>Residue</i>
Fenvalerate and	(1) sum of RR and SS isomers
Esfenvalerate	(2) sum of RS and SR isomers
Florasulam	florasulam
Flucythrinate	(1) for products of plant origin other than cereals: flucythrinate (2) for cereals and foodstuffs of animal origin: sum of isomers expressed as flucythrinate
Flufenacet	(1) for products of plant origin other than cereals: flufenacet (sum of all compounds containing the N fluorophenyl-N-isopropyl moiety expressed as flufenacet) (2) for cereals: flufenacet (sum of all compounds containing the N fluorophenyl-N-isopropyl moiety expressed as flufenacet equivalent)
Flumioxazine	flumioxazine
Flupyrulfuron-methyl	flupyrulfuron-methyl
Fluroxypyr	(1) for products of plant origin: fluroxypyr and its esters expressed as fluroxypyr (2) for foodstuffs of animal origin: fluroxypyr
Folpet	folpet
Foramsulfuron	foramsulfuron
Formothion	formothion
Fosthiazate	fosthiazate
Furathiocarb	furathiocarb
Glyphosate	glyphosate
Heptachlor	sum of heptachlor and heptachlor epoxide, expressed as heptachlor hexachlorobenzene
Hexachlorobenzene (HCB)	hexachlorobenzene
Hexachlorocyclohexane (HCH)	HCH, sum of isomers except the gamma isomer
Hexaconazole	hexaconazole
Hydrogen cyanide	hydrogen cyanide, cyanides expressed as hydrogen cyanide
Hydrogen phosphide	hydrogen phosphide, phosphides expressed as hydrogen phosphide
Imazalil	imazalil
Imazamox	imazamox
Iodosulfuron-methyl sodium	iodosulfuron-methyl sodium (idosulfuron-methyl including salts, expressed as iodosulfuron-methyl)
Iprodione	(1) for products of plant origin: iprodione (2) for foodstuffs of animal origin: sum of compounds and all metabolites containing the 3,5-dichloroaniline moiety expressed as 3,5 dichloroaniline
Iprovalicarb	iprovalicarb
Isoproturon	isoproturon
Isoxaflutole	isoxaflutole (sum of isoxaflutole, RPA 202248 (2-cyano-3cyclopropyl-1-(2-methylsulfonyl-4-trifluoromethylphenyl)propane-1,3-dione) and RPA 203328 (2-methane-sulfonyl-4-trifluoromethylbenzoic acid) expressed as isoxaflutole)
Kresoxim-methyl	(1) for products of plant origin: kresoxim-methyl (2) for foodstuffs of animal origin: eggs: kresoxim-methyl; milk: 2-[2-(4-hydroxy-2-methylphenoxy)methyl] phenyl]-2-methoxy-imino-acetic acid; meat, liver, fat and kidney: 2-methoxyimino-2-[2-(o-tolyloxy)methyl] phenyl] acetic acid

Column 1 <i>Pesticide</i>	Column 2 <i>Residue</i>
Lambda-cyhalothrin	(1) for products of plant origin: lambda-cyhalothrin (2) for foodstuffs of animal origin: lambda-cyhalothrin including other mixed isomeric constituents (sum of isomers) lindane (hexachloro-cylohexane $\gamma$ ) linuron
Lindane	lindane (hexachloro-cylohexane $\gamma$ )
Linuron	linuron
Malathion	malathion (sum of malathion and malaoxon, expressed as malathion)
Maleic hydrazide	maleic hydrazide
Maneb, Mancozeb, Metiram, Propineb and Zineb	(1) for products of plant origin other than cereals: maneb, mancozeb, metiram, propineb and zineb (sum expressed as CS <sub>2</sub> )  (2) for cereals and foodstuffs of animal origin: determined and expressed as carbon disulphide (CS <sub>2</sub> )
Mecarbam	mecarbam
Mecoprop	mecoprop (sum of mecoprop-p and mecoprop expressed as mecoprop)
Mercury compounds	(1) for products of plant origin other than cereals: sum of mercury compounds expressed as mercury (2) for cereals: mercury compounds (3) for foodstuffs of animal origin: sum of mercury compounds
Mesotrione	mesotrione (sum of mesotrione and MNBA (4-methyl-sulfonyl-2-nitro benzoic acid), expressed as mesotrione)
Metalaxyl	(1) for products of plant origin other than cereals: metalaxyl including other mixtures of constituent isomers including metalaxyl-m (sum of isomers) (2) for cereals and foodstuffs of animal origin: metalaxyl
Metalaxyl-M	metalaxyl-m
Methacrifos	methacrifos
Methamidophos	methamidophos
Methidathion	methidathion
Methomyl thiodicarb	(1) for products of plant origin other than cereals: methomyl/thiodicarb (sum expressed as methomyl) (2) for cereals and for foodstuffs of animal origin: sum of methomyl and thiodicarb expressed as methomyl
Methoxychlor	methoxychlor
Methyl bromide (bromomethane)	methyl bromide (bromomethane)
Metsulfuron methyl	metsulfuron methyl
Mevinphos	sum of cis- and trans- mevinphos
Molinate	molinate
Monocrotophos	monocrotophos
Monolurinon	monolurinon
Myclobutanil	(1) for products of plant origin: myclobutanil (2) for foodstuffs of animal origin: Alpha -(3-hydroxybutyl) - alpha- (4-chloro-phenyl)- 1H - 1,2,4 -triazole- 1 -propanenitrile (RH 9090) expressed as myclobutanil
Nitrofen	nitrofen
Oxadiargyl	oxadiargyl
Oxasulfuron	oxasulfuron
Oxydemeton methyl	oxydemeton methyl (sum of oxydemeton methyl and demeton-S-methylsulfone expressed as oxydemeton methyl)
Paraquat	paraquat
Parathion	parathion

Column 1 <i>Pesticide</i>	Column 2 <i>Residue</i>
Parathion-methyl	parathion-methyl (sum of Parathion-methyl and para-oxon-methyl expressed as Parathion-methyl)
Penconazole	penconazole
Pendimethalin	pendimethalin
Permethrin	permethrin (and sum of isomers)
Phorate	sum of phorate, its oxygen analogue and their sulfoxides and sulphones expressed as phorate
Phosalone	phosalone
Phosmet	sum of phosmet and phosmet oxon expressed as phosmet
Phosphamidon	phosphamidon
Phoxim	phoxim
Picolinafen	picolinafen
Picoxytrobin	picoxytrobin
Pirimiphos-methyl	pirimiphos-methyl
Prochloraz	prochloraz (sum of prochloraz and its metabolites containing the 2,4,6 -Trichlorophenol moiety expressed as prochloraz)
Procymidone	(1) for products of plant origin: procymidone (2) for foodstuffs of animal origin: sum of procymidone and all metabolites containing the 3,5-dichloroaniline moiety expressed as 3,5-dichloroaniline
Profenofos	profenofos
Prohexadione	prohexadione and its salts expressed as prohexadione
Propargite	propargite
Propham	propham
Propiconazole	propiconazole
Propoxur	propoxur
Propyzamide	(1) for products of plant origin: propyzamide (2) for foodstuffs of animal origin: sum of propyzamide and all metabolites containing the 3,5-dichlorobenzoic acid fraction expressed as propyzamide
Prosulfuron	prosulfuron
Pymetrozine	pymetrozine
Pyraflufen-ethyl	pyraflufen-ethyl
Pyrazophos	pyrazophos
Pyrethrins	sum of pyrethrins I and II, cinerins I and II, jasmolins I and II
Pyridate	pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)
Quinalphos	quinalphos
Quintozene	(1) for products of plant origin: quintozene (sum of quintozene, and pentachloroaniline expressed as quintozene) (2) for foodstuffs of animal origin: quintozene
Resmethrin	resmethrin, including other mixtures of constituent isomers (sum of isomers)
Silthiofam	silthiofam
Spiroxamine	(1) for products of plant origin: spiroxamine (2) for foodstuffs of animal origin: spiroxamine carboxylic acid expressed as spiroxamine
Sulfosulfuron	sulfosulfuron
Tecnazene	tecnazene
TEPP	TEPP

Column 1 <i>Pesticide</i>	Column 2 <i>Residue</i>
Thiabendazole	(1) for products of plant origin: thiabendazole (2) for foodstuffs of animal origin: sum of thiabendazole and 5-hydroxy thiabendazole
Thifensulfuron methyl	thifensulfuron methyl
Triadimefon and Triadimenol	triadimefon and triadimenol (sum of triadimefon and triadimenol)
Triasulfuron	triasulfuron
Triazophos	triazophos
Trichlorfon	trichlorfon
Tridemorph	tridemorph
Trifloxyystrobin	trifloxyystrobin
Triforine	triforine
Vinclozolin	sum of vinclozolin and all metabolites containing 3, 5-dichloroaniline moiety, expressed as vinclozolin

## **SCHEDULE 2**

Regulations 2(1), 3 and 5

### **MAXIMUM RESIDUE LEVELS**

This table is to be read with the footnotes at the end

Group to which food belongs	Groups include the following products	1,1-Dichloro-2,2-bis-(4-ethyl-phenyl)-ethane	1,2-Dibromoethane	1,2-Dichloroethane	2,4-D	2,4-DB	2,4,5-T	Abanectin	Acephate
<b>1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS</b>									
i) CITRUS FRUIT									
Grapefruit	0.01*	0.01*	0.01*	1	0.05*	0.05*	0.01*	0.02*	0.02*
Lemons	0.01*	0.01*	0.01*	1	0.05*	0.05*	0.01*	0.02*	0.02*
Limes	0.01*	0.01*	0.01*	1	0.05*	0.05*	0.01*	0.02*	0.02*
Mandarins (inc clementines & similar hybrids)	0.01*	0.01*	0.01*	1	0.05*	0.05*	0.01*	0.02*	0.02*
Oranges	0.01*	0.01*	0.01*	1	0.05*	0.05*	0.01*	0.02*	0.02*
Pomelos	0.01*	0.01*	0.01*	1	0.05*	0.05*	0.01*	0.02*	0.02*
Others	0.01*	0.01*	0.01*	1	0.05*	0.05*	0.01*	0.02*	0.02*
ii) TREE NUTS (shelled or unshelled)									
Almonds	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.02*	0.02*	0.02*
Brazil nuts	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.02*	0.02*	0.02*
Cashew nuts	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.02*	0.02*	0.02*
Chestnuts	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.02*	0.02*	0.02*
Coconuts	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.02*	0.02*	0.02*
Hazelnuts	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.02*	0.02*	0.02*
Macadamia nuts	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.02*	0.02*	0.02*
Pecans	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.02*	0.02*	0.02*
Pine nuts	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.02*	0.02*	0.02*
Pistachios	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.02*	0.02*	0.02*
Walnuts	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.02*	0.02*	0.02*
Others	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.02*	0.02*	0.02*

Group to which food belongs	Groups include the following products	1,1-Dichloro-2,2-bis-(4-ethyl-phenyl)-ethane	1,2-Dibromoethane	1,2-Dichloroethane	2,4-D	2,4-DB	2,4,5-T	Abalectin	Acophate
<hr/>									
iii) POME FRUIT	Apples	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
	Pears	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
	Quinces	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
	Others	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
iv) STONE FRUIT	Apricots	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
	Cherries	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
	Peaches (incl nectarines & similar hybrids)	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
	Plums	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
	Others	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
<hr/>									
v) BERRIES AND SMALL FRUIT	a) Table & wine grapes	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
	Table grapes								
	Wine grapes	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
	b) Strawberries (other than wild)	0.01*	0.01*	0.05*	0.05*	0.05*	0.1	0.02*	
	c) Cane Fruit (other than wild)								
	Blackberries	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
	Dewberries	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
	Loganberries	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
	Raspberries	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
	Others	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	

Group to which food belongs	Groups include the following products	1,1-Dichloro-2,2-bis-(4-ethyl-phenyl)-ethane	1,2-Dibromoethane	1,2-Dichloroethane	2,4-D	2,4,5-DB	2,4,5-T	Abaroectin	Acophate
d) Other small fruit & berries (other than wild)									
Bilberries	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.05*	0.01*	0.02*
Cranberries	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.05*	0.01*	0.02*
Currents (red, black & white)	0.01*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.02*
Gooseberries	0.01*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.02*
Others	0.01*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.02*
e) Wild berries & wild fruit	0.01*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.02*
vi) MISCELLANEOUS FRUIT									
Avocados	0.01*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.02*
Bananas	0.01*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.02*
Dates	0.01*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.02*
Figs	0.01*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.02*
Kiwi fruit	0.01*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.02*
Kumquats	0.01*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.02*
Litchis	0.01*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.02*
Mangoes	0.01*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.02*
Olives (table consumption)	0.01*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.02*
Olives (oil extract)	0.01*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.02*
Papaya	0.01*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.02*
Passion fruit	0.01*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.02*
Pineapples	0.01*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.02*
Pomegranates	0.01*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.02*
Others	0.01*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.02*

Group to which food belongs	Groups include the following products	1,1-Dichloro-2,2-bis-(4-ethyl-phenyl)-ethane	1,2-Dibromoethane	1,2-Dichloroethane	2,4-D	2,4-DB	2,4,5-T	Abaroectin	Acophate
<b>2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY</b>									
i) ROOT AND TUBER VEGETABLES									
Beetroot	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.01*	0.02*
Carrots	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.01*	0.02*
Celeriac	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.01*	0.02*
Horseradish	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.01*	0.02*
Jerusalem artichokes	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.01*	0.02*
Parsnips	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.01*	0.02*
Parsley root	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.01*	0.02*
Radishes	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.01*	0.02*
Salsify	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.01*	0.02*
Sweet potatoes	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.01*	0.02*
Swedes	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.01*	0.02*
Turnips	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.01*	0.02*
Yams	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.01*	0.02*
Others	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.01*	0.02*
ii) BULB VEGETABLES									
Garlic	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.01*	0.02*
Onions	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.01*	0.02*
Shallots	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.01*	0.02*
Spring onions	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.01*	0.02*
Others	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.01*	0.02*

Group to which food belongs	Groups include the following products	1,1-Dichloro-2,2-bis-(4-ethyl-phenyl)-ethane	1,2-Dibromoethane	1,2-Dichloroethane	2,4-D	2,4-DB	2,4,5-T	Abaroectin	Acophate
<b>iii) FRUITING VEGETABLES</b>									
a) Solanaceae									
	Tomatoes	0.01*	0.01*	0.05*	0.05*	0.05*	0.02	0.02*	
	Peppers	0.01*	0.01*	0.05*	0.05*	0.05*	0.05	0.02*	
	Chilli peppers	0.01*	0.01*	0.05*	0.05*	0.05*	0.05	0.02*	
	Aubergines	0.01*	0.01*	0.05*	0.05*	0.05*	0.02	0.02*	
	Others	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
b) Cucurbits-edible peel									
	Cucumbers	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
	Gherkins	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
	Courgettes	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
	Others	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
c) Cucurbits-inedible peel									
	Melons	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
	Squashes	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
	Watermelons	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
	Others	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
d) Sweet corn									
		0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
<b>iv) BRASSICA VEGETABLES</b>									
a) Flowering Brassicas									
	Broccoli	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
	Cauliflower	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	

Group to which food belongs	Groups include the following products	1,1-Dichloro-2,2-bis-(4-ethyl-phenyl)-ethane	1,2-Dibromoethane	1,2-Dichloroethane	2,4-D	2,4,4-DB	2,4,5-T	Abaramectin	Acophate
	Others	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
b)	Head Brassicas Brussels sprouts	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
	Head cabbage	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
	Others	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
c)	Leafy Brassicas Chinese cabbage	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
	Kale	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
	Others	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
d)	Kohlrabi	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
v) LEAF VEGETABLES AND FRESH HERBS									
a)	Lettuce & similar Cress	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.1	0.02*
	Lamb's lettuce	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.1	0.02*
	Lettuce	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.1	0.02*
	Scarole	0.01* <sup>(6)</sup>	0.01* <sup>(6)</sup>	0.01* <sup>(6)</sup>	0.05*	0.05*	0.05*	0.1	0.02*
	Others	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.1	0.02*
b)	Spinach & similar Spinach	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
	Beet leaves (chard)	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
	Others	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
c)	Watercress	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
d)	Witloof	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*

Group to which food belongs	Groups include the following products	1,1-Dichloro-2,2-bis-(4-ethyl-phenyl)-ethane	1,2-Dibromoethane	1,2-Dichloroethane	2,4-D	2,4-DB	2,4,5-T	Abaroectin	Acophate
<hr/>									
e)	Herbs								
	Chervil	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
	Chives	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
	Parsley	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
	Celery leaves	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
	Others	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
vi) LEGUME VEGETABLES (fresh)									
	Beans (with pods)	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
	Beans (without pods)	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
	Peas (with pods)	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
	Peas (without pods)	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
	Others	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
vii) STEM VEGETABLES									
	Asparagus	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
	Cardoons	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
	Celery	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
	Fennel	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
	Globe artichokes	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
	Leeks	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
	Rhubarb	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
	Others	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*

Group to which food belongs	Groups include the following products	1,1-Dichloro-2,2-bis-(4-ethyl-phenyl)-ethane	1,2-Dibromoethane	1,2-Dichloroethane	2,4-D	2,4-DB	2,4,5-T	Abaroectin	Acophate
<hr/>									
viii) FUNGI	a) Cultivated mushrooms	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
	b) Wild mushrooms	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
<b>3. PULSES</b>	Beans	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
	Lentils	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
	Peas	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
	Others	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
<b>4. OILSEEDS</b>	Linseed	0.01*	0.02*	0.1*	0.05*	0.05*	0.02*	0.05*	
	Peanuts	0.01*	0.02*	0.1*	0.05*	0.05*	0.02*	0.05*	
	Poppy seed	0.01*	0.02*	0.1*	0.05*	0.05*	0.02*	0.05*	
	Sesame seed	0.01*	0.02*	0.1*	0.05*	0.05*	0.02*	0.05*	
	Sunflower seed	0.01*	0.02*	0.1*	0.05*	0.05*	0.02*	0.05*	
	Rape seed	0.01*	0.02*	0.1*	0.05*	0.05*	0.02*	0.05*	
	Soya bean	0.01*	0.02*	0.1*	0.05*	0.05*	0.02*	0.05*	
	Mustard seed	0.01*	0.02*	0.1*	0.05*	0.05*	0.02*	0.05*	
	Cotton seed	0.01*	0.02*	0.1*	0.05*	0.05*	0.02*	0.05*	
	Others	0.01*	0.02*	0.1*	0.05*	0.05*	0.02*	0.05*	
<b>5. POTATOES</b>	Early potatoes	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
	Ware potatoes	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	

Group to which food belongs	Groups include the following products	1,1-Dichloro-2,2-bis-(4-ethyl-phenyl)-ethane	1,2-Dibromoethane	1,2-Dichloroethane	2,4-D	2,4,5-T	Abanectin	Acophate
<b>6. TEA</b>	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i> )	0.1*	0.02*	0.1*	0.1*	0.05*	0.02*	0.05*
<b>7. HOPS (dried)</b>	Including hop pellets & unconcentrated powder	0.01*	0.02*	0.1*	0.1*	0.05*	0.05*	0.05*
<b>8. CEREALS</b>								
Wheat	0.01*	0.01*	0.01*	0.05*	0.05*	0.01*	0.02*	
Rye	0.01*	0.01*	0.01*	0.05*	0.05*	0.01*	0.02*	
Barley	0.01*	0.01*	0.01*	0.05*	0.05*	0.01*	0.02*	
Sorghum	0.01*	0.01*	0.01*	0.05*	0.05*	0.01*	0.02*	
Oats	0.01*	0.01*	0.01*	0.05*	0.05*	0.01*	0.02*	
Triticale	0.01*	0.01*	0.01*	0.05*	0.05*	0.01*	0.02*	
Maize	0.01*	0.01*	0.01*	0.05*	0.05*	0.01*	0.02*	
Buckwheat	0.01*	0.01*	0.01*	0.05*	0.05*	0.01*	0.02*	
Millet	0.01*	0.01*	0.01*	0.05*	0.05*	0.01*	0.02*	
Rice ( <sup>1</sup> )	0.01*	0.01*	0.01*	0.05*	0.05*	0.01*	0.02*	
Other cereals	0.01*	0.01*	0.01*	0.05*	0.05*	0.01*	0.02*	
<b>9. FOODSTUFFS OF ANIMAL ORIGIN</b>	Meat, edible offal, fat & preparations of meat and edible offal ( <sup>2</sup> )	0.01*	0.1 <sup>(8)</sup>	0.05 <sup>(10)</sup> 0.05 <sup>(8)</sup>	0.05 <sup>(12)</sup> 0.1 <sup>(11)</sup>	0.02*	0.02*	0.02*
Milk <sup>(3)</sup> & Dairy Produce <sup>(4)</sup>		0.01*			0.005*	0.01*	0.02*	
Eggs <sup>(5)</sup>	0.01* <sup>(7)</sup>	0.1*	0.01*	0.05*	0.01*	0.02*	0.01*	0.02*

Group to which food belongs	Groups include the following products	Acibenzolar-S-methyl	Aldicarb	Aldrin & Dieldrin	Amitraz (until 10 January 2007)	Amitraz (from 10 January 2007)	Amitrole	Aramite	Atrazine
<b>1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS</b>									
i) CITRUS FRUIT									
Grapefruit		0.02*	0.2	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Lemons		0.02*	0.2	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Limes		0.02*	0.2	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Mandarins (inc clementines & similar hybrids)		0.02*	0.2	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Oranges		0.02*	0.2	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Pomelos		0.02*	0.2	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Others		0.02*	0.2	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
ii) TREE NUTS (shelled or unshelled)									
Almonds		0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Brazil nuts		0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Cashew nuts		0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Chestnuts		0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Coconuts		0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Hazelnuts		0.1*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Macadamia nuts		0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Pecans		0.02*	0.2	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Pine nuts		0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Pistachios		0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Walnuts		0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Others		0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*

Group to which food belongs	Groups include the following products	Acibenzolar-S-methyl	Aldicarb	Aldrin & Dieldrin	Amitraz (until 10 January 2007)	Amitraz (from 10 January 2007)	Amitrole	Aramite	Atrazine
<b>iii) POME FRUIT</b>									
	Apples	0.02*	0.05*	0.01*	0.5	0.05*	0.01*	0.01*	0.1*
	Pears	0.02*	0.05*	0.01*	0.5	0.05*	0.01*	0.01*	0.1*
	Quinces	0.02*	0.05*	0.01*	0.5	0.05*	0.01*	0.01*	0.1*
	Others	0.02*	0.05*	0.01*	0.5	0.05*	0.01*	0.01*	0.1*
<b>iv) STONE FRUIT</b>									
	Apricots	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Cherries	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Peaches (incl nectarines & similar hybrids)	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Plums	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Others	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
<b>v) BERRIES AND SMALL FRUIT</b>									
a)	Table & wine grapes	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Table grapes	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Wine grapes	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
b)	Strawberries (other than wild)	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
c)	Cane Fruit (other than wild)								
	Blackberries	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Dewberries	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Loganberries	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Raspberries	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Others	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
d)	Other small fruit & berries (other than wild)								

Group to which food belongs	Groups include the following products	Acibenzolar-S-methyl	Aldicarb	Aldrin & Dieldrin	Amitraz (until 10 January 2007)	Amitraz (from 10 January 2007)	Amitrole	Aramite	Atrazine
Bilberries		0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Cranberries		0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Currants (red, black & white)		0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Gooseberries		0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Others		0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
e) Wild berries & wild fruit		0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
vi) MISCELLANEOUS FRUIT									
Avocados		0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Bananas		0.1	0.1	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Dates		0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Figs		0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Kiwi fruit		0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Kumquats		0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Litchis		0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Mangoes		0.5	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Olives (table consumption)		0.02*	0.05*	0.01*	0.05*	0.05*	0.05	0.01*	0.1*
Olives (oil extract)		0.02*	0.05*	0.01*	0.05*	0.05*	0.05	0.01*	0.1*
Papaya		0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Passion fruit		0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Pineapples		0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Pomegranates		0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Others		0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*

Group to which food belongs	Groups include the following products	Acibenzolar-S-methyl	Aldicarb	Aldrin & Dieldrin	Amitraz (until 10 January 2007)	Amitraz (from 10 January 2007)	Amitrole	Aramite	Atrazine
<b>2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY</b>									
i) ROOT AND TUBER VEGETABLES									
Beetroot	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.01*	0.1*
Carrots	0.02*	0.1	0.01*	0.05*	0.05*	0.01*	0.01*	0.01*	0.1*
Celeriac	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.01*	0.1*
Horseradish	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.01*	0.1*
Jerusalem artichokes	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.01*	0.1*
Parsnips	0.02*	0.1	0.02	0.05*	0.05*	0.01*	0.01*	0.01*	0.1*
Parsley root	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.01*	0.1*
Radishes	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.01*	0.1*
Salsify	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.01*	0.1*
Sweet potatoes	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.01*	0.1*
Swedes	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.01*	0.1*
Turnips	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.01*	0.1*
Yams	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.01*	0.1*
Others	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.01*	0.1*
ii) BULB VEGETABLES									
Garlic	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.01*	0.1*
Onions	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.01*	0.1*
Shallots	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.01*	0.1*
Spring onions	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.01*	0.1*
Others	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.01*	0.1*

Group to which food belongs	Groups include the following products	Acibenzolar-S-methyl	Aldicarb	Aldrin & Dieldrin	Amitraz (until 10 January 2007)	Amitraz (from 10 January 2007)	Amitrole	Aramite	Atrazine
<b>iii) FRUITING VEGETABLES</b>									
a)	Solanaceae								
	Tomatoes	1	0.05*	0.01*	0.5	0.05*	0.01*	0.01*	0.1*
	Peppers	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Chili peppers	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Aubergines	0.02*	0.05*	0.01*	0.5	0.05*	0.01*	0.01*	0.1*
	Others	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
b)	Cucurbits-edible peel								
	Cucumbers	0.02*	0.05*	0.02	0.05*	0.05*	0.01*	0.01*	0.1*
	Gherkins	0.02*	0.05*	0.02	0.05*	0.05*	0.01*	0.01*	0.1*
	Courgettes	0.02*	0.05*	0.02	0.05*	0.05*	0.01*	0.01*	0.1*
	Others	0.02*	0.05*	0.02	0.05*	0.05*	0.01*	0.01*	0.1*
c)	Cucurbits-inedible peel								
	Melons	0.02*	0.05*	0.03	0.05*	0.05*	0.01*	0.01*	0.1*
	Squashes	0.02*	0.05*	0.03	0.05*	0.05*	0.01*	0.01*	0.1*
	Watermelons	0.02*	0.05*	0.03	0.05*	0.05*	0.01*	0.01*	0.1*
	Others	0.02*	0.05*	0.03	0.05*	0.05*	0.01*	0.01*	0.1*
d)	Sweet corn	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
<b>iv) BRASSICA VEGETABLES</b>									
a)	Flowering Brassicas	0.02*	0.05*	0.01*	0.05*( <sup>(3)</sup> )	0.05*	0.01*	0.01*	0.1*
	Broccoli								
	Cauliflower	0.02*	0.2	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Others	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
b)	Head Brassicas	0.02*	0.2	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Brussels sprouts								

Group to which food belongs	Groups include the following products	Acibenzolar-S-methyl	Aldicarb	Aldrin & Dieldrin	Amitraz (until 10 January 2007)	Amitraz (from 10 January 2007)	Amitrole	Aramite	Atrazine
	Head cabbage	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Others		0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
c) Leafy Brassicas	Chinese cabbage	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Kale		0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Others		0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
d) Kohlrabi		0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
v) LEAF VEGETABLES AND FRESH HERBS									
a) Lettuce & similar	Cress	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Lamb's lettuce		0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Lettuce		0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Scarole		0.02*	0.05*	0.01* <sup>(6)</sup>	0.05* <sup>(6)</sup>	0.05*	0.01*	0.01*	0.1*
Others		0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
b) Spinach & similar	Spinach	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Beet leaves (chard)		0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Others		0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
c) Watercress		0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
d) Witloof		0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
e) Herbs	Chervil	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Chives		0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Parsley		0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*

Group to which food belongs	Groups include the following products	Acibenzolar-S-methyl	Aldicarb	Aldrin & Dieldrin	Amitraz (until 10 January 2007)	Amitraz (from 10 January 2007)	Amitrole	Aramite	Atrazine
Celery leaves	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.01*	0.1*
Others	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.01*	0.1*
vi) LEGUME VEGETABLES (fresh)									
Beans (with pods)	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.01*	0.1*
Beans (without pods)	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.01*	0.1*
Peas (with pods)	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.01*	0.1*
Peas (without pods)	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.01*	0.1*
Others	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.01*	0.1*
vii) STEM VEGETABLES									
Asparagus	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.01*	0.1*
Cardoons	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.01*	0.1*
Celery	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.01*	0.1*
Fennel	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.01*	0.1*
Globe artichokes	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.01*	0.1*
Leeks	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.01*	0.1*
Rhubarb	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.01*	0.1*
Others	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.01*	0.1*
viii) FUNGI									
a) Cultivated mushrooms	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.01*	0.1*
b) Wild mushrooms	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.01*	0.1*
3. PULSES									
Beans	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.01*	0.1*
Lentils	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.01*	0.1*
Peas	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.01*	0.1*

Group to which food belongs	Groups include the following products	Acibenzolar-S-methyl	Aldicarb	Aldrin & Dieldrin	Amitraz (until 10 January 2007)	Amitraz (from 10 January 2007)	Amitrole	Aramite	Atrazine
	Others	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
<b>4. OILSEEDS</b>	Linseed	0.05*	0.05*	0.02	0.05*	0.05*	0.02*	0.01*	0.1*
	Peanuts	0.05*	0.05*	0.02	0.05*	0.05*	0.02*	0.01*	0.1*
	Poppy seed	0.05*	0.05*	0.02	0.05*	0.05*	0.02*	0.01*	0.1*
	Sesame seed	0.05*	0.05*	0.02	0.05*	0.05*	0.02*	0.01*	0.1*
	Sunflower seed	0.05*	0.05*	0.02	0.05*	0.05*	0.02*	0.01*	0.1*
	Rape seed	0.05*	0.05*	0.02	0.05*	0.05*	0.02*	0.01*	0.1*
	Soya bean	0.05*	0.05*	0.02	0.05*	0.05*	0.02*	0.01*	0.1*
	Mustard seed	0.05*	0.05*	0.02	0.05*	0.05*	0.02*	0.01*	0.1*
	Cotton seed	0.05*	0.05*	0.02	1	1	0.02*	0.01*	0.1*
	Others	0.05*	0.05*	0.02	0.05*	0.05*	0.02*	0.01*	0.1*
<b>5. POTATOES</b>	Early potatoes	0.02*	0.5	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Ware potatoes	0.02*	0.5	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
<b>6. TEA</b> (dried leaves and stalks, fermented or otherwise, Camellia sinensis)		0.05*	0.05*	0.02*	0.1*	0.1*	0.02*	0.1*	0.1*
<b>7. HOPS (dried)</b>	including hop pellets & unconcentrated powder	0.05*	0.05*	0.02*	20	0.1*	0.02*	0.1*	0.1*
<b>8. CEREALS</b>	Wheat	0.05*	0.05*	0.01	0.02*	0.05*	0.01*	0.01*	0.01*
	Rye	0.05*	0.05*	0.01	0.02*	0.05*	0.01*	0.01*	0.01*
	Barley	0.05*	0.05*	0.01	0.02*	0.05*	0.01*	0.01*	0.01*

Group to which food belongs	Groups include the following products	Acibenzolar-S-methyl	Aldicarb	Aldrin & Dieldrin	Amitraz (until 10 January 2007)	Amitraz (from 10 January 2007)	Amitrole	Aramite	Atrazine
Sorghum		0.05*	0.05*	0.01	0.02*	0.05*	0.01*	0.01*	0.01*
Oats		0.05*	0.05*	0.01	0.02*	0.05*	0.01*	0.01*	0.01*
Triticale		0.05*	0.05*	0.01	0.02*	0.05*	0.01*	0.01*	0.01*
Maize		0.05*	0.05*	0.01	0.02*	0.05*	0.01*	0.01*	0.01*
Buckwheat		0.05*	0.05*	0.01	0.02*	0.05*	0.01*	0.01*	0.01*
Millet		0.05*	0.05*	0.01	0.02*	0.05*	0.01*	0.01*	0.01*
Rice <sup>(1)</sup>		0.05*	0.05*	0.01	0.02*	0.05*	0.01*	0.01*	0.01*
Other cereals		0.05*	0.05*	0.01	0.02*	0.05*	0.01*	0.01*	0.01*
					0.02* <sup>(14)</sup>	0.05* <sup>(14)</sup>			
<b>9. FOODSTUFFS OF ANIMAL ORIGIN</b>									
	Meat, edible offal, fat & preparations of meat and edible offal <sup>(2)</sup>								
Milk <sup>(3)</sup> & Dairy Produce <sup>(4)</sup>		0.02*	0.01*	0.006			0.01*		
Eggs <sup>(5)</sup>		0.02*	0.01*	0.02	0.02*	0.01*		0.01* <sup>(7)</sup>	

Group to which food belongs	Groups include the following products	Azimsulfuron	Azinphos-ethyl	Azinphos-methyl	Azocyclotin and Cyhexatin	Azoxystrobin	Barban	Benzalaxyl	Benfuracarb
<b>1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS</b>									
i) CITRUS FRUIT									
Grapefruit	0.02*	0.05*	1	0.2	1	0.05*	0.05*	0.05*	0.05*
Lemons	0.02*	0.05*	1	0.2	1	0.05*	0.05*	0.05*	0.05*
Limes	0.02*	0.05*	1	0.2	1	0.05*	0.05*	0.05*	0.05*
Mandarins (inc clementines & similar hybrids)	0.02*	0.05*	1	0.2	1	0.05*	0.05*	0.05*	0.05*
Oranges	0.02*	0.05*	1	0.2	1	0.05*	0.05*	0.05*	0.05*
Pomelos	0.02*	0.05*	1	0.2	1	0.05*	0.05*	0.05*	0.05*
Others	0.02*	0.05*	1	0.2	1	0.05*	0.05*	0.05*	0.05*
ii) TREE NUTS (shelled or unshelled)									
Almonds	0.02*	0.05*	0.05*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*
Brazil nuts	0.02*	0.05*	0.05*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*
Cashew nuts	0.02*	0.05*	0.05*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*
Chestnuts	0.02*	0.05*	0.05*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*
Coconuts	0.02*	0.05*	0.05*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*
Hazelnuts	0.02*	0.05*	0.05*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*
Macadamia nuts	0.02*	0.05*	0.05*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*
Pecans	0.02*	0.05*	0.05*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*
Pine nuts	0.02*	0.05*	0.05*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*
Pistachios	0.02*	0.05*	0.05*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*
Walnuts	0.02*	0.05*	0.05*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*
Others	0.02*	0.05*	0.05*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Azimsulfuron	Azinphos-ethyl	Azinphos-methyl	Azocyclotin and Cyhexatin	Azoxystrobin	Barban	Benalaxyl	Benfuracarb
<b>iii) POME FRUIT</b>									
	Apples	0.02*	0.05*	0.5	0.2	0.05*	0.05*	0.05*	0.05*
	Pears	0.02*	0.05*	0.5	0.1	0.05*	0.05*	0.05*	0.05*
	Quinces	0.02*	0.05*	0.5	0.05*	0.05*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.5	0.05*	0.05*	0.05*	0.05*	0.05*
<b>iv) STONE FRUIT</b>									
	Apricots	0.02*	0.05*	2	0.05*	0.05*	0.05*	0.05*	0.05*
	Cherries	0.02*	0.05*		0.05*	0.05*	0.05*	0.05*	0.05*
	Peaches (incl nectarines & similar hybrids)	0.02*	0.05*	2	0.05*	0.05*	0.05*	0.05*	0.05*
	Plums	0.02*	0.05*	0.5	0.3	0.05*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*		0.05*	0.05*	0.05*	0.05*	0.05*
<b>v) BERRIES AND SMALL FRUIT</b>									
a)	Table & wine grapes	0.02*	0.05*	1	0.05*	2	0.05*	0.2	0.05*
	Table grapes								
	Wine grapes	0.02*	0.05*	1	0.3	2	0.05*	0.2	0.05*
b)	Strawberries (other than wild)	0.02*	0.05*	0.5	0.05*	2	0.05*	0.05*	0.05*
c)	Cane Fruit (other than wild)								
	Blackberries	0.02*	0.05*	0.5	0.05*	3	0.05*	0.05*	0.05*
	Dewberries	0.02*	0.05*	0.5	0.05*	0.05*	0.05*	0.05*	0.05*
	Loganberries	0.02*	0.05*	0.5	0.05*	0.05*	0.05*	0.05*	0.05*
	Raspberries	0.02*	0.05*	0.5	0.05*	3	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.5	0.05*	0.05*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Azimsulfuron	Azinphos-ethyl	Azinphos-methyl	Azocyclotin and Cyhexatin	Azoxystrobin	Barban	Bentalaxyl	Benfuracarb
d) Other small fruit & berries (other than wild)									
Bilberries	0.02*	0.05*	0.5	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Cranberries	0.02*	0.05*	0.5	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Currants (red, black & white)	0.02*	0.05*	0.5	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Gooseberries	0.02*	0.05*	0.5	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Others	0.02*	0.05*	0.5	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
e) Wild berries & wild fruit	0.02*	0.05*		0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
vi) MISCELLANEOUS FRUIT									
Avocados	0.02*	0.05*		0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Bananas	0.02*	0.05*	0.5	0.05*	2	0.05*	0.05*	0.05*	0.05*
Dates	0.02*	0.05*		0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Figs	0.02*	0.05*		0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Kiwi fruit	0.02*	0.05*		0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Kumquats	0.02*	0.05*		0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Litchis	0.02*	0.05*		0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Mangoes	0.02*	0.05*		0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Olives (table consumption)	0.02*	0.05*		0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Olives (oil extract)	0.02*	0.05*		0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Papaya	0.02*	0.05*		0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Passion fruit	0.02*	0.05*		0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Pineapples	0.02*	0.05*		0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Pomegranates	0.02*	0.05*		0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Others	0.02*	0.05*		0.05*	0.05*	0.05*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Azimsulfuron	Azinphos-ethyl	Azinphos-methyl	Azocyclotin and Cyhexatin	Azoxystrobin	Barban	Benalaxyl	Benfuracarb
<b>2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY</b>									
i) ROOT AND TUBER VEGETABLES									
Beetroot	0.02*	0.05*			0.05*	0.05*	0.05*	0.05*	0.05*
Carrots	0.02*	0.05*	0.5		0.2	0.05*	0.05*	0.05*	0.05*
Celeriac	0.02*	0.05*			0.3	0.05*	0.05*	0.05*	0.05*
Horseradish	0.02*	0.05*	0.5		0.2	0.05*	0.05*	0.05*	0.05*
Jerusalem artichokes	0.02*	0.05*			0.05*	0.05*	0.05*	0.05*	0.05*
Parsnips	0.02*	0.05*	0.5		0.2	0.05*	0.05*	0.05*	0.05*
Parsley root	0.02*	0.05*	0.5		0.2	0.05*	0.05*	0.05*	0.05*
Radishes	0.02*	0.05*			0.05*	0.05*	0.05*	0.05*	0.05*
Salsify	0.02*	0.05*	0.5		0.2	0.05*	0.05*	0.05*	0.05*
Sweet potatoes	0.02*	0.05*			0.05*	0.05*	0.05*	0.05*	0.05*
Swedes	0.02*	0.05*	0.5		0.05*	0.05*	0.05*	0.05*	0.05*
Turnips	0.02*	0.05*	0.5		0.05*	0.05*	0.05*	0.05*	0.05*
Yams	0.02*	0.05*			0.05*	0.05*	0.05*	0.05*	0.05*
Others	0.02*	0.05*			0.05*	0.05*	0.05*	0.05*	0.05*
ii) BULB VEGETABLES									
Garlic	0.02*	0.05*	0.5		0.05*	0.05*	0.05*	0.05*	0.05*
Onions	0.02*	0.05*	0.5		0.05*	0.05*	0.05*	0.2	0.05*
Shallots	0.02*	0.05*	0.5		0.05*	0.05*	0.05*	0.05*	0.05*
Spring onions	0.02*	0.05*			2	0.05*	0.05*	0.05*	0.05*
Others	0.02*	0.05*			0.05*	0.05*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Azimsulfuron	Azinphos-ethyl	Azinphos-methyl	Azocyclotin and Cyhexatin	Azoxystrobin	Barban	Benalaxyl	Benfuracarb
<b>iii) FRUITING VEGETABLES</b>									
a)									
Solanaceae									
Tomatoes	0.02*	0.05*	0.5	0.05*	2	0.05*	0.2	0.05*	
Peppers	0.02*	0.05*	0.5	0.05*	2	0.05*	0.2	0.05*	
Chili peppers	0.02*	0.05*	0.5	0.05*	2	0.05*	0.2	0.05*	
Aubergines	0.02*	0.05*	0.5	0.05*	2	0.05*	0.2	0.05*	
Others	0.02*	0.05*	0.5	0.05*	2	0.05*	0.05*	0.05*	
b)	Cucurbits-edible peel								
Cucumbers	0.02*	0.05*	0.5	0.05*	1	0.05*	0.05*	0.05*	
Gherkins	0.02*	0.05*	0.5	0.05*	1	0.05*	0.05*	0.05*	
Courgettes	0.02*	0.05*	0.5	0.05*	1	0.05*	0.05*	0.05*	
Others	0.02*	0.05*	0.5	0.05*	1	0.05*	0.05*	0.05*	
c)	Cucurbits-inedible peel								
Melons	0.02*	0.05*	0.5	0.05*	0.5	0.05*	0.1	0.05*	
Squashes	0.02*	0.05*	0.5	0.05*	0.5	0.05*	0.05*	0.05*	
Watermelons	0.02*	0.05*	0.5	0.05*	0.5	0.05*	0.1	0.05*	
Others	0.02*	0.05*	0.5	0.05*	0.5	0.05*	0.05*	0.05*	
d)	Sweet corn								
	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	
<b>iv) BRASSICA VEGETABLES</b>									
a)									
Flowering Brassicas									
Broccoli	0.02*	0.05*(13)	0.5	0.05*	0.5	0.05*	0.05*	0.05*	
Cauliflower	0.02*	0.05*	0.5	0.05*	0.5	0.05*	0.05*	0.05*	
Others	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	
b)	Head Brassicas								
Brussels sprouts	0.02*	0.05*	0.5	0.05*	0.1	0.05*	0.05*	0.05*	

Group to which food belongs	Groups include the following products	Azimsulfuron	Azinphos-ethyl	Azinphos-methyl	Azocyclotin and Cyhexatin	Azoxystrobin	Barban	Bentalaxyl	Benfuracarb
<b>v) LEAF VEGETABLES AND FRESH HERBS</b>									
a)	Lettuce & similar	0.02*	0.05*	0.5	0.05*	0.3	0.05*	0.05*	0.05*
	Cress	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Lamb's lettuce	0.02*	0.05*	0.05*	0.05*	3	0.05*	0.05*	0.05*
	Lettuce	0.02*	0.05*	0.5	0.05*	3	0.05*	0.05*	0.05*
	Scarole	0.02*	0.05* <sup>(6)</sup>	0.05*	0.05*	3	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*	3	0.05*	0.05*	0.05*
b)	Spinach & similar	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Spinach	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Beet leaves (chard)	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
c)	Watercress	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
d)	Witloof	0.02*	0.05*	0.05*	0.05*	0.2	0.05*	0.05*	0.05*
e)	Herbs	0.02*	0.05*	0.05*	0.05*	3	0.05*	0.05*	0.05*
	Chervil	0.02*	0.05*	0.05*	0.05*	3	0.05*	0.05*	0.05*
	Chives	0.02*	0.05*	0.05*	0.05*	3	0.05*	0.05*	0.05*
	Parsley	0.02*	0.05*	0.05*	0.05*	3	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Azimsulfuron	Azinphos-ethyl	Azinphos-methyl	Azocyclotin and Cyhexatin	Azoxystrobin	Barban	Benalaxyl	Benfuracarb
	Celery leaves	0.02*	0.05*	0.05*	3	0.05*	0.05*	0.05*	0.05*
Others	Others	0.02*	0.05*	0.05*	3	0.05*	0.05*	0.05*	0.05*
vi) LEGUME VEGETABLES (fresh)									
Beans (with pods)	Beans (with pods)	0.02*	0.05*	0.5	1	0.05*	0.05*	0.05*	0.05*
Beans (without pods)	Beans (without pods)	0.02*	0.05*	0.05*	0.2	0.05*	0.05*	0.05*	0.05*
Peas (with pods)	Peas (with pods)	0.02*	0.05*	0.5	0.5	0.05*	0.05*	0.05*	0.05*
Peas (without pods)	Peas (without pods)	0.02*	0.05*	0.05*	0.2	0.05*	0.05*	0.05*	0.05*
Others	Others	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
vii) STEM VEGETABLES									
Asparagus	Asparagus	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Cardoons	Cardoons	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Celery	Celery	0.02*	0.05*	0.5	5	0.05*	0.05*	0.05*	0.05*
Fennel	Fennel	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Globe artichokes	Globe artichokes	0.02*	0.05*	0.05*	1	0.05*	0.05*	0.05*	0.05*
Leeks	Leeks	0.02*	0.05*	0.5	0.1	0.05*	0.05*	0.05*	0.05*
Rhubarb	Rhubarb	0.02*	0.05*	0.5	0.05*	0.05*	0.05*	0.05*	0.05*
Others	Others	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
viii) FUNGI	a)	Cultivated mushrooms	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	b)	Wild mushrooms	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
3. PULSES	Beans	0.02*	0.05*	0.05*	0.1	0.05*	0.05*	0.05*	0.05*
Lentils	Lentils	0.02*	0.05*	0.05*	0.1	0.05*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Azimsulfuron	Azinphos-ethyl	Azinphos-methyl	Azocyclotin and Cyhexatin	Azoxystrobin	Barban	Benalaxyl	Benfuracarb
<b>4. OILSEEDS</b>									
	Peas	0.02*	0.05*	0.05*	0.1	0.05*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.1	0.05*	0.05*	0.05*	0.05*
	Linseed	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Peanuts	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Poppy seed	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Sesame seed	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Sunflower seed	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Rape seed	0.1*	0.05*	0.05*	0.5	0.05*	0.05*	0.05*	0.05*
	Soya bean	0.1*	0.05*	0.05*	0.5	0.05*	0.05*	0.05*	0.05*
	Mustard seed	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Cotton seed	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Others	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
<b>5. POTATOES</b>									
	Early potatoes	0.02*	0.05*	0.5	0.05*	0.05*	0.05*	0.05*	0.05*
	Ware potatoes	0.02*	0.05*	0.5	0.05*	0.05*	0.05*	0.05*	0.05*
<b>6. TEA</b>	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*
<b>7. HOPS (dried)</b>	including hop pellets & unconcentrated powder	0.1*	0.1*	20	0.1*	0.1*	5	0.1*	
<b>8. CEREALS</b>									
	Wheat	0.02*	0.05*	0.3	0.05*	0.05*	0.05*	0.05*	0.05*
	Rye	0.02*	0.05*	0.3	0.05*	0.05*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Azimsulfuron	Azinphos-ethyl	Azinphos-methyl	Azocyclotin and Cyhexatin	Azoxystrobin	Barban	Benalaxyl	Benfuracarb
Barley		0.02*	0.05*		0.05*	0.3	0.05*	0.05*	0.05*
Sorghum		0.02*	0.05*		0.05*	0.05*	0.05*	0.05*	0.05*
Oats		0.02*	0.05*		0.05*	0.3	0.05*	0.05*	0.05*
Triticale		0.02*	0.05*		0.05*	0.3	0.05*	0.05*	0.05*
Maize		0.02*	0.05*		0.05*	0.05*	0.05*	0.05*	0.05*
Buckwheat		0.02*	0.05*		0.05*	0.05*	0.05*	0.05*	0.05*
Millet		0.02*	0.05*		0.05*	0.05*	0.05*	0.05*	0.05*
Rice <sup>(1)</sup>		0.02*	0.05*		0.05*	5	0.05*	0.05*	0.05*
Other cereals		0.02*	0.05*		0.05*	0.05*	0.05*	0.05*	0.05*
					0.2 <sup>(15)</sup> 0.05* <sup>(9)</sup>	0.05*	0.05*	0.05*	0.05*
<b>9. FOODSTUFFS OF ANIMAL ORIGIN</b>									
Meat, edible offal, fat & preparations of meat and edible offal <sup>(2)</sup>									
Milk <sup>(3)</sup> & Dairy Produce <sup>(4)</sup>		0.05*		0.01*		0.05*	0.05*	0.05*	0.05*
Eggs <sup>(5)</sup>		0.05* <sup>(7)</sup>		0.05*		0.05* <sup>(7)</sup>	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Bentazone Thiophanate-methyl	Bifenthrin	Binapacyl	Biteranol	Bromophos-ethyl	Bromopropylate	Camphechlor (Toxaphene)
<b>1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS</b>								
i) CITRUS FRUIT								
Grapefruit	5	0.1*	0.1	0.05*	0.05*	0.05*	2	0.1*
Lemons	5	0.1*	0.1	0.05*	0.05*	0.05*	2	0.1*
Limes	5	0.1*	0.1	0.05*	0.05*	0.05*	2	0.1*
Mandarins (inc clementines & similar hybrids)	5	0.1*	0.1	0.05*	0.05*	0.05*	2	0.1*
Oranges	5	0.1*	0.1	0.05*	0.05*	0.05*	2	0.1*
Pomelos	5	0.1*	0.1	0.05*	0.05*	0.05*	2	0.1*
Others	5	0.1*	0.1	0.05*	0.05*	0.05*	2	0.1*
ii) TREE NUTS (shelled or unshelled)								
Almonds	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.1*
Brazil nuts	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.1*
Cashew nuts	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.1*
Chestnuts	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.1*
Coconuts	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.1*
Hazelnuts	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.1*
Macadamia nuts	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.1*
Pecans	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.1*
Pine nuts	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.1*
Pistachios	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.1*
Walnuts	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.1*
Others	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.1*

Group to which food belongs	Groups include the following products	Bentazone Benzonyl/Carbendazim Thiophanate-methyl	Bifenthrin	Binapacryl	Biteranol	Bromophos-ethyl	Bromopropylate	Camphochlor (Toxaphene)
<hr/>								
iii) POME FRUIT								
Apples	2	0.1*	0.3	0.05*	2	0.05*	2	0.1*
Pears	2	0.1*	0.3	0.05*	2	0.05*	2	0.1*
Quinces	2	0.1*	0.3	0.05*	2	0.05*	2	0.1*
Others	2	0.1*	0.3	0.05*	2	0.05*	2	0.1*
iv) STONE FRUIT								
Apricots	1	0.1*	0.2	0.05*	1	0.05*	0.05*	0.1*
Cherries	0.1*	0.1*	0.2	0.05*	1	0.05*	0.05*	0.1*
Peaches (incl nectarines & similar hybrids)	1	0.1*	0.2	0.05*	1	0.05*	0.05*	0.1*
Plums	0.5	0.1*	0.2	0.05*	2	0.05*	0.05*	0.1*
Others	0.1*	0.1*	0.2	0.05*	0.05*	0.05*	0.05*	0.1*
v) BERRIES AND SMALL FRUIT								
a) Table & wine grapes								
Table grapes	2	0.1*	0.2	0.05*	0.05*	0.05*	2	0.1*
Wine grapes	2	0.1*	0.2	0.05*	0.05*	0.05*	2	0.1*
b) Strawberries (other than wild)								
c) Cane Fruit (other than wild)								
Blackberries	0.1*	0.3	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Dewberries	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Loganberries	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Raspberries	0.1*	0.3	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Others	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*

Group to which food belongs	Groups include the following products	Benonyl/Carbendazim Thiophanate-methyl	Bentazone	Bifenthrin	Binapacryl	Biteranol	Bromophos-ethyl	Bromopropylate	Camphechlor (Toxaphene)
d) Other small fruit & berries (other than wild)									
Bilberries	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Cranberries	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Currants (red, black & white)	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Gooseberries	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Others	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
e) Wild berries & wild fruit	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
vi) MISCELLANEOUS FRUIT									
Avocados	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Bananas	1	0.1*	0.1	0.05*	3	0.05*	0.05*	0.05*	0.1*
Dates	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Figs	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Kiwi fruit	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Kumquats	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Litchis	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Mangoes	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Olives (table consumption)	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Olives (oil extract)	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Papaya	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Passion fruit	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Pineapples	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Pomegranates	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*

Group to which food belongs	Groups include the following products	Benonyl/Carbendazim Thiophanate-methyl	Bentazone	Bifenthrin	Binapacryl	Biteranol	Bromophos- ethyl	Bromopropylate	Camphechlor (Toxaphene)
<b>2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY</b>									
i) ROOT AND TUBER VEGETABLES									
Beetroot	Others	0.1*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.1*
Carrots		0.1*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.1*
Celeriac		0.1*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.1*
Horseradish		0.1*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.1*
Jerusalem artichokes		0.1*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.1*
Parsnips		0.1*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.1*
Parsley root		0.1*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.1*
Radishes		0.1*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.1*
Salsify		0.1*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.1*
Sweet potatoes		0.1*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.1*
Swedes		0.1*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.1*
Turnips		0.1*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.1*
Yams		0.1*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.1*
Others		0.1*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.1*
ii) BULB VEGETABLES									
Garlic		0.1*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.1*
Onions		0.1*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.1*
Shallots		0.1*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.1*
Spring onions		0.1*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.1*

Group to which food belongs	Groups include the following products	Benonyl/Carbendazim Thiophanate-methyl	Bentazone	Bifenthrin	Binapacryl	Biteranol	Bromophos- ethyl	Bromopropylate	Camphechlor (Toxaphene)
Others	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
iii) FRUITING VEGETABLES									
a) Solanaceae									
Tomatoes	0.5	0.1*	0.2	0.05*	3	0.05*	1	0.1*	
Peppers	0.1*	0.1*	0.2	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Chili peppers	0.1*	0.1*	0.2	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Aubergines	0.5	0.1*	0.2	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Others	0.1*	0.2	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
b) Cucurbitis-edible peel									
Cucumbers	1	0.1*	0.1	0.05*	0.5	0.05*	0.05*	0.05*	0.1*
Gherkins	0.1*	0.1*	0.1	0.05*	0.5	0.05*	0.05*	0.05*	0.1*
Courgettes	0.3	0.1*	0.1	0.05*	0.5	0.05*	0.05*	0.05*	0.1*
Others	0.1*	0.1	0.05*	0.5	0.05*	0.05*	0.05*	0.05*	0.1*
c) Cucurbitis-inedible peel									
Melons	0.5	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Squashes	0.5	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Watermelons	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Others	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
d) Sweet corn	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
iv) BRASSICA VEGETABLES									
a) Flowering Brassicas	0.1*	0.2	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Cauliflower	0.1*	0.2	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*

Group to which food belongs	Groups include the following products	Benonyl/Carbendazim Thiophanate-methyl products	Bentazone	Bifenthrin	Binapacryl	Biteranol	Bromophos-ethyl	Bromopropylate	Camphechlor (Toxaphene)
<b>v) LEAF VEGETABLES AND FRESH HERBS</b>									
b)	Head Brassicas Brussels sprouts	0.5	0.1*	0.2	0.05*	0.05*	0.05*	0.05*	0.1*
	Head cabbage	3	0.1*	1	0.05*	0.05*	0.05*	0.05*	0.1*
	Others	3	0.1*	1	0.05*	0.05*	0.05*	0.05*	0.1*
c)	Leafy Brassicas Chinese cabbage	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Kale		0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Others		0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
d)	Kohlrabi		0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
<b>v) LEAF VEGETABLES AND FRESH HERBS</b>									
a)	Lettuce & similar Cress	0.1*	2	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Lamb's lettuce		0.1*	2	0.05*	0.05*	0.05*	0.05*	0.1*
	Lettuce	5	0.1*	2	0.05*	0.05*	0.05*	0.05*	0.1*
	Scarole		0.1*	2 <sup>(6)</sup>	0.05* <sup>(6)</sup>	0.05*	0.05*	0.05* <sup>(6)</sup>	0.1* <sup>(6)</sup>
	Others		0.1*	2	0.05*	0.05*	0.05*	0.05*	0.1*
b)	Spinach & similar Spinach		0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Beet leaves (chard)		0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Others		0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
c)	Watercress		0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
d)	Witloof		0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
e)	Herbs								

Group to which food belongs	Groups include the following products	Benonyl/Carbendazim Thiophanate-methyl	Bentazone	Bifenthrin	Binapacryl	Biteranol	Bromophos-ethyl	Bromopropylate	Camphechlor (Toxaphene)
Chervil		0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Chives		0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Parsley		0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Celery leaves		0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Others		0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
vi) LEGUME VEGETABLES (fresh)									
Beans (with pods)		0.1*	0.5	0.05*	0.05*	0.05*	0.05*	1	0.1*
Beans (without pods)		0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Peas (with pods)		0.1*	0.5	0.1	0.05*	0.05*	0.05*	0.05*	0.1*
Peas (without pods)		0.1*	0.2	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Others		0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
vii) STEM VEGETABLES									
Asparagus		0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Cardoons		0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Celery		2	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Fennel		0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Globe artichokes		0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Leeks		0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Rhubarb		2	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Others		0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
viii) FUNGI									
a) Cultivated mushrooms		1	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
b) Wild mushrooms		0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*

Group to which food belongs	Groups include the following products	Benonyl/Carbendazim Thiophanate-methyl	Bentazone	Bifenthrin	Binapacryl	Biteranol	Bromophos-ethyl	Bromopropylate	Camphochlor (Toxaphene)
<b>3. PULSES</b>									
Beans	Beans	2	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Lentils		0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Peas		0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Others		0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
<b>4. OILSEEDS</b>									
Linseed	Peanuts	0.1*	0.1*	0.1*	0.05*	0.1*	0.05*	0.1*	0.1*
	Poppy seed	0.1*	0.1*	0.1*	0.05*	0.1*	0.05*	0.1*	0.1*
	Sesame seed	0.1*	0.1*	0.1*	0.05*	0.1*	0.05*	0.1*	0.1*
	Sunflower seed	0.1*	0.1*	0.05*	0.1*	0.05*	0.1*	0.1*	0.1*
	Rape seed	0.1*	0.1*	0.05*	0.1*	0.05*	0.1*	0.1*	0.1*
	Soya bean	0.2	0.1	0.05*	0.1	0.05*	0.1	0.05*	0.1*
	Mustard seed	0.1*	0.1*	0.05*	0.1*	0.05*	0.1*	0.05*	0.1*
	Cotton seed	0.1*	0.1*	0.05*	0.1*	0.05*	0.1*	0.05*	0.1*
	Others	0.1*	0.1*	0.05*	0.1*	0.05*	0.1*	0.05*	0.1*
<b>5. POTATOES</b>									
Early potatoes		0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Ware potatoes		0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
<b>6. TEA</b>	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.1	5	0.1*	0.1*	0.1*	0.1*	0.1*
<b>7. HOPS (dried)</b>	including hop pellets & unconcentrated powder	0.1*	10	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*

Group to which food belongs	Groups include the following products	Benonyl/Carbendazim Thiophanate-methyl	Bentazone	Bifenthrin	Binapacryl	Biteranol	Bromophos- ethyl	Bromopropylate	Camphechlor (Toxaphene)
<b>8. CEREALS</b>									
	Wheat	0.1*	0.5	0.01*	0.05*	0.05*	0.1*	0.1*	
	Rye	0.1*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	
	Barley	0.1*	0.5	0.01*	0.05*	0.05*	0.05*	0.1*	
	Sorghum	0.1*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	
	Oats	0.1*	0.5	0.01*	0.05*	0.05*	0.05*	0.1*	
	Triticale	0.1*	0.5	0.01*	0.05*	0.05*	0.05*	0.1*	
	Maize	0.1*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	
	Buckwheat	0.1*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	
	Millet	0.1*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	
	Rice <sup>(1)</sup>	0.1*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	
	Other cereals	0.1*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	
<b>9. FOODSTUFFS OF ANIMAL ORIGIN</b>									
	Meat, edible offal, fat & preparations of meat and edible offal <sup>(2)</sup>	0.1* 0.05* <sup>(8)</sup>	0.1* <sup>(16)</sup> 0.05* <sup>(9)</sup>	0.01*	0.05*	0.05*	0.05*	0.05* <sup>(17)</sup>	
	Milk <sup>(3)</sup> & Dairy Produce <sup>(4)</sup>	0.1*	0.02*	0.01*	0.01*	0.05*	0.05*	0.01*	
	Eggs <sup>(5)</sup>	0.1*	0.05*	0.01*	0.01*	0.05*	0.05*	0.05*	

Group to which food belongs	Groups include the following products	Captan	Carbaryl	Carbofuran	Carbon disulphide	Carbon tetrachloride	Carbosulfan	Carfentrazone-ethyl (from 4 December 2006)	Cartap
<b>1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS</b>									
i) CITRUS FRUIT									
Grapefruit	0.02*	0.02*	1	0.3	0.05*	0.05*	0.01*		
Lemons	0.02*	0.02*	1	0.3	0.05*	0.05*	0.01*		
Limes	0.02*	0.02*	1	0.3	0.05*	0.05*	0.01*		
Mandarins (inc clementines & similar hybrids)	0.02*	0.02*	1	0.3	0.05*	0.05*	0.01*		
Oranges	0.02*	0.02*	1	0.3	0.05*	0.05*	0.01*		
Pomelos	0.02*	0.02*	1	0.3	0.05*	0.05*	0.01*		
Others	0.02*	0.02*	1	0.3	0.05*	0.05*	0.01*		
ii) TREE NUTS (shelled or unshelled)									
Almonds	0.02*	0.02*	0.1*	0.1*	0.05*	0.05*	0.01*		
Brazil nuts	0.02*	0.02*	0.1*	0.1*	0.05*	0.05*	0.01*		
Cashew nuts	0.02*	0.02*	0.1*	0.1*	0.05*	0.05*	0.01*		
Chestnuts	0.02*	0.02*	0.1*	0.1*	0.05*	0.05*	0.01*		
Coconuts	0.02*	0.02*	0.1*	0.1*	0.05*	0.05*	0.01*		
Hazelnuts	0.02*	0.02*	0.1*	0.1*	0.05*	0.05*	0.01*		
Macadamia nuts	0.02*	0.02*	0.1*	0.1*	0.05*	0.05*	0.01*		
Pecans	0.02*	0.02*	0.1*	0.1*	0.05*	0.05*	0.01*		
Pine nuts	0.02*	0.02*	0.1*	0.1*	0.05*	0.05*	0.01*		
Pistachios	0.02*	0.02*	0.1*	0.1*	0.05*	0.05*	0.01*		
Walnuts	0.02*	0.02*	0.1*	0.1*	0.05*	0.05*	0.01*		
Others	0.02*	0.02*	0.1*	0.1*	0.05*	0.05*	0.01*		

Group to which food belongs	Groups include the following products	Captafol	Carbamyl	Carbofuran	Carbon disulfide	Carbon tetrachloride	Carbosulfan	Cartenazone-ethyl (from 4 December 2006)	Carlap
<hr/>									
iii) POME FRUIT									
Apples	0.02*	3	0.1*				0.05*	0.01*	
Pears	0.02*	3	0.1*				0.05*	0.01*	
Quinces	0.02*	3	0.1*				0.05*	0.01*	
Others	0.02*	3	0.1*				0.05*	0.01*	
iv) STONE FRUIT									
Apricots	0.02*	3	0.1*				0.05*	0.01*	
Cherries	0.02*		0.1*				0.05*	0.01*	
Peaches (incl nectarines & similar hybrids)	0.02*	3	0.1*				0.05*	0.01*	
Plums	0.02*	3	0.1*				0.05*	0.01*	
Others	0.02*		0.1*				0.05*	0.01*	
v) BERRIES AND SMALL FRUIT									
a) Table & wine grapes									
Table grapes	0.02*	3	0.1*				0.05*	0.01*	
Wine grapes	0.02*	3	0.1*				0.05*	0.01*	
b) Strawberries (other than wild)									
	0.02*	1	0.1*				0.05*	0.01*	
c) Cane Fruit (other than wild)									
Blackberries	0.02*	1	0.1*				0.05*	0.01*	
Dewberries	0.02*	1	0.1*				0.05*	0.01*	
Loganberries	0.02*	1	0.1*				0.05*	0.01*	
Raspberries	0.02*	1	0.1*				0.05*	0.01*	
Others	0.02*	1	0.1*				0.05*	0.01*	

Group to which food belongs	Groups include the following products	Captafol	Carbamyl	Carbofuran	Carbon disulphide	Carbon tetrachloride	Carbosulfan	Cartenazone-ethyl (from 4 December 2006)	Carlap
d) Other small fruit & berries (other than wild)	Bilberries	0.02*	1	0.1*			0.05*		0.01*
	Cranberries	0.02*	1	0.1*			0.05*		0.01*
	Currants (red, black & white)	0.02*	1	0.1*			0.05*		0.01*
	Gooseberries	0.02*	1	0.1*			0.05*		0.01*
	Others	0.02*	1	0.1*			0.05*		0.01*
e) Wild berries & wild fruit		0.02*		0.1*			0.05*		0.01*
vi) MISCELLANEOUS FRUIT				0.1*			0.05*		0.01*
	Avocados	0.02*					0.05*		0.01*
	Bananas	0.02*	1	0.1*			0.05*		0.01*
	Dates	0.02*		0.1*			0.05*		0.01*
	Figs	0.02*		0.1*			0.05*		0.01*
	Kiwi fruit	0.02*		0.1*			0.05*		0.01*
	Kumquats	0.02*		0.1*			0.05*		0.01*
	Litchis	0.02*		0.1*			0.05*		0.01*
	Mangoes	0.02*		0.1*			0.05*		0.01*
	Olives (table consumption)	0.02*		0.1*			0.05*		0.01*
	Olives (oil extract)	0.02*		0.1*			0.05*		0.01*
	Papaya	0.02*		0.1*			0.05*		0.01*
	Passion fruit	0.02*		0.1*			0.05*		0.01*
	Pineapples	0.02*		0.1*			0.05*		0.01*
	Pomegranates	0.02*		0.1*			0.05*		0.01*

Group to which food belongs	Groups include the following products	Captaol	Carbamyl	Carbofuran	Carbon disulfide	Carbon tetrachloride	Carbosulfan	Cartenazone-ethyl (from 4 December 2006)	Carlap
<b>2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY</b>									
i) ROOT AND TUBER VEGETABLES									
Beetroot	Others	0.02*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.01*
Carrots		0.02*	2	0.3	0.1	0.1	0.1	0.1	0.01*
Celeriac		0.02*		0.1*	0.05*	0.05*	0.05*	0.05*	0.01*
Horseradish		0.02*	2	0.1*	0.05*	0.05*	0.05*	0.05*	0.01*
Jerusalem artichokes		0.02*		0.1*	0.05*	0.05*	0.05*	0.05*	0.01*
Parsnips		0.02*	2	0.3	0.1	0.1	0.1	0.1	0.01*
Parsley root		0.02*	2	0.1*	0.05*	0.05*	0.05*	0.05*	0.01*
Radishes		0.02*		0.5	0.05*	0.05*	0.05*	0.05*	0.01*
Salsify		0.02*	2	0.1*	0.05*	0.05*	0.05*	0.05*	0.01*
Sweet potatoes		0.02*		0.1*	0.05*	0.05*	0.05*	0.05*	0.01*
Swedes		0.02*	2	0.2	0.05*	0.05*	0.05*	0.05*	0.01*
Turnips		0.02*	1	0.2	0.05*	0.05*	0.05*	0.05*	0.01*
Yams		0.02*		0.1*	0.05*	0.05*	0.05*	0.05*	0.01*
Others		0.02*		0.1*	0.05*	0.05*	0.05*	0.05*	0.01*
ii) BULB VEGETABLES									
Garlic		0.02*	1	0.3	0.05*	0.05*	0.05*	0.05*	0.01*
Onions		0.02*	1	0.3	0.05*	0.05*	0.05*	0.05*	0.01*
Shallots		0.02*	1	0.3	0.05*	0.05*	0.05*	0.05*	0.01*
Spring onions		0.02*		0.1*	0.05*	0.05*	0.05*	0.05*	0.01*
Others		0.02*		0.1*	0.05*	0.05*	0.05*	0.05*	0.01*

Group to which food belongs	Groups include the following products	Captafol	Carbamyl	Carbofuran	Carbon disulphide	Carbon tetrachloride	Carbosulfan	Cartenzone-ethyl (from 4 December 2006)	Carlap
<b>iii) FRUITING VEGETABLES</b>									
a) Solanaceae									
Tomatoes	0.02*	3	0.1*				0.05*		0.01*
Peppers	0.02*	3	0.1*				0.05*		0.01*
Chili peppers	0.02*	3	0.1*				0.05*		0.01*
Aubergines	0.02*	3	0.1*				0.05*		0.01*
Others	0.02*	3	0.1*				0.05*		0.01*
b) Cucurbits-edible peel									
Cucumbers	0.02*	3	0.1*				0.05*		0.01*
Gherkins	0.02*	3	0.1*				0.05*		0.01*
Courgettes	0.02*	3	0.1*				0.05*		0.01*
Others	0.02*	3	0.1*				0.05*		0.01*
c) Cucurbits-inedible peel									
Melons	0.02*		0.2				0.05*		0.01*
Squashes	0.02*		0.2				0.05*		0.01*
Watermelons	0.02*		0.2				0.05*		0.01*
Others	0.02*		0.2				0.05*		0.01*
d) Sweet corn	0.02*		0.1*				0.05*		0.01*
<b>iv) BRASSICA VEGETABLES</b>									
a) Flowering Brassicas									
Broccoli	0.02*		0.2				0.05*		0.01*
Cauliflower	0.02*	1	0.2				0.05*		0.01*
Others	0.02*		0.2				0.05*		0.01*
b) Head Brassicas									
Brussels sprouts	0.02*	1	0.1*				0.05*		0.01*

Group to which food belongs	Groups include the following products	Captafol	Carbaryl	Carbofuran	Carbon disulfide	Carbon tetrachloride	Carbosulfan	Cartenazone-ethyl (from 4 December 2006)	Carlap
<hr/>									
	Head cabbage	0.02*	3	0.1*	0.05*	0.05*	0.01*	0.01*	
	Others	0.02*		0.1*	0.05*		0.01*		
c)	Leafy Brassicas Chinese cabbage	0.02*		0.1*	0.05*		0.01*		
	Kale	0.02*		0.1*	0.05*		0.01*		
	Others	0.02*		0.1*	0.05*		0.01*		
d)	Kohlrabi	0.02*		0.2	0.05*		0.01*		
<hr/>									
v) LEAF VEGETABLES AND FRESH HERBS									
a)	Lettuce & similar Cress	0.02*		0.1*	0.05*		0.01*		
	Lamb's lettuce	0.02*		0.1*	0.05*		0.01*		
	Lettuce	0.02*	3	0.1*	0.05*		0.01*		
	Scarole	0.02* <sup>(6)</sup>		0.1*	0.05*		0.01*		
	Others	0.02*		0.1*	0.05*		0.01*		
b)	Spinach & similar Spinach	0.02*		0.1*	0.05*		0.01*		
	Beet leaves (chard)	0.02*		0.1*	0.05*		0.01*		
	Others	0.02*		0.1*	0.05*		0.01*		
c)	Watercress	0.02*		0.1*	0.05*		0.01*		
d)	Witloof	0.02*		0.1*	0.05*		0.01*		
e)	Herbs Chervil	0.02*		0.1*	0.05*		0.01*		
	Chives	0.02*		0.1*	0.05*		0.01*		
	Parsley	0.02*		0.1*	0.05*		0.01*		

Group to which food belongs	Groups include the following products	Captafol	Carbamyl	Carbofuran	Carbon disulfide	Carbon tetrachloride	Carbosulfan	Carfentrazone-ethyl (from 4 December 2006)	Carlap
<hr/>									
Celery leaves		0.02*		0.1*			0.05*		0.01*
Others		0.02*		0.1*			0.05*		0.01*
vi) LEGUME VEGETABLES (fresh)									
Beans (with pods)		0.02*	1	0.1*			0.05*		0.01*
Beans (without pods)		0.02*		0.1*			0.05*		0.01*
Peas (with pods)		0.02*	1	0.1*			0.05*		0.01*
Peas (without pods)		0.02*		0.1*			0.05*		0.01*
Others		0.02*		0.1*			0.05*		0.01*
vii) STEM VEGETABLES									
Asparagus		0.02*		0.1*			0.05*		0.01*
Cardoons		0.02*		0.1*			0.05*		0.01*
Celery		0.02*	1	0.1*			0.05*		0.01*
Fennel		0.02*		0.1*			0.05*		0.01*
Globe artichokes		0.02*		0.1*			0.05*		0.01*
Leeks		0.02*	1	0.1*			0.05*		0.01*
Rhubarb		0.02*	1	0.1*			0.05*		0.01*
Others		0.02*		0.1*			0.05*		0.01*
viii) FUNGI	a)	Cultivated mushrooms	0.02*	1	0.1*		0.05*		0.01*
	b)	Wild mushrooms			0.02*		0.05*		0.01*
<hr/>									
3. PULSES									
Beans					0.02*		0.05*		0.01*
Lentils					0.02*		0.05*		0.01*

Group to which food belongs	Groups include the following products	Captafol	Carbaryl	Carbofuran	Carbon disulfide	Carbon tetrachloride	Carbosulfan	Cartenazone-ethyl (from 4 December 2006)	Carlap
	Peas	0.02*	0.1*				0.05*	0.01*	
	Others	0.02*	0.1*				0.05*	0.01*	
<b>4. OILSEEDS</b>									
	Linseed	0.02*	0.1*				0.05*	0.02*	
	Peanuts	0.02*	0.1*				0.05*	0.02*	
	Poppy seed	0.02*	0.1*				0.05*	0.02*	
	Sesame seed	0.02*	0.1*				0.05*	0.02*	
	Sunflower seed	0.02*	0.1*				0.05*	0.02*	
	Rape seed	0.02*	0.1*				0.05*	0.02*	
	Soya bean	0.02*	0.1*				0.05*	0.02*	
	Mustard seed	0.02*	0.1*				0.05*	0.02*	
	Cotton seed	0.02*	0.1*				0.05*	0.02*	
	Others	0.02*	0.1*				0.05*	0.02*	
<b>5. POTATOES</b>									
	Early potatoes	0.02*	0.2	0.1*			0.05*	0.01*	
	Ware potatoes	0.02*	0.2	0.1*			0.05*	0.01*	
<b>6. TEA</b>	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)		0.1*	0.2*			0.1*	0.02*	0.1*
<b>7. HOPS (dried)</b>	including hop pellets & unconcentrated powder	0.1*			10		1	0.02*	
<b>8. CEREALS</b>									
	Wheat	0.05*	0.1*		0.1		0.1	0.05*	0.05*
	Rye	0.05*	0.1*		0.1		0.1	0.05*	0.05*

Group to which food belongs	Groups include the following products	Captolol	Carbaryl	Carbofuran	Carbon disulfide	Carbon tetrachloride	Carbosulfan	Carfentrazone-ethyl (from 4 December 2006)	Carlap
Barley		0.05*	0.1*	0.1	0.1	0.05*	0.05*	0.05*	0.05*
Sorghum		0.05*	0.1*	0.1	0.1	0.05*	0.05*	0.05*	0.05*
Oats		0.05*	0.1*	0.1	0.1	0.05*	0.05*	0.05*	0.05*
Triticale		0.05*	0.1*	0.1	0.1	0.05*	0.05*	0.05*	0.05*
Maize		0.05*	0.1*	0.1	0.1	0.05*	0.05*	0.05*	0.05*
Buckwheat		0.05*	0.1*	0.1	0.1	0.05*	0.05*	0.05*	0.05*
Millet		0.05*	0.1*	0.1	0.1	0.05*	0.05*	0.05*	0.05*
Rice <sup>(1)</sup>		0.05*	0.1*	0.1	0.1	0.05*	0.05*	0.05*	0.05*
Other cereals		0.05*	0.1*	0.1	0.1	0.05*	0.05*	0.05*	0.05*
	<b>9. FOODSTUFFS OF ANIMAL ORIGIN</b>								
	Meat, edible offal, fat & preparations of meat and edible offal <sup>(2)</sup>	0.01*	0.1*			0.05*			
	Milk <sup>(3)</sup> & Dairy Produce <sup>(4)</sup>		0.01*				0.05*		
	Eggs <sup>(5)</sup>		0.01*		0.1*		0.05*		

Group to which food belongs	Groups include the following products		Chlorbenside	Chlorbutan	Chlordane	Chlorenapyr	Chlortenson	Chlortenitos	Chlormequat	Chlorbenzilate
<b>1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS</b>										
i) CITRUS FRUIT										
Grapefruit	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	1	0.05*	0.02*
Lemons	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	1	0.05*	0.02*
Limes	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	1	0.05*	0.02*
Mandarins (inc clementines & similar hybrids)	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	1	0.05*	0.02*
Oranges	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	1	0.05*	0.02*
Pomelos	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	1	0.05*	0.02*
Others	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	1	0.05*	0.02*
ii) TREE NUTS (shelled or unshelled)										
Almonds	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.1*	0.02*	0.02*
Brazil nuts	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.1*	0.02*	0.02*
Cashew nuts	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.1*	0.02*	0.02*
Chestnuts	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.1*	0.02*	0.02*
Coconuts	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.1*	0.02*	0.02*
Hazelnuts	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.1*	0.02*	0.02*
Macadamia nuts	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.1*	0.02*	0.02*
Pecans	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.1*	0.02*	0.02*
Pine nuts	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.1*	0.02*	0.02*
Pistachios	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.1*	0.02*	0.02*
Walnuts	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.1*	0.02*	0.02*
Others	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.1*	0.02*	0.02*

Group to which food belongs	Groups include the following products		Chlorbenside	Chlorbutam	Chlordane	Chlortenapyr	Chlortenson	Chlortenvinlos	Chlorinequat	Chlorbenzilate
<hr/>										
iii) POME FRUIT										
	Apples	0.01*	0.05*	0.01*	0.05*	0.01*	0.05	0.05*	0.02*	0.02*
	Pears	0.01*	0.05*	0.01*	0.05*	0.01*	0.05	0.3	0.02*	0.02*
	Quinces	0.01*	0.05*	0.01*	0.05*	0.01*	0.05	0.05*	0.02*	0.02*
	Others	0.01*	0.05*	0.01*	0.05*	0.01*	0.05	0.05*	0.02*	0.02*
iv) STONE FRUIT										
	Apricots	0.01*	0.05*	0.01*	0.05*	0.01*	0.05	0.05*	0.02*	0.02*
	Cherries	0.01*	0.05*	0.01*	0.05*	0.01*	0.05	0.05*	0.02*	0.02*
	Peaches (incl nectarines & similar hybrids)	0.01*	0.05*	0.01*	0.05*	0.01*	0.05	0.05*	0.02*	0.02*
	Plums	0.01*	0.05*	0.01*	0.05*	0.01*	0.05	0.05*	0.02*	0.02*
	Others	0.01*	0.05*	0.01*	0.05*	0.01*	0.05	0.05*	0.02*	0.02*
v) BERRIES AND SMALL FRUIT										
a)	Table & wine grapes	0.01*	0.05*	0.01*	0.05*	0.01*	0.05	0.05*	0.02*	0.02*
	Table grapes									
	Wine grapes	0.01*	0.05*	0.01*	0.05*	0.01*	0.05	0.05*	0.02*	0.02*
b)	Strawberries (other than wild)	0.01*	0.05*	0.01*	0.05*	0.01*	0.05	0.05*	0.02*	0.02*
c)	Cane Fruit (other than wild)									
	Blackberries	0.01*	0.05*	0.01*	0.05*	0.01*	0.05	0.05*	0.02*	0.02*
	Dewberries	0.01*	0.05*	0.01*	0.05*	0.01*	0.05	0.05*	0.02*	0.02*
	Loganberries	0.01*	0.05*	0.01*	0.05*	0.01*	0.05	0.05*	0.02*	0.02*
	Raspberries	0.01*	0.05*	0.01*	0.05*	0.01*	0.05	0.05*	0.02*	0.02*
	Others	0.01*	0.05*	0.01*	0.05*	0.01*	0.05	0.05*	0.02*	0.02*

Group to which food belongs	Groups include the following products	Chlorbenside	Chlorbutam	Chlordane	Chlortenapyr	Chlortenson	Chlortenvinlos	Chlorinequat	Chlorbenzilate
d) Other small fruit & berries (other than wild)	Bilberries	0.01*	0.05*	0.01*	0.05*	0.01*	0.05	0.05*	0.02*
Cranberries		0.01*	0.05*	0.01*	0.05*	0.01*	0.05	0.05*	0.02*
Currants (red, black & white)		0.01*	0.05*	0.01*	0.05*	0.01*	0.05	0.05*	0.02*
Gooseberries		0.01*	0.05*	0.01*	0.05*	0.01*	0.05	0.05*	0.02*
Others		0.01*	0.05*	0.01*	0.05*	0.01*	0.05	0.05*	0.02*
e) Wild berries & wild fruit		0.01*	0.05*	0.01*	0.05*	0.01*	0.05	0.05*	0.02*
vi) MISCELLANEOUS FRUIT									
Avocados		0.01*	0.05*	0.01*	0.05*	0.01*	0.05	0.05*	0.02*
Bananas		0.01*	0.05*	0.01*	0.05*	0.01*	0.05	0.05*	0.02*
Dates		0.01*	0.05*	0.01*	0.05*	0.01*	0.05	0.05*	0.02*
Figs		0.01*	0.05*	0.01*	0.05*	0.01*	0.05	0.05*	0.02*
Kiwi fruit		0.01*	0.05*	0.01*	0.05*	0.01*	0.05	0.05*	0.02*
Kumquats		0.01*	0.05*	0.01*	0.05*	0.01*	0.05	0.05*	0.02*
Litchis		0.01*	0.05*	0.01*	0.05*	0.01*	0.05	0.05*	0.02*
Mangoes		0.01*	0.05*	0.01*	0.05*	0.01*	0.05	0.05*	0.02*
Olives (table consumption)		0.01*	0.05*	0.01*	0.05*	0.01*	0.05	0.1*	0.02*
Olives (oil extract)		0.01*	0.05*	0.01*	0.05*	0.01*	0.05	0.1*	0.02*
Papaya		0.01*	0.05*	0.01*	0.05*	0.01*	0.05	0.05*	0.02*
Passion fruit		0.01*	0.05*	0.01*	0.05*	0.01*	0.05	0.05*	0.02*
Pineapples		0.01*	0.05*	0.01*	0.05*	0.01*	0.05	0.05*	0.02*
Pomegranates		0.01*	0.05*	0.01*	0.05*	0.01*	0.05	0.05*	0.02*

Group to which food belongs	Groups include the following products		Chlorbenside	Chlorbutam	Chlordane	Chlorenapyr	Chlortenson	Chlofenvinilos	Chlorinequat	Chlorbenzilate
<b>2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY</b>										
i) ROOT AND TUBER VEGETABLES										
Beetroot	Others	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.01*	0.02*
Carrots		0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.02*
Celeriac		0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.02*
Horseradish		0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.02*
Jerusalem artichokes		0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.02*
Parsnips		0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.02*
Parsley root		0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.02*
Radishes		0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.02*
Salsify		0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.02*
Sweet potatoes		0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.02*
Swedes		0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.02*
Turnips		0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.02*
Yams		0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.02*
Others		0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.02*
ii) BULB VEGETABLES										
Garlic	Others	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.02*
Onions		0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.02*
Shallots		0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.02*
Spring onions		0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.02*
Others		0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.02*

Group to which food belongs	Groups include the following products	Chlorbenside	Chlorbutam	Chlordane	Chlortenapyr	Chlortenson	Chlortenvinlos	Chlorinequat	Chlorbenzilate
<b>iii) FRUITING VEGETABLES</b>									
a)									
Solanaceae									
Tomatoes	0.01*	0.05*	0.01*	0.05*	0.01*	0.1	0.05*	0.02*	
Peppers	0.01*	0.05*	0.01*	0.05*	0.01*	0.1	0.05*	0.02*	
Chili peppers	0.01*	0.05*	0.01*	0.05*	0.01*	0.1	0.05*	0.02*	
Aubergines	0.01*	0.05*	0.01*	0.05*	0.01*	0.1	0.05*	0.02*	
Others	0.01*	0.05*	0.01*	0.05*	0.01*	0.1	0.05*	0.02*	
b)	Cucurbits-edible peel								
Cucumbers	0.01*	0.05*	0.01*	0.05*	0.01*	0.1	0.05*	0.02*	
Gherkins	0.01*	0.05*	0.01*	0.05*	0.01*	0.1	0.05*	0.02*	
Courgettes	0.01*	0.05*	0.01*	0.05*	0.01*	0.1	0.05*	0.02*	
Others	0.01*	0.05*	0.01*	0.05*	0.01*	0.1	0.05*	0.02*	
c)	Cucurbits-inedible peel								
Melons	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.05*	0.02*	
Squashes	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.05*	0.02*	
Watermelons	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.05*	0.02*	
Others	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.05*	0.02*	
d)	Sweet corn								
	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.05*	0.02*	
<b>iv) BRASSICA VEGETABLES</b>									
a)									
Flowering Brassicas									
Broccoli	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.05*	0.02*	
Cauliflower	0.01*	0.05*	0.01*	0.05*	0.01*	0.1	0.05*	0.02*	
Others	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.05*	0.02*	
b)	Head Brassicas								
Brussels sprouts	0.01*	0.05*	0.01*	0.05*	0.01*	0.1	0.05*	0.02*	

Group to which food belongs	Groups include the following products	Chlorbenside	Chlorbutam	Chlordane	Chlortenapyr	Chlortenson	Chlortenvinlos	Chlorinequat	Chlorbenzilate
	Head cabbage	0.01*	0.05*	0.01*	0.05*	0.01*	0.1	0.05*	0.02*
	Others	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.05*	0.02*
c)	Leafy Brassicas Chinese cabbage	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.05*	0.02*
	Kale	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.05*	0.02*
	Others	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.05*	0.02*
d)	Kohlrabi	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.05*	0.02*
v)	LEAF VEGETABLES AND FRESH HERBS								
a)	Lettuce & similar Cress	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.05*	0.02*
	Lamb's lettuce	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.05*	0.02*
	Lettuce	0.01*	0.05*	0.01*	0.05*	0.01*	0.1	0.05*	0.02*
	Scarole	0.01* <sup>(6)</sup>	0.05* <sup>(6)</sup>	0.01* <sup>(6)</sup>	0.05*	0.01* <sup>(6)</sup>	0.05*	0.05*	0.02* <sup>(6)</sup>
	Others	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.05*	0.02*
b)	Spinach & similar Spinach	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.05*	0.02*
	Beet leaves (chard)	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.05*	0.02*
	Others	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.05*	0.02*
c)	Watercress	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.05*	0.02*
d)	Witloof	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.05*	0.02*
e)	Herbs Chervil	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.05*	0.02*
	Chives	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.05*	0.02*
	Parsley	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.05*	0.02*

Group to which food belongs	Groups include the following products		Chlorbenside	Chlorbutam	Chlordane	Chlortenapyr	Chlortenson	Chlortenvinlos	Chlorinequat	Chlorbenzilate
		Celery leaves	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.02*	0.02*
	Others	Others	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.02*	0.02*
vi) LEGUME VEGETABLES (fresh)	Beans (with pods)	Beans (without pods)	0.01*	0.05*	0.01*	0.05*	0.01*	0.1	0.05*	0.02*
	Peas (with pods)	Peas (without pods)	0.01*	0.05*	0.01*	0.05*	0.01*	0.1	0.05*	0.02*
	Others	Others	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.02*	0.02*
vii) STEM VEGETABLES		Asparagus	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.02*	0.02*
	Cardoons	Cardoons	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.02*	0.02*
	Celery	Celery	0.01*	0.05*	0.01*	0.05*	0.01*	0.5	0.05*	0.02*
	Fennel	Fennel	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.02*	0.02*
	Globe artichokes	Globe artichokes	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.02*	0.02*
	Leeks	Leeks	0.01*	0.05*	0.01*	0.05*	0.01*	0.1	0.05*	0.02*
	Rhubarb	Rhubarb	0.01*	0.05*	0.01*	0.05*	0.01*	0.5	0.05*	0.02*
	Others	Others	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.02*	0.02*
viii) FUNGI	a)	Cultivated mushrooms	0.01*	0.05*	0.01*	0.05*	0.01*	0.05	10	0.02*
	b)	Wild mushrooms	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.02*	0.02*
3. PULSES	Beans	Beans	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.02*	0.02*
	Lentils	Lentils	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.02*	0.02*

Group to which food belongs	Groups include the following products	Chlorbenside	Chlorbutam	Chlordane	Chlortenapyr	Chlortenson	Chlortenvinlos	Chlorinequat	Chlorbenzilate
	Peas	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.05*	0.02*
	Others	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.05*	0.02*
<b>4. OILSEEDS</b>									
	Linseed	0.01*	0.05*	0.02*	0.1*	0.01*	0.1*	0.1*	0.02*
	Peanuts	0.01*	0.05*	0.02*	0.1*	0.01*	0.1*	0.1*	0.02*
	Poppy seed	0.01*	0.05*	0.02*	0.1*	0.01*	0.1*	0.1*	0.02*
	Sesame seed	0.01*	0.05*	0.02*	0.1*	0.01*	0.1*	0.1*	0.02*
	Sunflower seed	0.01*	0.05*	0.02*	0.1*	0.01*	0.1*	0.1*	0.02*
	Rape seed	0.01*	0.05*	0.02*	0.1*	0.01*	0.1*	0.1*	0.02*
	Soya bean	0.01*	0.05*	0.02*	0.1*	0.01*	0.1*	0.1*	0.02*
	Mustard seed	0.01*	0.05*	0.02*	0.1*	0.01*	0.1*	0.1*	0.02*
	Cotton seed	0.01*	0.05*	0.02*	0.1*	0.01*	0.1*	0.1*	0.02*
	Others	0.01*	0.05*	0.02*	0.1*	0.01*	0.1*	0.1*	0.02*
<b>5. POTATOES</b>									
	Early potatoes	0.01*	0.05*	0.01*	0.05*	0.01*	0.5	0.05*	0.02*
	Ware potatoes	0.01*	0.05*	0.01*	0.05*	0.01*	0.5	0.05*	0.02*
<b>6. TEA</b>	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.1*	0.02*	0.1*	0.1*	0.1*	0.1*	0.1*
<b>7. HOPS (dried)</b>	including hop pellets & unconcentrated powder	0.1*	0.02*	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*
<b>8. CEREALS</b>									
	Wheat	0.01*	0.05*	0.02	0.05*	0.01*	0.01*	2	0.02*
	Rye	0.01*	0.05*	0.02	0.05*	0.01*	0.01*	2	0.02*

Group to which food belongs	Groups include the following products	Chlorbenside	Chlorbutam	Chlordane	Chlortenapyr	Chlortenson	Chlortenvinlos	Chlorinequat	Chlorbenzilate
Barley	0.01*	0.05*	0.02	0.05*	0.01*	2	0.02*		
Sorghum	0.01*	0.05*	0.02	0.05*	0.01*	0.05*	0.02*		
Oats	0.01*	0.05*	0.02	0.05*	0.01*	5	0.02*		
Triticale	0.01*	0.05*	0.02	0.05*	0.01*	2	0.02*		
Maize	0.01*	0.05*	0.02	0.05*	0.01*	0.05*	0.02*		
Buckwheat	0.01*	0.05*	0.02	0.05*	0.01*	0.05*	0.02*		
Millet	0.01*	0.05*	0.02	0.05*	0.01*	0.05*	0.02*		
Rice <sup>(1)</sup>	0.01*	0.05*	0.02	0.05*	0.01*	0.05*	0.02*		
Other cereals	0.01*	0.05*	0.02	0.05*	0.01*	0.05*	0.02*		
<b>9. FOODSTUFFS OF ANIMAL ORIGIN</b> Meat, edible offal, fat & preparations of meat and edible offal <sup>(2)</sup>	0.05*	0.05*	0.06	0.05*	0.05*	0.2	0.05 <sup>(18)</sup> 0.2 <sup>(19)</sup> 0.1 <sup>(12)</sup> 0.05 <sup>(9)</sup>	0.01*	
Milk <sup>(3)</sup> & Dairy Produce <sup>(4)</sup>	0.05*	0.002		0.05*	0.008	0.05	0.1*	0.1*	
Eggs <sup>(5)</sup>	0.05 <sup>(7)</sup>	0.005		0.05 <sup>(7)</sup>	0.005	0.05*	0.1* <sup>(7)</sup>	0.1*	

Group to which food belongs	Groups include the following products		Chlorothalonil	Chloroxuron	Chlorpyrifos	Chlorpyrifos-methyl	Chlozolinate	Cinidon-ethyl	Clofentezine	Cyazoflamid
<b>1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS</b>										
i) CITRUS FRUIT										
Grapefruit	0.01*	0.05*	0.3	0.05*	0.05*	0.05*	0.05*	0.05*	0.5	0.01*
Lemons	0.01*	0.05*	0.2	0.3	0.05*	0.05*	0.05*	0.05*	0.5	0.01*
Limes	0.01*	0.05*	0.3	0.05*	0.05*	0.05*	0.05*	0.05*	0.5	0.01*
Mandarins (inc clementines & similar hybrids)	0.01*	0.05*	2	1	0.05*	0.05*	0.05*	0.05*	0.5	0.01*
Oranges	0.01*	0.05*	0.3	0.5	0.05*	0.05*	0.05*	0.05*	0.5	0.01*
Pomelos	0.01*	0.05*	0.3	0.05*	0.05*	0.05*	0.05*	0.05*	0.5	0.01*
Others	0.01*	0.05*	0.3	0.05*	0.05*	0.05*	0.05*	0.05*	0.5	0.01*
ii) TREE NUTS (shelled or unshelled)										
Almonds	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*
Brazil nuts	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*
Cashew nuts	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*
Chestnuts	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*
Coconuts	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*
Hazelnuts	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*
Macadamia nuts	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*
Pecans	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*
Pine nuts	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*
Pistachios	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*
Walnuts	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*
Others	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*

Group to which food belongs	Groups include the following products	Chlorothalonil	Chloroxuron	Chlorpyrifos	Chlorpyrifos-methyl	Chlazolinate	Cinidon-ethyl	Clofentezine	Cyazoflamid
<hr/>									
iii) POME FRUIT									
Apples	1	0.05*	0.5	0.05*	0.05*	0.5	0.01*		
Pears	1	0.05*	0.5	0.05*	0.05*	0.5	0.01*		
Quinces	1	0.05*	0.5	0.05*	0.05*	0.5	0.01*		
Others	1	0.05*	0.5	0.05*	0.05*	0.5	0.01*		
iv) STONE FRUIT									
Apricots	1	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*	
Cherries	0.01*	0.05*	0.3	0.05*	0.05*	0.05*	0.02*	0.01*	
Peaches (incl nectarines & similar hybrids)	1	0.05*	0.2	0.05*	0.05*	0.05*	0.02*	0.01*	
Plums	0.01*	0.05*	0.2	0.05*	0.05*	0.05*	0.2	0.01*	
Others	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*	
v) BERRIES AND SMALL FRUIT									
a) Table & wine grapes									
Table grapes	1	0.05*	0.5	0.2	0.05*	0.05*	0.02*	0.5	
Wine grapes	3	0.05*	0.5	0.2	0.05*	0.05*	1	0.5	
b) Strawberries (other than wild)									
	3	0.05*	0.2	0.5	0.05*	0.05*	2	0.01*	
c) Cane Fruit (other than wild)									
Blackberries	10	0.05*	0.5	0.05*	0.05*	0.05*	0.05*	3	0.01*
Dewberries	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.3	0.01*	
Loganberries	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.3	0.01*	
Raspberries	10	0.05*	0.5	0.05*	0.05*	0.05*	0.05*	3	0.01*
Others	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.3	0.01*	

Group to which food belongs	Groups include the following products	Chlorothalonil	Chloroxuron	Chlorpyrifos	Chlorpyrifos-methyl	Chlozolinate	Cinidon-ethyl	Clofentezine	Cyazoflamid
d) Other small fruit & berries (other than wild)	Bilberries	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Cranberries	2	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Currents (red, black & white)	10	0.05*	1	0.05*	0.05*	0.05*	0.05*	0.5	0.01*
Gooseberries	10	0.05*	1	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Others	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
e) Wild berries & wild fruit	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
vi) MISCELLANEOUS FRUIT									
Avocados	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Bananas	0.2	0.05*	3	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Dates	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Figs	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Kiwi fruit	0.01*	0.05*	2	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Kumquats	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Litchis	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Mangoes	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Olives (table consumption)	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Olives (oil extract)	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Papaya	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Passion fruit	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Pineapples	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Pomegranates	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*

Group to which food belongs	Groups include the following products	Chlorothalonil	Chloroxuron	Chlorpyrifos	Chlorpyrifos-methyl	Chlozolinate	Cinidon-ethyl	Clofentezine	Cyazoflamid
<b>2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY</b>									
i) ROOT AND TUBER VEGETABLES									
Beetroot	Others	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Carrots		0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Celeriac		1	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Horseradish		0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Jerusalem artichokes		0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Parsnips		0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Parsley root		0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Radishes		0.01*	0.05*	0.2	0.05*	0.05*	0.05*	0.02*	0.01*
Salsify		0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Sweet potatoes		0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Swedes		0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Turnips		0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Yams		0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Others		0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
ii) BULB VEGETABLES									
Garlic		0.5	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Onions		0.5	0.05*	0.2	0.05*	0.05*	0.05*	0.02*	0.01*
Shallots		0.5	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Spring onions		5	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Others		0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*

Group to which food belongs	Groups include the following products	Chlorothalonil	Chloroxuron	Chlorpyrifos	Chlorpyrifos-methyl	Chlozolinate	Cinidon-ethyl	Clofentezine	Cyazofamid
<b>iii) FRUITING VEGETABLES</b>									
a)									
Solanaceae									
Tomatoes	2	0.05*	0.5	0.5	0.05*	0.05*	0.05*	0.3	0.2
Peppers	2	0.05*	0.5	0.5	0.05*	0.05*	0.05*	0.02*	0.01*
Chili peppers	2	0.05*	0.5	0.5	0.05*	0.05*	0.05*	0.02*	0.01*
Aubergines	2	0.05*	0.5	0.5	0.05*	0.05*	0.05*	0.02*	0.01*
Others	2	0.05*	0.5	0.5	0.05*	0.05*	0.05*	0.02*	0.01*
b)	Cucurbits-edible peel								
Cucumbers	1	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.1
Gherkins	5	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Courgettes	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Others	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
c)	Cucurbits-inedible peel								
Melons	1	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1	0.1
Squashes	1	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.1
Watermelons	1	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.1
Others	1	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.1
d)	Sweet corn	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
<b>iv) BRASSICA VEGETABLES</b>									
a)									
Flowering Brassicas									
Broccoli	3	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Cauliflower	3	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Others	3	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
b)	Head Brassicas								
Brussels sprouts	0.5	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*

Group to which food belongs	Groups include the following products	Chlorothalonil	Chloroxuron	Chlorpyrifos	Chlorpyrifos-methyl	Chlrozinate	Cinidon-ethyl	Clofentezine	Cyazoflamid
v) LEAF VEGETABLES AND FRESH HERBS									
a) Lettuce & similar									
Cress	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Lamb's lettuce	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Lettuce	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Scarole	0.01*	0.05* <sup>(6)</sup>	0.05*	0.05*	0.05* <sup>(6)</sup>	0.05*	0.05*	0.02*	0.01*
Others	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
b) Spinach & similar									
Spinach	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Beet leaves (chard)	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Others	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
c) Watercress	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
d) Witloof	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
e) Herbs									
Chervil	5	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Chives	5	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Parsley	5	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*

Group to which food belongs	Groups include the following products		Chlorothalonil	Chloroxuron	Chlorpyrifos	Chlorpyrifos-methyl	Chlozolinate	Cinidon-ethyl	Clofentezine	Cyazoflamid
		Celery leaves	5	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
		Others	5	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
vi) LEGUME VEGETABLES (fresh)		Beans (with pods)	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
		Beans (without pods)	0.05	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
		Peas (with pods)	2	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
		Peas (without pods)	0.3	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
		Others	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
vii) STEM VEGETABLES										
		Asparagus	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
		Cardoons	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
		Celery	10	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
		Fennel	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
		Globe artichokes	0.01*	0.05*	1	0.05*	0.05*	0.05*	0.02*	0.01*
		Leeks	10	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
		Rhubarb	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
		Others	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
viii) FUNGI	a)	Cultivated mushrooms	2	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
	b)	Wild mushrooms	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
3. PULSES		Beans	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
		Lentils	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*

Group to which food belongs	Groups include the following products	Chlorothalonil	Chloroxuron	Chlorpyrifos	Chlorpyrifos-methyl	Chlozolinate	Cinidon-ethyl	Clofentezine	Cyazoflamid
<b>4. OILSEEDS</b>									
	Peas	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
	Others	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
	Linseed	0.01*	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.02
	Peanuts	0.05	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.02
	Poppy seed	0.01*	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.02
	Sesame seed	0.01*	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.02
	Sunflower seed	0.01*	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.02
	Rape seed	0.01*	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.02
	Soya bean	0.01*	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.02
	Mustard seed	0.01*	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.02
	Cotton seed	0.01*	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.02
	Others	0.01*	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.02
<b>5. POTATOES</b>									
	Early potatoes	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
	Ware potatoes	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
<b>6. TEA</b>	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	0.05*	0.02*
<b>7. HOPS (dried)</b>	including hop pellets & unconcentrated powder	50	0.1*	0.1*	0.1*	0.1*	0.1*	0.05*	0.02*
<b>8. CEREALS</b>									
	Wheat	0.1	0.05*	3	0.05*	0.1*	0.02*	0.02*	0.02*
	Rye	0.1	0.05*	3	0.05*	0.1*	0.02*	0.02*	0.02*

Group to which food belongs	Groups include the following products	Chlorothalonil	Chloroxuron	Chlorpyrifos	Chlorpyrifos-methyl	Chlozolinate	Cinidon-ethyl	Clofentezine	Cyazofamid
Barley	0.1	0.05*	0.2	3	0.05*	0.1*	0.02*	0.02*	0.02*
Sorghum	0.01*	0.05*	0.05*	3	0.05*	0.1*	0.02*	0.02*	0.02*
Oats	0.1	0.05*	0.05*	3	0.05*	0.1*	0.02*	0.02*	0.02*
Triticale	0.1	0.05*	0.05*	3	0.05*	0.1*	0.02*	0.02*	0.02*
Maize	0.01*	0.05*	0.05*	3	0.05*	0.1*	0.02*	0.02*	0.02*
Buckwheat	0.01*	0.05*	0.05*	3	0.05*	0.1*	0.02*	0.02*	0.02*
Millet	0.01*	0.05*	0.05*	3	0.05*	0.1*	0.02*	0.02*	0.02*
Rice (1)	0.01*	0.05*	0.05*	3	0.05*	0.1*	0.02*	0.02*	0.02*
Other cereals	0.01*	0.05*	0.05*	3	0.05*	0.1*	0.02*	0.02*	0.02*
<b>9. FOODSTUFFS OF ANIMAL ORIGIN</b> Meat, edible offal, fat & preparations of meat and edible offal (2)	0.01*	0.05* <sup>(14)</sup>	0.05*	0.05*	0.1 <sup>(20)</sup> 0.05* <sup>(9)</sup>				
Milk <sup>(3)</sup> & Dairy Produce <sup>(4)</sup>	0.01*	0.05*	0.01*	0.01*			0.05*		
Eggs <sup>(5)</sup>	0.01*	0.05* <sup>(7)</sup>	0.01*	0.01*			0.02*		

Group to which food belongs	Groups include the following products	Cyclanilide	Cyfluthrin	Cyhalotop Butyl	Cypermethrin	Cyronazine	Daminozide	DDT	Deltamethrin
<b>1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS</b>									
i) CITRUS FRUIT									
Grapefruit	0.05*	0.02*	0.02*	2	0.05*	0.02*	0.05*	0.05*	0.05*
Lemons	0.05*	0.02*	0.02*	2	0.05*	0.02*	0.05*	0.05*	0.05*
Limes	0.05*	0.02*	0.02*	2	0.05*	0.02*	0.05*	0.05*	0.05*
Mandarins (inc clementines & similar hybrids)	0.05*	0.02*	0.02*	2	0.05*	0.02*	0.05*	0.05*	0.05*
Oranges	0.05*	0.02*	0.02*	2	0.05*	0.02*	0.05*	0.05*	0.05*
Pomelos	0.05*	0.02*	0.02*	2	0.05*	0.02*	0.05*	0.05*	0.05*
Others	0.05*	0.02*	0.02*	2	0.05*	0.02*	0.05*	0.05*	0.05*
ii) TREE NUTS (shelled or unshelled)									
Almonds	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Brazil nuts	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Cashew nuts	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Chestnuts	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Coconuts	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Hazelnuts	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Macadamia nuts	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Pecans	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Pine nuts	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Pistachios	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Walnuts	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Others	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Cyclanilide	Cyfluthrin	Cyhalotri butyl	Cypermethrin	Cyromazine	Daminozide	DDT	Deltamethrin
<hr/>									
iii) POME FRUIT	Apples	0.05*	0.2	0.02*	1	0.05*	0.02*	0.05*	0.1
	Pears	0.05*	0.2	0.02*	1	0.05*	0.02*	0.05*	0.1
	Quinces	0.05*	0.2	0.02*	1	0.05*	0.02*	0.05*	0.1
	Others	0.05*	0.2	0.02*	1	0.05*	0.02*	0.05*	0.1
iv) STONE FRUIT	Apricots	0.05*	0.5	0.02*	2	0.05*	0.02*	0.05*	0.1
	Cherries	0.05*	0.2	0.02*	1	0.05*	0.02*	0.05*	0.1
	Peaches (incl nectarines & similar hybrids)	0.05*	0.5	0.02*	2	0.05*	0.02*	0.05*	0.1
	Plums	0.05*	0.2	0.02*	1	0.05*	0.02*	0.05*	0.1
	Others	0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	0.05*	0.1
<hr/>									
v) BERRIES AND SMALL FRUIT	a) Table & wine grapes	0.05*	0.3	0.02*	0.5	0.05*	0.02*	0.05*	0.1
	Table grapes								
	Wine grapes	0.05*	0.3	0.02*	0.5	0.05*	0.02*	0.05*	0.1
b)	Strawberries (other than wild)	0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*
c)	Cane Fruit (other than wild)								
	Blackberries	0.05*	0.02*	0.02*	0.5	0.05*	0.02*	0.05*	0.5
	Dewberries	0.05*	0.02*	0.02*	0.5	0.05*	0.02*	0.05*	0.05*
	Loganberries	0.05*	0.02*	0.02*	0.5	0.05*	0.02*	0.05*	0.05*
	Raspberries	0.05*	0.02*	0.02*	0.5	0.05*	0.02*	0.05*	0.5
	Others	0.05*	0.02*	0.02*	0.5	0.05*	0.02*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Cyclanilide	Cyfluthrin	Cyhalotri butyl	Cypermethrin	Cyronazine	Daminozide	DDT	Deltamethrin
d) Other small fruit & berries (other than wild)	Bilberries	0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*
Cranberries		0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*
Currants (red, black & white)		0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	0.05*	0.2
Gooseberries		0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	0.05*	0.2
Others		0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*
e) Wild berries & wild fruit		0.05*	0.02*	0.02*	2	0.05*	0.02*	0.05*	0.05*
vi) MISCELLANEOUS FRUIT									
Avocados		0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*
Bananas		0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*
Dates		0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*
Figs		0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*
Kiwi fruit		0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*
Kumquats		0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*
Litchis		0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*
Mangoes		0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*
Olives (table consumption)		0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	0.05*	0.1*
Olives (oil extract)		0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	0.05*	0.1*
Papaya		0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*
Passion fruit		0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*
Pineapples		0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*
Pomegranates		0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Cyclanilide	Cyfluthrin	Cyhalotri butyl	Cypermethrin	Cyromazine	Daminozide	DDT	Deltamethrin
<b>2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY</b>									
i) ROOT AND TUBER VEGETABLES									
Beetroot	Others	0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*
Carrots		0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*
Celeriac		0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*
Horseradish		0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*
Jerusalem artichokes		0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*
Parsnips		0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*
Parsley root		0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*
Radishes		0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*
Salsify		0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*
Sweet potatoes		0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*
Swedes		0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*
Turnips		0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*
Yams		0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*
Others		0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*
ii) BULB VEGETABLES									
Garlic		0.05*	0.02*	0.02*	0.1	0.05*	0.02*	0.05*	0.1
Onions		0.05*	0.02*	0.02*	0.1	0.05*	0.02*	0.05*	0.1
Shallots		0.05*	0.02*	0.02*	0.1	0.05*	0.02*	0.05*	0.1
Spring onions		0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	0.05*	0.1
Others		0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Cyclanilide	Cyfluthrin	Cyhalotop butyl	Cypermethrin	Cyromazine	Daminozide	DDT	Deltamethrin
<b>iii) FRUITING VEGETABLES</b>									
a)									
Solanaceae		0.05*	0.05	0.02*	0.5	1	0.02*	0.05*	0.2
Tomatoes									
Peppers		0.05*	0.3	0.02*	0.5	0.05*	0.02*	0.05*	0.2
Chili peppers		0.05*	0.3	0.02*	0.5	0.05*	0.02*	0.05*	0.2
Aubergines		0.05*	0.02*	0.02*	0.5	1	0.02*	0.05*	0.2
Others		0.05*	0.02*	0.02*	0.5	0.05*	0.02*	0.05*	0.2
b)	Cucurbits-edible peel								
Cucumbers		0.05*	0.1	0.02*	0.2	1	0.02*	0.05*	0.1
Gherkins		0.05*	0.02*	0.02*	0.2	1	0.02*	0.05*	0.1
Courgettes		0.05*	0.02*	0.02*	0.2	1	0.02*	0.05*	0.1
Others		0.05*	0.02*	0.02*	0.2	0.05*	0.02*	0.05*	0.1
c)	Cucurbits-inedible peel								
Melons		0.05*	0.02*	0.02*	0.2	0.3	0.02*	0.05*	0.05*
Squashes		0.05*	0.02*	0.02*	0.2	0.05*	0.02*	0.05*	0.05*
Watermelons		0.05*	0.02*	0.02*	0.2	0.3	0.02*	0.05*	0.05*
Others		0.05*	0.02*	0.02*	0.2	0.05*	0.02*	0.05*	0.05*
d)	Sweet corn								
	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*
<b>iv) BRASSICA VEGETABLES</b>									
a)									
Flowering Brassicas		0.05*	0.05	0.02*	0.5	0.05*	0.02*	0.05*	0.1
Broccoli									
Cauliflower		0.05*	0.05	0.02*	0.5	0.05*	0.02*	0.05*	0.1
Others		0.05*	0.05	0.02*	0.5	0.05*	0.02*	0.05*	0.1
b)	Head Brassicas								
Brussels sprouts		0.05*	0.2	0.02*	0.5	0.05*	0.02*	0.05*	0.1

Group to which food belongs	Groups include the following products	Cyclanilide	Cyfluthrin	Cyhalotop butyl	Cypermethrin	Cyromazine	Daminozide	DDT	Deltamethrin
v) LEAF VEGETABLES AND FRESH HERBS									
a)	Lettuce & similar								
	Cress	0.05*	0.5	0.02*	2	15	0.02*	0.05*	0.5
	Lamb's lettuce	0.05*	0.5	0.02*	2	15	0.02*	0.05*	0.5
	Lettuce	0.05*	0.5	0.02*	2	15	0.02*	0.05*	0.5
	Scarole	0.05*	0.5	0.02*	2	15	0.02*	0.05*	0.5
	Others	0.05*	0.5	0.02*	2	15	0.02*	0.05*	0.5
b)	Spinach & similar								
	Spinach	0.05*	0.02*	0.02*	0.5	0.05*	0.02*	0.05*	0.5
	Beet leaves (chard)	0.05*	0.02*	0.02*	0.5	0.05*	0.02*	0.05*	0.5
	Others	0.05*	0.02*	0.02*	0.5	0.05*	0.02*	0.05*	0.5
c)	Watercress	0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*
d)	Witloof	0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*
e)	Herbs								
	Chervil	0.05*	0.02*	0.02*	2	0.05*	0.02*	0.05*	0.5
	Chives	0.05*	0.02*	0.02*	2	0.05*	0.02*	0.05*	0.5
	Parsley	0.05*	0.02*	0.02*	2	0.05*	0.02*	0.05*	0.5

Group to which food belongs	Groups include the following products	Cyclanilide	Cyfluthrin	Cyhalotri butyl	Cypermethrin	Cyromazine	Daminozide	DDT	Deltamethrin
vi) LEGUME VEGGETABLES (fresh)									
Celery leaves	0.05*	0.02*	2	0.05*	0.02*	0.05*	0.05*	0.5	0.5
Others	0.05*	0.02*	2	0.05*	0.02*	0.05*	0.05*	0.5	0.5
Beans (with pods)	0.05*	0.02*	0.5	0.05*	0.02*	0.05*	0.05*	0.2	
Beans (without pods)	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	
Peas (with pods)	0.05*	0.02*	0.5	0.05*	0.02*	0.05*	0.05*	0.1	
Peas (without pods)	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	
Others	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	
vii) STEM VEGETABLES									
Asparagus	0.05*	0.02*	0.1	0.05*	0.02*	0.05*	0.05*	0.05*	
Cardoons	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	
Celery	0.05*	0.02*	0.05*	2	0.02*	0.05*	0.05*	0.05*	
Fennel	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	
Globe artichokes	0.05*	0.02*	0.02*	2	0.02*	0.05*	0.05*	0.1	
Leeks	0.05*	0.02*	0.02*	0.5	0.05*	0.02*	0.05*	0.2	
Rhubarb	0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	
Others	0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	
viii) FUNGI	a)	Cultivated mushrooms	0.05*	0.02*	5	0.02*	0.05*	0.05*	0.05*
	b)	Wild mushrooms	0.05*	0.02*	1	0.05*	0.02*	0.05*	0.05*
3. PULSES	Beans	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	1
	Lentils	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	1

Group to which food belongs	Groups include the following products	Cyclanilide	Cyfluthrin	Cyhalotop butyl	Cypermethrin	Cyromazine	Daminozide	DDT	Deltamethrin
<b>4. OILSEEDS</b>									
	Peas	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	1	
	Others	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	1	
	Linseed	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	
	Peanuts	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	
	Poppy seed	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	
	Sesame seed	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	
	Sunflower seed	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	
	Rape seed	0.05*	0.05	0.05*	0.05*	0.05*	0.05*	0.1	
	Soya bean	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	
	Mustard seed	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	
	Cotton seed	0.2	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	
	Others	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	
<b>5. POTATOES</b>									
	Early potatoes	0.05*	0.02*	0.05*	1	0.02*	0.05*	0.05*	
	Ware potatoes	0.05*	0.02*	0.05*	1	0.02*	0.05*	0.5	
<b>6. TEA</b>	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.1*	0.05*	0.5	0.1*	0.2	5	
<b>7. HOPS (dried)</b>	including hop pellets & unconcentrated powder	0.1*	20	0.05*	30	0.05*	0.1*	0.05*	5
<b>8. CEREALS</b>									
	Wheat	0.05*	0.02*	0.05*	0.05*	0.02*	0.05	1	
	Rye	0.05*	0.02*	0.05*	0.05*	0.02*	0.05	1	

Group to which food belongs	Groups include the following products	Cyclanilide	Cyfluthrin	Cyhalotop butyl	Cypermethrin	Cyromazine	Daminozide	DDT	Deltamethrin
Barley		0.05*	0.02*	0.2	0.05*	0.02*	0.05	1	
Sorghum		0.05*	0.02*	0.05*	0.05*	0.02*	0.05	1	
Oats		0.05*	0.02*	0.2	0.05*	0.02*	0.05	1	
Triticale		0.05*	0.02*	0.05*	0.05*	0.02*	0.05	1	
Maize		0.05*	0.02*	0.05*	0.05*	0.02*	0.05	1	
Buckwheat		0.05*	0.02*	0.05*	0.05*	0.02*	0.05	1	
Millet		0.05*	0.02*	0.05*	0.05*	0.02*	0.05	1	
Rice (1)		0.05*	0.02*	0.05*	0.05*	0.02*	0.05	1	
Other cereals		0.05*	0.02*	0.05*	0.05*	0.02*	0.05	1	
<b>9. FOODSTUFFS OF ANIMAL ORIGIN</b> Meat, edible offal, fat & preparations of meat and edible offal (2)	0.01*	0.05	0.05* <sup>(4)</sup> 0.2 <sup>(8)</sup>	0.05* <sup>(21)</sup>	0.05*	1	0.05* <sup>(14)</sup>		
Milk <sup>(3)</sup> & Dairy Produce <sup>(4)</sup>	0.01*	0.02*	0.02	0.02*	0.05*	0.04			
Eggs <sup>(5)</sup>	0.01*	0.02*	0.05*	0.2	0.05*	0.05	0.05*	0.05*	

Group to which food belongs	Groups include the following products	Dialate	Diazinon	Dichlofluanid	Dichlorprop	Dichlorvos	Dicofol	Dimethoate	Dinoceb
<b>1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS</b>									
i) CITRUS FRUIT									
Grapefruit	0.05*	1	5	0.05*	0.1	2	0.02*	0.05*	0.05*
Lemons	0.05*	0.02*	5	0.05*	0.1	2	0.02*	0.05*	0.05*
Limes	0.05*	0.02*	5	0.05*	0.1	2	0.02*	0.05*	0.05*
Mandarins (inc clementines & similar hybrids)	0.05*	0.02*	5	0.05*	0.1	2	0.02*	0.05*	0.05*
Oranges	0.05*	1	5	0.05*	0.1	2	0.02*	0.05*	0.05*
Pomelos	0.05*	1	5	0.05*	0.1	2	0.02*	0.05*	0.05*
Others	0.05*	0.02*	5	0.05*	0.1	2	0.02*	0.05*	0.05*
ii) TREE NUTS (shelled or unshelled)									
Almonds	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Brazil nuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Cashew nuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Chestnuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Coconuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Hazelnuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Macadamia nuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Pecans	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Pine nuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Pistachios	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Walnuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Diallate	Diazinon	Dichlorfluanid	Dichlorprop	Dichlorvos	Dicofol	Dimethoate	Dinoceb
<hr/>									
iii) POME FRUIT									
	Apples	0.05*	0.3	5	0.05*	0.1	0.02*	0.02*	0.05*
	Pears	0.05*	0.3	5	0.05*	0.1	0.02*	0.02*	0.05*
	Quinces	0.05*	0.02*	5	0.05*	0.1	0.02*	0.02*	0.05*
	Others	0.05*	0.02*	5	0.05*	0.1	0.02*	0.02*	0.05*
iv) STONE FRUIT									
	Apricots	0.05*	0.02*	5	0.05*	0.1	0.02*	0.02*	0.05*
	Cherries	0.05*	0.3		0.05*		0.02*	1	0.05*
	Peaches (incl nectarines & similar hybrids)	0.05*	0.02*	5	0.05*	0.1	0.02*	0.02*	0.05*
	Plums	0.05*	0.1	5	0.05*	0.1	0.02*	0.02*	0.05*
	Others	0.05*	0.02*		0.05*		0.02*	0.02*	0.05*
v) BERRIES AND SMALL FRUIT									
a)	Table & wine grapes	0.05*	0.02*	15	0.05*	0.1	2	0.02*	0.05*
	Table grapes								
	Wine grapes	0.05*	0.02*	15	0.05*	0.1	2	0.02*	0.05*
b)	Strawberries (other than wild)	0.05*	0.02*	10	0.05*	0.1	0.02*	0.02*	0.05*
c)	Cane Fruit (other than wild)								
	Blackberries	0.05*	0.02*	15	0.05*	0.1	0.02*	0.02*	0.05*
	Dewberries	0.05*	0.02*	15	0.05*	0.1	0.02*	0.02*	0.05*
	Loganberries	0.05*	0.02*	15	0.05*	0.1	0.02*	0.02*	0.05*
	Raspberries	0.05*	0.02*	15	0.05*	0.1	0.02*	0.02*	0.05*
	Others	0.05*	0.02*	15	0.05*	0.1	0.02*	0.02*	0.05*

Group to which food belongs	Groups include the following products	Diallate	Diazinon	Dichlorfluanid	Dichlorprop	Dichlorvos	Dicofol	Dimethoate	Dinoceb
d) Other small fruit & berries (other than wild)									
Bilberries	0.05*	0.2	15	0.05*	0.1	0.02*	0.02*	0.05*	0.05*
Cranberries	0.05*	0.02*	15	0.05*	0.1	0.02*	0.02*	0.05*	0.05*
Currants (red, black & white)	0.05*	0.2	15	0.05*	0.1	0.02*	0.02*	0.05*	0.05*
Gooseberries	0.05*	0.2	15	0.05*	0.1	0.02*	0.02*	0.05*	0.05*
Others	0.05*	0.02*	15	0.05*	0.1	0.02*	0.02*	0.05*	0.05*
e) Wild berries & wild fruit	0.05*	0.02*		0.05*	0.05*	0.02*	0.02*	0.05*	0.05*
vi) MISCELLANEOUS FRUIT									
Avocados	0.05*	0.02*		0.05*	0.05*	0.02*	0.02*	0.05*	0.05*
Bananas	0.05*	0.02*	5	0.05*	0.1	0.02*	0.02*	0.05*	0.05*
Dates	0.05*	0.02*		0.05*	0.05*	0.02*	0.02*	0.05*	0.05*
Figs	0.05*	0.02*		0.05*	0.05*	0.02*	0.02*	0.05*	0.05*
Kiwi fruit	0.05*	0.2		0.05*	0.05*	0.02*	0.02*	0.05*	0.05*
Kumquats	0.05*	0.02*		0.05*	0.05*	0.02*	0.02*	0.05*	0.05*
Litchis	0.05*	0.02*		0.05*	0.05*	0.02*	0.02*	0.05*	0.05*
Mangoes	0.05*	0.02*		0.05*	0.05*	0.02*	0.02*	0.05*	0.05*
Olives (table consumption)	0.05*	0.02*		0.05*	0.05*	0.02*	0.02*	2	0.05*
Olives (oil extract)	0.05*	0.02*		0.05*	0.05*	0.02*	0.02*	2	0.05*
Papaya	0.05*	0.02*		0.05*	0.05*	0.02*	0.02*	0.05*	0.05*
Passion fruit	0.05*	0.02*		0.05*	0.05*	0.02*	0.02*	0.05*	0.05*
Pineapples	0.05*	0.02*		0.05*	0.05*	0.02*	0.02*	0.05*	0.05*
Pomegranates	0.05*	0.02*		0.05*	0.05*	0.02*	0.02*	0.05*	0.05*
Others	0.05*	0.02*		0.05*	0.05*	0.02*	0.02*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Diallate	Diazinon	Dichlorfluanid	Dichlorprop	Dichlorvos	Dicofol	Dimethoate	Dinoceb
<b>2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY</b>									
i) ROOT AND TUBER VEGETABLES									
Beetroot	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
Carrots	0.05*	0.2	5	0.05*	0.5	0.02*	0.02*	0.02*	0.05*
Celeriac	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
Horseradish	0.05*	0.02*	5	0.05*	0.5	0.02*	0.02*	0.02*	0.05*
Jerusalem artichokes	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
Parsnips	0.05*	0.02*	5	0.05*	0.5	0.02*	0.02*	0.02*	0.05*
Parsley root	0.05*	0.02*	5	0.05*	0.5	0.02*	0.02*	0.02*	0.05*
Radishes	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
Salsify	0.05*	0.02*	5	0.05*	0.5	0.02*	0.02*	0.02*	0.05*
Sweet potatoes	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
Swedes	0.05*	0.02*	5	0.05*	0.5	0.02*	0.02*	0.02*	0.05*
Turnips	0.05*	0.02*	5	0.05*	0.5	0.02*	0.02*	0.02*	0.05*
Yams	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
Others	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
ii) BULB VEGETABLES									
Garlic	0.05*	0.02*	5	0.05*	0.5	0.02*	0.02*	0.02*	0.05*
Onions	0.05*	0.02*	5	0.05*	0.5	0.02*	0.02*	0.02*	0.05*
Shallots	0.05*	0.02*	5	0.05*	0.5	0.02*	0.02*	0.02*	0.05*
Spring onions	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	2	0.05*
Others	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*

Group to which food belongs	Groups include the following products	Diallate	Diazinon	Dichlorfluanid	Dichlorprop	Dichlorvos	Dicofol	Dimethoate	Dinoceb
<b>iii) FRUITING VEGETABLES</b>									
a)									
Solanaceae									
Tomatoes	0.05*	0.5	5	0.05*	0.5	1	0.02*	0.05*	
Peppers	0.05*	0.5	5	0.05*	0.5	0.02*	0.02*	0.05*	
Chili peppers	0.05*	0.5	5	0.05*	0.5	0.02*	0.02*	0.05*	
Aubergines	0.05*	0.5	5	0.05*	0.5	0.02*	0.02*	0.05*	
Others	0.05*	0.5	5	0.05*	0.5	0.02*	0.02*	0.05*	
b)	Cucurbits-edible peel								
Cucumbers	0.05*	0.02*	5	0.05*	0.5	0.2	0.02*	0.05*	
Gherkins	0.05*	0.02*	5	0.05*	0.5	0.2	0.02*	0.05*	
Courgettes	0.05*	0.02*	5	0.05*	0.5	0.2	0.02*	0.05*	
Others	0.05*	0.02*	5	0.05*	0.5	0.2	0.02*	0.05*	
c)	Cucurbits-inedible peel								
Melons	0.05*	0.02*		0.05*		0.5	0.02*	0.05*	
Squashes	0.05*	0.02*		0.05*		0.5	0.02*	0.05*	
Watermelons	0.05*	0.02*		0.05*		0.5	0.02*	0.05*	
Others	0.05*	0.02*		0.05*		0.5	0.02*	0.05*	
d)	Sweet corn								
	0.05*	0.02*		0.05*		0.02*	0.02*	0.05*	
<b>iv) BRASSICA VEGETABLES</b>									
a)									
Flowering Brassicas									
Broccoli	0.05*	0.02*		0.05*		0.02*		0.05*	
Cauliflower	0.05*	0.02*	5	0.05*	0.5	0.02*	0.2	0.05*	
Others	0.05*	0.02*		0.05*		0.02*		0.05*	
b)	Head Brassicas								
Brussels sprouts	0.05*	0.02*	5	0.05*	0.5	0.02*	0.3	0.05*	

Group to which food belongs	Groups include the following products	Diallate	Diazinon	Dichlorfluanid	Dichlorprop	Dichlorvos	Dicofol	Dimethoate	Dinoceb
<hr/>									
	Head cabbage	0.05*	0.02*	5	0.05*	0.5	0.02*	1	0.05*
	Others	0.05*	0.02*		0.05*		0.02*	0.02*	0.05*
c)	Leafy Brassicas Chinese cabbage	0.05*	0.02*		0.05*		0.02*	0.02*	0.05*
	Kale	0.05*	0.02*		0.05*		0.02*	0.02*	0.05*
	Others	0.05*	0.02*		0.05*		0.02*	0.02*	0.05*
d)	Kohlrabi	0.05*	0.02*		0.05*		0.02*	0.02*	0.05*
v) LEAF VEGETABLES AND FRESH HERBS									
a)	Lettuce & similar Cress	0.05*	0.02*		0.05*		0.02*	0.02*	0.05*
	Lamb's lettuce	0.05*	0.02*		0.05*		0.02*	0.02*	0.05*
	Lettuce	0.05*	0.02*	10	0.05*	1	0.02*	0.5	0.05*
	Scarole	0.05* <sup>(6)</sup>	0.02*		0.05*		0.02*	0.02* <sup>(6)</sup>	0.05* <sup>(6)</sup>
	Others	0.05*	0.02*		0.05*		0.02*	0.02*	0.05*
b)	Spinach & similar Spinach	0.05*	0.02*		0.05*		0.02*	0.02*	0.05*
	Beet leaves (chard)	0.05*	0.02*		0.05*		0.02*	0.02*	0.05*
	Others	0.05*	0.02*		0.05*		0.02*	0.02*	0.05*
c)	Watercress	0.05*	0.02*		0.05*		0.02*	0.02*	0.05*
d)	Witloof	0.05*	0.02*		0.05*		0.02*	0.02*	0.05*
e)	Herbs Chervil	0.05*	0.02*		0.05*		0.02*	0.02*	0.05*
	Chives	0.05*	0.02*		0.05*		0.02*	0.02*	0.05*
	Parsley	0.05*	0.02*		0.05*		0.02*	0.02*	0.05*

Group to which food belongs	Groups include the following products	Diallate	Diazinon	Dichlorfluanid	Dichlorprop	Dichlorvos	Dicofol	Dimethoate	Dinoceb
	Celery leaves	0.05*	0.02*	0.05*	0.02*	0.05*	0.02*	0.02*	0.05*
Others	Others	0.05*	0.02*	0.05*	0.02*	0.05*	0.02*	0.02*	0.05*
vi) LEGUME VEGETABLES (fresh)									
Beans (with pods)	Beans (with pods)	0.05*	0.02*	5	0.05*	0.5	0.02*	0.02*	0.05*
Beans (without pods)	Beans (without pods)	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*
Peas (with pods)	Peas (with pods)	0.05*	0.02*	5	0.05*	0.5	0.02*	1	0.05*
Peas (without pods)	Peas (without pods)	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*
Others	Others	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*
vii) STEM VEGETABLES									
Asparagus	Asparagus	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*
Cardoons	Cardoons	0.05*	0.02*	0.05*	0.02*	0.05*	0.02*	0.02*	0.05*
Celery	Celery	0.05*	0.02*	0.05*	0.05*	0.5	0.02*	0.02*	0.05*
Fennel	Fennel	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*
Globe artichokes	Globe artichokes	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*
Leeks	Leeks	0.05*	0.02*	5	0.05*	0.5	0.02*	0.02*	0.05*
Rhubarb	Rhubarb	0.05*	0.02*	0.05*	0.05*	0.5	0.02*	0.02*	0.05*
Others	Others	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*
viii) FUNGI	a)	Cultivated mushrooms	0.05*	0.02*	0.05*	0.5	0.02*	0.02*	0.05*
	b)	Wild mushrooms	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
3. PULSES	Beans	Beans	0.05*	0.02*	0.05*	0.02*	0.02*	0.02*	0.05*
	Lentils	Lentils	0.05*	0.02*	0.05*	0.02*	0.02*	0.02*	0.05*

Group to which food belongs	Groups include the following products	Diallate	Diazinon	Dichlorfluanid	Dichlorprop	Dichlorvos	Dicofol	Dimethoate	Dinoceb
<b>4. OILSEEDS</b>									
	Peas	0.05*	0.02*	0.05*	0.02*	0.02*	0.02*	0.05*	0.05*
	Others	0.05*	0.02*	0.05*	0.02*	0.02*	0.02*	0.05*	0.05*
	Linseed	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Peanuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Poppy seed	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Sesame seed	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Sunflower seed	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Rape seed	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Soya bean	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Mustard seed	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Cotton seed	0.05*	0.05*	0.05*	0.05*	0.05*	0.1	0.05*	0.05*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
<b>5. POTATOES</b>									
	Early potatoes	0.05*	0.02*	0.1	0.05*	0.5	0.02*	0.02*	0.05*
	Ware potatoes	0.05*	0.02*	0.1	0.05*	0.5	0.02*	0.02*	0.05*
<b>6. TEA</b>	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i> )	0.1*	0.05*	0.1*	0.1*	0.1*	20	0.05*	0.1*
<b>7. HOPS (dried)</b>	including hop pellets & unconcentrated powder	0.1*	0.05*	0.1*		50	0.05*	0.1*	
<b>8. CEREALS</b>									
	Wheat	0.05*	0.02*	2	0.02*	0.3	0.01*	0.3	0.01*
	Rye	0.05*	0.02*	2	0.02*	0.3	0.01*	0.3	0.01*

Group to which food belongs	Groups include the following products	Diallate	Diazinon	Dichlorfluanid	Dichlorprop	Dichlorvos	Dicofol	Dimethoate	Dinoceb
Barley		0.05*	0.02*		2	0.02*		0.02*	0.01*
Sorghum		0.05*	0.02*		2	0.02*		0.02*	0.01*
Oats		0.05*	0.02*		2	0.02*		0.02*	0.01*
Triticale		0.05*	0.02*		2	0.02*		0.3	0.01*
Maize		0.05*	0.02*		2	0.02*		0.02*	0.01*
Buckwheat		0.05*	0.02*		2	0.02*		0.02*	0.01*
Millet		0.05*	0.02*		2	0.02*		0.02*	0.01*
Rice (1)		0.05*	0.02*		2	0.02*		0.02*	0.01*
Other cereals		0.05*	0.02*		2	0.02*		0.02*	0.01*
<b>9. FOODSTUFFS OF ANIMAL ORIGIN</b>									
Meat, edible offal, fat & preparations of meat and edible offal (2)									
Milk (3) & Dairy Produce (4)		0.2*	0.01*				0.02	0.02	0.01*
Eggs (5)			0.2* (7)		0.05*		0.05*	0.05*	0.01*

Group to which food belongs	Groups include the following products	Dinoterb	Dioxathion	Diphenylamine	Diquat	Disulfoton	DNOC	Endosulfan	Endrin
<b>1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS</b>									
i) CITRUS FRUIT									
Grapefruit	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.5	0.01*	
Lemons	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.5	0.01*	
Limes	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.5	0.01*	
Mandarins (inc clementines & similar hybrids)	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.5	0.01*	
Oranges	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.5	0.01*	
Pomelos	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.5	0.01*	
Others	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.5	0.01*	
ii) TREE NUTS (shelled or unshelled)									
Almonds	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	
Brazil nuts	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	
Cashew nuts	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	
Chestnuts	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	
Coconuts	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	
Hazelnuts	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	
Macadamia nuts	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	
Pecans	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	
Pine nuts	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	
Pistachios	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	
Walnuts	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	
Others	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	

Group to which food belongs	Groups include the following products	Dinoterb	Dioxathion	Diphenylamine	Diquat	Disulfoton	DNOC	Endosulfan	Endrin
<hr/>									
iii) POME FRUIT									
Apples	0.05*	0.05*	5	0.05*	0.02*	0.05*	0.3	0.01*	
Pears	0.05*	0.05*	10	0.05*	0.02*	0.05*	0.3	0.01*	
Quinces	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.3	0.01*	
Others	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.3	0.01*	
iv) STONE FRUIT									
Apricots	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	
Cherries	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	
Peaches (incl nectarines & similar hybrids)	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.5	0.01*	
Plums	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	
Others	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	
v) BERRIES AND SMALL FRUIT									
a) Table & wine grapes	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.5	0.01*	
Table grapes									
Wine grapes	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.5	0.01*	
b) Strawberries (other than wild)	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	
c) Cane Fruit (other than wild)									
Blackberries	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	
Dewberries	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	
Loganberries	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	
Raspberries	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	
Others	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	

Group to which food belongs	Groups include the following products	Dinoterb	Dioxathion	Diphenylamine	Diquat	Disulfoton	DNOC	Endosulfan	Endrin
d) Other small fruit & berries (other than wild)									
Bilberries	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
Cranberries	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
Currants (red, black & white)	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
Gooseberries	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
Others	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
e) Wild berries & wild fruit	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
vi) MISCELLANEOUS FRUIT									
Avocados	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
Bananas	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
Dates	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
Figs	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
Kiwi fruit	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
Kumquats	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
Litchis	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
Mangoes	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
Olives (table consumption)	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
Olives (oil extract)	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
Papaya	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
Passion fruit	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
Pineapples	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
Pomegranates	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*

Group to which food belongs	Groups include the following products	Dinoterb	Dioxathion	Diphenylamine	Diquat	Disulfoton	DNOC	Endosulfan	Endrin
<b>2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY</b>									
i) ROOT AND TUBER VEGETABLES									
Beetroot	Others	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
Carrots		0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
Celeriac		0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
Horseradish		0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
Jerusalem artichokes		0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
Parsnips		0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
Parsley root		0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
Radishes		0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
Salsify		0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
Sweet potatoes		0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
Swedes		0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
Turnips		0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
Yams		0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
Others		0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
ii) BULB VEGETABLES									
Garlic		0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
Onions		0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
Shallots		0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
Spring onions		0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
Others		0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*

Group to which food belongs	Groups include the following products	Dinoterb	Dioxathion	Diphenylamine	Diquat	Disulfoton	DNOC	Endosulfan	Endrin
<b>iii) FRUITING VEGETABLES</b>									
a)									
Solanaceae									
Tomatoes	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.5		0.01*
Peppers	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	1		0.01*
Chili peppers	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	1		0.01*
Aubergines	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*		0.01*
Others	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*		0.01*
b)	Cucurbits-edible peel								
Cucumbers	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*		0.01*
Gherkins	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*		0.01*
Courgettes	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*		0.01*
Others	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*		0.01*
c)	Cucurbits-inedible peel								
Melons	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.3		0.01*
Squashes	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.3		0.01*
Watermelons	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.3		0.01*
Others	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.3		0.01*
d)	Sweet corn								
	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*		0.01*
<b>iv) BRASSICA VEGETABLES</b>									
a)									
Flowering Brassicas									
Broccoli	0.05*( <sup>13</sup> )	0.05*	0.05*	0.05*	0.02*	0.05*( <sup>13</sup> )	0.05*		0.01*
Cauliflower	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*		0.01*
Others	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*		0.01*
b)	Head Brassicas								
Brussels sprouts	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*		0.01*

Group to which food belongs	Groups include the following products	Dinoterb	Dioxathion	Diphenylamine	Diquat	Disulfoton	DNOC	Endosulfan	Endrin
<b>v) LEAF VEGETABLES AND FRESH HERBS</b>									
a)	Lettuce & similar Cress	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
	Lamb's lettuce	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
	Lettuce	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
	Scarole	0.05* <sup>(6)</sup>	0.05*	0.05*	0.02*	0.05* <sup>(6)</sup>	0.05*	0.05*	0.01*
	Others	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
b)	Spinach & similar Spinach	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
	Beet leaves (chard)	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
	Others	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
c)	Watercress	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
d)	Witloof	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
e)	Herbs Chervil	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
	Chives	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
	Parsley	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*

Group to which food belongs	Groups include the following products	Dinoterb	Dioxathion	Diphenylamine	Diquat	Disulfoton	DNOC	Endosulfan	Endrin
	Celery leaves	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
Others	Others	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
vi) LEGUME VEGETABLES (fresh)	Beans (with pods)	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
	Beans (without pods)	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
	Peas (with pods)	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
	Peas (without pods)	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
	Others	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
vii) STEM VEGETABLES									
	Asparagus	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
	Cardoons	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
	Celery	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
	Fennel	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
	Globe artichokes	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
	Leeks	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
	Rhubarb	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
	Others	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
viii) FUNGI	a) Cultivated mushrooms	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
	b) Wild mushrooms	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
3. PULSES	Beans	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*
	Lentils	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*

Group to which food belongs	Groups include the following products	Dinoterb	Dioxathion	Diphenylamine	Diquat	Disulfoton	DNOC	Endosulfan	Endrin
<b>4. OILSEEDS</b>									
	Peas	0.05*	0.05*	0.05*	0.2	0.02*	0.05*	0.05*	0.01*
	Others	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Linseed	0.05*	0.05*	0.05*	5	0.02*	0.05*	0.1*	0.01*
	Peanuts	0.05*	0.05*	0.05*	0.1*	0.02*	0.05*	0.1*	0.01*
	Poppy seed	0.05*	0.05*	0.05*	0.1*	0.02*	0.05*	0.1*	0.01*
	Sesame seed	0.05*	0.05*	0.05*	0.1*	0.02*	0.05*	0.1*	0.01*
	Sunflower seed	0.05*	0.05*	0.05*	0.1*	0.02*	0.05*	0.1*	0.01*
	Rape seed	0.05*	0.05*	0.05*	0.5	0.02*	0.05*	0.1*	0.01*
	Soya bean	0.05*	0.05*	0.05*	0.1*	0.02*	0.05*	0.5	0.01*
	Mustard seed	0.05*	0.05*	0.05*	0.1*	0.02*	0.05*	0.1*	0.01*
	Cotton seed	0.05*	0.05*	0.05*	0.1*	0.02*	0.05*	0.3	0.01*
	Others	0.05*	0.05*	0.05*	0.1*	0.02*	0.05*	0.1*	0.01*
<b>5. POTATOES</b>									
	Early potatoes	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Ware potatoes	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
<b>6. TEA</b>	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.1*	0.05*	0.1*	0.05*	0.1*	30	0.01*
<b>7. HOPS (dried)</b>	including hop pellets & unconcentrated powder	0.1*	0.05*	0.1*	0.05*	0.1*	0.1*	0.1*	0.1*
<b>8. CEREALS</b>									
	Wheat	0.05*	0.1	0.05*	0.1	0.05*	0.05*	0.05*	0.01
	Rye	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01

Group to which food belongs	Groups include the following products	Dinoterb	Dioxathion	Diphenylamine	Diquat	Disulfoton	DNOC	Endosulfan	Endrin
Barley		0.05*			10	0.2	0.05*	0.05*	0.01
Sorghum		0.05*			0.05*	0.2	0.05*	0.05*	0.01
Oats		0.05*			2	0.02*	0.05*	0.05*	0.01
Triticale		0.05*			0.05*	0.02*	0.05*	0.05*	0.01
Maize		0.05*			1	0.02*	0.05*	0.05*	0.01
Buckwheat		0.05*			0.05*	0.02*	0.05*	0.05*	0.01
Millet		0.05*			1	0.02*	0.05*	0.05*	0.01
Rice <sup>(1)</sup>		0.05*			0.05*	0.02*	0.05*	0.05*	0.01
Other cereals		0.05*			0.05*	0.02*	0.05*	0.05*	0.01
<b>9. FOODSTUFFS OF ANIMAL ORIGIN</b> Meat, edible offal, fat & preparations of meat and edible offal <sup>(2)</sup>		0.05			0.05*	0.02*	0.05*	0.1 <sup>(17)</sup>	0.05
Milk <sup>(3)</sup> & Dairy Produce <sup>(4)</sup>					0.05*	0.02	0.05*	0.0004	0.0008
Eggs <sup>(5)</sup>					0.05*	0.02*	0.05* <sup>(7)</sup>	0.1* <sup>(7)</sup>	0.005

Group to which food belongs	Groups include the following products	Ethephon	Ethofumesate	Ethoxysulfuron	Ethylene Oxide	Famoxadone	Fenamiphos Fenamidone (from 4 December 2006)
<b>1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS</b>							
i) CITRUS FRUIT							
Grapefruit	0.05*	2	0.05*	0.05*	0.1*	0.02*	0.02*
Lemons	0.05*	2	0.05*	0.05*	0.1*	0.02*	0.02*
Limes	0.05*	2	0.05*	0.05*	0.1*	0.02*	0.02*
Mandarins (inc clementines & similar hybrids)	0.05*	2	0.05*	0.05*	0.1*	0.02*	0.02*
Oranges	0.05*	2	0.05*	0.05*	0.1*	0.02*	0.02*
Pomelos	0.05*	2	0.05*	0.05*	0.1*	0.02*	0.02*
Others	0.05*	2	0.05*	0.05*	0.1*	0.02*	0.02*
ii) TREE NUTS (shelled or unshelled)							
Almonds	0.1*	0.05*	0.05*	0.05*	0.1*	0.02*	0.02*
Brazil nuts	0.1*	0.05*	0.05*	0.05*	0.1*	0.02*	0.02*
Cashew nuts	0.1*	0.05*	0.05*	0.05*	0.1*	0.02*	0.02*
Chestnuts	0.1*	0.05*	0.05*	0.05*	0.1*	0.02*	0.02*
Coconuts	0.1*	0.05*	0.05*	0.05*	0.1*	0.02*	0.02*
Hazelnuts	0.1*	0.05*	0.05*	0.05*	0.1*	0.02*	0.02*
Macadamia nuts	0.1*	0.05*	0.05*	0.05*	0.1*	0.02*	0.02*
Pecans	0.1*	0.05*	0.05*	0.05*	0.1*	0.02*	0.02*
Pine nuts	0.1*	0.05*	0.05*	0.05*	0.1*	0.02*	0.02*
Pistachios	0.1*	0.05*	0.05*	0.05*	0.1*	0.02*	0.02*
Walnuts	0.1*	0.05*	0.05*	0.05*	0.1*	0.02*	0.02*
Others	0.1*	0.05*	0.05*	0.05*	0.1*	0.02*	0.02*

Group to which food belongs	Groups include the following products	Etephon	Ethion	Ethofumesate	Ethoxysulfuron	Ethylene Oxide	Famoxadone	Fenamidone (from 4 December 2006)	Fenamiphos
<b>iii) POME FRUIT</b>									
Apples		3	0.5	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
Pears		3	0.5	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
Quinces		3	0.5	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
Others		3	0.5	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
<b>iv) STONE FRUIT</b>									
Apricots		0.05*	0.5	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
Cherries		3		0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
Peaches (incl nectarines & similar hybrids)		0.05*	0.5	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
Plums		0.05*	0.5	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
Others		0.05*		0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
<b>v) BERRIES AND SMALL FRUIT</b>									
a) Table & wine grapes		0.05*	0.5	0.05*	0.05*	0.1*	2	0.5	0.02*
Table grapes									
Wine grapes		0.05*	0.5	0.05*	0.05*	0.1*	2	0.5	0.02*
b) Strawberries (other than wild)		0.05*	0.1	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
c) Cane Fruit (other than wild)									
Blackberries		0.05*	0.1	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
Dewberries		0.05*	0.1	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
Loganberries		0.05*	0.1	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
Raspberries		0.05*	0.1	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
Others		0.05*	0.1	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*

Group to which food belongs	Groups include the following products	Etephon	Ethion	Ethofumesate	Ethoxysulfuron	Ethylene Oxide	Famoxadone	Fenamidone (from 4 December 2006)	Fenamiphos
d) Other small fruit & berries (other than wild)	Bilberries	0.05*	0.1	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
Cranberries		0.05*	0.1	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
Currants (red, black & white)	5	0.1	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*	0.02*
Gooseberries		0.05*	0.1	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
Others		0.05*	0.1	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
e) Wild berries & wild fruit		0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
vi) MISCELLANEOUS FRUIT									
Avocados		0.05*		0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
Bananas		0.05*	0.1	0.05*	0.05*	0.1*	0.02*	0.02*	0.05
Dates		0.05*		0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
Figs		0.05*		0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
Kiwi fruit		0.05*		0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
Kumquats		0.05*		0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
Litchis		0.05*		0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
Mangoes		0.05*		0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
Olives (table consumption)		0.05*		0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
Olives (oil extract)		0.05*		0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
Papaya		0.05*		0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
Passion fruit		0.05*		0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
Pineapples	2			0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
Pomegranates		0.05*		0.05*	0.05*	0.1*	0.02*	0.02*	0.02*

Group to which food belongs	Groups include the following products	Etephon	Ethion	Ethofumesate	Ethoxysulfuron	Ethylene Oxide	Famoxadone	Fenamidone (from 4 December 2006)	Fenamiphos
<b>2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY</b>									
i) ROOT AND TUBER VEGETABLES									
Beetroot	Others	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
Carrots		0.05*	0.1	0.05*	0.05*	0.1*	0.02*	0.02*	0.05
Celeriac		0.05*		0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
Horseradish		0.05*	0.1	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
Jerusalem artichokes		0.05*		0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
Parsnips		0.05*	0.1	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
Parsley root:		0.05*	0.1	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
Radishes		0.05*		0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
Salsify		0.05*	0.1	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
Sweet potatoes		0.05*		0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
Swedes		0.05*	0.1	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
Turnips		0.05*	0.1	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
Yams		0.05*		0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
Others		0.05*		0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
ii) BULB VEGETABLES									
Garlic		0.05*	0.1	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
Onions		0.05*	0.1	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
Shallots		0.05*	0.1	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
Spring onions		0.05*		0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
Others		0.05*		0.05*	0.05*	0.1*	0.02*	0.02*	0.02*

Group to which food belongs	Groups include the following products	Etephon	Ethion	Ethofumesate	Ethoxysulfuron	Ethylene Oxide	Famoxadone	Fenamidone (from 4 December 2006)	Fenamiphos
<b>iii) FRUITING VEGETABLES</b>									
a)									
Solanaceae									
Tomatoes	3	0.1	0.05*		0.05*	0.1*	1	0.5	0.05
Peppers	3	0.1	0.05*		0.05*	0.1*	0.02*	0.02*	0.1
Chili peppers	3	0.1	0.05*		0.05*	0.1*	0.02*	0.02*	0.1
Aubergines	0.05*	0.1	0.05*		0.05*	0.1*	0.2	0.02*	0.05
Others	0.05*	0.1	0.05*		0.05*	0.1*	0.02*	0.02*	0.02*
b)	Cucurbits-edible peel								
Cucumbers	0.05*	0.1	0.05*		0.05*	0.1*	0.2	0.02*	0.05
Gherkins	0.05*	0.1	0.05*		0.05*	0.1*	0.2	0.02*	0.02*
Courgettes	0.05*	0.1	0.05*		0.05*	0.1*	0.2	0.02*	0.05
Others	0.05*	0.1	0.05*		0.05*	0.1*	0.2	0.02*	0.02*
c)	Cucurbits-inedible peel								
Melons	0.05*		0.05*		0.05*	0.1*	0.3	0.1	0.05
Squashes	0.05*		0.05*		0.05*	0.1*	0.02*	0.02*	0.02*
Watermelons	0.05*		0.05*		0.05*	0.1*	0.02*	0.02*	0.05
Others	0.05*		0.05*		0.05*	0.1*	0.02*	0.02*	0.02*
d)	Sweet corn	0.05*		0.05*		0.05*	0.1*	0.02*	0.02*
<b>iv) BRASSICA VEGETABLES</b>									
a)									
Flowering Brassicas					0.05*	0.1*	0.02*	0.02*	0.02*
Broccoli	0.05*								
Cauliflower	0.05*	0.1	0.05*		0.05*	0.1*	0.02*	0.02*	0.02*
Others	0.05*				0.05*	0.1*	0.02*	0.02*	0.02*
b)	Head Brassicas	0.05*		0.1	0.05*	0.1*	0.02*	0.02*	0.05
Brussels sprouts									

Group to which food belongs	Groups include the following products	Etephon	Ethion	Ethofumesate	Ethoxysulfuron	Ethylene Oxide	Famoxadone	Fenamidone (from 4 December 2006)	Fenamiphos
<b>v) LEAF VEGETABLES AND FRESH HERBS</b>									
a)	Lettuce & similar Cress	0.05*	0.1	0.05*	0.05*	0.1*	0.02*	0.05	0.02*
c)	Leafy Brassicas Chinese cabbage	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
Kale		0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
Others		0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
d)	Kohlrabi	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
b)	Spinach & similar								
	Spinach	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
	Beet leaves (chard)					0.1*	0.02*	0.02*	0.02*
c)	Others	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
c)	Watercress					0.05*	0.02*	0.02*	0.02*
d)	Witloof	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
e)	Herbs								
	Chervil	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
	Chives	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
	Parsley	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*

Group to which food belongs	Groups include the following products	Etephon	Ethion	Ethofumesate	Ethoxysulfuron	Ethylene Oxide	Famoxadone	Fenamidone (from 4 December 2006)	Fenamiphos
	Celery leaves	0.05*	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*	0.02*
	Others	0.05*	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*	0.02*
v) LEGUME VEGETABLES (fresh)	Beans (with pods)	0.05*	0.1	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
	Beans (without pods)	0.05*		0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
	Peas (with pods)	0.05*	0.1	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
	Peas (without pods)	0.05*		0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
	Others	0.05*		0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
vii) STEM VEGETABLES									
	Asparagus	0.05*		0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
	Cardoons	0.05*		0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
	Celery	0.05*	0.1	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
	Fennel	0.05*		0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
	Globe artichokes	0.05*		0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
	Leeks	0.05*	0.1	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
	Rhubarb	0.05*	0.1	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
	Others	0.05*		0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
viii) FUNGI	a) Cultivated mushrooms	0.05*	0.1	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
	b) Wild mushrooms	0.05*		0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
3. PULSES	Beans	0.05*		0.05*	0.05*	0.1*	0.02*	0.02*	0.02*
	Lentils	0.05*		0.05*	0.05*	0.1*	0.02*	0.02*	0.02*

Group to which food belongs	Groups include the following products	Etephon	Ethion	Ethofumesate	Ethoxysulfuron	Ethylene Oxide	Famoxadone	Fenamidone (from 4 December 2006)	Fenamiphos
<b>4. OILSEEDS</b>									
	Peas	0.05*	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*	0.02*
	Others	0.05*	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*	0.02*
	Linseed	0.05*	0.1*	0.05*	0.2*	0.05*	0.05*	0.05*	0.05*
	Peanuts	0.05*	0.1*	0.05*	0.2*	0.05*	0.05*	0.05*	0.05*
	Poppy seed	0.05*	0.1*	0.05*	0.2*	0.05*	0.05*	0.05*	0.05*
	Sesame seed	0.05*	0.1*	0.05*	0.2*	0.05*	0.05*	0.05*	0.05*
	Sunflower seed	0.05*	0.1*	0.05*	0.2*	0.05*	0.05*	0.05*	0.05*
	Rape seed	0.05*	0.1*	0.05*	0.2*	0.05*	0.05*	0.05*	0.05*
	Soya bean	0.05*	0.1*	0.05*	0.2*	0.05*	0.05*	0.05*	0.05*
	Mustard seed	0.05*	0.1*	0.05*	0.2*	0.05*	0.05*	0.05*	0.05*
	Cotton seed	2	0.1*	0.05*	0.2*	0.05*	0.05*	0.05*	0.05*
	Others	0.05*	0.1*	0.05*	0.2*	0.05*	0.05*	0.05*	0.05*
<b>5. POTATOES</b>									
	Early potatoes	0.05*	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*	0.02*
	Ware potatoes	0.05*	0.05*	0.05*	0.1*	0.02*	0.02*	0.02*	0.02*
<b>6. TEA</b>	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	3	0.1*	0.2*	0.05*	0.05*	0.05*	0.05*
<b>7. HOPS (dried)</b>	including hop pellets & unconcentrated powder	0.1*		0.1*	0.2*	0.05*	0.05*	0.05*	0.05*
<b>8. CEREALS</b>									
	Wheat	0.2		0.05*	0.02*	0.1	0.1	0.02*	0.02*
	Rye	0.5		0.05*	0.02*	0.1	0.1	0.02*	0.02*

Group to which food belongs	Groups include the following products	Etephon	Ethion	Ethofumesate	Ethoxysulfuron	Ethylene Oxide	Famoxadone	Fenamidone (from 4 December 2006)	Fenamiphos
Barley		0.5		0.05*	0.02*	0.2	0.02*	0.02*	0.02*
Sorghum		0.05*		0.05*	0.02*	0.1	0.02*	0.02*	0.02*
Oats		0.05*		0.05*	0.02*	0.1	0.02*	0.02*	0.02*
Triticale		0.2		0.05*	0.02*	0.1	0.02*	0.02*	0.02*
Maize		0.05*		0.05*	0.02*	0.02*	0.02*	0.02*	0.02*
Buckwheat		0.05*		0.05*	0.02*	0.1	0.02*	0.02*	0.02*
Millet		0.05*		0.05*	0.02*	0.1	0.02*	0.02*	0.02*
Rice <sup>(1)</sup>		0.05*		0.05*	0.02*	0.02*	0.02*	0.02*	0.02*
Other cereals		0.05*		0.05*	0.02*	0.1	0.02*	0.02*	0.02*
<b>9. FOODSTUFFS OF ANIMAL ORIGIN</b> Meat, edible offal, fat & preparations of meat and edible offal <sup>(2)</sup>		0.05*	0.1*	0.02*	0.05*	0.01*			
Milk <sup>(3)</sup> & Dairy Produce <sup>(4)</sup>		0.05*		0.1*	0.02*	0.05*		0.005*	
Eggs <sup>(5)</sup>		0.05*		0.1*	0.02*	0.05*		0.01*	

Group to which food belongs	Groups include the following products	Fenarimol	Ferbuthatin Oxide	Fenchlorphos	Fenhexamid	Fenitrothion	Fenpropimorph	Fenthion	Fenthion acetate
<b>1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS</b>									
i) CITRUS FRUIT									
Grapefruit	0.02*	5	0.01*	0.05*	2	0.05*	0.05*	0.05*	0.05*
Lemons	0.02*	5	0.01*	0.05*	2	0.05*	0.05*	0.05*	0.05*
Limes	0.02*	5	0.01*	0.05*	2	0.05*	0.05*	0.05*	0.05*
Mandarins (inc clementines & similar hybrids)	0.02*	5	0.01*	0.05*	2	0.05*	0.05*	0.05*	0.05*
Oranges	0.02*	5	0.01*	0.05*	2	0.05*	0.05*	0.05*	0.05*
Pomelos	0.02*	5	0.01*	0.05*	2	0.05*	0.05*	0.05*	0.05*
Others	0.02*	5	0.01*	0.05*	2	0.05*	0.05*	0.05*	0.05*
ii) TREE NUTS (shelled or unshelled)									
Almonds	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Brazil nuts	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Cashew nuts	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Chestnuts	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Coconuts	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Hazelnuts	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Macadamia nuts	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Pecans	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Pine nuts	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Pistachios	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Walnuts	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Others	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Fenarimol	Fenbutatin Oxide	Fenchlorphos	Fenhexamid	Fenitrothion	Fenpropimorph	Fenthion	Fentin	Fentin acetate
<b>iii) POME FRUIT</b>										
	Apples	0.3	2	0.01*	0.05*	0.5	0.05*	0.05*	0.05*	0.05*
	Pears	0.3	2	0.01*	0.05*	0.5	0.05*	0.05*	0.05*	0.05*
	Quinces	0.3	2	0.01*	0.05*	0.5	0.05*	0.05*	0.05*	0.05*
	Others	0.3	2	0.01*	0.05*	0.5	0.05*	0.05*	0.05*	0.05*
<b>iv) STONE FRUIT</b>										
	Apricots	0.5	0.05*	0.01*	5	0.5	0.05*	0.05*	0.05*	0.05*
	Cherries	1	0.05*	0.01*	5	0.05*	0.05*	0.05*	0.05*	0.05*
	Peaches (incl nectarines & similar hybrids)	0.5	0.05*	0.01*	5	0.5	0.05*	0.05*	0.05*	0.05*
	Plums	0.02*	0.05*	0.01*	1	0.5	0.05*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
<b>v) BERRIES AND SMALL FRUIT</b>										
a)	Table & wine grapes Table grapes	0.3	2	0.01*	5	0.5	0.05*	0.05*	0.05*	0.05*
	Wine grapes	0.3	2	0.01*	5	0.5	0.05*	0.05*	0.05*	0.05*
b)	Strawberries (other than wild)	0.3	1	0.01*	5	0.5	1	0.05*	0.05*	0.05*
c)	Cane Fruit (other than wild)									
	Blackberries	0.02*	0.05*	0.01*	10	0.5	1	0.05*	0.05*	0.05*
	Dewberries	0.02*	0.05*	0.01*	10	0.5	1	0.05*	0.05*	0.05*
	Loganberries	0.02*	0.05*	0.01*	10	0.5	1	0.05*	0.05*	0.05*
	Raspberries	0.1	0.05*	0.01*	10	0.5	1	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.01*	10	0.5	1	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Fenarimol	Fenbutatin Oxide	Fenchlorphos	Fenhexamid	Fenitrothion	Fenpropimorph	Fenthion	Fentin	Fentin acetate
d)	Other small fruit & berries (other than wild)	0.02*	0.05*	0.01*	5	0.5	1	0.05*	0.05*	0.05*
	Bilberries	0.02*	0.05*	0.01*	5	0.5	1	0.05*	0.05*	0.05*
	Cranberries	0.02*	0.05*	0.01*	5	0.5	1	0.05*	0.05*	0.05*
	Currants (red, black & white)	1	0.05*	0.01*	5	0.5	1	0.05*	0.05*	0.05*
	Gooseberries	1	0.05*	0.01*	5	0.5	1	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.01*	5	0.5	1	0.05*	0.05*	0.05*
e)	Wild berries & wild fruit	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
vii) MISCELLANEOUS FRUIT										
	Avocados	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Bananas	0.3	3	0.01*	0.05*	0.5	2	0.05*	0.05*	0.05*
	Dates	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Figs	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Kiwi fruit	0.02*	0.05*	0.01*	10	0.05*	0.05*	0.05*	0.05*	0.05*
	Kumquats	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Litchis	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Mangoes	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Olives (table consumption)	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Olives (oil extract)	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Papaya	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Passion fruit	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Pineapples	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Pomegranates	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Fenarimol	Fenbutatin Oxide	Fenchlorphos	Fenhexamid	Fenitrothion	Fenpropimorph	Fenthion	Fentin	Fentin acetate
<b>2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY</b>										
i) ROOT AND TUBER VEGETABLES										
Beetroot	Others	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Carrots		0.02*	0.05*	0.01*	0.05*	0.5	0.05*	0.05*	0.05*	0.05*
Celeriac		0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Horseradish		0.02*	0.05*	0.01*	0.05*	0.5	0.05*	0.05*	0.05*	0.05*
Jerusalem artichokes		0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Parsnips		0.02*	0.05*	0.01*	0.05*	0.5	0.05*	0.05*	0.05*	0.05*
Parsley root:		0.02*	0.05*	0.01*	0.05*	0.5	0.05*	0.05*	0.05*	0.05*
Radishes		0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Salsify		0.02*	0.05*	0.01*	0.05*	0.5	0.05*	0.05*	0.05*	0.05*
Sweet potatoes		0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Swedes		0.02*	0.05*	0.01*	0.05*	0.5	0.05*	0.05*	0.05*	0.05*
Turnips		0.02*	0.05*	0.01*	0.05*	0.5	0.05*	0.05*	0.05*	0.05*
Yams		0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Others		0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
ii) BULB VEGETABLES										
Garlic		0.02*	0.05*	0.01*	0.05*	0.5	0.05*	0.05*	0.05*	0.05*
Onions		0.02*	0.05*	0.01*	0.05*	0.5	0.05*	0.05*	0.05*	0.05*
Shallots		0.02*	0.05*	0.01*	0.05*	0.5	0.05*	0.05*	0.05*	0.05*
Spring onions		0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Others		0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Fenarimol	Fenbutatin Oxide	Fenchlorphos	Fenhexamid	Fenitrothion	Fenpropimorph	Fenthion	Fentin acetate
<b>iii) FRUITING VEGETABLES</b>									
a)									
Solanaceae									
Tomatoes	0.5	1	0.01*		1	0.5	0.05*		0.05*
Peppers	0.5	1	0.01*		2	0.5	0.05*		0.05*
Chili peppers	0.5	1	0.01*		2	0.5	0.05*		0.05*
Aubergines	0.02*	1	0.01*		1	0.5	0.05*		0.05*
Others	0.02*	0.05*	0.01*		0.05*	0.5	0.05*		0.05*
b)	Cucurbits-edible peel								
Cucumbers	0.2	0.5*	0.01*		1	0.5	0.05*		0.05*
Gherkins	0.2	0.05*	0.01*		1	0.5	0.05*		0.05*
Courgettes	0.2	0.5	0.01*		1	0.5	0.05*		0.05*
Others	0.2	0.05*	0.01*		1	0.5	0.05*		0.05*
c)	Cucurbits-inedible peel								
Melons	0.05	0.05*	0.01*		0.05*		0.05*		0.05*
Squashes	0.05	0.05*	0.01*		0.05*		0.05*		0.05*
Watermelons	0.05	0.05*	0.01*		0.05*		0.05*		0.05*
Others	0.05	0.05*	0.01*		0.05*		0.05*		0.05*
d)	Sweet corn	0.02*	0.05*	0.01*	0.05*		0.05*		0.05*
<b>IV) BRASSICA VEGETABLES</b>									
a)									
Flowering Brassicas									
Broccoli	0.02*	0.05*	0.01*		0.05*		0.05*		0.05*
Cauliflower	0.02*	0.05*	0.01*		0.05*	0.5	0.05*		0.05*
Others	0.02*	0.05*	0.01*		0.05*		0.05*		0.05*
b)	Head Brassicas	0.02*	0.05*	0.01*	0.05*	0.5	0.5		0.05*

Group to which food belongs	Groups include the following products	Fenarimol	Fenbutatin Oxide	Fenchlorphos	Fenhexamid	Fenitrothion	Fenpropimorph	Fenthion	Fentin	Fentin acetate
v) LEAF VEGETABLES AND FRESH HERBS										
a)	Lettuce & similar Cress	0.02*	0.05*	0.01*	0.05*	0.5	0.05*	0.05*	0.05*	0.05*
	Lamb's lettuce	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Lettuce	0.02*	0.05*	0.01*	30	0.5	0.05*	0.05*	0.05*	0.05*
	Scarole	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
b)	Spinach & similar Spinach	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Beet leaves (chard)	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
c)	Watercress	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
d)	Witloof	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
e)	Herbs	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Chervil									
	Chives	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Parsley	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Fenarimol	Fenbutatin Oxide	Fenchlorphos	Fenhexamid	Fenitrothion	Fenpropimorph	Fenthion	Fentin	Fentin acetate
	Celery leaves	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
v) LEGUME VEGETABLES (fresh)	Beans (with pods)	0.02*	0.05*	0.01*	0.05*	0.5	0.05*	0.05*	0.05*	0.05*
	Beans (without pods)	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Peas (with pods)	0.02*	0.05*	0.01*	0.05*	0.5	0.05*	0.05*	0.05*	0.05*
	Peas (without pods)	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
vii) STEM VEGETABLES										
	Asparagus	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Cardoons	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Celery	0.02*	0.05*	0.01*	0.05*	0.5	0.05*	0.05*	0.05*	0.05*
	Fennel	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Globe artichokes	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Leeks	0.02*	0.05*	0.01*	0.05*	0.5	0.5	0.05*	0.05*	0.05*
	Rhubarb	0.02*	0.05*	0.01*	0.05*	0.5	0.05*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
viii) FUNGI	a) Cultivated mushrooms	0.02*	0.05*	0.01*	0.05*	0.5	0.05*	0.05*	0.05*	0.05*
	b) Wild mushrooms	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
3. PULSES	Beans	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Lentils	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Fenarimol	Fenbutatin Oxide	Fenchlorphos	Fenhexamid	Fenitrothion	Fenpropimorph	Fenthion	Fentin	Fentin acetate
	Peas	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
<b>4. OILSEEDS</b>										
	Linseed	0.02*	0.05*	0.01*	0.1*	0.05*	0.05*	0.05*	0.1*	0.1*
	Peanuts	0.02*	0.05*	0.01*	0.1*	0.05*	0.05*	0.05*	0.1*	0.1*
	Poppy seed	0.02*	0.05*	0.01*	0.1*	0.05*	0.05*	0.05*	0.1*	0.1*
	Sesame seed	0.02*	0.05*	0.01*	0.1*	0.05*	0.05*	0.05*	0.1*	0.1*
	Sunflower seed	0.02*	0.05*	0.01*	0.1*	0.05*	0.05*	0.05*	0.1*	0.1*
	Rape seed	0.02*	0.05*	0.01*	0.1*	0.05*	0.05*	0.05*	0.1*	0.1*
	Soya bean	0.02*	0.05*	0.01*	0.1*	0.05*	0.05*	0.05*	0.1*	0.1*
	Mustard seed	0.02*	0.05*	0.01*	0.1*	0.05*	0.05*	0.05*	0.1*	0.1*
	Cotton seed	0.02*	0.05*	0.01*	0.1*	0.05*	0.05*	0.05*	0.1*	0.1*
	Others	0.02*	0.05*	0.01*	0.1*	0.05*	0.05*	0.05*	0.1*	0.1*
<b>5. POTATOES</b>										
	Early potatoes	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.1	0.05*
	Ware potatoes	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.1	0.05*
<b>6. TEA</b>	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.05*	0.1*	0.1*	0.5	0.5	0.1*	0.1*	0.1*	0.1*
<b>7. HOPS (dried)</b>	including hop pellets & unconcentrated powder	5	0.1*	0.1*	0.1*	10	0.5	0.1*	0.5	0.1*
<b>8. CEREALS</b>										
	Wheat	0.02*	0.05*	0.05*	0.05*	0.5 <sup>(2a)</sup>	0.05*	0.05*	0.05*	0.05*
	Rye	0.02*	0.05*	0.05*	0.05*	0.5	0.05*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Fenarimol	Fenbutatin Oxide	Fenchlorphos	Fenhexamid	Fenitrothion	Fenpropimorph	Fenthion	Fentin	Fentin acetate
Barley		0.02*	0.05*		0.05*	0.5	0.05*	0.05*	0.05*	0.05*
Sorghum		0.02*	0.05*		0.05*	0.5	0.05*	0.05*	0.05*	0.05*
Oats		0.02*	0.05*		0.05*	0.5	0.05*	0.05*	0.05*	0.05*
Triticale		0.02*	0.05*		0.05*	0.5	0.05*	0.05*	0.05*	0.05*
Maize		0.02*	0.05*		0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Buckwheat		0.02*	0.05*		0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Millet		0.02*	0.05*		0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Rice <sup>(1)</sup>		0.02*	0.05*		0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Other cereals		0.02*	0.05*		0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
<b>9. FOODSTUFFS OF ANIMAL ORIGIN</b>										
Meat, edible offal, fat & preparations of meat and edible offal <sup>(2)</sup>										
Milk <sup>(3)</sup> & Dairy Produce <sup>(4)</sup>		0.02*	0.05*		0.05*	0.01	0.05*	0.05*	0.05*	0.05*
Eggs <sup>(5)</sup>		0.02*	0.05*		0.05*	0.01*	0.05*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Fentin hydroxide	Fenvalerate and Estenvalerate products	Florasulam	Fluothrinate	Flufenacet (from 24 February 2007)	Flunioxazine	Flupyrifluron-methyl
			Sum of RR and SS	Sum of RS and SR				
<b>1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS</b>								
i) CITRUS FRUIT								
Grapefruit	0.05*	0.02*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Lemons	0.05*	0.02*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Limes	0.05*	0.02*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Mandarins (inc clementines & similar hybrids)	0.05*	0.02*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Oranges	0.05*	0.02*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Pomelos	0.05*	0.02*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Others	0.05*	0.02*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
ii) TREE NUTS (shelled or unshelled)								
Almonds	0.05*	0.02*	0.02*	0.1*	0.05*	0.05*	0.05*	0.02*
Brazil nuts	0.05*	0.02*	0.02*	0.1*	0.05*	0.05*	0.05*	0.02*
Cashew nuts	0.05*	0.02*	0.02*	0.1*	0.05*	0.05*	0.05*	0.02*
Chestnuts	0.05*	0.02*	0.02*	0.1*	0.05*	0.05*	0.05*	0.02*
Coconuts	0.05*	0.02*	0.02*	0.1*	0.05*	0.05*	0.05*	0.02*
Hazelnuts	0.05*	0.02*	0.02*	0.1*	0.05*	0.05*	0.05*	0.02*
Macadamia nuts	0.05*	0.02*	0.02*	0.1*	0.05*	0.05*	0.05*	0.02*
Pecans	0.05*	0.02*	0.02*	0.1*	0.05*	0.05*	0.05*	0.02*
Pine nuts	0.05*	0.02*	0.02*	0.1*	0.05*	0.05*	0.05*	0.02*
Pistachios	0.05*	0.02*	0.02*	0.1*	0.05*	0.05*	0.05*	0.02*
Walnuts	0.05*	0.02*	0.02*	0.1*	0.05*	0.05*	0.05*	0.02*
Others	0.05*	0.02*	0.02*	0.1*	0.05*	0.05*	0.05*	0.02*

Group to which food belongs	Groups include the following products	Fentin hydroxide	Fenvalerate and Esfenvalerate	Florasulam	Fluothrinate	Flufenacet (from 24 February 2007)	Flumioxazine	Flupyrifosfuron-methyl
		Sum of RR and SS	Sum of RS and SR	Sum of RR and SS	Sum of RS and SR	Sum of RR and SS	Sum of RS and SR	Sum of RR and SS
<b>iii) POME FRUIT</b>								
Apples	0.05*	0.05	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Pears	0.05*	0.05	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Quinces	0.05*	0.05	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Others	0.05*	0.05	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
<b>iv) STONE FRUIT</b>								
Apricots	0.05*	0.02*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Cherries	0.05*	0.02*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Peaches (incl nectarines & similar hybrids)	0.05*	0.02*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Plums	0.05*	0.02*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Others	0.05*	0.02*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
<b>v) BERRIES AND SMALL FRUIT</b>								
a) Table & wine grapes	0.05*	0.1	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Table grapes								
Wine grapes	0.05*	0.1	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
b) Strawberries (other than wild)	0.05*	0.02*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
c) Cane Fruit (other than wild)								
Blackberries	0.05*	0.02*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Dewberries	0.05*	0.02*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Loganberries	0.05*	0.02*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Raspberries	0.05*	0.02*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Others	0.05*	0.02*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*

Group to which food belongs	Groups include the following products	Fentin hydroxide	Fenvalerate and Esfenvalerate	Florasulam	Fluothrinate	Flufenacet (from 24 February 2007)	Flunioxazine	Flupyrifurfuron-methyl
			Sum of RR and SS	Sum of RS and SR				
<b>d) Other small fruit &amp; berries (other than wild)</b>								
Bilberries	0.05*	0.02*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Cranberries	0.05*	0.02*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Currants (red, black & white)	0.05*	0.02*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Gooseberries	0.05*	0.02*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Others	0.05*	0.02*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Wild berries & wild fruit	0.05*	0.02*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
<b>vii) MISCELLANEOUS FRUIT</b>								
Avocados	0.05*	0.02*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Bananas	0.05*	0.02*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Dates	0.05*	0.02*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Figs	0.05*	0.02*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Kiwi fruit	0.05*	0.02*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Kumquats	0.05*	0.02*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Litchis	0.05*	0.02*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Mangoes	0.05*	0.02*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Olives (table consumption)	0.05*	0.02*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Olives (oil extract)	0.05*	0.02*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Papaya	0.05*	0.02*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Passion fruit	0.05*	0.02*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Pineapples	0.05*	0.02*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Pomegranates	0.05*	0.02*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*

Group to which food belongs	Groups include the following products	Fentin hydroxide	Fenvalerate and Esfenvalerate	Florasulam	Fluothrinate	Flufenacet (from 24 February 2007)	Flumioxazine	Flupyrifurfuron-methyl
			Sum of RR and SS	Sum of RS and SR				
<b>2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY</b>								
i) FOOT AND TUBER VEGETABLES								
Beetroot	Others	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Carrots		0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Celeriac		0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Horseradish		0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Jerusalem artichokes		0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Parsnips		0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Parsley root		0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Radishes		0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Salsify		0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Sweet potatoes		0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Swedes		0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Turnips		0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Yams		0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Others		0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
ii) BULB VEGETABLES								
Garlic		0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Onions		0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Shallots		0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Spring onions		0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Others		0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*

Group to which food belongs	Groups include the following products	Fentin hydroxide	Fenvalerate and Esfenvalerate	Florasulam	Fluothrinate	Flufenacet (from 24 February 2007)	Flumioxazine	Flupyrifos/furon-methyl
			Sum of RR and SS	Sum of RS and SR				
<b>iii) FRUITING VEGETABLES</b>								
a)								
Solanacea		0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Tomatoes		0.05						
Peppers		0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Chili peppers		0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Aubergines		0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Others		0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
b)	Cucurbits-edible peel							
Cucurbits		0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Gherkins		0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Courgettes		0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Others		0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
c)	Cucurbits-inedible peel							
Melons		0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Squashes		0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Watermelons		0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Others		0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
d)	Sweet corn	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
<b>iv) BRASSICA VEGETABLES</b>								
a)								
Flowering Brassicas		0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Broccoli								
Cauliflower		0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
Others		0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
b)	Head Brassicas							
Brussels sprouts		0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*

Group to which food belongs	Groups include the following products	Fentin hydroxide	Fenvalerate and Esfenvalerate	Florasulam	Flucyprinate	Flufenacet (from 24 February 2007)	Flumioxazine	Flupyrifurfurylmethyl
		Sum of RR and SS	Sum of RS and SR					
<b>v) LEAF VEGETABLES AND FRESH HERBS</b>								
a)	Lettuce & similar Cress	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*
	Lamb's lettuce	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*
	Lettuce	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*
	Scarole	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*
	Others	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*
b)	Spinach & similar Spinach	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*
	Beet leaves (chard)	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*
	Others	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*
c)	Watercress	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*
d)	Witloof	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*
e)	Herbs Chervil	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*
	Chives	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*
	Parsley	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*

Group to which food belongs	Groups include the following products	Fentin hydroxide	Fenvalerate and Esfenvalerate	Florasulam	Fluothrinate	Flufenacet (from 24 February 2007)	Flunioxazine	Flupyrifosfuron-methyl
				Sum of RR and SS	Sum of RS and SR			
<b>v) LEGUME VEGETABLES (fresh)</b>								
Celery leaves	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
Others	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
Beans (with pods)	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
Beans (without pods)	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
Peas (with pods)	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
Peas (without pods)	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
Others	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
<b>vii) STEM VEGETABLES</b>								
Asparagus	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
Cardoons	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
Celery	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
Fennel	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
Globe artichokes	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
Leeks	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
Rhubarb	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
Others	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
<b>viii) FUNGI</b>								
a)	Cultivated mushrooms	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
b)	Wild mushrooms	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
<b>3. PULSES</b>								
Beans	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
Lentils	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*

Group to which food belongs	Groups include the following products	Fentin hydroxide	Fenvalerate and Esfenvalerate	Florasulam	Fluothrinate	Flufenacet (from 24 February 2007)	Flunioxazine	Flupyrifosfuran-methyl
			Sum of RR and SS	Sum of RS and SR				
		0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
	Peas	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
	Others	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*
<b>4. OILSEEDS</b>								
	Linseed	0.1*	0.05*	0.1*	0.05*	0.05*	0.1*	0.05*
	Peanuts	0.1*	0.05*	0.1*	0.05*	0.05*	0.1*	0.05*
	Poppy seed	0.1*	0.05*	0.1*	0.05*	0.05*	0.1*	0.05*
	Sesame seed	0.1*	0.05*	0.1*	0.05*	0.05*	0.1*	0.05*
	Sunflower seed	0.1*	0.05*	0.1*	0.05*	0.05*	0.1*	0.05*
	Rape seed	0.1*	0.05*	0.1*	0.05*	0.05*	0.1*	0.05*
	Soya bean	0.1*	0.05*	0.1*	0.05*	0.05*	0.1*	0.05*
	Mustard seed	0.1*	0.05*	0.1*	0.05*	0.05*	0.1*	0.05*
	Cotton seed	0.1*	0.05*	0.1*	0.05*	0.05*	0.1*	0.05*
	Others	0.1*	0.05*	0.1*	0.05*	0.05*	0.1*	0.05*
<b>5. POTATOES</b>								
	Early potatoes	0.05*	0.02*	0.01*	0.05*	0.05*	0.1	0.02*
	Ware potatoes	0.05*	0.02*	0.01*	0.05*	0.05*	0.1	0.02*
<b>6. TEA</b>	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i> )	0.1*	0.05*	0.1*	0.05*	0.05*	0.1*	0.05*
<b>7. HOPS (dried)</b>	including hop pellets & unconcentrated powder	0.1*	0.05*	0.1*	0.05*	0.05*	0.1*	0.05*
<b>8. CEREALS</b>								
	Wheat	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.02*
	Rye	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.02*

Group to which food belongs	Groups include the following products	Fentin hydroxide	Fenvvalerate and Esfenvalerate products	Florasulam	Fluothrinate	Flufenacet (from 24 February 2007)	Flumioxazine	Flupyrifurfuron-methyl
		Sum of RR and SS	Sum of RS and SR	Sum of RR and SS	Sum of RS and SR	Sum of RR and SS	Sum of RS and SR	Sum of RR and SS
Barley		0.05*	0.2	0.05	0.01*	0.05*	0.05*	0.02*
Sorghum		0.05*	0.02*	0.02*	0.01*	0.05*	0.05*	0.02*
Oats		0.05*	0.2	0.05	0.01*	0.05*	0.05*	0.02*
Triticale		0.05*	0.05	0.02*	0.01*	0.05*	0.05*	0.02*
Maize		0.05*	0.02*	0.02*	0.01*	0.05*	0.05*	0.02*
Buckwheat		0.05*	0.02*	0.02*	0.01*	0.05*	0.05*	0.02*
Millet		0.05*	0.02*	0.02*	0.01*	0.05*	0.05*	0.02*
Rice <sup>(1)</sup>		0.05*	0.02*	0.02*	0.01*	0.05*	0.05*	0.02*
Other cereals		0.05*	0.02*	0.02*	0.01*	0.05*	0.05*	0.02*
				0.02 <sup>(14)</sup> 0.2 <sup>(9)</sup>	0.02 <sup>(14)</sup> 0.05 <sup>(9)</sup>			
				0.05*				
Milk <sup>(3)</sup> & Dairy Produce <sup>(4)</sup>		0.02*		0.02*		0.05*		
Eggs <sup>(5)</sup>		0.02* <sup>(7)</sup>		0.02* <sup>(7)</sup>		0.05*		

**9. FOODSTUFFS OF ANIMAL ORIGIN**  
Meat, edible offal,  
fat & preparations  
of meat and  
edible offal <sup>(2)</sup>

Group to which food belongs	Groups include the following products	Fluoxypyr	Folpet	Foramsulfuron	Formothion	Fosfihazole (from 24 February 2007)	Furathiocarb	Glyphosate	Heptachlor
<b>1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS</b>									
i) CITRUS FRUIT									
Grapefruit	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	0.01*	0.01*
Lemons	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	0.01*	0.01*
Limes	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	0.01*	0.01*
Mandarins (inc clementines & similar hybrids)	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	0.01*	0.01*
Oranges	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	0.01*	0.01*
Pomelos	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	0.01*	0.01*
Others	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	0.01*	0.01*
ii) TREE NUTS (shelled or unshelled)									
Almonds	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	0.01*	0.01*
Brazil nuts	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	0.01*	0.01*
Cashew nuts	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	0.01*	0.01*
Chestnuts	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	0.01*	0.01*
Coconuts	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	0.01*	0.01*
Hazelnuts	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	0.01*	0.01*
Macadamia nuts	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	0.01*	0.01*
Pecans	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	0.01*	0.01*
Pine nuts	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	0.01*	0.01*
Pistachios	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	0.01*	0.01*
Walnuts	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	0.01*	0.01*
Others	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	0.01*	0.01*

Group to which food belongs	Groups include the following products	Fluoxypyr	Folpet	Foramsulfuron	Formothion	Fosfihazole (from 24 February 2007)	Furathiocarb	Glyphosate	Heptachlor
<hr/>									
iii) POME FRUIT									
Apples		0.05*		0.01*	0.02*	0.02*	0.05*	0.1*	0.01*
Pears		0.05*		0.01*	0.02*	0.02*	0.05*	0.1*	0.01*
Quinces		0.05*		0.01*	0.02*	0.02*	0.05*	0.1*	0.01*
Others		0.05*		0.01*	0.02*	0.02*	0.05*	0.1*	0.01*
iv) STONE FRUIT									
Apricots		0.05*		0.01*	0.02*	0.02*	0.05*	0.1*	0.01*
Cherries		0.05*		0.01*	0.02*	0.02*	0.05*	0.1*	0.01*
Peaches (incl nectarines & similar hybrids)		0.05*		0.01*	0.02*	0.02*	0.05*	0.1*	0.01*
Plums		0.05*		0.01*	0.02*	0.02*	0.05*	0.1*	0.01*
Others		0.05*		0.01*	0.02*	0.02*	0.05*	0.1*	0.01*
v) BERRIES AND SMALL FRUIT									
a) Table & wine grapes		0.05*		0.01*	0.02*	0.02*	0.05*	0.1*	0.01*
Table grapes									
Wine grapes		0.05*	10	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*
b) Strawberries (other than wild)		0.05*		0.01*	0.02*	0.02*	0.05*	0.1*	0.01*
c) Cane Fruit (other than wild)									
Blackberries		0.05*		0.01*	0.02*	0.02*	0.05*	0.1*	0.01*
Dewberries		0.05*		0.01*	0.02*	0.02*	0.05*	0.1*	0.01*
Loganberries		0.05*		0.01*	0.02*	0.02*	0.05*	0.1*	0.01*
Raspberries		0.05*		0.01*	0.02*	0.02*	0.05*	0.1*	0.01*
Others		0.05*		0.01*	0.02*	0.02*	0.05*	0.1*	0.01*

Group to which food belongs	Groups include the following products	Fluoxypyr	Folpet	Foramsulfuron	Fomotion	Fosfihazole (from 24 February 2007)	Furathiocarb	Glyphosate	Heptachlor
d) Other small fruit & berries (other than wild)									
Bilberries	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*		
Cranberries	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*		
Currants (red, black & white)	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*		
Gooseberries	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*		
Others	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*		
e) Wild berries & wild fruit	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*		
vi) MISCELLANEOUS FRUIT									
Avocados	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*		
Bananas	0.05*	0.01*	0.02*	0.05*	0.05*	0.1*	0.01*		
Dates	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*		
Figs	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*		
Kiwi fruit	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*		
Kumquats	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*		
Litchis	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*		
Mangoes	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*		
Olives (table consumption)	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*		
Olives (oil extract)	0.05*	0.01*	0.02*	0.02*	0.05*	2	0.01*		
Papaya	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*		
Passion fruit	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*		
Pineapples	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*		
Pomegranates	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*		

Group to which food belongs	Groups include the following products	Fluoxypyr	Folpet	Foramsulfuron	Formothion	Fosfihazole (from 24 February 2007)	Furathiocarb	Glyphosate	Heptachlor
<b>2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY</b>									
i) ROOT AND TUBER VEGETABLES									
Beetroot	Others	0.05*	0.01*	0.02*	0.02*	0.05*	0.05*	0.1*	0.01*
Carrots		0.05*	0.01*	0.02*	0.02*	0.05*	0.05*	0.1*	0.01*
Celeriac		0.05*	0.01*	0.02*	0.02*	0.05*	0.05*	0.1*	0.01*
Horseradish		0.05*	0.01*	0.02*	0.02*	0.05*	0.05*	0.1*	0.01*
Jerusalem artichokes		0.05*	0.01*	0.02*	0.02*	0.05*	0.05*	0.1*	0.01*
Parsnips		0.05*	0.01*	0.02*	0.02*	0.05*	0.05*	0.1*	0.01*
Parsley root:		0.05*	0.01*	0.02*	0.02*	0.05*	0.05*	0.1*	0.01*
Radishes		0.05*	0.01*	0.02*	0.02*	0.05*	0.05*	0.1*	0.01*
Salsify		0.05*	0.01*	0.02*	0.02*	0.05*	0.05*	0.1*	0.01*
Sweet potatoes		0.05*	0.01*	0.02*	0.02*	0.05*	0.05*	0.1*	0.01*
Swedes		0.05*	0.01*	0.02*	0.02*	0.05*	0.05*	0.1*	0.01*
Turnips		0.05*	0.01*	0.02*	0.02*	0.05*	0.05*	0.1*	0.01*
Yams		0.05*	0.01*	0.02*	0.02*	0.05*	0.05*	0.1*	0.01*
Others		0.05*	0.01*	0.02*	0.02*	0.05*	0.05*	0.1*	0.01*
ii) BULB VEGETABLES									
Garlic		0.05*	0.01*	0.02*	0.02*	0.05*	0.05*	0.1*	0.01*
Onions		0.05*	0.01*	0.02*	0.02*	0.05*	0.05*	0.1*	0.01*
Shallots		0.05*	0.01*	0.02*	0.02*	0.05*	0.05*	0.1*	0.01*
Spring onions		0.05*	0.01*	0.02*	0.02*	0.05*	0.05*	0.1*	0.01*
Others		0.05*	0.01*	0.02*	0.02*	0.05*	0.05*	0.1*	0.01*

Group to which food belongs	Groups include the following products	Fluroxypyr	Folpet	Foramsulfuron	Formothion	Fosfihazole (from 24 February 2007)	Furathiocarb	Glyphosate	Heptachlor
<b>iii) FRUITING VEGETABLES</b>									
a)									
Solanaceae		0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	
Tomatoes									
Peppers		0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	
Chili peppers		0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	
Aubergines		0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	
Others		0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	
b)	Cucurbits-edible peel	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	
Cucumbers									
Gherkins		0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	
Courgettes		0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	
Others		0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	
c)	Cucurbits-inedible peel	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	
Melons									
Squashes		0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	
Watermelons		0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	
Others		0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	
d)	Sweet corn	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	
<b>iv) BRASSICA VEGETABLES</b>									
a)									
Flowering Brassicas		0.05*	0.01*	0.02*	0.02*	0.1	0.1*	0.01*	
Broccoli									
Cauliflower		0.05*	0.01*	0.02*	0.02*	0.1	0.1*	0.01*	
Others		0.05*	0.01*	0.02*	0.02*	0.1	0.1*	0.01*	
b)	Head Brassicas	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	
Brussels sprouts									

Group to which food belongs	Groups include the following products	Fluoxypyr	Folpet	Foramsulfuron	Formothion	Fosfihazole (from 24 February 2007)	Furathiocarb	Glyphosate	Heptachlor
	Head cabbage	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	
	Others	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	
c)	Leafy Brassicas Chinese cabbage	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	
	Kale	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	
	Others	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	
d)	Kohlrabi	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	
v)	LEAF VEGETABLES AND FRESH HERBS								
a)	Lettuce & similar Cress	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	
	Lamb's lettuce	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	
	Lettuce	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	
	Scarole	0.05*	0.01*	0.02* <sup>(6)</sup>	0.02*	0.05*	0.1*	0.01*	
	Others	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	
b)	Spinach & similar Spinach	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	
	Beet leaves (chard)	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	
	Others	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	
c)	Watercress	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	
d)	Witloof	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	
e)	Herbs Chervil	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	
	Chives	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	
	Parsley	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	

Group to which food belongs	Groups include the following products	Fluroxypyr	Folpet	Foramsulfuron	Fomotion	Fosfihazole (from 24 February 2007)	Furathiocarb	Glyphosate	Heptachlor
	Celery leaves	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	0.01*
	Others	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	0.01*
v) LEGUME VEGETABLES (fresh)	Beans (with pods)	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	0.01*
	Beans (without pods)	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	0.01*
	Peas (with pods)	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	0.01*
	Peas (without pods)	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	0.01*
	Others	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	0.01*
vii) STEM VEGETABLES									
	Asparagus	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	0.01*
	Cardoons	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	0.01*
	Celery	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	0.01*
	Fennel	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	0.01*
	Globe artichokes	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	0.01*
	Leeks	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	0.01*
	Rhubarb	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	0.01*
	Others	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	0.01*
viii) FUNGI	a) Cultivated mushrooms	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	0.01*
	b) Wild mushrooms	0.05*	0.01*	0.02*	0.02*	0.05*	50	0.01*	0.01*
3. PULSES	Beans	0.05*	0.01*	0.02*	0.02*	0.05*	2	0.01*	0.01*
	Lentils	0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01*	0.01*

Group to which food belongs	Groups include the following products	Fluoxypyr	Folpet	Foramsulfuron	Formothion	Fosfihazole (from 24 February 2007)	Furathiocarb	Glyphosate	Heptachlor
	Peas	0.05*	0.01*	0.02*	0.05*	3	0.01*		
	Others	0.05*	0.01*	0.02*	0.05*	0.1*	0.01*		
<b>4. OILSEEDS</b>									
	Linseed	0.05*	0.01*	0.05*	0.05*	10	0.01*		
	Peanuts	0.05*	0.01*	0.05*	0.05*	0.1*	0.01*		
	Poppy seed	0.05*	0.01*	0.05*	0.05*	0.1*	0.01*		
	Sesame seed	0.05*	0.01*	0.05*	0.05*	0.1*	0.01*		
	Sunflower seed	0.05*	0.01*	0.05*	0.05*	0.1*	0.01*		
	Rape seed	0.05*	0.01*	0.05*	0.05*	10	0.01*		
	Soya bean	0.05*	0.01*	0.05*	0.05*	20	0.01*		
	Mustard seed	0.05*	0.01*	0.05*	0.05*	10	0.01*		
	Cotton seed	0.05*	0.01*	0.05*	0.05*	10	0.01*		
	Others	0.05*	0.01*	0.05*	0.05*	0.1*	0.01*		
<b>5. POTATOES</b>									
	Early potatoes	0.05*	0.01*	0.02*	0.05*	0.1*	0.01*		
	Ware potatoes	0.05*	0.01*	0.02*	0.05*	0.1*	0.01*		
<b>6. TEA</b>	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.05*	0.05*	0.1*	0.1*	0.02*		
<b>7. HOPS (dried)</b>	including hop pellets & unconcentrated powder	0.1*	0.05*	0.05*	5	0.1*	0.01*		
<b>8. CEREALS</b>									
	Wheat	0.1	0.01*	0.02*	0.05*	5	0.01		
	Rye	0.1	0.01*	0.02*	0.05*	5	0.01		

Group to which food belongs	Groups include the following products	Fluoxypyr	Folpet	Foramsulfuron	Fomotion	Fosfihazole (from 24 February 2007)	Furathiocarb	Glyphosate	Heptachlor
Barley		0.1	0.01*	0.02*	0.02*	0.05*	20	0.01	
Sorghum		0.05*	0.01*	0.02*	0.02*	0.05*	20	0.01	
Oats		0.1	0.01*	0.02*	0.02*	0.05*	20	0.01	
Triticale		0.1	0.01*	0.02*	0.02*	0.05*	5	0.01	
Maize		0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01	
Buckwheat		0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01	
Millet		0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01	
Rice <sup>(1)</sup>		0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01	
Other cereals		0.05*	0.01*	0.02*	0.02*	0.05*	0.1*	0.01	
<b>9. FOODSTUFFS OF ANIMAL ORIGIN</b>		0.5 <sup>(30)</sup> 0.05 <sup>(9)</sup>			0.05*	0.5 <sup>(31)</sup> 2 <sup>(32)</sup> 0.1* <sup>(9)</sup>	0.2		
Milk <sup>(3)</sup> & Dairy Produce <sup>(4)</sup>			0.05*		0.05*	0.1*	0.004		
Eggs <sup>(5)</sup>			0.05*		0.05*	0.1*	0.02	0.02	

Group to which food belongs	Groups include the following products	Hexachlorobenzene (HCB)	Hexachlorocyclohexane (HCH)	Hexaconazole	Hydrogen cyanide	Hydrogen phosphide	Imazallil	Imazamox	Iodosulfuron-methyl sodium (from 24 February 2007)
<b>1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS</b>									
i) CITRUS FRUIT									
Grapefruit		0.01*	0.01*	0.02*			5	0.05*	0.02*
Lemons		0.01*	0.01*	0.02*			5	0.05*	0.02*
Limes		0.01*	0.01*	0.02*			5	0.05*	0.02*
Mandarins (inc clementines & similar hybrids)		0.01*	0.01*	0.02*			5	0.05*	0.02*
Oranges		0.01*	0.01*	0.02*			5	0.05*	0.02*
Pomelos		0.01*	0.01*	0.02*			5	0.05*	0.02*
Others		0.01*	0.01*	0.02*			5	0.05*	0.02*
ii) TREE NUTS (shelled or unshelled)									
Almonds		0.01*	0.01*	0.05*			0.02*	0.05*	0.02*
Brazil nuts		0.01*	0.01*	0.05*			0.02*	0.05*	0.02*
Cashew nuts		0.01*	0.01*	0.05*			0.02*	0.05*	0.02*
Chestnuts		0.01*	0.01*	0.05*			0.02*	0.05*	0.02*
Coconuts		0.01*	0.01*	0.05*			0.02*	0.05*	0.02*
Hazelnuts		0.01*	0.01*	0.05*			0.02*	0.05*	0.02*
Macadamia nuts		0.01*	0.01*	0.05*			0.02*	0.05*	0.02*
Pecans		0.01*	0.01*	0.05*			0.02*	0.05*	0.02*
Pine nuts		0.01*	0.01*	0.05*			0.02*	0.05*	0.02*
Pistachios		0.01*	0.01*	0.05*			0.02*	0.05*	0.02*
Walnuts		0.01*	0.01*	0.05*			0.02*	0.05*	0.02*
Others		0.01*	0.01*	0.05*			0.02*	0.05*	0.02*

Group to which food belongs	Groups include the following products	Hexachlorobenzene (HCB)	Hexachlorocyclohexane (HCH)	Hexaconazole	Hydrogen cyanide	Hydrogen phosphide	Imazalil	Imazamox	Iodosulfuron-methyl sodium (from 24 February 2007)
<hr/>									
iii) POME FRUIT									
	Apples	0.01*	0.1		5	0.05*	0.02*		
	Pears	0.01*	0.1		5	0.05*	0.02*		
	Quinces	0.01*	0.02*		5	0.05*	0.02*		
	Others	0.01*	0.02*		5	0.05*	0.02*		
iv) STONE FRUIT									
	Apricots	0.01*	0.02*		0.02*	0.05*	0.02*		
	Cherries	0.01*	0.02*		0.02*	0.05*	0.02*		
	Peaches (incl nectarines & similar hybrids)	0.01*	0.02*		0.02*	0.05*	0.02*		
	Plums	0.01*	0.02*		0.02*	0.05*	0.02*		
	Others	0.01*	0.02*		0.02*	0.05*	0.02*		
v) BERRIES AND SMALL FRUIT									
a)	Table & wine grapes Table grapes	0.01*	0.1		0.02*	0.05*	0.02*		
	Wine grapes	0.01*	0.1		0.02*	0.05*	0.02*		
b)	Strawberries (other than wild)	0.01*	0.2		0.02*	0.05*	0.02*		
c)	Cane Fruit (other than wild) Blackberries	0.01*	0.02*		0.02*	0.05*	0.02*		
	Dewberries	0.01*	0.02*		0.02*	0.05*	0.02*		
	Loganberries	0.01*	0.02*		0.02*	0.05*	0.02*		
	Raspberries	0.01*	0.02*		0.02*	0.05*	0.02*		
	Others	0.01*	0.02*		0.02*	0.05*	0.02*		

Group to which food belongs	Groups include the following products	Hexachlorobenzene (HCB)	Hexachlorocyclohexane (HCH)	Hexaconazole	Hydrogen cyanide	Hydrogen phosphide	Imazalil	Imazamox	Iodosulfur-methyl sodium (from 24 February 2007)
d) Other small fruit & berries (other than wild)	Bilberries	0.01*	0.02*		0.02*		0.05*		0.02*
	Cranberries	0.01*	0.02*		0.02*		0.05*		0.02*
	Currants (red, black & white)	0.01*	0.02*		0.02*		0.05*		0.02*
	Gooseberries	0.01*	0.02*		0.02*		0.05*		0.02*
	Others	0.01*	0.02*		0.02*		0.05*		0.02*
e) Wild berries & wild fruit		0.01*	0.02*		0.02*		0.05*		0.02*
vi) MISCELLANEOUS FRUIT									
	Avocados	0.01*	0.02*		0.02*		0.05*		0.02*
	Bananas	0.01*	0.01*	0.1		2	0.05*		0.02*
	Dates	0.01*	0.02*		0.02*		0.05*		0.02*
	Figs	0.01*	0.02*		0.02*		0.05*		0.02*
	Kiwi fruit	0.01*	0.02*		0.02*		0.05*		0.02*
	Kumquats	0.01*	0.02*		0.02*		0.05*		0.02*
	Litchis	0.01*	0.02*		0.02*		0.05*		0.02*
	Mangoes	0.01*	0.02*		0.02*		0.05*		0.02*
	Olives (table consumption)	0.01*	0.02*		0.02*		0.05*		0.02*
	Olives (oil extract)	0.01*	0.02*		0.02*		0.05*		0.02*
	Papaya	0.01*	0.02*		0.02*		0.05*		0.02*
	Passion fruit	0.01*	0.02*		0.02*		0.05*		0.02*
	Pineapples	0.01*	0.02*		0.02*		0.05*		0.02*
	Pomegranates	0.01*	0.02*		0.02*		0.05*		0.02*

Group to which food belongs	Groups include the following products	Hexachlorobenzene (HCB)	Hexachlorocyclohexane (HCH)	Hexaconazole	Hydrogen cyanide	Hydrogen phosphide	Imazalil	Imazamox	Iodosulfuron-methyl sodium (from 24 February 2007)
<b>2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY</b>									
i) ROOT AND TUBER VEGETABLES									
Beetroot	Others	0.01*	0.01*	0.02*	0.02*	0.02*	0.05*	0.02*	0.02*
ii) BULB VEGETABLES									
Garlic	Others	0.01*	0.01*	0.02*	0.02*	0.02*	0.05*	0.02*	0.02*
Onions	Others	0.01*	0.01*	0.02*	0.02*	0.02*	0.05*	0.02*	0.02*
Shallots	Others	0.01*	0.01*	0.02*	0.02*	0.02*	0.05*	0.02*	0.02*
Spring onions	Others	0.01*	0.01*	0.02*	0.02*	0.02*	0.05*	0.02*	0.02*
Yams	Others	0.01*	0.01*	0.02*	0.02*	0.02*	0.05*	0.02*	0.02*

Group to which food belongs	Groups include the following products	Hexachlorobenzene (HCB)	Hexachlorocyclohexane (HCH)	Hexaconazole	Hydrogen cyanide	Hydrogen phosphide	Imazalil	Imazamox	Iodosulfuron-methyl sodium (from 24 February 2007)
<b>iii) FRUITING VEGETABLES</b>									
a)	Solanaceae	0.01*							
	Tomatoes	0.01*	0.1				0.05*		0.02*
	Peppers	0.01*	0.02*				0.05*		0.02*
	Chili peppers	0.01*	0.02*				0.05*		0.02*
	Aubergines	0.01*	0.02*				0.05*		0.02*
	Others	0.01*	0.02*				0.05*		0.02*
b)	Cucurbits-edible peel								
	Cucumbers	0.01*	0.02*				0.05*		0.02*
	Gherkins	0.01*	0.02*				0.05*		0.02*
	Courgettes	0.01*	0.02*				0.05*		0.02*
	Others	0.01*	0.02*				0.05*		0.02*
c)	Cucurbits-inedible peel								
	Melons	0.01*	0.02*				2	0.05*	0.02*
	Squashes	0.01*	0.02*				0.05*		0.02*
	Watermelons	0.01*	0.02*				0.05*		0.02*
	Others	0.01*	0.02*				0.05*		0.02*
d)	Sweet corn	0.01*	0.02*				0.05*		0.02*
<b>iv) BRASSICA VEGETABLES</b>									
a)	Flowering Brassicas	0.01*	0.02*				0.05*		0.02*
	Broccoli	0.01*							
	Cauliflower	0.01*	0.02*				0.05*		0.02*
	Others	0.01*	0.02*				0.05*		0.02*
b)	Head Brassicas								
	Brussels sprouts	0.01*	0.02*				0.05*		0.02*

Group to which food belongs	Groups include the following products	Hexachlorobenzene (HCB)	Hexachlorocyclohexane (HCH)	Hexaconazole	Hydrogen cyanide	Hydrogen phosphide	Imazalil	Imazamox	Iodosulfuron-methyl sodium (from 24 February 2007)
<b>v) LEAF VEGETABLES AND FRESH HERBS</b>									
a)	Lettuce & similar Cress	0.01*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*	
	Lamb's lettuce	0.01*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*	
	Lettuce	0.01*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*	
	Scarole	0.01* <sup>(6)</sup>	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*	
	Others	0.01*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*	
b)	Spinach & similar Spinach	0.01*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*	
	Beet leaves (chard)	0.01*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*	
	Others	0.01*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*	
c)	Watercress	0.01*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*	
d)	Witloof	0.01*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*	
e)	Herbs	0.01*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*	
	Chervil								
	Chives	0.01*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*	
	Parsley	0.01*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*	

Group to which food belongs	Groups include the following products	Hexachlorobenzene (HCB)	Hexachlorocyclohexane (HCH)	Hexaconazole	Hydrogen cyanide	Hydrogen phosphide	Imazalil	Imazamox	Iodosulfur-methyl sodium (from 24 February 2007)
v) LEGUME VEGETABLES (fresh)									
Celery leaves		0.01*	0.02*			0.02*	0.05*	0.02*	
Others		0.01*	0.02*			0.02*	0.05*	0.02*	
Beans (with pods)		0.01*	0.02*			0.02*	0.05*	0.02*	
Beans (without pods)		0.01*	0.02*			0.02*	0.05*	0.02*	
Peas (with pods)		0.01*	0.02*			0.02*	0.05*	0.02*	
Peas (without pods)		0.01*	0.02*			0.02*	0.05*	0.02*	
Others		0.01*	0.02*			0.02*	0.05*	0.02*	
vii) STEM VEGETABLES									
Asparagus		0.01*	0.02*			0.02*	0.05*	0.02*	
Cardoons		0.01*	0.02*			0.02*	0.05*	0.02*	
Celery		0.01*	0.02*			0.02*	0.05*	0.02*	
Fennel		0.01*	0.02*			0.02*	0.05*	0.02*	
Globe artichokes		0.01*	0.02*			0.02*	0.05*	0.02*	
Leeks		0.01*	0.02*			0.02*	0.05*	0.02*	
Rhubarb		0.01*	0.02*			0.02*	0.05*	0.02*	
Others		0.01*	0.02*			0.02*	0.05*	0.02*	
viii) FUNGI	a)	Cultivated mushrooms	0.01*	0.01*	0.02*	0.02*	0.05*	0.02*	
	b)	Wild mushrooms	0.01*	0.01*	0.02*	0.02*	0.05*	0.02*	
3. PULSES	Beans		0.01*	0.02*	0.02*	0.05*	0.02*	0.02*	
	Lentils		0.01*	0.02*	0.02*	0.05*	0.02*	0.02*	

Group to which food belongs	Groups include the following products	Hexachlorobenzene (HCB)	Hexachlorocyclohexane (HCH)	Hexaconazole	Hydrogen cyanide	Hydrogen phosphide	Imazalil	Imazamox	Iodosulfuron-methyl sodium (from 24 February 2007)
	Peas	0.01*	0.01*	0.02*	0.02*	0.05*	0.02*	0.02*	
	Others	0.01*	0.01*	0.02*	0.02*	0.05*	0.02*	0.02*	
<b>4. OILSEEDS</b>									
	Linseed	0.02*	0.02*	0.05*	0.02*	0.05*	0.02*	0.02*	
	Peanuts	0.02*	0.02*	0.05*	0.02*	0.05*	0.02*	0.02*	
	Poppy seed	0.02*	0.02*	0.05*	0.02*	0.05*	0.02*	0.02*	
	Sesame seed	0.02*	0.02*	0.05*	0.02*	0.05*	0.02*	0.02*	
	Sunflower seed	0.02*	0.02*	0.05*	0.02*	0.05*	0.02*	0.02*	
	Rape seed	0.02*	0.02*	0.05*	0.02*	0.05*	0.02*	0.02*	
	Soya bean	0.02*	0.02*	0.05*	0.02*	0.05*	0.02*	0.02*	
	Mustard seed	0.02*	0.02*	0.05*	0.02*	0.05*	0.02*	0.02*	
	Cotton seed	0.02*	0.02*	0.05*	0.02*	0.05*	0.02*	0.02*	
	Others	0.02*	0.02*	0.05*	0.02*	0.05*	0.02*	0.02*	
<b>5. POTATOES</b>									
	Early potatoes	0.01*	0.01*	0.02*	0.02*	0.05*	0.02*	0.02*	
	Ware potatoes	0.01*	0.01*	0.02*	0.02*	5	0.05*	0.02*	
<b>6. TEA</b>	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.02*	0.02*	0.05*	0.02*	0.1*	0.1*	0.05*	
<b>7. HOPS (dried)</b>	including hop pellets & unconcentrated powder	0.02*	0.05*	0.02*	0.1*	0.1*	0.05*	0.05*	
<b>8. CEREALS</b>									
	Wheat	0.01	0.02	0.1	15	0.1	0.02*	0.05*	
	Rye	0.01	0.02	0.02*	15	0.1	0.02*	0.05*	

Group to which food belongs	Groups include the following products	Hexachlorobenzene (HCB)	Hexachlorocyclohexane (HCH)	Hexaconazole	Hydrogen cyanide	Hydrogen phosphide	Imazalil	Imazamox	Iodosulfuron-methyl sodium (from 24 February 2007)
Barley		0.01	0.02	0.1	15	0.1	0.02*	0.05*	0.02*
Sorghum		0.01	0.02	0.02*	15	0.1	0.02*	0.05*	0.02*
Oats		0.01	0.02	0.02*	15	0.1	0.02*	0.05*	0.02*
Triticale		0.01	0.02	0.02*	15	0.1	0.02*	0.05*	0.02*
Maize		0.01	0.02	0.02*	15	0.1	0.02*	0.05*	0.02*
Buckwheat		0.01	0.02	0.02*	15	0.1	0.02*	0.05*	0.02*
Millet		0.01	0.02	0.02*	15	0.1	0.02*	0.05*	0.02*
Rice <sup>(1)</sup>		0.01	0.02	0.02*	15	0.1	0.02*	0.05*	0.02*
Other cereals		0.01	0.02	0.02*	15	0.1	0.02*	0.05*	0.02*
	<b>9. FOODSTUFFS OF ANIMAL ORIGIN</b>	0.2	0.3 <sup>(3)</sup>			0.02*			
	Meat, edible offal, fat & preparations of meat and edible offal <sup>(2)</sup>								
	Milk <sup>(3)</sup> & Dairy Produce <sup>(4)</sup>	0.01	0.007 <sup>(3)</sup>			0.02*			
	Eggs <sup>(5)</sup>	0.02	0.03 <sup>(3)</sup>			0.02*			

Group to which food belongs	Groups include the following products	Iprodione (until 24 February 2007) =February 2007)	Iprodione (from 24 February 2007)	Iprovalicarb	Isoproturon	Isoxathriphate (from 4 December 2006)	Kresoxim-methyl	Lambda-cyhalothrin	Lindane
<b>1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS</b>									
i) CITRUS FRUIT									
Grapefruit	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1	0.01*
Lemons	5	5	0.05*	0.05*	0.05*	0.05*	0.05*	0.2	0.01*
Limes	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.2	0.01*
Mandarins (inc clementines & similar hybrids)	2	1	0.05*	0.05*	0.05*	0.05*	0.05*	0.2	0.01*
Oranges	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1	0.01*
Pomelos	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1	0.01*
Others	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
ii) TREE NUTS (shelled or unshelled)									
Almonds	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.01*
Brazil nuts	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.01*
Cashew nuts	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.01*
Chestnuts	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.01*
Coconuts	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.01*
Hazelnuts	0.2	0.2	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.01*
Macadamia nuts	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.01*
Pecans	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.01*
Pine nuts	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.01*
Pistachios	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.01*
Walnuts	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.01*
Others	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.01*

Group to which food belongs	Groups include the following products	Iprodione (until 24 February 2007)	Iprodione (from 24 February 2007)	Iprovalicarb	Isoproturon	Isoxathriphate (from 4 December 2006)	Kresoxim-methyl	Lambda-cyhalothrin	Lindane
<b>iii) POME FRUIT</b>									
Apples		10	5	0.05*	0.05*	0.2	0.1	0.01*	
Pears		10	5	0.05*	0.05*	0.2	0.1	0.01*	
Quinces		10	5	0.05*	0.05*	0.2	0.1	0.01*	
Others		10	5	0.05*	0.05*	0.2	0.1	0.01*	
<b>iv) STONE FRUIT</b>									
Apricots		5	3	0.05*	0.05*	0.05*	0.2	0.01*	
Cherries		5	3	0.05*	0.05*	0.05*	0.1	0.01*	
Peaches (incl nectarines & similar hybrids)		5	3	0.05*	0.05*	0.05*	0.2	0.01*	
Plums		5	3	0.05*	0.05*	0.05*	0.1	0.01*	
Others		5	3	0.05*	0.05*	0.05*	0.1	0.01*	
<b>v) BERRIES AND SMALL FRUIT</b>									
a) Table & wine grapes		10	2	0.05*	0.05*	1	0.2	0.01*	
Table grapes									
Wine grapes		10	2	0.05*	0.05*	1	0.2	0.01*	
b) Strawberries (other than wild)		10	15	0.05*	0.05*	1	0.5	0.01*	
c) Cane Fruit (other than wild)									
Blackberries		5	10	0.05*	0.05*	0.05*	0.02*	0.01*	
Dewberries		5	10	0.05*	0.05*	0.05*	0.02*	0.01*	
Loganberries		5	10	0.05*	0.05*	0.05*	0.02*	0.01*	
Raspberries		5	10	0.05*	0.05*	0.05*	0.02*	0.01*	
Others		5	10	0.05*	0.05*	0.05*	0.02*	0.01*	

Group to which food belongs	Groups include the following products	Iprodione until 24 February 2007	Iprodione (from 24 February 2007)	Iprovalicarb	Isoproturon	Isoxathriphate (from 4 December 2006)	Kresoxim-methyl	Lambda-cyhalothrin	Lindane
<b>d) Other small fruit &amp; berries (other than wild)</b>									
Bilberries		10	0.05*	0.05*	0.05*	0.05*	0.02*		0.01*
Cranberries		0.02*	10	0.05*	0.05*	0.05*	0.02*		0.01*
Currents (red, black & white)		10	0.05*	0.05*	0.05*	1	0.1		0.01*
Gooseberries		10	0.05*	0.05*	0.05*	1	0.1		0.01*
Others		0.02*	10	0.05*	0.05*	0.05*	0.02*		0.01*
Wild berries & wild fruit		0.02*	0.02*	0.05*	0.05*	0.05*	0.2		0.01*
<b>vi) MISCELLANEOUS FRUIT</b>									
Avocados		0.02*	0.02*	0.05*	0.05*	0.05*	0.02*		0.01*
Bananas		3	0.02*	0.05*	0.05*	0.05*	0.02*		0.01*
Dates		0.02*	0.02*	0.05*	0.05*	0.05*	0.02*		0.01*
Figs		0.02*	0.02*	0.05*	0.05*	0.05*	0.02*		0.01*
Kiwi fruit		5	0.05*	0.05*	0.05*	0.05*	0.02*		0.01*
Kumquats		0.02*	0.02*	0.05*	0.05*	0.05*	0.02*		0.01*
Litchis		0.02*	0.02*	0.05*	0.05*	0.05*	0.02*		0.01*
Mangoes		0.02*	0.02*	0.05*	0.05*	0.05*	0.02*		0.01*
Olives (table consumption)		0.02*	0.02*	0.05*	0.05*	0.05*	0.2		0.01*
Olives (oil extract)		0.02*	0.02*	0.05*	0.05*	0.05*	0.02*		0.01*
Papaya		0.02*	0.02*	0.05*	0.05*	0.05*	0.02*		0.01*
Passion fruit		0.02*	0.02*	0.05*	0.05*	0.05*	0.02*		0.01*
Pineapples		0.02*	0.02*	0.05*	0.05*	0.05*	0.02*		0.01*
Pomegranates		0.02*	0.02*	0.05*	0.05*	0.05*	0.02*		0.01*

Group to which food belongs	Groups include the following products	Iprodione until 24 February 2007	Iprodione (from 24 February 2007)	Iprovalicarb	Isoprotron	Isoxathiofute (from 4 December 2006)	Kresoxim-methyl	Lambda-cyhalothrin	Lindane
<b>2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY</b>									
i) ROOT AND TUBER VEGETABLES									
Others	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Beetroot	0.5	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Carrots	0.3	0.3	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Celeriac	0.02*	0.3	0.05*	0.05*	0.05*	0.05*	0.05*	0.1	0.01*
Horseradish	0.1	0.1	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Jerusalem artichokes	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Parsnips	0.1	0.3	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Parsley root	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Radishes	0.3	0.3	0.05*	0.05*	0.05*	0.05*	0.05*	0.1	0.01*
Salsify	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Sweet potatoes	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Swedes	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Turnips	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Yams	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Others	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
ii) BULB VEGETABLES									
Garlic	5	0.2	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Onions	5	0.2	0.1	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Shallots	5	0.2	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Spring onions	3	3	0.05*	0.05*	0.05*	0.05*	0.05*	0.05	0.01*
Others	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*

Group to which food belongs	Groups include the following products	Iprodione until 24 February 2007	Iprodione (from 24 February 2007)	Iprovalicarb	Isoproturon	Isoxathion (from 4 December 2006)	Kresoxim-methyl	Lambda-cyhalothrin	Lindane
<b>iii) FRUITING VEGETABLES</b>									
a)									
Solanaceae									
Tomatoes		5	5	1	0.05*	0.05*	0.5	0.1	0.01*
Peppers		5	5	0.05*	0.05*	0.05*	1	0.1	0.01*
Chili peppers		5	5	0.05*	0.05*	0.05*	1	0.1	0.01*
Aubergines		5	5	0.05*	0.05*	0.05*	0.5	0.5	0.01*
Others		5	5	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
b)	Cucurbits-edible peel								
Cucumbers		2	2	0.1	0.05*	0.05*	0.05*	0.1	0.01*
Gherkins		2	2	0.1	0.05*	0.05*	0.05*	0.1	0.01*
Courgettes		2	2	0.1	0.05*	0.05*	0.05*	0.1	0.01*
Others		2	2	0.05*	0.05*	0.05*	0.05*	0.1	0.01*
c)	Cucurbits-inedible peel								
Melons		0.3	1	0.2	0.05*	0.05*	0.2	0.05	0.01*
Squashes		0.02*	1	0.05*	0.05*	0.05*	0.2	0.05	0.01*
Watermelons		0.02*	1	0.2	0.05*	0.05*	0.2	0.05	0.01*
Others		0.02*	1	0.05*	0.05*	0.05*	0.2*	0.05	0.01*
d)	Sweet corn		0.02*	0.02*	0.05*	0.05*	0.05*	0.05	0.01*
<b>iv) BRASSICA VEGETABLES</b>									
a)									
Flowering Brassicas		0.05	0.1	0.05*	0.05*	0.05*	0.05*	0.1 <sup>(13)</sup>	0.01*
Broccoli									
Cauliflower		0.05	0.1	0.05*	0.05*	0.05*	0.05*	0.1	0.01*
Others		0.05	0.1	0.05*	0.05*	0.05*	0.05*	0.1	0.01*
b)	Head Brassicas		0.5	0.05*	0.05*	0.05*	0.05*	0.05	0.01*
Brussels sprouts									

Group to which food belongs	Groups include the following products	Iprodione (until 24 February 2007)	Iprodione (from 24 February 2007)	Iprovalicarb	Isoprotron	Isoxathion (from 4 December 2006)	Kresoxim-methyl	Lambda-cyhalothrin	Lindane
	Head cabbage	5	5	0.05*	0.05*	0.05*	0.05*	0.2	0.01*
	Others	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
c)	Leafy Brassicas Chinese cabbage	5	5	0.05*	0.05*	0.05*	0.05*	1	0.01*
	Kale	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	1	0.01*
	Others	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	1	0.01*
d)	Kohlrabi	0.1	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
v) LEAF VEGETABLES AND FRESH HERBS									
a)	Lettuce & similar Cress	10	10	1	0.05*	0.05*	0.05*	1	0.01*
	Lamb's lettuce	10	10	1	0.05*	0.05*	0.05*	1	0.01*
	Lettuce	10	10	1	0.05*	0.05*	0.05*	1	0.01*
	Scarole	10	10	1	0.05*	0.05*	0.05*	1 <sup>(6)</sup>	0.01 <sup>(6)</sup>
	Others	10	10	1	0.05*	0.05*	0.05*	1	0.01*
b)	Spinach & similar Spinach	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.5	0.01*
	Beet leaves (chard)	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
	Others	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
c)	Watercress	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
d)	Witloof	2	0.2	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
e)	Herbs Chervil	10	10	0.05*	0.05*	0.05*	0.05*	1	0.01*
	Chives	10	10	0.05*	0.05*	0.05*	0.05*	1	0.01*
	Parsley	10	10	0.05*	0.05*	0.05*	0.05*	1	0.01*

Group to which food belongs	Groups include the following products	Iprodione until 24 February 2007	Iprodione (from 24 February 2007)	Iprovalicarb	Isoproturon	Isoxafuthole (from 4 December 2006)	Kresoxim-methyl	Lambda-cyhalothrin	Lindane
v) LEGUME VEGETABLES (fresh)									
Celery leaves	10	10	0.05*	0.05*	0.05*	0.05*	0.05*	1	0.01*
Others	10	10	0.05*	0.05*	0.05*	0.05*	0.05*	1	0.01*
Beans (with pods)	5	5	0.05*	0.05*	0.05*	0.05*	0.05*	0.2	0.01*
Beans (without pods)	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Peas (with pods)	1	2	0.05*	0.05*	0.05*	0.05*	0.05*	0.2	0.01*
Peas (without pods)	0.2	0.3	0.05*	0.05*	0.05*	0.05*	0.05*	0.2	0.01*
Others	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
vii) STEM VEGETABLES									
Asparagus	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Cardoons	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Celery	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.3	0.01*
Fennel	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Globe artichokes	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Leeks	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.3	0.01*
Rhubarb	0.2	0.2	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Others	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
viii) FUNGI	a)	Cultivated mushrooms	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
	b)	Wild mushrooms	0.02*	0.02*	0.05*	0.05*	0.05*	0.5	0.01*
3. PULSES	Beans	0.2	0.2	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
	Lentils	0.2	0.2	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*

Group to which food belongs	Groups include the following products	Iprodione (until 24 February 2007)	Iprodione (from 24 February 2007)	Iprovalicarb	Isoprotron	Isoxathriphate (from 4 December 2006)	Kresoxim-methyl	Lambda-cyhalothrin	Lindane
	Peas	0.2	0.2	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
	Others	0.2	0.2	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
<b>4. OILSEEDS</b>									
	Linseed	0.1	0.5	0.1*	0.1*	0.1*	0.1*	0.02*	0.01*
	Peanuts	0.02*	0.02*	0.1*	0.1*	0.1*	0.1*	0.02*	0.01*
	Poppy seed	0.02*	0.02*	0.1*	0.1*	0.1*	0.1*	0.02*	0.01*
	Sesame seed	0.02*	0.02*	0.1*	0.1*	0.1*	0.1*	0.02*	0.01*
	Sunflower seed	0.02*	0.5	0.1*	0.1*	0.1*	0.1*	0.02*	0.01*
	Rape seed	0.5	0.5	0.1*	0.1*	0.1*	0.1*	0.02*	0.01*
	Soya bean	0.02*	0.02*	0.1*	0.1*	0.1*	0.1*	0.02*	0.01*
	Mustard seed	0.02*	0.02*	0.1*	0.1*	0.1*	0.1*	0.02*	0.01*
	Cotton seed	0.02*	0.02*	0.1*	0.1*	0.1*	0.1*	0.02*	0.01*
	Others	0.02*	0.02*	0.1*	0.1*	0.1*	0.1*	0.02*	0.01*
<b>5. POTATOES</b>									
	Early potatoes	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
	Ware potatoes	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
<b>6. TEA</b>	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	1	0.05*
<b>7. HOPS (dried)</b>	including hop pellets & unconcentrated powder	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	10	0.05*
<b>8. CEREALS</b>									
	Wheat	0.5	0.5	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
	Rye	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*

Group to which food belongs	Groups include the following products	Iprodione (until 24 February 2007)	Iprodione (from 24 February 2007)	Iprodioncarb	Isoproturon	Isoxafutole (from 4 December 2006)	Kresoxim-methyl	Lambda-cyhalothrin	Lindane
Barley	1	0.5	0.05*	0.05*	0.05*	0.05*	0.05*	0.05	0.01*
Sorghum	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.01*
Oats	0.02*	0.5	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Triticale	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.01*
Maize	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Buckwheat	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Millet	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Rice <sup>(1)</sup>	3	3	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*
Other cereals	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.01*
<b>9. FOODSTUFFS OF ANIMAL ORIGIN</b>	Meat, edible offal, fat & preparations of meat and edible offal <sup>(2)</sup>	0.05*	0.05*	0.05*	0.05*	0.02* <sup>(34)</sup> 0.5 <sup>(17)</sup>	0.02* <sup>(14)</sup> 0.05 <sup>(30)</sup>	0.7 <sup>(14)</sup> 0.02 <sup>(17)</sup>	
Milk <sup>(3)</sup> & Dairy Produce <sup>(4)</sup>	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05	0.001*
Eggs <sup>(5)</sup>	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1	

Group to which food belongs	Groups include the following products	Linuron	Malathion	Maleic hydrazide (until 4 December 2006)	Maleic- hydrazide (from 4 December 2006)	Maneb Mancozeb Metiram Propineb Zineb	Mecabam	Mecoprop (from 4 December 2006)	Mercury compounds
<b>1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS</b>									
i) CITRUS FRUIT									
Grapefruit	0.05*	2	1*	0.2*	5	0.05*	0.05*	0.01*	
Lemons	0.05*	2	1*	0.2*	5	0.05*	0.05*	0.01*	
Limes	0.05*	2	1*	0.2*	5	0.05*	0.05*	0.01*	
Mandarins (inc clementines & similar hybrids)	0.05*	2	1*	0.2*	5	0.05*	0.05*	0.01*	
Oranges	0.05*	2	1*	0.2*	5	0.05*	0.05*	0.01*	
Pomelos	0.05*	2	1*	0.2*	5	0.05*	0.05*	0.01*	
Others	0.05*	2	1*	0.2*	5	0.05*	0.05*	0.01*	
ii) TREE NUTS (shelled or unshelled)									
Almonds	0.05*	1*	0.2*	0.1*	0.05*	0.05*	0.05*	0.01*	
Brazil nuts	0.05*	1*	0.2*	0.1*	0.05*	0.05*	0.05*	0.01*	
Cashew nuts	0.05*	1*	0.2*	0.1*	0.05*	0.05*	0.05*	0.01*	
Chestnuts	0.05*	1*	0.2*	0.1*	0.05*	0.05*	0.05*	0.01*	
Coconuts	0.05*	1*	0.2*	0.1*	0.05*	0.05*	0.05*	0.01*	
Hazelnuts	0.05*	1*	0.2*	0.1*	0.05*	0.05*	0.05*	0.01*	
Macadamia nuts	0.05*	1*	0.2*	0.1*	0.05*	0.05*	0.05*	0.01*	
Pecans	0.05*	1*	0.2*	0.1*	0.05*	0.05*	0.05*	0.01*	
Pine nuts	0.05*	1*	0.2*	0.1*	0.05*	0.05*	0.05*	0.01*	
Pistachios	0.05*	1*	0.2*	0.1*	0.05*	0.05*	0.05*	0.01*	
Walnuts	0.05*	1*	0.2*	0.1*	0.05*	0.05*	0.05*	0.01*	
Others	0.05*	1*	0.2*	0.1*	0.05*	0.05*	0.05*	0.01*	

Group to which food belongs	Groups include the following products	Linuron	Malathion	Maleic-hydrazone (until 4 December 2006)	Maleic-hydrazone (from 4 December 2006)	Mecarban	Mecoprop (from 4 December 2006)	Mercury compounds
<hr/>								
iii) POME FRUIT								
Apples	0.05*	0.5	1*	0.2*	3	0.05*	0.05*	0.01*
Pears	0.05*	0.5	1*	0.2*	3	0.05*	0.05*	0.01*
Quinces	0.05*	0.5	1*	0.2*	3	0.05*	0.05*	0.01*
Others	0.05*	0.5	1*	0.2*	3	0.05*	0.05*	0.01*
iv) STONE FRUIT								
Apricots	0.05*	0.5	1*	0.2*	2	0.05*	0.05*	0.01*
Cherries	0.05*	0.5	1*	0.2*	1	0.05*	0.05*	0.01*
Peaches (incl nectarines & similar hybrids)	0.05*	0.5	1*	0.2*	2	0.05*	0.05*	0.01*
Plums	0.05*	0.5	1*	0.2*	1	0.05*	0.05*	0.01*
Others	0.05*		1*	0.2*		0.05*	0.05*	0.01*
v) BERRIES AND SMALL FRUIT								
a) Table & wine grapes	0.05*	0.5	1*	0.2*	2	0.05*	0.05*	0.01*
Table grapes								
Wine grapes	0.05*	0.5	1*	0.2*	2	0.05*	0.05*	0.01*
b) Strawberries (other than wild)	0.05*	0.5	1*	0.2*	2	0.05*	0.05*	0.01*
c) Cane Fruit (other than wild)								
Blackberries	0.05*	0.5	1*	0.2*		0.05*	0.05*	0.01*
Dewberries	0.05*	0.5	1*	0.2*		0.05*	0.05*	0.01*
Loganberries	0.05*	0.5	1*	0.2*		0.05*	0.05*	0.01*
Raspberries	0.05*	0.5	1*	0.2*		0.05*	0.05*	0.01*
Others	0.05*	0.5	1*	0.2*		0.05*	0.05*	0.01*

Group to which food belongs	Groups include the following products	Linuron	Malathion	Maleic-hydrazone (until 4 December 2006)	Maleic-hydrazone (from 4 December 2006)	Mecarban	Mecoprop (from 4 December 2006)	Mercury compounds
<b>d) Other small fruit &amp; berries (other than wild)</b>								
Bilberries	0.05*	0.5	1*	0.2*	0.05*	0.05*	0.05*	0.01*
Cranberries	0.05*	0.5	1*	0.2*	0.05*	0.05*	0.05*	0.01*
Currants (red, black & white)	0.05*	0.5	1*	0.2*	5	0.05*	0.05*	0.01*
Gooseberries	0.05*	0.5	1*	0.2*	5	0.05*	0.05*	0.01*
Others	0.05*	0.5	1*	0.2*	0.05*	0.05*	0.05*	0.01*
Wild berries & wild fruit	0.05*	1*	0.2*	0.05*	0.05*	0.05*	0.05*	0.01*
<b>vi) MISCELLANEOUS FRUIT</b>								
Avocados	0.05*	1*	0.2*	0.05*	0.05*	0.05*	0.05*	0.01*
Bananas	0.05*	0.5	1*	0.2*	0.05*	0.05*	0.05*	0.01*
Dates	0.05*	1*	0.2*	0.05*	0.05*	0.05*	0.05*	0.01*
Figs	0.05*	1*	0.2*	0.05*	0.05*	0.05*	0.05*	0.01*
Kiwi fruit	0.05*	1*	0.2*	0.05*	0.05*	0.05*	0.05*	0.01*
Kumquats	0.05*	1*	0.2*	0.05*	0.05*	0.05*	0.05*	0.01*
Litchis	0.05*	1*	0.2*	0.05*	0.05*	0.05*	0.05*	0.01*
Mangoes	0.05*	1*	0.2*	0.05*	0.05*	0.05*	0.05*	0.01*
Olives (table consumption)	0.05*	1*	0.2*	5	0.05*	0.05*	0.05*	0.01*
Olives (oil extract)	0.05*	1*	0.2*	5	0.05*	0.05*	0.05*	0.01*
Papaya	0.05*	1*	0.2*	0.05*	0.05*	0.05*	0.05*	0.01*
Passion fruit	0.05*	1*	0.2*	0.05*	0.05*	0.05*	0.05*	0.01*
Pineapples	0.05*	1*	0.2*	0.05*	0.05*	0.05*	0.05*	0.01*
Pomegranates	0.05*	1*	0.2*	0.05*	0.05*	0.05*	0.05*	0.01*

Group to which food belongs	Groups include the following products	Linuron	Malathion	Maleic-hydrizide (until 4 December 2006)	Maleic-hydrizide (from 4 December 2006)	Mecabam	Mecoprop (from 4 December 2006)	Mercury compounds
<b>2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY</b>								
i) ROOT AND TUBER VEGETABLES								
Beetroot	Others	0.05*	1*	0.2*	0.05*	0.05*	0.05*	0.01*
Carrots		0.05*	1*	0.2*	0.05*	0.05*	0.05*	0.01*
Celeriac		0.2	0.5	30	0.2*	0.2	0.05*	0.01*
Horseradish		0.5	0.5	1*	0.2*	0.2	0.05*	0.01*
Jerusalem artichokes		0.05*	0.5	1*	0.2*	0.05*	0.05*	0.01*
Parsnips		0.2	0.5	30	0.2*	0.05*	0.05*	0.01*
Parsley root		0.2	0.5	1*	0.2*	0.05*	0.05*	0.01*
Radishes		0.05*	1*	0.2*	2	0.05*	0.05*	0.01*
Salsify		0.05*	0.5	1*	0.2*	0.2	0.05*	0.01*
Sweet potatoes		0.05*	1*	0.2*	0.05*	0.05*	0.05*	0.01*
Swedes		0.05*	0.5	1*	0.2*	0.05*	0.05*	0.01*
Turnips		0.05*	0.5	1*	0.2*	0.05*	0.05*	0.01*
Yams		0.05*	1*	0.2*	0.05*	0.05*	0.05*	0.01*
Others		0.05*	1*	0.2*	0.05*	0.05*	0.05*	0.01*
ii) BULB VEGETABLES								
Garlic	Others	0.05*	3	10	15	0.5	0.05*	0.01*
Onions		0.05*	3	10	15	0.5	0.05*	0.01*
Shallots		0.05*	3	10	15	0.5	0.05*	0.01*
Spring onions		0.05*	1*	1	1	0.05*	0.05*	0.01*
Others		0.05*	10	0.2*	0.05*	0.05*	0.05*	0.01*

Group to which food belongs	Groups include the following products	Linuron	Malathion	Maleic-hydrazone (until 4 December 2006)	Maleic-hydrazone (from 4 December 2006)	Mecarban	Maneb Mancozeb Metiram Propineb Zineb	Mecoprop (from 4 December 2006)	Mercury compounds
<b>iii) FRUITING VEGETABLES</b>									
a)	Solanaceae	0.05*	3	1*	0.2*	3	0.05*	0.05*	0.01*
	Tomatoes								
	Peppers	0.05*	3	1*	0.2*	2	0.05*	0.05*	0.01*
	Chili peppers	0.05*	3	1*	0.2*	2	0.05*	0.05*	0.01*
	Aubergines	0.05*	3	1*	0.2*	2	0.05*	0.05*	0.01*
	Others	0.05*	3	1*	0.2*	2	0.05*	0.05*	0.01*
b)	Cucurbits-edible peel								
	Cucurbits	0.05*	3	1*	0.2*	0.5	0.05*	0.05*	0.01*
	Gherkins	0.05*	3	1*	0.2*	2	0.05*	0.05*	0.01*
	Courgettes	0.05*	3	1*	0.2*	2	0.05*	0.05*	0.01*
	Others	0.05*	3	1*	0.2*	0.05*	0.05*	0.05*	0.01*
c)	Cucurbits-inedible peel								
	Melons	0.05*	1*	0.2*	0.5	0.05*	0.05*	0.05*	0.01*
	Squashes	0.05*	1*	0.2*	0.5	0.05*	0.05*	0.05*	0.01*
	Watermelons	0.05*	1*	0.2*	0.5	0.05*	0.05*	0.05*	0.01*
	Others	0.05*	1*	0.2*	0.5	0.05*	0.05*	0.05*	0.01*
d)	Sweet corn	0.05*	1*	0.2*	0.05*	0.05*	0.05*	0.05*	0.01*
<b>iv) BRASSICA VEGETABLES</b>									
a)	Flowering Brassicas	0.05*	1*	0.2*	1	0.05*	0.05*	0.05*	0.01*
	Broccoli								
	Cauliflower	0.05*	3	1*	0.2*	1	0.05*	0.05*	0.01*
	Others	0.05*	1*	0.2*	1	0.05*	0.05*	0.05*	0.01*
b)	Head Brassicas	0.05*	3	1*	0.2*	1	0.05*	0.05*	0.01*
	Brussels sprouts								

Group to which food belongs	Groups include the following products	Linuron	Malathion	Maleic-hydrazone (until 4 December 2006)	Maleic-hydrazone (from 4 December 2006)	Mecarban	Maneb Mancozeb Metiram Propineb Zincb	Mecoprop (from 4 December 2006)	Mercury compounds
<b>v) LEAF VEGETABLES AND FRESH HERBS</b>									
a)	Lettuce & similar Cress	0.05*	3	1*	0.2*	1	0.05*	0.05*	0.01*
	Lamb's lettuce	0.05*		1*	0.2*	5	0.05*	0.05*	0.01*
	Lettuce	0.05*	3	1*	0.2*	5	0.05*	0.05*	0.01*
	Scarole	0.05*		1*	0.2*	5	0.05*	0.05*	0.01* <sup>(6)</sup>
	Others	0.05*		1*	0.2*	5	0.05*	0.05*	0.01*
b)	Spinach & similar Spinach	0.05*		1*	0.2*	0.05*	0.05*	0.05*	0.01*
	Beet leaves (chard)	0.05*		1*	0.2*	0.05*	0.05*	0.05*	0.01*
	Others	0.05*		1*	0.2*	0.05*	0.05*	0.05*	0.01*
c)	Watercress	0.05*		1*	0.2*	0.3	0.05*	0.05*	0.01*
d)	Witloof	0.05*		1*	0.2*	0.2	0.05*	0.05*	0.01*
e)	Herbs Chervil Chives Parsley	0.05*		1*	0.2*	5	0.05*	0.05*	0.01*
		0.05*		1*	0.2*	5	0.05*	0.05*	0.01*
		0.05*		1*	0.2*	5	0.05*	0.05*	0.01*
		1		1*	0.2*	5	0.05*	0.05*	0.01*

Group to which food belongs	Groups include the following products	Linuron	Malathion	Maleic-hydraizide (until 4 December 2006)	Maleic-hydraizide (from 4 December 2006)	Mecarban	Maneb Mancozeb Metiram Propineb Zinc	Mecoprop (from 4 December 2006)	Mercury compounds
<b>v) LEGUME VEGETABLES (fresh)</b>									
Celery leaves	1	1*	0.2*	5	0.05*	0.05*	0.01*	0.01*	
Others	0.05*	1*	0.2*	5	0.05*	0.05*	0.01*	0.01*	
Beans (with pods)	0.05*	3	1*	0.2*	1	0.05*	0.05*	0.01*	
Beans (without pods)	0.1	1*	0.2*	0.1	0.05*	0.05*	0.01*	0.01*	
Peas (with pods)	0.05*	3	1*	0.2*	1	0.05*	0.05*	0.01*	
Peas (without pods)	0.1	1*	0.2*	0.1	0.05*	0.05*	0.01*	0.01*	
Others	0.05*	1*	0.2*	0.05*	0.05*	0.05*	0.01*	0.01*	
<b>vii) STEM VEGETABLES</b>									
Asparagus	0.05*	1*	0.2*	0.05*	0.05*	0.05*	0.01*	0.01*	
Cardoons	0.05*	1*	0.2*	0.05*	0.05*	0.05*	0.01*	0.01*	
Celery	0.1	3	1*	0.2*	0.5	0.05*	0.05*	0.01*	
Fennel	0.05*	1*	0.2*	0.05*	0.05*	0.05*	0.01*	0.01*	
Globe artichokes	0.05*	1*	0.2*	0.05*	0.05*	0.05*	0.01*	0.01*	
Leeks	0.05*	3	1*	0.2*	3	0.05*	0.05*	0.01*	
Rhubarb	0.05*	3	1*	0.2*	0.05*	0.05*	0.01*	0.01*	
Others	0.05*	1*	0.2*	0.05*	0.05*	0.05*	0.01*	0.01*	
<b>viii) FUNGI</b>									
a) Cultivated mushrooms	0.05*	3	1*	0.2*	0.05*	0.05*	0.01*	0.01*	
b) Wild mushrooms	0.05*	1*	0.2*	0.05*	0.05*	0.05*	0.01*	0.01*	
<b>3. PULSES</b>									
Beans	0.05*	1*	0.2*	0.05*	0.05*	0.05*	0.01*	0.01*	
Lentils	0.05*	1*	0.2*	0.05*	0.05*	0.05*	0.01*	0.01*	
Peas	0.05*	1*	0.2*	0.05*	0.05*	0.05*	0.01*	0.01*	

Group to which food belongs	Groups include the following products	Linuron	Malathion	Maleic-hydrazone (until 4 December 2006)	Maleic-hydrazone (from 4 December 2006)	Mecarban	Maneb Mancozeb Metiram Propineb Zineb	Mecoprop (from 4 December 2006)	Mercury compounds
	Others	0.05*	1*	0.2*	0.05*	0.05*	0.05*	0.05*	0.01*
<b>4. OILSEEDS</b>									
Linseed	0.1	1*	0.5*	0.1*	0.05*	0.05*	0.05*	0.05*	0.02*
Peanuts	0.1	1*	0.5*	0.1*	0.05*	0.05*	0.05*	0.05*	0.02*
Poppy seed	0.1	1*	0.5*	0.1*	0.05*	0.05*	0.05*	0.05*	0.02*
Sesame seed	0.1	1*	0.5*	0.1*	0.05*	0.05*	0.05*	0.05*	0.02*
Sunflower seed	0.1	1*	0.5*	0.1*	0.05*	0.05*	0.05*	0.05*	0.02*
Rape seed	0.1	1*	0.5*	0.5	0.05*	0.05*	0.05*	0.05*	0.02*
Soya bean	0.1	1*	0.5*	0.1*	0.05*	0.05*	0.05*	0.05*	0.02*
Mustard seed	0.1	1*	0.5*	0.1*	0.05*	0.05*	0.05*	0.05*	0.02*
Cotton seed	0.1	1*	0.5*	0.1*	0.05*	0.05*	0.05*	0.05*	0.02*
Others	0.1	1*	0.5*	0.1*	0.05*	0.05*	0.05*	0.05*	0.02*
<b>5. POTATOES</b>									
Early potatoes	0.05*	0.5	1*	50	0.05*	0.05*	0.05*	0.05*	0.01*
Ware potatoes	0.05*	0.5	50	50	0.05*	0.05*	0.05*	0.05*	0.01*
<b>6. TEA</b> (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i> )	0.1	0.5	1*	0.5*	0.1*	0.1*	0.1*	0.1*	0.02*
<b>7. HOPS (dried)</b> including hop pellets & unconcentrated powder	0.1	1*	0.5*	25	0.1*	0.1*	0.1*	0.02*	
<b>8. CEREALS</b>									
Wheat	8	0.05*	1	1	0.05*	0.05*	0.05*	0.05*	0.01*
Rye	8	0.05*	1	1	0.05*	0.05*	0.05*	0.05*	0.01*
Barley	8	0.05*	2	2	0.05*	0.05*	0.05*	0.05*	0.01*

Group to which food belongs	Groups include the following products	Linuron	Malathion	Maleic-hydrazone (until 4 December 2006)	Maleic-hydrazone (from 4 December 2006)	Mecarban	Mecoprop (from 4 December 2006)	Mercury compounds
Sorghum	0.05*	8	0.2*	0.05*	0.05*	0.05*	0.05*	0.01*
Oats	0.05*	8	0.2*	2	0.05*	0.05*	0.05*	0.01*
Triticale	0.05*	8	0.2*	0.05*	0.05*	0.05*	0.05*	0.01*
Maize	0.05*	8	0.2*	0.05*	0.05*	0.05*	0.05*	0.01*
Buckwheat	0.05*	8	0.2*	0.05*	0.05*	0.05*	0.05*	0.01*
Millet	0.05*	8	0.2*	0.05*	0.05*	0.05*	0.05*	0.01*
Rice <sup>(1)</sup>	0.05*	8	0.2*	0.05*	0.05*	0.05*	0.05*	0.01*
Other cereals	0.05*	8	0.2*	0.05*	0.05*	0.05*	0.05*	0.01*
<b>9. FOODSTUFFS OF ANIMAL ORIGIN</b>								
Meat, edible offal, fat & preparations of meat and/or edible offal <sup>(2)</sup>								
Milk <sup>(3)</sup> & Dairy Produce <sup>(4)</sup>						0.05*	0.05*	
Eggs <sup>(5)</sup>						0.05*	0.05*	

Group to which food belongs	Groups include the following products	Mesotrione (from 24 February 2007)	Metalexyl	Metalaxy-M	Methacrylos	Methamidophos	Methidathion	Methomyl thiocarb	Methoxychlor
<b>1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS</b>									
i) CITRUS FRUIT									
Grapefruit	0.05*	0.5	0.05*	0.2	2	0.5	0.01*		
Lemons	0.05*	0.5	0.05*	0.2	2	1	0.01*		
Limes	0.05*	0.5	0.05*	0.2	2	1	0.01*		
Mandarins (inc clementines & similar hybrids)	0.05*	0.5	0.05*	0.2	2	1	0.01*		
Oranges	0.05*	0.5	0.05*	0.2	2	0.5	0.01*		
Pomelos	0.05*	0.5	0.05*	0.2	2	0.5	0.01*		
Others	0.05*	0.5	0.05*	0.2	2	0.05*	0.01*		
ii) TREE NUTS (shelled or unshelled)									
Almonds	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.01*	
Brazil nuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.01*	
Cashew nuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.01*	
Chestnuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.01*	
Coconuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.01*	
Hazelnuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.01*	
Macadamia nuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.01*	
Pecans	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.01*	
Pine nuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.01*	
Pistachios	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.01*	
Walnuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.01*	
Others	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.01*	

Group to which food belongs	Groups include the following products	Mesotrione (from 24 February 2007)	Metalexyl	Metalexyl-M	Methacrifos	Methamidophos	Methidathion	Methomyl thiocarb	Methoxychlor
<hr/>									
iii) POME FRUIT									
Apples	0.05*	1	0.05*	0.05	0.3	0.2	0.01*		
Pears	0.05*	1	0.05*	0.05	0.3	0.2	0.01*		
Quinces	0.05*	1	0.05*	0.05	0.3	0.2	0.01*		
Others	0.05*	1	0.05*	0.05	0.3	0.2	0.01*		
iv) STONE FRUIT									
Apricots	0.05*	0.05*	0.05*	0.1	0.2	0.2	0.01*		
Cherries	0.05*	0.05*	0.05*	0.01*	0.02*	0.1	0.01*		
Peaches (incl nectarines & similar hybrids)	0.05*	0.05*	0.05*	0.05	0.2	0.2	0.01*		
Plums	0.05*	0.05*	0.05*	0.3	0.2	0.5	0.01*		
Others	0.05*	0.05*	0.05*	0.01*	0.2	0.05*	0.01*		
v) BERRIES AND SMALL FRUIT									
a) Table & wine grapes	0.05*	2	0.05*	0.01*	0.5	0.05*	0.01*		
Table grapes									
Wine grapes	0.05*	1	0.05*	0.01*	0.5	1	0.01*		
b) Strawberries (other than wild)	0.05*	0.5	0.05*	0.01*	0.02*	0.05*	0.01*		
c) Cane Fruit (other than wild)									
Blackberries	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*		
Dewberries	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*		
Loganberries	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*		
Raspberries	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*		
Others	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*		

Group to which food belongs	Groups include the following products	Mesotrione (from 24 February 2007)	Metalexyl	Metalexyl-M	Methacrifos	Methanidophos	Methidathion	Methomyl thiocarb	Methoxychlor
<hr/>									
d)	Other small fruit & berries (other than wild)	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.01*
	Bilberries								
	Cranberries	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.01*
	Currants (red, black & white)	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.01*
	Gooseberries	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.01*
	Others	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.01*
e)	Wild berries & wild fruit	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.01*
<hr/>									
vi) MISCELLANEOUS FRUIT									
	Avocados	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.01*
	Bananas	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.01*
	Dates	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.01*
	Figs	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.01*
	Kiwi fruit	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.01*
	Kumquats	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.01*
	Litchis	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.01*
	Mangoes	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.01*
	Olives (table consumption)	0.05*	0.05*	0.05*	0.01*	1	0.05*	0.01*	0.01*
	Olives (oil extract)	0.05*	0.05*	0.05*	0.01*	1	0.05*	0.01*	0.01*
	Papaya	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.01*
	Passion fruit	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.01*
	Pineapples	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.01*
	Pomegranates	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.01*

Group to which food belongs	Groups include the following products	Mesotrione (from 24 February 2007)	Metalexyl	Metalexyl-M	Methacrylos	Methanidophos	Methidathion	Methomyl thiocarb	Methoxychlor
<b>2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY</b>									
i) ROOT AND TUBER VEGETABLES									
Others	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.05*	0.01*
Beetroot	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.05*	0.01*
Carrots	0.05*	0.1	0.05*	0.01*	0.02*	0.05*	0.02*	0.05*	0.01*
Celeriac	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.05*	0.01*
Horseradish	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.05*	0.01*
Jerusalem artichokes	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.05*	0.01*
Parsnips	0.05*	0.1	0.05*	0.01*	0.02*	0.05*	0.02*	0.05*	0.01*
Parsley root	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.05*	0.01*
Radishes	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.05*	0.01*
Salsify	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.05*	0.01*
Sweet potatoes	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.05*	0.01*
Swedes	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.05*	0.01*
Turnips	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.05*	0.01*
Yams	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.05*	0.01*
Others	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.05*	0.01*
ii) BULB VEGETABLES									
Garlic	0.05*	0.5	0.05*	0.01*	0.02*	0.05*	0.02*	0.05*	0.01*
Onions	0.05*	0.5	0.05*	0.01*	0.02*	0.05*	0.02*	0.05*	0.01*
Shallots	0.05*	0.5	0.05*	0.01*	0.02*	0.05*	0.02*	0.05*	0.01*
Spring onions	0.05*	0.2	0.05*	0.01*	0.02*	0.05*	0.02*	0.05*	0.01*
Others	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.05*	0.01*

Group to which food belongs	Groups include the following products	Mesotrione (from 24 February 2007)	Metalexyl	Metalexyl-M	Methacrifos	Methamidophos	Methidathion	Methomyl thiocarb	Methoxychlor
<b>iii) FRUITING VEGETABLES</b>									
a)	Solanaceae	0.05*	0.2	0.05*	0.5	0.02*	0.5	0.01*	
	Tomatoes								
	Peppers	0.05*	0.5	0.05*	0.01*	0.02*	0.05*	0.01*	
	Chili peppers	0.05*	0.5	0.05*	0.01*	0.02*	0.05*	0.01*	
	Aubergines	0.05*	0.05*	0.05*	0.2	0.02*	0.5	0.01*	
	Others	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	
b)	Cucurbitis-edible peel	0.05*	0.5	0.05*	1	0.02*	0.05*	0.01*	
	Cucumbers								
	Gherkins	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	
	Courgettes	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	
	Others	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	
c)	Cucurbitis-inedible peel	0.05*	0.2	0.05*	0.01*	0.02*	0.05*	0.01*	
	Melons								
	Squashes	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	
	Watermelons	0.05*	0.2	0.05*	0.01*	0.02*	0.05*	0.01*	
	Others	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	
d)	Sweet corn	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	
<b>iv) BRASSICA VEGETABLES</b>									
a)	Flowering Brassicas	0.05*	0.1	0.05*	0.5	0.02*	0.2	0.01*	
	Broccoli								
	Cauliflower	0.05*	0.1	0.05*	0.5	0.02*	0.05*	0.01*	
	Others	0.05*	0.1	0.05*	0.5	0.02*	0.05*	0.01*	
b)	Head Brassicas	0.05*	0.05*	0.05*	0.5	0.02*	0.05*	0.01*	
	Brussels sprouts								

Group to which food belongs	Groups include the following products	Mesotrione (from 24 February 2007)	Metalexyl	Metalexyl-M	Methacrylos	Methanidophos	Methidathion	Methomyl thiocarb	Methoxychlor
	Head cabbage	0.05*	1	0.05*	0.5	0.02*	0.05*	0.01*	
	Others	0.05*	0.05*	0.05*	0.5	0.02*	0.05*	0.01*	
c)	Leafy Brassicas Chinese cabbage	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	
	Kale	0.05*	0.2	0.05*	0.01*	0.02*	0.05*	0.01*	
	Others	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	
d)	Kohlrabi	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	
v)	LEAF VEGETABLES AND FRESH HERBS								
a)	Lettuce & similar Cress	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	
	Lamb's lettuce	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	
	Lettuce	0.05*	2	0.05*	0.2	0.02*	2	0.01*	
	Scarole	0.05*	1	0.05*	0.01*	0.02*	0.05*	0.01* <sup>(6)</sup>	
	Others	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	
b)	Spinach & similar Spinach	0.05*	0.05*	0.05*	0.01*	0.02*	2	0.01*	
	Beet leaves (chard)	0.05*	0.05*	0.05*	0.01*	0.02*	2	0.01*	
	Others	0.05*	0.05*	0.05*	0.01*	0.02*	2	0.01*	
c)	Watercress	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	
d)	Witloof	0.05*	0.3	0.05*	0.01*	0.02*	0.05*	0.01*	
e)	Herbs Chervil	0.05*	1	0.05*	0.01*	0.02*	2	0.01*	
	Chives	0.05*	1	0.05*	0.01*	0.02*	2	0.01*	
	Parsley	0.05*	1	0.05*	0.01*	0.02*	2	0.01*	

Group to which food belongs	Groups include the following products	Mesotrione (from 24 February 2007)	Metalexyl	Metalexyl-M	Methacrifos	Methanidophos	Methidathion	Methomyl thiocarb	Methoxychlor
v) LEGUME VEGETABLES (fresh)									
Celery leaves	0.05*	1	0.05*	0.01*	0.02*	2	0.01*		
Others	0.05*	1	0.05*	0.01*	0.02*	2	0.01*		
Beans (with pods)	0.05*	0.05*	0.05*	0.5	0.02*	0.05*	0.01*		
Beans (without pods)	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*		
Peas (with pods)	0.05*	0.05*	0.05*	0.5	0.02*	0.05*	0.01*		
Peas (without pods)	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*		
Others	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*		
vii) STEM VEGETABLES									
Asparagus	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*		
Cardoons	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*		
Celery	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*		
Fennel	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*		
Globe artichokes	0.05*	0.05*	0.05*	0.1	0.02*	0.05*	0.01*		
Leeks	0.05*	0.2	0.05*	0.01*	0.02*	0.05*	0.01*		
Rhubarb	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*		
Others	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*		
viii) FUNGI	a)	Cultivated mushrooms	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	
	b)	Wild mushrooms	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	
3. PULSES	Beans	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*		
	Lentils	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*		

Group to which food belongs	Groups include the following products	Mesotrione (from 24 February 2007)	Metalexyl	Metalexyl-M	Methacrifos	Methamidophos	Methidathion	Methomyl thiocarb	Methoxychlor
<b>4. OILSEEDS</b>									
	Peas	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	
	Others	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	
	Linseed	0.05*	0.1*	0.05*	0.01*	0.02*	0.05*	0.01*	
	Peanuts	0.05*	0.1*	0.05*	0.01*	0.02*	0.1	0.01*	
	Poppy seed	0.05*	0.1*	0.05*	0.01*	0.02*	0.05*	0.01*	
	Sesame seed	0.05*	0.1*	0.05*	0.01*	0.02*	0.05*	0.01*	
	Sunflower seed	0.05*	0.1*	0.05*	0.01*	0.02*	0.05*	0.01*	
	Rape seed	0.05*	0.1*	0.05*	0.01*	0.05*	0.05*	0.01*	
	Soya bean	0.05*	0.1*	0.05*	0.01*	0.02*	0.1	0.01*	
	Mustard seed	0.05*	0.1*	0.05*	0.01*	0.02*	0.05*	0.01*	
	Cotton seed	0.05*	0.1*	0.05*	0.1	0.02*	0.1	0.01*	
	Others	0.05*	0.1*	0.05*	0.01*	0.02*	0.05*	0.01*	
<b>5. POTATOES</b>									
	Early potatoes	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	
	Ware potatoes	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	
<b>6. TEA</b>	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	
<b>7. HOPS (dried)</b>	including hop pellets & unconcentrated powder	0.1*	10	0.1*	2	3	10	0.1*	
<b>8. CEREALS</b>									
	Wheat	0.05*	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.01*
	Rye	0.05*	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.01*

Group to which food belongs	Groups include the following products	Mesotrione (from 24 February 2007)	Metaxyli	Metaxyli-M	Methacryfos	Methanidophos	Methidathion	Methomyl thiocarb	Methoxychlor
Barley	0.05*	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.01*	0.01*
Sorghum	0.05*	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*	0.01*
Oats	0.05*	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*	0.01*
Triticale	0.05*	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*	0.01*
Maize	0.05*	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*	0.01*
Buckwheat	0.05*	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*	0.01*
Millet	0.05*	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*	0.01*
Rice <sup>(1)</sup>	0.05*	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*	0.01*
Other cereals	0.05*	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*	0.01*
<b>9. FOODSTUFFS OF ANIMAL ORIGIN</b> Meat, edible offal, fat & preparations of meat and edible offal <sup>(2)</sup>	0.05*	0.01*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*	0.01*
Milk <sup>(3)</sup> & Dairy Produce <sup>(4)</sup>	0.05*	0.01*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*	0.01*
Eggs <sup>(5)</sup>	0.05*	0.05*	0.01*	0.01*	0.02*	0.02*	0.02*	0.02*	0.01* <sup>(7)</sup>

Group to which food belongs	Groups include the following products	Methyl bromide	Metsulfuron-methyl	Mevinphos	Molinate (from 24 February 2007)	Monocrotophos	Monolinuron	Myclobutanil	Nitrofen
<b>1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS</b>									
i) CITRUS FRUIT									
Grapefruit	0.05*	0.05*	0.2	0.05*	0.05*	0.05*	0.05*	3	0.01*
Lemons	0.05*	0.05*	0.2	0.05*	0.05*	0.05*	0.05*	3	0.01*
Limes	0.05*	0.05*	0.2	0.05*	0.05*	0.05*	0.05*	3	0.01*
Mandarins (inc clementines & similar hybrids)	0.05*	0.05*	0.2	0.05*	0.05*	0.05*	0.05*	3	0.01*
Oranges	0.05*	0.05*	0.2	0.05*	0.05*	0.05*	0.05*	3	0.01*
Pomelos	0.05*	0.05*	0.2	0.05*	0.05*	0.05*	0.05*	3	0.01*
Others	0.05*	0.05*	0.2	0.05*	0.05*	0.05*	0.05*	3	0.01*
ii) TREE NUTS (shelled or unshelled)									
Almonds	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*
Brazil nuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*
Cashew nuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*
Chestnuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*
Coconuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*
Hazelnuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*
Macadamia nuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*
Pecans	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*
Pine nuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*
Pistachios	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*
Walnuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*
Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*

Group to which food belongs	Groups include the following products	Methyl bromide	Metsulfuron-methyl	Mevinphos	Molinate (from 24 February 2007)	Monocrotophos	Monolinuron	Myclobutanil	Nitrofen
<hr/>									
iii) POME FRUIT									
Apples		0.05*	0.05*	0.2	0.05*	0.05*	0.5	0.01*	
Pears		0.05*	0.05*	0.2	0.05*	0.05*	0.5	0.01*	
Quinces		0.05*	0.05*	0.2	0.05*	0.05*	0.5	0.01*	
Others		0.05*	0.05*	0.2	0.05*	0.05*	0.5	0.01*	
iv) STONE FRUIT									
Apricots		0.05*	0.05*	0.2	0.05*	0.05*	0.3	0.01*	
Cherries		0.05*	0.05*	0.05*	0.05*	0.05*	1	0.01*	
Peaches (incl nectarines & similar hybrids)		0.05*	0.05*	0.5	0.05*	0.05*	0.5	0.01*	
Plums		0.05*	0.05*	0.5	0.05*	0.05*	0.5	0.01*	
Others		0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*	
<hr/>									
v) BERRIES AND SMALL FRUIT									
a)	Table & wine grapes Table grapes	0.05*	0.1	0.05*	0.05*	0.05*	1	0.01*	
	Wine grapes	0.05*	0.1	0.05*	0.05*	0.05*	1	0.01*	
b)	Strawberries (other than wild)	0.05*	0.05*	0.1	0.05*	0.05*	1	0.01*	
c)	Cane Fruit (other than wild) Blackberries Dewberries	0.05*	0.05*	0.1	0.05*	0.05*	1	0.01*	
	Loganberries	0.05*	0.05*	0.1	0.05*	0.05*	0.02*	0.01*	
	Raspberries	0.05*	0.05*	0.1	0.05*	0.05*	1	0.01*	
	Others	0.05*	0.05*	0.1	0.05*	0.05*	0.02*	0.01*	

Group to which food belongs	Groups include the following products	Methyl bromide	Metsulfuron-methyl	Mevinphos	Molinate (from 24 February 2007)	Monocrotophos	Monolinuron	Myclobutanil	Nitrofen
<hr/>									
d) Other small fruit & berries (other than wild)	Bilberries	0.05*	0.05*	0.1	0.05*	0.05*	0.02*	0.01*	0.01*
	Cranberries	0.05*	0.05*	0.1	0.05*	0.05*	0.02*	0.01*	0.01*
	Currants (red, black & white)	0.05*	0.05*	0.1	0.05*	0.05*	1	0.01*	0.01*
	Gooseberries	0.05*	0.05*	0.1	0.05*	0.05*	1	0.01*	0.01*
	Others	0.05*	0.05*	0.1	0.05*	0.05*	0.02*	0.01*	0.01*
e) Wild berries & wild fruit		0.05*	0.05*		0.05*	0.05*	0.02*	0.01*	0.01*
vi) MISCELLANEOUS FRUIT									
	Avocados	0.05*	0.05*		0.05*	0.05*	0.02*	0.01*	0.01*
	Bananas	0.05*	0.05*		0.05*	0.05*	2	0.01*	0.01*
	Dates	0.05*	0.05*		0.05*	0.05*	0.02*	0.01*	0.01*
	Figs	0.05*	0.05*		0.05*	0.05*	0.02*	0.01*	0.01*
	Kiwi fruit	0.05*	0.05*		0.05*	0.05*	0.02*	0.01*	0.01*
	Kumquats	0.05*	0.05*		0.05*	0.05*	0.02*	0.01*	0.01*
	Litchis	0.05*	0.05*		0.05*	0.05*	0.02*	0.01*	0.01*
	Mangoes	0.05*	0.05*		0.05*	0.05*	0.02*	0.01*	0.01*
	Olives (table consumption)	0.05*	0.05*		0.05*	0.05*	0.02*	0.01*	0.01*
	Olives (oil extract)	0.05*	0.05*		0.05*	0.05*	0.02*	0.01*	0.01*
	Papaya	0.05*	0.05*		0.05*	0.05*	0.02*	0.01*	0.01*
	Passion fruit	0.05*	0.05*		0.05*	0.05*	0.02*	0.01*	0.01*
	Pineapples	0.05*	0.05*		0.05*	0.05*	0.02*	0.01*	0.01*
	Pomegranates	0.05*	0.05*		0.05*	0.05*	0.02*	0.01*	0.01*

Group to which food belongs	Groups include the following products	Methyl bromide	Metsulfuron-methyl	Mevinphos	Molinate (from 24 February 2007)	Monocrotophos	Monolinuron	Myclobutanil	Nitrofen
<b>2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY</b>									
i) ROOT AND TUBER VEGETABLES									
Beetroot	Others	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*	0.01*
Carrots		0.05*	0.05*	0.1	0.05*	0.05*	0.05*	0.2	0.01*
Celeriac		0.05*	0.05*		0.05*	0.05*	0.05*	0.02*	0.01*
Horseradish		0.05*	0.05*	0.1	0.05*	0.05*	0.05*	0.2	0.01*
Jerusalem artichokes		0.05*	0.05*		0.05*	0.05*	0.05*	0.02*	0.01*
Parsnips		0.05*	0.05*	0.1	0.05*	0.05*	0.05*	0.2	0.01*
Parsley root		0.05*	0.05*	0.1	0.05*	0.05*	0.05*	0.2	0.01*
Radishes		0.05*	0.05*		0.05*	0.05*	0.05*	0.02*	0.01*
Salsify		0.05*	0.05*	0.1	0.05*	0.05*	0.05*	0.02*	0.01*
Sweet potatoes		0.05*	0.05*		0.05*	0.05*	0.05*	0.02*	0.01*
Swedes		0.05*	0.05*	0.1	0.05*	0.05*	0.05*	0.02*	0.01*
Turnips		0.05*	0.05*	0.1	0.05*	0.05*	0.05*	0.02*	0.01*
Yams		0.05*	0.05*		0.05*	0.05*	0.05*	0.02*	0.01*
Others		0.05*	0.05*		0.05*	0.05*	0.05*	0.02*	0.01*
ii) BULB VEGETABLES									
Garlic		0.05*	0.05*	0.1	0.05*	0.05*	0.05*	0.02*	0.01*
Onions		0.05*	0.05*	0.1	0.05*	0.05*	0.05*	0.02*	0.01*
Shallots		0.05*	0.05*	0.1	0.05*	0.05*	0.05*	0.02*	0.01*
Spring onions		0.05*	0.05*		0.05*	0.05*	0.05*	0.02*	0.01*
Others		0.05*	0.05*		0.05*	0.05*	0.05*	0.02*	0.01*

Group to which food belongs	Groups include the following products	Methyl bromide	Metsulfuron-methyl	Mevinphos	Molinate (from 24 February 2007)	Monocrotophos	Monolinuron	Myclobutanil	Nitrofen
<b>iii) FRUITING VEGETABLES</b>									
a) Solanaceae									
Tomatoes	0.05*	0.05*	0.1	0.05*	0.05*	0.05*	0.3	0.01*	
Peppers	0.05*	0.05*	0.1	0.05*	0.05*	0.05*	0.5	0.01*	
Chili peppers	0.05*	0.05*	0.1	0.05*	0.05*	0.05*	0.5	0.01*	
Aubergines	0.05*	0.05*	0.1	0.05*	0.05*	0.05*	0.3	0.01*	
Others	0.05*	0.05*	0.1	0.05*	0.05*	0.05*	0.02*	0.01*	
b) Cucurbitis-edible peel									
Cucumbers	0.05*	0.05*	0.1	0.05*	0.05*	0.05*	0.1	0.01*	
Gherkins	0.05*	0.05*	0.1	0.05*	0.05*	0.05*	0.1	0.01*	
Courgettes	0.05*	0.05*	0.1	0.05*	0.05*	0.05*	0.1	0.01*	
Others	0.05*	0.05*	0.1	0.05*	0.05*	0.05*	0.1	0.01*	
c) Cucurbitis-inedible peel									
Melons	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.2	0.01*	
Squashes	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.2	0.01*	
Watermelons	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.2	0.01*	
Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.2	0.01*	
d) Sweet corn	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*	
<b>iv) BRASSICA VEGETABLES</b>									
a) Flowering Brassicas	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*( <sup>13</sup> )	0.02*	0.01*	
Broccoli									
Cauliflower	0.05*	0.05*	0.1	0.05*	0.05*	0.05*	0.02*	0.01*	
Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*	

Group to which food belongs	Groups include the following products	Methyl bromide	Metsulfuron-methyl	Mevinphos	Molinate (from 24 February 2007)	Monocrotophos	Monolinuron	Myclobutanil	Nitrofen
<b>v) LEAF VEGETABLES AND FRESH HERBS</b>									
b)	Head Brassicas	0.05*	0.05*	0.1	0.05*	0.05*	0.02*	0.01*	
	Brussels sprouts								
	Head cabbage	0.05*	0.05*	0.1	0.05*	0.05*	0.02*	0.01*	
	Others	0.05*	0.05*		0.05*	0.05*	0.02*	0.01*	
c)	Leafy Brassicas	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*	
	Chinese cabbage								
	Kale	0.05*	0.05*		0.05*	0.05*	0.02*	0.01*	
	Others	0.05*	0.05*		0.05*	0.05*	0.02*	0.01*	
d)	Kohlrabi	0.05*	0.05*		0.05*	0.05*	0.02*	0.01*	
<b>v) LEAF VEGETABLES AND FRESH HERBS</b>									
a)	Lettuce & similar	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.01*	
	Cress								
	Lamb's lettuce	0.05*	0.05*		0.05*	0.05*	5	0.01*	
	Lettuce	0.05*	0.05*	0.5	0.05*	0.05*	0.02*	0.01*	
	Scarole	0.05*	0.05*		0.05*	0.05 <sup>(6)</sup>	0.02*	0.01*	
	Others	0.05*	0.05*		0.05*	0.05*	0.02*	0.01*	
b)	Spinach & similar	0.05*	0.05*		0.05*	0.05*	0.02*	0.01*	
	Spinach								
	Beet leaves (chard)	0.05*	0.05*		0.05*	0.05*	0.02*	0.01*	
	Others	0.05*	0.05*		0.05*	0.05*	0.02*	0.01*	
c)	Watercress	0.05*	0.05*		0.05*	0.05*	0.02*	0.01*	
d)	Witloof	0.05*	0.05*		0.05*	0.05*	0.02*	0.01*	
e)	Herbs	0.05*	0.05*		0.05*	0.05*	0.02*	0.01*	
	Chervil								

Group to which food belongs	Groups include the following products	Methyl bromide	Metsulfuron-methyl	Mevinphos	Molinate (from 24 February 2007)	Monocrotophos	Monolinuron	Myclobutanil	Nitrofen
Chives		0.05*	0.05*		0.05*	0.05*	0.02*	0.01*	
Parsley		0.05*	0.05*		0.05*	0.05*	0.02*	0.01*	
Celery leaves		0.05*	0.05*		0.05*	0.05*	0.02*	0.01*	
Others		0.05*	0.05*		0.05*	0.05*	0.02*	0.01*	
vi) LEGUME VEGETABLES (fresh)									
Beans (with pods)		0.05*	0.05*	0.1	0.05*	0.05*	0.02*	0.01*	
Beans (without pods)		0.05*	0.05*		0.05*	0.05*	0.02*	0.01*	
Peas (with pods)		0.05*	0.05*	0.1	0.05*	0.05*	0.02*	0.01*	
Peas (without pods)		0.05*	0.05*		0.05*	0.05*	0.02*	0.01*	
Others		0.05*	0.05*		0.05*	0.05*	0.02*	0.01*	
vii) STEM VEGETABLES									
Asparagus		0.05*	0.05*		0.05*	0.05*	0.02*	0.01*	
Cardoons		0.05*	0.05*		0.05*	0.05*	0.02*	0.01*	
Celery		0.05*	0.05*	0.1	0.05*	0.05*	0.02*	0.01*	
Fennel		0.05*	0.05*		0.05*	0.05*	0.02*	0.01*	
Globe artichokes		0.05*	0.05*		0.05*	0.05*	0.5	0.01*	
Leeks		0.05*	0.05*	0.1	0.05*	0.05*	0.02*	0.01*	
Rhubarb		0.05*	0.05*	0.1	0.05*	0.05*	0.02*	0.01*	
Others		0.05*	0.05*		0.05*	0.05*	0.02*	0.01*	
viii) FUNGI									
a) Cultivated mushrooms		0.05*		0.1	0.05*	0.05*	0.02*	0.01*	
b) Wild mushrooms		0.05*		0.05*	0.05*	0.05*	0.02*	0.01*	

Group to which food belongs	Groups include the following products	Methyl bromide	Metsulfuron-methyl	Mevinphos	Molinate (from 24 February 2007)	Monocrotophos	Monolinuron	Myclobutanil	Nitrofen
<b>3. PULSES</b>									
	Beans	0.05*		0.05*		0.02*		0.01*	
	Lentils	0.05*		0.05*		0.02*		0.01*	
	Peas	0.05*		0.05*		0.02*		0.01*	
	Others	0.05*		0.05*		0.02*		0.01*	
<b>4. OILSEEDS</b>									
	Linseed	0.1*		0.05*		0.05*		0.02*	
	Peanuts	0.1*		0.05*		0.05*		0.02*	
	Poppy seed	0.1*		0.05*		0.05*		0.02*	
	Sesame seed	0.1*		0.05*		0.05*		0.02*	
	Sunflower seed	0.1*		0.05*		0.05*		0.02*	
	Rape seed	0.1*		0.05*		0.05*		0.02*	
	Soya bean	0.1*		0.05*		0.05*		0.02*	
	Mustard seed	0.1*		0.05*		0.05*		0.02*	
	Cotton seed	0.1*		0.05*		0.05*		0.02*	
	Others	0.1*		0.05*		0.05*		0.02*	
<b>5. POTATOES</b>									
	Early potatoes	0.05*		0.1		0.05*		0.02*	
	Ware potatoes	0.05*		0.1		0.05*		0.02*	
<b>6. TEA</b>	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.05*		0.1*		0.1*		0.02*	
<b>7. HOPS (dried)</b>	including hop pellets & unconcentrated powder	0.05*		0.1*		0.1*		2	0.02*

Group to which food belongs	Groups include the following products	Methyl bromide	Metsulfuron-methyl	Mevinphos	Molinate (from 24 February 2007)	Monocrotophos	Monolinuron	Myclobutanil	Nitrofen
<b>8. CEREALS</b>									
	Wheat	0.1	0.05*		0.05*	0.02*	0.01*		
	Rye	0.1	0.05*		0.05*	0.02*	0.01*		
	Barley	0.1	0.05*		0.05*	0.02*	0.01*		
	Sorghum	0.1	0.05*		0.05*	0.02*	0.01*		
	Oats	0.1	0.05*		0.05*	0.02*	0.01*		
	Triticale	0.1	0.05*		0.05*	0.02*	0.01*		
	Maize	0.1	0.05*		0.05*	0.02*	0.01*		
	Buckwheat	0.1	0.05*		0.05*	0.02*	0.01*		
	Millet	0.1	0.05*		0.05*	0.02*	0.01*		
	Rice <sup>(1)</sup>	0.1	0.05*		0.05*	0.02*	0.01*		
	Other cereals	0.1	0.05*		0.05*	0.02*	0.01*		
<b>9. FOODSTUFFS OF ANIMAL ORIGIN</b>									
	Meat, edible offal, fat & preparations of meat and edible offal <sup>(2)</sup>								
	Milk <sup>(3)</sup> & Dairy Produce <sup>(4)</sup>					0.05*	0.01*		
	Eggs <sup>(5)</sup>					0.05* <sup>(7)</sup>	0.01*		

Group to which food belongs	Groups include the following products	Oxadiargyl	Oxasulfuron	Oxydemeton-methyl	Paraquat	Parathion	Parathion-methyl	Perconazole	Pendimethalin
<b>1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS</b>									
i) CITRUS FRUIT									
Grapefruit	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Lemons	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Limes	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Mandarins (inc clementines & similar hybrids)	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Oranges	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Pomelos	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Others	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
ii) TREE NUTS (shelled or unshelled)									
Almonds	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Brazil nuts	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Cashew nuts	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Chestnuts	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Coconuts	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Hazelnuts	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Macadamia nuts	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Pecans	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Pine nuts	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Pistachios	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Walnuts	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Others	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Oxadiazyl	Oxasulfuron	Oxydemeton-methyl	Paraquat	Parathion	Parathion-methyl	Penconazole	Pendimethalin
<hr/>									
iii) POME FRUIT									
Apples	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.2	0.05*	
Pears	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.2	0.05*	
Quinces	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.2	0.05*	
Others	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.2	0.05*	
iv) STONE FRUIT									
Apricots	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.1	0.05*	
Cherries	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	
Peaches (incl nectarines & similar hybrids)	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.1	0.05*	
Plums	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	
Others	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	
v) BERRIES AND SMALL FRUIT									
a) Table & wine grapes	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.2	0.05*	
Table grapes									
Wine grapes	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.2	0.05*	
b) Strawberries (other than wild)	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	
c) Cane Fruit (other than wild)									
Blackberries	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	
Dewberries	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	
Loganberries	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	
Raspberries	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	
Others	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	

Group to which food belongs	Groups include the following products	Oxadiazyl	Oxasulfuron	Oxydemeton-methyl	Paraquat	Parathion	Parathion-methyl	Penconazole	Pendimethalin
d)	Other small fruit & berries (other than wild)	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Bilberries	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Cranberries	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Currants (red, black & white)	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Gooseberries	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Others	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
e)	Wild berries & wild fruit	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*
vi) MISCELLANEOUS FRUIT									
Avocados	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Bananas	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Dates	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Figs	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Kiwi fruit	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Kumquats	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Litchis	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Mangoes	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Olives (table consumption)	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Olives (oil extract)	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Papaya	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Passion fruit	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Pineapples	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Pomegranates	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Oxadiazyl	Oxasulfuron	Oxydemeton-methyl	Paraquat	Parathion	Parathion-methyl	Penconazole	Pendimethalin
<b>2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY</b>									
i) ROOT AND TUBER VEGETABLES									
Others	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Beetroot	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Carrots	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.2
Celeriac	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Horseradish	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.2
Jerusalem artichokes	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Parsnips	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.2
Parsley root	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.2
Radishes	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Salsify	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Sweet potatoes	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Swedes	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Turnips	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Yams	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Others	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
ii) BULB VEGETABLES									
Garlic	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Onions	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Shallots	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Spring onions	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Others	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Oxadiazyl	Oxasulfuron	Oxydemeton-methyl	Paraquat	Parathion	Parathion-methyl	Penconazole	Pendimethalin
<b>iii) FRUITING VEGETABLES</b>									
a)									
Solanaceae		0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Tomatoes	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Peppers	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Chili peppers	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Aubergines	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Others	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
b)	Cucurbits-edible peel								
Cucumbers	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Gherkins	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Courgettes	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Others	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
c)	Cucurbits-inedible peel								
Melons	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.1	0.05*
Squashes	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.1	0.05*
Watermelons	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.1	0.05*
Others	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.1	0.05*
d)	Sweet corn	0.01*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*
<b>iv) BRASSICA VEGETABLES</b>									
a)									
Flowering Brassicas	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Broccoli									
Cauliflower	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Others	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Oxadiazyl	Oxasulfuron	Oxydemeton-methyl	Paraquat	Parathion	Parathion-methyl	Penconazole	Pendimethalin
<b>v) LEAF VEGETABLES AND FRESH HERBS</b>									
a)	Lettuce & similar								
	Cress	0.01*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*
	Lamb's lettuce	0.01*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*
	Lettuce	0.001*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*
	Scarole	0.01*	0.05*	0.05 <sup>(e)</sup>	0.05 <sup>(e)</sup>	0.02*	0.02*	0.05*	0.05*
	Others	0.01*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*
b)	Spinach & similar								
	Spinach	0.01*	0.05*	0.02*	0.05*	0.02*	0.02*	0.05*	0.05*
	Beet leaves (chard)	0.01*	0.05*	0.02*	0.05*	0.02*	0.02*	0.05*	0.05*
	Others	0.01*	0.05*	0.02*	0.05*	0.02*	0.02*	0.05*	0.05*
c)	Watercress	0.01*	0.05*	0.02*	0.05*	0.02*	0.02*	0.05*	0.05*
d)	Witloof	0.01*	0.05*	0.02*	0.05*	0.02*	0.02*	0.05*	0.05*
e)	Herbs	0.01*	0.05*	0.02*	0.05*	0.02*	0.02*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Oxadiazyl	Oxasulfuron	Oxydemeton-methyl	Paraquat	Parathion	Parathion-methyl	Penconazole	Pendimethalin
Chives		0.01*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*
Parsley		0.01*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*
Celery leaves		0.01*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*
Others		0.01*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*
vi) LEGUME VEGETABLES (fresh)									
Beans (with pods)		0.01*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.2
Beans (without pods)		0.01*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.2
Peas (with pods)		0.01*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.2
Peas (without pods)		0.01*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.2
Others		0.01*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.2
vii) STEM VEGETABLES									
Asparagus		0.01*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*
Cardoons		0.01*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*
Celery		0.01*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*
Fennel		0.01*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*
Globe artichokes		0.01*	0.05*	0.02*	0.05*	0.02*	0.05*	0.2	0.05*
Leeks		0.01*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*
Rhubarb		0.01*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*
Others		0.01*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*
viii) FUNGI									
a) Cultivated mushrooms		0.01*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*
b) Wild mushrooms		0.01*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Oxadiazyl	Oxasulfuron	Oxydemeton-methyl	Paraquat	Parathion	Parathion-methyl	Penconazole	Pendimethalin
<b>3. PULSES</b>									
Beans	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Lentils	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Peas	0.01*	0.05*	0.02*	0.05*	0.05*	0.2	0.05*	0.05*	0.05*
Others	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
<b>4. OILSEEDS</b>									
Linseed	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1
Peanuts	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1
Poppy seed	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1
Sesame seed	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1
Sunflower seed	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1
Rape seed	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1
Soya bean	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1
Mustard seed	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1
Cotton seed	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1
Others	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1
<b>5. POTATOES</b>									
Early potatoes	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
Ware potatoes	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*
<b>6. TEA</b>	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.05*	0.1*	0.05*	0.1*	0.1*	0.05*	0.1*	0.1*
<b>7. HOPS (dried)</b>	including hop pellets & unconcentrated powder	0.05*	0.1*	0.05*	0.1*	0.05*	0.5	0.5	0.1*

Group to which food belongs	Groups include the following products	Oxadiazyl	Oxasulfuron	Oxydemeton-methyl	Paraquat	Parathion	Parathion-methyl	Penconazole	Pendimethalin
<b>8. CEREALS</b>									
	Wheat	0.01*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*
	Rye	0.01*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*
	Barley	0.01*	0.05*	0.1	0.05*	0.02*	0.05*	0.05*	0.05*
	Sorghum	0.01*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*
	Oats	0.01*	0.05*	0.1	0.05*	0.02*	0.05*	0.05*	0.05*
	Triticale	0.01*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*
	Maize	0.01*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*
	Buckwheat	0.01*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*
	Millet	0.01*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*
	Rice (1)	0.01*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*
	Other cereals	0.01*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*
<b>9. FOODSTUFFS OF ANIMAL ORIGIN</b>									
	Meat, edible offal, fat & preparations of meat and edible offal (2)								
	Milk (3) & Dairy Produce (4)		0.02*				0.02*	0.01*	0.05*
	Eggs (5)		0.02*				0.02*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Permethrin	Phorate	Phosalone	Phosmet	Phosphamidon	Phoxim	Picolinaten	Picoxystrobin (from 24 February 2007)
<b>1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS</b>									
i) CITRUS FRUIT									
Grapefruit		0.05*	1				0.05*	0.05*	
Lemons		0.05*	1				0.05*	0.05*	
Limes		0.05*	1				0.05*	0.05*	
Mandarins (inc clementines & similar hybrids)		0.05*	1				0.05*	0.05*	
Oranges		0.05*	1				0.05*	0.05*	
Pomelos		0.05*	1				0.05*	0.05*	
Others		0.05*	1				0.05*	0.05*	
ii) TREE NUTS (shelled or unshelled)									
Almonds		0.05*					0.05*	0.05*	
Brazil nuts		0.05*					0.05*	0.05*	
Cashew nuts		0.05*					0.05*	0.05*	
Chestnuts		0.05*					0.05*	0.05*	
Coconuts		0.05*					0.05*	0.05*	
Hazelnuts		0.05*					0.05*	0.05*	
Macadamia nuts		0.05*					0.05*	0.05*	
Pecans		0.05*					0.05*	0.05*	
Pine nuts		0.05*					0.05*	0.05*	
Pistachios		0.05*					0.05*	0.05*	
Walnuts		0.05*					0.05*	0.05*	
Others		0.05*					0.05*	0.05*	

Group to which food belongs	Groups include the following products	Permethrin	Phorate	Phosalone	Phosmet	Phosphamidon	Phoxim	Picolinaten	Pic oxytropin (from 24 February 2007)
<hr/>									
iii) POME FRUIT									
	Apples	0.05*	0.05*	2			0.05*	0.05*	
	Pears	0.05*	0.05*	2			0.05*	0.05*	
	Quinces	0.05*	0.05*	2			0.05*	0.05*	
	Others	0.05*	0.05*	2			0.05*	0.05*	
iv) STONE FRUIT									
	Apricots	0.05*	0.05*	2			0.05*	0.05*	
	Cherries	0.05*	0.05*				0.05*	0.05*	
	Peaches (incl nectarines & similar hybrids)	0.05*	0.05*	2			0.05*	0.05*	
	Plums	0.05*	0.05*	1			0.05*	0.05*	
	Others	0.05*	0.05*				0.05*	0.05*	
v) BERRIES AND SMALL FRUIT									
a)	Table & wine grapes Table grapes	0.05*	0.05*	1			0.05*	0.05*	
	Wine grapes	0.05*	0.05*	1			0.05*	0.05*	
b)	Strawberries (other than wild)	0.05*	0.05*	1			0.05*	0.05*	
c)	Cane Fruit (other than wild) Blackberries	0.05*	0.05*	1			0.05*	0.05*	
	Dewberries	0.05*	0.05*	1			0.05*	0.05*	
	Loganberries	0.05*	0.05*	1			0.05*	0.05*	
	Raspberries	0.05*	0.05*	1			0.05*	0.05*	
	Others	0.05*	0.05*	1			0.05*	0.05*	

Group to which food belongs	Groups include the following products	Permethrin	Phorate	Phosalone	Phosmet	Phosphamidon	Phoxim	Picolinaten	Pic oxytropin (from 24 February 2007)
d) Other small fruit & berries (other than wild)	Bilberries	0.05*	0.05*	1			0.05*	0.05*	0.05*
	Cranberries	0.05*	0.05*	1			0.05*	0.05*	0.05*
	Currants (red, black & white)	0.05*	0.05*	1			0.05*	0.05*	0.05*
	Gooseberries	0.05*	0.05*	1			0.05*	0.05*	0.05*
	Others	0.05*	0.05*	1			0.05*	0.05*	0.05*
e) Wild berries & wild fruit		0.05*	0.05*				0.05*	0.05*	0.05*
vi) MISCELLANEOUS FRUIT									
	Avocados	0.05*	0.05*				0.05*	0.05*	0.05*
	Bananas	0.05*	0.05*				0.05*	0.05*	0.05*
	Dates	0.05*	0.05*				0.05*	0.05*	0.05*
	Figs	0.05*	0.05*				0.05*	0.05*	0.05*
	Kiwi fruit	0.05*	0.05*				0.05*	0.05*	0.05*
	Kumquats	0.05*	0.05*				0.05*	0.05*	0.05*
	Litchis	0.05*	0.05*				0.05*	0.05*	0.05*
	Mangoes	0.05*	0.05*				0.05*	0.05*	0.05*
	Olives (table consumption)	0.05*	0.05*				0.05*	0.05*	0.05*
	Olives (oil extract)	0.05*	0.05*				0.05*	0.05*	0.05*
	Papaya	0.05*	0.05*				0.05*	0.05*	0.05*
	Passion fruit	0.05*	0.05*				0.05*	0.05*	0.05*
	Pineapples	0.05*	0.05*				0.05*	0.05*	0.05*
	Pomegranates	0.05*	0.05*				0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Permethrin	Phorate	Phosalone	Phosmet	Phosphamidon	Phoxim	Picolinaten	Pic oxytropin (from 24 February 2007)
	Others	0.05*	0.05*				0.05*	0.05*	
<b>2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY</b>									
i) ROOT AND TUBER VEGETABLES									
Beetroot		0.05*					0.05*	0.05*	
Carrots		0.05*		0.1			0.05*	0.05*	
Celeriac		0.05*			0.05*		0.05*	0.05*	
Horseradish		0.05*		0.05*			0.05*	0.05*	
Jerusalem artichokes		0.05*			0.05*		0.05*	0.05*	
Parsnips		0.05*		0.05*			0.05*	0.05*	
Parsley root		0.05*		0.05*			0.05*	0.05*	
Radishes		0.05*			0.05*		0.05*	0.05*	
Salsify		0.05*			0.05*		0.05*	0.05*	
Sweet potatoes		0.05*			0.05*		0.05*	0.05*	
Swedes		0.05*			0.05*		0.05*	0.05*	
Turnips		0.05*			0.05*		0.05*	0.05*	
Yams		0.05*			0.05*		0.05*	0.05*	
Others		0.05*			0.05*		0.05*	0.05*	
ii) BULB VEGETABLES									
Garlic		0.05*		1			0.05*	0.05*	
Onions		0.05*			0.05*		0.05*	0.05*	
Shallots		0.05*			0.05*		0.05*	0.05*	
Spring onions		0.05*			0.05*		0.05*	0.05*	
Others		0.05*			0.05*		0.05*	0.05*	

Group to which food belongs	Groups include the following products	Permethrin	Phorate	Phosalone	Phosmet	Phosphamidon	Phoxim	Picolinaten	Pic oxytropin (from 24 February 2007)
<b>iii) FRUITING VEGETABLES</b>									
a)	Solanaceae	0.05*							
	Tomatoes	0.05*	1						
	Peppers	0.05*	0.05*						
	Chili peppers	0.05*	0.05*						
	Aubergines	0.05*	0.05*						
	Others	0.05*	0.05*	1					
b)	Cucurbitis-edible peel	0.05*							
	Cucumbers	0.05*	1						
	Gherkins	0.05*	0.05*						
	Courgettes	0.05*	0.05*						
	Others	0.05*	0.05*	1					
c)	Cucurbitis-inedible peel	0.05*							
	Melons	0.05*	0.05*						
	Squashes	0.05*	0.05*						
	Watermelons	0.05*	0.05*						
	Others	0.05*	0.05*						
d)	Sweet corn	0.05*	0.05*						
<b>iv) BRASSICA VEGETABLES</b>									
a)	Flowering Brassicas	0.05*							
	Broccoli	0.05*	0.05*						
	Cauliflower	0.05*	0.05*						
	Others	0.05*	0.05*						
b)	Head Brassicas	0.05*							
	Brussels sprouts	0.05*	1						

Group to which food belongs	Groups include the following products	Permethrin	Phorate	Phosalone	Phosmet	Phosphamidon	Phoxim	Picolinaten	Pic oxytropin (from 24 February 2007)
	Head cabbage	0.05*	0.05*	1			0.05*	0.05*	
	Others	0.05*	0.05*				0.05*	0.05*	
c)	Leafy Brassicas Chinese cabbage	0.05*	0.05*				0.05*	0.05*	
	Kale	0.05*	0.05*				0.05*	0.05*	
	Others	0.05*	0.05*				0.05*	0.05*	
d)	Kohlrabi	0.05*	0.05*				0.05*	0.05*	
	v) LEAF VEGETABLES AND FRESH HERBS								
	a) Lettuce & similar Cress	0.05*	0.05*				0.05*	0.05*	
	Lamb's lettuce	0.05*	0.05*				0.05*	0.05*	
	Lettuce	0.05*	0.05*	1			0.05*	0.05*	
	Scarole	0.05*(6)	0.05*				0.05*	0.05*	
	Others	0.05*	0.05*				0.05*	0.05*	
b)	Spinach & similar Spinach	0.05*	0.05*				0.05*	0.05*	
	Beet leaves (chard)	0.05*	0.05*				0.05*	0.05*	
	Others	0.05*	0.05*				0.05*	0.05*	
c)	Watercress	0.05*	0.05*				0.05*	0.05*	
d)	Witloof	0.05*	0.05*				0.05*	0.05*	
e)	Herbs Chervil	0.05*	0.05*				0.05*	0.05*	
	Chives	0.05*	0.05*				0.05*	0.05*	
	Parsley	0.05*	0.05*				0.05*	0.05*	

Group to which food belongs	Groups include the following products	Permethrin	Phorate	Phosalone	Phosmet	Phosphamidon	Phoxim	Picolinaten	Picoxyprostrobin (from 24 February 2007)
v) LEGUME VEGETABLES (fresh)									
Celery leaves		0.05*	0.05*				0.05*	0.05*	
Others		0.05*	0.05*				0.05*	0.05*	
Beans (with pods)		0.05*		1			0.05*	0.05*	
Beans (without pods)		0.05*					0.05*	0.05*	
Peas (with pods)		0.05*		1			0.05*	0.05*	
Peas (without pods)		0.05*					0.05*	0.05*	
Others		0.05*					0.05*	0.05*	
vii) STEM VEGETABLES							0.05*	0.05*	
Asparagus		0.05*					0.05*	0.05*	
Cardoons		0.05*					0.05*	0.05*	
Celery		0.05*		1			0.05*	0.05*	
Fennel		0.05*					0.05*	0.05*	
Globe artichokes		0.05*					0.05*	0.05*	
Leeks		0.05*		1			0.05*	0.05*	
Rhubarb		0.05*		1			0.05*	0.05*	
Others		0.05*					0.05*	0.05*	
viii) FUNGI	a)	Cultivated mushrooms		0.05*		0.05*	0.05*	0.05*	
	b)	Wild mushrooms				0.05*	0.05*	0.05*	
3. PULSES	Beans			0.05*			0.05*	0.05*	
	Lentils			0.05*			0.05*	0.05*	

Group to which food belongs	Groups include the following products	Permethrin	Phorate	Phosalone	Phosmet	Phosphamidon	Phoxim	Picolinaten	Picoxytrobion (from 24 February 2007)
<b>4. OILSEEDS</b>									
	Peas	0.05*	0.05*				0.05*	0.05*	
	Others	0.05*	0.05*				0.05*	0.05*	
	Linseed	0.05*	0.05*				0.1*	0.05*	
	Peanuts	0.05*	0.1				0.1*	0.05*	
	Poppy seed	0.05*	0.05*				0.1*	0.05*	
	Sesame seed	0.05*	0.05*				0.1*	0.05*	
	Sunflower seed	0.05*	0.05*				0.1*	0.05*	
	Rape seed	0.05*	0.05*				0.1*	0.05*	
	Soya bean	0.05*	0.05*				0.1*	0.05*	
	Mustard seed	0.05*	0.05*				0.1*	0.05*	
	Cotton seed	0.05*	0.05*				0.1*	0.05*	
	Others	0.05*	0.05*				0.1*	0.05*	
<b>5. POTATOES</b>									
	Early potatoes	0.05*	0.05*				0.05*	0.05*	
	Ware potatoes	0.05*	0.05*				0.05*	0.05*	
<b>6. TEA</b>	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.1*				0.1*	0.1*	
<b>7. HOPS (dried)</b>	including hop pellets & unconcentrated powder	0.1*					0.1*	0.1*	
<b>8. CEREALS</b>									
	Wheat	0.05*	0.05*				0.05	0.05*	
	Rye	0.05*	0.05*				0.05	0.05*	

Group to which food belongs	Groups include the following products	Permethrin	Phorate	Phosalone	Phosmet	Phosphamidon	Phoxim	Picolinaten	Picoxytrobion (from 24 February 2007)
Barley		0.05*	0.05*				0.05	0.2	
Sorghum		0.05*	0.05*				0.05*	0.05*	
Oats		0.05*	0.05*				0.05*	0.2	
Triticale		0.05*	0.05*				0.05*	0.05*	
Maize		0.05*	0.05*				0.05*	0.05*	
Buckwheat		0.05*	0.05*				0.05*	0.05*	
Millet		0.05*	0.05*				0.05*	0.05*	
Rice <sup>(1)</sup>		0.05*	0.05*				0.05*	0.05*	
Other cereals		0.05*	0.05*				0.05*	0.05*	
<b>9. FOODSTUFFS OF ANIMAL ORIGIN</b>									
Meat, edible offal, fat & preparations of meat and edible offal <sup>(2)</sup>		0.05*							
Milk <sup>(3)</sup> & Dairy Produce		0.05			0.02*			0.02*	
Eggs <sup>(5)</sup>				0.05		0.05*		0.05	

Group to which food belongs	Groups include the following products	Primingoph-methyl	Prochloraz	Procymidone	Protendos	Prohexadione	Propargite	Propham	Propiconazole (until 24 February 2007)
<b>1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS</b>									
i) CITRUS FRUIT									
Grapefruit	1	10	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Lemons	1	10	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Limes	1	10	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Mandarins (inc clementines & similar hybrids)	2	10	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Oranges	1	10	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Pomelos	1	10	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Others	1	10	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
ii) TREE NUTS (shelled or unshelled)									
Almonds	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Brazil nuts	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Cashew nuts	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Chestnuts	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Coconuts	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Hazelnuts	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Macadamia nuts	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Pecans	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Pine nuts	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Pistachios	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Walnuts	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Others	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Primiphos-methyl	Prochloraz	Procymidone	Profenofos	Prohexadione	Propargite	Propham	Propiconazole (until 24 February 2007)
<hr/>									
iii) POME FRUIT									
Apples	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Pears	0.05*	0.05*	1	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Quinces	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Others	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
iv) STONE FRUIT									
Apricots	0.05*	0.05*	2	0.05*	0.05*	0.05*	0.05*	0.05*	0.2
Cherries	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Peaches (incl nectarines & similar hybrids)	0.05*	0.05*	2	0.05*	0.05*	0.05*	0.05*	0.05*	0.2
Plums	0.05*	0.05*	2	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Others	0.05*	0.05*	2	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
<hr/>									
v) BERRIES AND SMALL FRUIT									
a)	Table & wine grapes Table grapes	0.05*	5	0.05*	0.05*	0.05*	0.05*	0.05*	0.5
	Wine grapes	2	0.05*	5	0.05*	0.05*	0.05*	0.05*	0.5
b)	Strawberries (other than wild)	0.05*	5	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
c)	Cane Fruit (other than wild) Blackberries Dewberries	0.05* 0.05* 0.05*	0.02* 0.02* 0.02*	0.05* 0.05* 0.05*	0.05* 0.05* 0.05*	0.05* 0.05* 0.05*	0.05* 0.05* 0.05*	0.05* 0.05* 0.05*	0.05*
	Loganberries Raspberries Others	0.05* 0.05* 0.05*	0.02* 0.05* 0.02*	0.05* 0.05* 0.05*	0.05* 0.05* 0.05*	0.05* 0.05* 0.05*	0.05* 0.05* 0.05*	0.05* 0.05* 0.05*	0.05*

Group to which food belongs	Groups include the following products	Primiphos-methyl	Prochloraz	Procymidone	Profenofos	Prohexadione	Propargite	Propham	Propiconazole (until 24 February 2007)
d) Other small fruit & berries (other than wild)	Bilberries	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Cranberries		0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
Currants (red, black & white)		0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Gooseberries		0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Others		0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
e) Wild berries & wild fruit		0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
vi) MISCELLANEOUS FRUIT									
Avocados		0.05*	5	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
Bananas		0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1
Dates		0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Figs		0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Kiwi fruit	2	0.05*	5	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Kumquats		0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Litchis		0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Mangoes		0.05*	5	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
Olives (table consumption)		0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Olives (oil extract)		0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Papaya		0.05*	5	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
Passion fruit		0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
Pineapples		0.05*	5	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
Pomegranates		0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Primiphos-methyl	Prochloraz	Procymidone	Profenofos	Prohexadione	Propargite	Propham	Propiconazole (until 24 February 2007)
<b>2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY</b>									
i) ROOT AND TUBER VEGETABLES									
Others	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Beetroot	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Carrots	1	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Celeriac	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Horseradish	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Jerusalem artichokes	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Parsnips	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Parsley root	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Radishes	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Salsify	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Sweet potatoes	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Swedes	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Turnips	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Yams	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Others	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
ii) BULB VEGETABLES									
Garlic	0.05*	0.5	0.2	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Onions	0.05*	0.05*	0.2	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Shallots	0.05*	5	0.2	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Spring onions	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Others	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Primiphos-methyl	Prochloraz	Procymidone	Profenofos	Prohexadione	Propargite	Propham	Propiconazole (until 24 February 2007)
<b>iii) FRUITING VEGETABLES</b>									
a)	Solanaceae								
	Tomatoes	1	0.05*		2	0.05*			0.05*
	Peppers	1	0.05*		2	0.05*			0.05*
	Chili peppers	1	0.05*		2	5	0.05*		0.05*
	Aubergines	0.05*	0.05*		2	0.05*			0.05*
	Others	0.05*	0.05*		2	0.05*			0.05*
b)	Cucurbits-edible peel								
	Cucumbers	0.1	0.05*		1	0.05*			0.05*
	Gherkins	0.05*	0.05*		1	0.05*			0.05*
	Courgettes	0.05*	0.05*		1	0.05*			0.05*
	Others	0.05*	0.05*		1	0.05*			0.05*
c)	Cucurbits-inedible peel								
	Melons	1	0.05*		1	0.05*			0.05*
	Squashes	0.05*	0.05*		1	0.05*			0.05*
	Watermelons	0.05*	0.05*		1	0.05*			0.05*
	Others	0.05*	0.05*		1	0.05*			0.05*
d)	Sweet corn	0.05*	0.05*		0.02*	0.05*			0.05*
<b>iv) BRASSICA VEGETABLES</b>									
a)	Flowering Brassicas								
	Broccoli	1	0.05*		0.02*	0.05*			0.05*
	Cauliflower	1	0.05*		0.02*	0.05*			0.05*
	Others	1	0.05*		0.02*	0.05*			0.05*
b)	Head Brassicas								
	Brussels sprouts	2	0.05*		0.02*	0.05*			0.05*

Group to which food belongs	Groups include the following products	Primiphos-methyl	Prochloraz	Procymidone	Protenofos	Prohexadione	Propargite	Propham	Propiconazole (until 24 February 2007)
	Head cabbage	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
	Others	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
c)	Leafy Brassicas Chinese cabbage	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
	Kale	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
	Others	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
d)	Kohlrabi	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
v) LEAF VEGETABLES AND FRESH HERBS									
a)	Lettuce & similar Cress	0.05*	5	5	0.05*	0.05*	0.05*	0.05*	0.05*
	Lamb's lettuce	0.05*	5	5	0.05*	0.05*	0.05*	0.05*	0.05*
	Lettuce	0.05*	5	5	0.05*	0.05*	0.05*	0.05*	0.05*
	Scarole	0.05*	5	5	0.05*	0.05*	0.05*	0.05*	0.05*
	Others	0.05*	5	5	0.05*	0.05*	0.05*	0.05*	0.05*
b)	Spinach & similar Spinach	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
	Beet leaves (chard)	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
	Others	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
c)	Watercress	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
d)	Witloof	0.05*	0.05*	2	0.05*	0.05*	0.05*	0.05*	0.05*
e)	Herbs Chervil	0.05*	5	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
	Chives	0.05*	5	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
	Parsley	0.05*	5	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Primiphos-methyl	Prochloraz	Procymidone	Profenofos	Prohexadione	Propargite	Propham	Propiconazole (until 24 February 2007)
Celery leaves		0.05*	5	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
Others		0.05*	5	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
v) LEGUME VEGETABLES (fresh)									
Beans (with pods)		0.05*	0.05*	2	0.05*	0.05*	0.05*	0.05*	0.05*
Beans (without pods)		0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
Peas (with pods)		0.05*	0.05*	1	0.05*	0.05*	0.05*	0.05*	0.05*
Peas (without pods)		0.05*	0.05*	0.3	0.05*	0.05*	0.05*	0.05*	0.05*
Others		0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
vii) STEM VEGETABLES									
Asparagus		0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
Cardoons		0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
Celery		0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
Fennel		0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
Globe artichokes		0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
Leeks		0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
Rhubarb		0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
Others		0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
viii) FUNGI	a)	Cultivated mushrooms	2	2	0.02*	0.05*	0.05*	0.05*	0.05*
	b)	Wild mushrooms	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*
3. PULSES	Beans		0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
	Lentils		0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Primiphos-methyl	Prochloraz	Procymidone	Profenofos	Prohexadione	Propargite	Propham	Propiconazole (until 24 February 2007)
	Peas	0.05*	0.3	0.2	0.05*	0.05*	0.05*	0.05*	0.05*
	Others	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
<b>4. OILSEEDS</b>									
	Linseed	0.05*	0.5	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*
	Peanuts	0.05*	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*
	Poppy seed	0.05*	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*
	Sesame seed	0.05*	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*
	Sunflower seed	0.05*	0.5	1 or 0.05* <sup>(35)</sup>	0.05*	0.1*	0.05*	0.05*	0.05*
	Rape seed	0.05*	0.5	1	0.05*	0.1*	0.05*	0.05*	0.05*
	Soya bean	0.05*	0.1*	1	0.05*	0.1*	0.05*	0.05*	0.05*
	Mustard seed	0.05*	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*
	Cotton seed	0.05*	0.1*	0.05*	2	0.1*	0.05*	0.05*	0.05*
	Others	0.05*	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*
<b>5. POTATOES</b>									
	Early potatoes	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
	Ware potatoes	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
<b>6. TEA</b>	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.05*	0.1*	0.1*	0.1*	0.1*	5	0.1*	0.1*
<b>7. HOPS (dried)</b>	including hop pellets & unconcentrated powder	0.05*	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*
<b>8. CEREALS</b>									
	Wheat	5	0.5	0.02*	0.05*	0.2	0.05*	0.05*	0.05*
	Rye	5	0.5	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Primiphos-methyl	Prochloraz	Procymidone	Profenofos	Prohexadione	Propargite	Propham	Propiconazole (until 24 February 2007)
Barley		5	1	0.02*	0.05*	0.2	0.05*	0.05*	0.05*
Sorghum		5	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
Oats		5	1	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
Triticale		5	0.5	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
Maize		5	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
Buckwheat		5	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
Millet		5	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
Rice <sup>(1)</sup>		5	1	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
Other cereals		5	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
<b>9. FOODSTUFFS OF ANIMAL ORIGIN</b>	Meat, edible offal, fat & preparations of meat and edible offal <sup>(2)</sup>	0.05*	0.2 <sup>(16)</sup> 2 <sup>(12)</sup> 0.5 <sup>(19)</sup> 0.1 <sup>(9)</sup>	0.05*	0.05*	0.1 <sup>(38)</sup> 0.05* <sup>(19)</sup>	0.05*	0.1 <sup>(38)</sup> 0.05* <sup>(19)</sup>	
Milk <sup>(3)</sup> & Dairy Produce <sup>(4)</sup>		0.05*	0.02*	0.05*	0.01*	0.01*	0.05*	0.05*	0.01*
Eggs <sup>(5)</sup>		0.05*	0.1*	0.05*	0.05*	0.05* <sup>(7)</sup>	0.05* <sup>(7)</sup>	0.05*	0.05*

Group to which food belongs	Groups include the following products	Propiconazole from 24 February 2007	Propoxur	Propyzamide (until 4 December 2006)	Prosulfuron	Pymetrozine	Pyralufen-ethyl	Pyrazophos
<b>1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS</b>								
i) CITRUS FRUIT								
Grapefruit	0.05*	0.05*	0.02*	0.02*	0.3	0.02*	0.05*	
Lemons	0.05*	0.3	0.02*	0.02*	0.3	0.02*	0.05*	
Limes	0.05*	0.3	0.02*	0.02*	0.3	0.02*	0.05*	
Mandarins (inc clementines & similar hybrids)	0.05*	0.3	0.02*	0.02*	0.3	0.02*	0.05*	
Oranges	0.05*	0.05*	0.02*	0.02*	0.3	0.02*	0.05*	
Pomelos	0.05*	0.05*	0.02*	0.02*	0.3	0.02*	0.05*	
Others	0.05*	0.05*	0.02*	0.02*	0.3	0.02*	0.05*	
ii) TREE NUTS (shelled or unshelled)								
Almonds	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.1*	0.05*
Brazil nuts	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.1*	0.05*
Cashew nuts	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.1*	0.05*
Chestnuts	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.1*	0.05*
Coconuts	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.1*	0.05*
Hazelnuts	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.1*	0.05*
Macadamia nuts	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.1*	0.05*
Pecans	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.1*	0.05*
Pine nuts	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.1*	0.05*
Pistachios	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.1*	0.05*
Walnuts	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.1*	0.05*
Others	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.1*	0.05*

Group to which food belongs	Groups include the following products	Propiconazole (from 24 February 2007)	Propoxur	Propyzamide (until 4 December 2006)	Propyzamide (from 4 December 2006)	Prosurfuron	Pymetrozine	Pyraflufen-ethyl	Pyrazophos
<b>iii) POME FRUIT</b>									
	Apples	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*
	Pears	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*
	Quinces	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*
	Others	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*
<b>iv) STONE FRUIT</b>									
	Apricots	0.2	0.05*	0.02*	0.02*	0.02*	0.05	0.02*	0.05*
	Cherries	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*
	Peaches (incl nectarines & similar hybrids)	0.2	0.05*	0.02*	0.02*	0.05	0.02*	0.02*	0.05*
	Plums	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*
	Others	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*
<b>v) BERRIES AND SMALL FRUIT</b>									
a)	Table & wine grapes Table grapes	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*
	Wine grapes	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*
b)	Strawberries (other than wild)	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*
c)	Cane Fruit (other than wild) Blackberries Dewberries	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*
	Loganberries	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*
	Raspberries	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*
	Others	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*

Group to which food belongs	Groups include the following products	Propiconazole (from 24 February 2007)	Propoxur	Propyzamide (until 4 December 2006)	Prosurfuron	Pymetrozine	Pyraflufen-ethyl	Pyrazophos
d) Other small fruit & berries (other than wild)	Bilberries	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*
Cranberries		0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*
Currants (red, black & white)		0.05*	0.2	0.02*	0.02*	0.02*	0.02*	0.05*
Gooseberries		0.05*	0.2	0.02*	0.02*	0.02*	0.02*	0.05*
Others		0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*
e) Wild berries & wild fruit		0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*
vi) MISCELLANEOUS FRUIT								
Avocados		0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*
Bananas		0.1	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*
Dates		0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*
Figs		0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*
Kiwi fruit		0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*
Kumquats		0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*
Litchis		0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*
Mangoes		0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*
Olives (table consumption)		0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*
Olives (oil extract)		0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*
Papaya		0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*
Passion fruit		0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*
Pineapples		0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*
Pomegranates		0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*

Group to which food belongs	Groups include the following products	Propiconazole (from 24 February 2007)	Propoxur	Propyzamide (until 4 December 2006) 4 December 2006)	Prosulfuron	Pymetrozine	Pyraflufen-ethyl	Pyrazophos
<b>2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY</b>								
i) ROOT AND TUBER VEGETABLES								
Others	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*
Beetroot	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*
Carrots	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*
Celeriac	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*
Horseradish	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*
Jerusalem artichokes	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*
Parsnips	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*
Parsley root	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*
Radishes	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*
Salsify	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*
Sweet potatoes	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*
Swedes	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*
Turnips	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*
Yams	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*
Others	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*
ii) BULB VEGETABLES								
Garlic	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*
Onions	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*
Shallots	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*
Spring onions	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*
Others	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*

Group to which food belongs	Groups include the following products	Propiconazole (from 24 February 2007)	Propoxur	Propyzamide (until 4 December 2006)	Prosurfuron	Pymetrozine	Pyraillufen-ethyl	Pyrazophos
<b>iii) FRUITING VEGETABLES</b>								
a)	Solanaceae	0.05*	0.05*	0.02*	0.02*	0.5	0.02*	0.05*
	Tomatoes							
	Peppers	0.05*	0.05*	0.02*	0.02*	1	0.02*	0.05*
	Chili peppers	0.05*	0.05*	0.02*	0.02*	1	0.02*	0.05*
	Aubergines	0.05*	0.05*	0.02*	0.02*	0.5	0.02*	0.05*
	Others	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*
b)	Cucurbits-edible peel	0.05*	0.05*	0.02*	0.02*	0.5	0.02*	0.05*
	Cucumbers							
	Gherkins	0.05*	0.05*	0.02*	0.02*	0.5	0.02*	0.05*
	Courgettes	0.05*	0.05*	0.02*	0.02*	0.5	0.02*	0.05*
	Others	0.05*	0.05*	0.02*	0.02*	0.5	0.02*	0.05*
c)	Cucurbits-inedible peel	0.05*	0.05*	0.02*	0.02*	0.2	0.02*	0.05*
	Melons							
	Squashes	0.05*	0.05*	0.02*	0.02*	0.2	0.02*	0.05*
	Watermelons	0.05*	0.05*	0.02*	0.02*	0.2	0.02*	0.05*
	Others	0.05*	0.05*	0.02*	0.02*	0.2	0.02*	0.05*
d)	Sweet corn	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*
<b>iv) BRASSICA VEGETABLES</b>								
a)	Flowering Brassicas	0.05*	0.5	0.02*	0.02*	0.02*	0.02*	0.05*( <sup>13</sup> )
	Broccoli							
	Cauliflower	0.05*	0.5	0.02*	0.02*	0.02*	0.02*	0.05*
	Others	0.05*	0.5	0.02*	0.02*	0.02*	0.02*	0.05*
b)	Head Brassicas							
	Brussels sprouts	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*

Group to which food belongs	Groups include the following products	Propiconazole (from 24 February 2007)	Propoxur	Propyzamide (until 4 December 2006)	Prosurfuron	Pymetrozine	Pyraflufen-ethyl	Pyrazophos
<b>v) LEAF VEGETABLES AND FRESH HERBS</b>								
a)	Lettuce & similar Cress	0.05*	0.05*	0.02*	0.02*	0.05	0.02*	0.05*
	Lamb's lettuce	0.05*	0.05*	1	1	0.02*	1	0.02*
	Lettuce	0.05*	0.05*	1	1	0.02*	1	0.02*
	Scarole	0.05*	0.05*	1	1	0.02*	1	0.02*
	Others	0.05*	0.05*	1	1	0.02*	1	0.02*
b)	Spinach & similar Spinach	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*
	Beet leaves (chard)	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*
	Others	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*
c)	Watercress	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*
d)	Witloof	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*
e)	Herbs	0.05*	0.05*	1	1	0.02*	1	0.02*
	Chervil							
	Chives	0.05*	0.05*	1	1	0.02*	1	0.05*
	Parsley	0.05*	0.05*	1	1	0.02*	1	0.05*

Group to which food belongs	Groups include the following products	Propiconazole (from 24 February 2007)	Propoxur	Propyzamide (until 4 December 2006)	Prosurfuron	Pymetrozine	Pyraillufen-ethyl	Pyrazophos
<hr/>								
v) LEGUME VEGETABLES (fresh)								
Celery leaves	0.05*	0.05*	1	1	0.02*	1	0.02*	0.05*
Others	0.05*	0.05*	1	1	0.02*	1	0.02*	0.05*
Beans (with pods)	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*
Beans (without pods)	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*
Peas (with pods)	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*
Peas (without pods)	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*
Others	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*
<hr/>								
vii) STEM VEGETABLES								
Asparagus	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*
Cardoons	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*
Celery	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*
Fennel	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*
Globe artichokes	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*
Leeks	0.1	1	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*
Rhubarb	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*
Others	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05*
<hr/>								
viii) FUNGI	a)	Cultivated mushrooms	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*
	b)	Wild mushrooms	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
<hr/>								
<b>3. PULSES</b>								
Beans	0.05*	0.05*	0.02*	0.02*	0.05*	0.02*	0.02*	0.05*
Lentils	0.05*	0.05*	0.02*	0.02*	0.05*	0.02*	0.02*	0.05*

Group to which food belongs	Groups include the following products	Propiconazole (from 24 February 2007)	Propoxur	Propyzamide (until 4 December 2006)	Propulsifuron	Pymetrozine	Pyraflufen-ethyl	Pyrazophos
	Peas	0.05*	0.05*	0.02*	0.05*	0.02*	0.02*	0.05*
	Others	0.05*	0.05*	0.02*	0.05*	0.02*	0.02*	0.05*
<b>4. OILSEEDS</b>								
	Linseed	0.1*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*
	Peanuts	0.2	0.05*	0.05*	0.1*	0.02*	0.05*	0.05*
	Poppy seed	0.11*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*
	Sesame seed	0.11*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*
	Sunflower seed	0.11*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*
	Rape seed	0.11*	0.05*	0.1	0.05*	0.1*	0.02*	0.05*
	Soya bean	0.11*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*
	Mustard seed	0.11*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*
	Cotton seed	0.11*	0.05*	0.05*	0.05*	0.05	0.05*	0.05*
	Others	0.11*	0.05*	0.05*	0.05*	0.1*	0.02*	0.05*
<b>5. POTATOES</b>								
	Early potatoes	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*
	Ware potatoes	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*
<b>6. TEA</b>	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.11*	0.1*	0.05*	0.1*	0.1*	0.05*	0.1*
<b>7. HOPS (dried)</b>	including hop pellets & unconcentrated powder	0.11*	0.1*	0.05*	0.1*	5	0.05*	0.1*
<b>8. CEREALS</b>								
	Wheat	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*
	Rye	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*

Group to which food belongs	Groups include the following products	Propiconazole (from 24 February 2007)	Propoxur	Propyzamide (until 4 December 2006)	Propulsifuron	Pymetrozine	Pyraillufen-ethyl	Pyrazophos
Barley		0.2	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*
Sorghum		0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*
Oats		0.2	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*
Triticale		0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*
Maize		0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*
Buckwheat		0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*
Millet		0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*
Rice <sup>(1)</sup>		0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*
Other cereals		0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*
<b>9. FOODSTUFFS OF ANIMAL ORIGIN</b>	Meat, edible offal, fat & preparations of meat and edible offal <sup>(2)</sup>	0.1 <sup>(36)</sup> 0.01 <sup>(19)</sup>	0.05*	0.05* <sup>(37)</sup> 0.02* <sup>(9)</sup>	0.05* <sup>(37)</sup> 0.02* <sup>(9)</sup>	0.01*	0.02*	
Milk <sup>(3)</sup> & Dairy Produce <sup>(4)</sup>		0.01*	0.05*	0.01*	0.01*	0.01*	0.02*	
Eggs <sup>(5)</sup>		0.01*	0.05*	0.02*	0.02*	0.01*	0.1* <sup>(7)</sup>	

Group to which food belongs	Groups include the following products	Pyrethrins	Pyridate	Quinalphos	Quintozene	Resmethrin	Silthiofam (from 24 February 2007)	Spiroxamine	Sulfosulfuron
<b>1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS</b>									
i) CITRUS FRUIT									
Grapefruit	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
Lemons	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
Limes	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
Mandarins (inc clementines & similar hybrids)	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
Oranges	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
Pomelos	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
Others	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
ii) TREE NUTS (shelled or unshelled)									
Almonds	0.05*	0.05*	0.02*	0.2*	0.05*	0.05*	0.05*	0.05*	0.05*
Brazil nuts	0.05*	0.05*	0.02*	0.2*	0.05*	0.05*	0.05*	0.05*	0.05*
Cashew nuts	0.05*	0.05*	0.02*	0.2*	0.05*	0.05*	0.05*	0.05*	0.05*
Chestnuts	0.05*	0.05*	0.02*	0.2*	0.05*	0.05*	0.05*	0.05*	0.05*
Coconuts	0.05*	0.05*	0.02*	0.2*	0.05*	0.05*	0.05*	0.05*	0.05*
Hazelnuts	0.05*	0.05*	0.02*	0.2*	0.05*	0.05*	0.05*	0.05*	0.05*
Macadamia nuts	0.05*	0.05*	0.02*	0.2*	0.05*	0.05*	0.05*	0.05*	0.05*
Pecans	0.05*	0.05*	0.02*	0.2*	0.05*	0.05*	0.05*	0.05*	0.05*
Pine nuts	0.05*	0.05*	0.02*	0.2*	0.05*	0.05*	0.05*	0.05*	0.05*
Pistachios	0.05*	0.05*	0.02*	0.2*	0.05*	0.05*	0.05*	0.05*	0.05*
Walnuts	0.05*	0.05*	0.02*	0.2*	0.05*	0.05*	0.05*	0.05*	0.05*
Others	0.05*	0.05*	0.02*	0.2*	0.05*	0.05*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Pyrethrins	Pyridate	Quinalphos	Quintozene	Resmethrin	Silthiofam (from 24 February 2007)	Spiroxamine	Sulfosulfuron
<b>iii) POME FRUIT</b>									
	Apples	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Pears	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Quinces	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Others	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
<b>iv) STONE FRUIT</b>									
	Apricots	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Cherries	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Peaches (incl nectarines & similar hybrids)	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Plums	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Others	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
<b>v) BERRIES AND SMALL FRUIT</b>									
a)	Table & wine grapes Table grapes	0.05*	0.05*	0.02*	0.1*	0.05*	1	0.05*	
	Wine grapes	0.05*	0.05*	0.02*	0.1*	0.05*	1	0.05*	
b)	Strawberries (other than wild)	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	
c)	Cane Fruit (other than wild) Blackberries Dewberries	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	
	Loganberries	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	
	Raspberries	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	
	Others	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	

Group to which food belongs	Groups include the following products	Pyrethrins	Pyridate	Quinalphos	Quintozene	Resmethrin	Silthiofam (from 24 February 2007)	Spiroxamine	Sulfosulfuron
<b>d) Other small fruit &amp; berries (other than wild)</b>									
Bilberries		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
Cranberries		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
Currants (red, black & white)		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
Gooseberries		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
Others		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
Wild berries & wild fruit		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
<b>vi) MISCELLANEOUS FRUIT</b>									
Avocados		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
Bananas		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
Dates		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
Figs		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
Kiwi fruit		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
Kumquats		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
Litchis		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
Mangoes		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
Olives (table consumption)		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
Olives (oil extract)		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
Papaya		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
Passion fruit		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
Pineapples		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
Pomegranates		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Pyrethrins	Pyridate	Quinalphos	Quintozene	Resmethrin	Silthiofam (from 24 February 2007)	Spiroxamine	Sulfosulfuron
<b>2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY</b>									
i) ROOT AND TUBER VEGETABLES									
Others	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
Beetroot	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
Carrots	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
Celeriac	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
Horseradish	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
Jerusalem artichokes	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
Parsnips	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
Parsley root:	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
Radishes	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
Salsify	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
Sweet potatoes	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
Swedes	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
Turnips	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
Yams	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
Others	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
ii) BULB VEGETABLES									
Garlic	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
Onions	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
Shallots	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
Spring onions	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
Others	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Pyrethrins	Pyridate	Quinalphos	Quintozene	Resmethrin	Silthiofam (from 24 February 2007)	Spiroxamine	Sulfosulfuron
<b>iii) FRUITING VEGETABLES</b>									
a)	Solanaceae	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Tomatoes								
	Peppers	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Chili peppers	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Aubergines	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Others	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
b)	Cucurbits-edible peel	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Cucumbers								
	Gherkins	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Courgettes	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Others	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
c)	Cucurbits-inedible peel	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Melons								
	Squashes	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Watermelons	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Others	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
d)	Sweet corn	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
<b>iv) BRASSICA VEGETABLES</b>									
a)	Flowering Brassicas	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Broccoli								
	Cauliflower	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Others	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
b)	Head Brassicas	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Brussels sprouts								

Group to which food belongs	Groups include the following products	Pyrethrins	Pyridate	Quinalphos	Quintozene	Resmethrin	Silthiofam (from 24 February 2007)	Spiroxamine	Sulfosulfuron
	Head cabbage	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Others	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
c)	Leafy Brassicas Chinese cabbage	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Kale	0.2	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Others	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
d)	Kohlrabi	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
v) LEAF VEGETABLES AND FRESH HERBS									
a)	Lettuce & similar Cress	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Lamb's lettuce	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Lettuce	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Scarole	0.05*	0.05*	0.02*( <sup>6)</sup>	0.1*	0.05*	0.05*	0.05*	0.05*
	Others	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
b)	Spinach & similar Spinach	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Beet leaves (chard)	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Others	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
c)	Watercress	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
d)	Witloof	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
e)	Herbs Chervil	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Chives	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Parsley	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Pyrethrins	Pyridate	Quinalphos	Quintonene	Resmethrin	Silthiofam (from 24 February 2007)	Spiroxamine	Sulfosulfuron
Celery leaves		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
Others		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
v) LEGUME VEGETABLES (fresh)									
Beans (with pods)		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
Beans (without pods)		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
Peas (with pods)		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
Peas (without pods)		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
Others		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
vii) STEM VEGETABLES									
Asparagus		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
Cardoons		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
Celery		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
Fennel		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
Globe artichokes		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
Leeks	1	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
Rhubarb		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
Others		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
viii) FUNGI	a)	Cultivated mushrooms	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*
	b)	Wild mushrooms	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*
3. PULSES	Beans		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*
	Lentils		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Pyrethrins	Pyridate	Quinalphos	Quintozene	Resmethrin	Silthiofam (from 24 February 2007)	Spiroxamine	Sulfosulfuron
	Peas	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Others	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
<b>4. OILSEEDS</b>									
	Linseed	0.05*	0.05*	0.02*	0.2*	0.05*	0.05*	0.1*	0.1*
	Peanuts	0.05*	0.05*	0.05*	0.2*	0.05*	0.05*	0.1*	0.1*
	Poppy seed	0.05*	0.05*	0.02*	0.2*	0.05*	0.05*	0.1*	0.1*
	Sesame seed	0.05*	0.05*	0.02*	0.2*	0.05*	0.05*	0.1*	0.1*
	Sunflower seed	0.05*	0.05*	0.02*	0.2*	0.05*	0.05*	0.1*	0.1*
	Rape seed	0.05*	0.05*	0.02*	0.2*	0.05*	0.05*	0.1*	0.1*
	Soya bean	0.05*	0.05*	0.02*	0.2*	0.05*	0.05*	0.1*	0.1*
	Mustard seed	0.05*	0.05*	0.02*	0.2*	0.05*	0.05*	0.1*	0.1*
	Cotton seed	0.05*	0.05*	0.02*	0.2*	0.05*	0.05*	0.1*	0.1*
	Others	0.05*	0.05*	0.02*	0.2*	0.05*	0.05*	0.1*	0.1*
<b>5. POTATOES</b>									
	Early potatoes	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Ware potatoes	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
<b>6. TEA</b>	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.1*	0.05*	0.2*	0.1*	0.1*	0.1*	0.1*
<b>7. HOPS (dried)</b>	including hop pellets & unconcentrated powder	0.1*	0.1*	0.05*	0.2*	0.1*	0.1*	0.1*	0.1*
<b>8. CEREALS</b>									
	Wheat	3	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*
	Rye	3	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Pyrethrins	Pyridate	Quinalphos	Quintozene	Resmethrin	Silthiofam (from 24 February 2007)	Spiroxamine	Sulfosulfuron
Barley	3	0.05*	0.02*		0.02*		0.05*	0.3	0.05*
Sorghum	3	0.05*	0.02*		0.02*		0.05*	0.05*	0.05*
Oats	3	0.05*	0.02*		0.02*		0.05*	0.3	0.05*
Triticale	3	0.05*	0.02*		0.02*		0.05*	0.05*	0.05*
Maize	3	0.05*	0.02*		0.02*		0.05*	0.05*	0.05*
Buckwheat	3	0.05*	0.02*		0.02*		0.05*	0.05*	0.05*
Millet	3	0.05*	0.02*		0.02*		0.05*	0.05*	0.05*
Rice <sup>(1)</sup>	3	0.05*	0.02*		0.02*		0.05*	0.05*	0.05*
Other cereals	3	0.05*	0.02*		0.02*		0.05*	0.05*	0.05*
				0.01*	0.1*		0.2 <sup>(1)</sup>	0.05*	0.05*
				0.4 <sup>(8)</sup> 0.05* <sup>(9)</sup>			0.05* <sup>(9)</sup>		
<b>9. FOODSTUFFS OF ANIMAL ORIGIN</b>									
Milk <sup>(3)</sup> & Dairy Produce <sup>(4)</sup>	0.05*		0.01*		0.1*		0.02	0.05*	
Eggs <sup>(5)</sup>	0.05*		0.01*		0.1*		0.05* <sup>(7)</sup>	0.05*	

Group to which food belongs	Groups include the following products	Tecnazene	TEPP	Thiabendazole	Thifensulfuron methyl	Triadimenol and Triadimenol	Triasulfuron	Triazophos	Trichlorton
<b>1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS</b>									
i) CITRUS FRUIT									
Grapefruit	0.05*	0.01*	5	0.05*	0.1*	0.05*	0.05*	0.02*	
Lemons	0.05*	0.01*	5	0.05*	0.1*	0.05*	0.05*	0.02*	
Limes	0.05*	0.01*	5	0.05*	0.1*	0.05*	0.05*	0.02*	
Mandarins (inc clementines & similar hybrids)	0.05*	0.01*	5	0.05*	0.1*	0.05*	0.05*	0.02*	
Oranges	0.05*	0.01*	5	0.05*	0.1*	0.05*	0.05*	0.02*	
Pomelos	0.05*	0.01*	5	0.05*	0.1*	0.05*	0.05*	0.02*	
Others	0.05*	0.01*	5	0.05*	0.1*	0.05*	0.05*	0.02*	
ii) TREE NUTS (shelled or unshelled)									
Almonds	0.05*	0.01*	0.1*	0.05*	0.2*	0.05*	0.05*	0.02*	
Brazil nuts	0.05*	0.01*	0.1*	0.05*	0.2*	0.05*	0.05*	0.02*	
Cashew nuts	0.05*	0.01*	0.1*	0.05*	0.2*	0.05*	0.05*	0.02*	
Chestnuts	0.05*	0.01*	0.1*	0.05*	0.2*	0.05*	0.05*	0.02*	
Coconuts	0.05*	0.01*	0.1*	0.05*	0.2*	0.05*	0.05*	0.02*	
Hazelnuts	0.05*	0.01*	0.1*	0.05*	0.2*	0.05*	0.05*	0.02*	
Macadamia nuts	0.05*	0.01*	0.1*	0.05*	0.2*	0.05*	0.05*	0.02*	
Pecans	0.05*	0.01*	0.1*	0.05*	0.2*	0.05*	0.05*	0.02*	
Pine nuts	0.05*	0.01*	0.1*	0.05*	0.2*	0.05*	0.05*	0.02*	
Pistachios	0.05*	0.01*	0.1*	0.05*	0.2*	0.05*	0.05*	0.02*	
Walnuts	0.05*	0.01*	0.1*	0.05*	0.2*	0.05*	0.05*	0.02*	
Others	0.05*	0.01*	0.1*	0.05*	0.2*	0.05*	0.05*	0.02*	

Group to which food belongs	Groups include the following products	Tecnazene	TEPP	Thiabendazole	Thifensulfuron methyl	Triadimenol and Triadimenol	Triasulfuron	Triazophos	Trichlorfon
<hr/>									
iii) POME FRUIT									
Apples	0.05*	0.01*	5	0.05*	0.2	0.05*	0.02*		
Pears	0.05*	0.01*	5	0.05*	0.1*	0.05*	0.02*		
Quinces	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.02*		
Others	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.02*		
iv) STONE FRUIT									
Apricots	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.02*		
Cherries	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.02*		
Peaches (incl nectarines & similar hybrids)	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.02*		
Plums	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.02*		
Others	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.02*		
v) BERRIES AND SMALL FRUIT									
a) Table & wine grapes	0.05*	0.01*	0.05*	0.05*	2	0.05*	0.02*		
Table grapes									
Wine grapes	0.05*	0.01*	0.05*	0.05*	2	0.05*	0.02*		
b) Strawberries (other than wild)	0.05*	0.01*	0.05*	0.05*	0.5	0.05*	0.02*		
c) Cane Fruit (other than wild)									
Blackberries	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.02*		
Dewberries	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.02*		
Loganberries	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.02*		
Raspberries	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.02*		
Others	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.02*		

Group to which food belongs	Groups include the following products	Tecnazene	TEPP	Thiabendazole	Thifensulfuron methyl	Triadimenol and Triadimenol	Triasulfuron	Triazophos	Trichlorfon
<hr/>									
d)	Other small fruit & berries (other than wild)	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*
	Bilberries								
	Cranberries	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*
	Currants (red, black & white)	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*
	Gooseberries	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*
	Others	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*
e)	Wild berries & wild fruit	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*
<hr/>									
vi) MISCELLANEOUS FRUIT									
	Avocados	0.05*	0.01*	15	0.05*	0.1*	0.05*	0.05*	0.02*
	Bananas	0.05*	0.01*	5	0.05*	0.2	0.05*	0.05*	0.02*
	Dates	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*
	Figs	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*
	Kiwi fruit	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*
	Kumquats	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*
	Litchis	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*
	Mangoes	0.05*	0.01*	5	0.05*	0.1*	0.05*	0.05*	0.02*
	Olives (table consumption)	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*
	Olives (oil extract)	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*
	Papaya	0.05*	0.01*	10	0.05*	0.1*	0.05*	0.05*	0.02*
	Passion fruit	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*
	Pineapples	0.05*	0.01*	0.05*	0.05*	3	0.05*	0.05*	0.02*
	Pomegranates	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*

Group to which food belongs	Groups include the following products	Tecnazene	TEPP	Thiabendazole	Thifensulfuron methyl	Triadimenol and Triadimenol	Triasulfuron	Triazophos	Trichlorfon
<b>2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY</b>									
i) ROOT AND TUBER VEGETABLES									
Beetroot	Others	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*
Carrots		0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*
Celeriac		0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*
Horseradish		0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*
Jerusalem artichokes		0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*
Parsnips		0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*
Parsley root		0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*
Radishes		0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*
Salsify		0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*
Sweet potatoes		0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*
Swedes		0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*
Turnips		0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*
Yams		0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*
Others		0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*
ii) BULB VEGETABLES									
Garlic		0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*
Onions		0.05*	0.01*	0.05*	0.05*	0.5	0.05*	0.05*	0.02*
Shallots		0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*
Spring onions		0.05*	0.01*	0.05*	0.05*	1	0.05*	0.05*	0.02*
Others		0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*

Group to which food belongs	Groups include the following products	Tecnazene	TEPP	Thiabendazole	Thifensulfuron methyl	Triadimenol and Triadimenol	Triasulfuron	Triazophos	Trichlorfon
<b>iii) FRUITING VEGETABLES</b>									
a)									
Solanaceae		0.05*	0.01*	0.05*	0.05*	0.3	0.05*	0.02*	
Tomatoes									
Peppers		0.05*	0.01*	0.05*	0.05*	0.5	0.05*	0.02*	
Chili peppers									
Aubergines		0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.02*	
Others		0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.02*	
b)	Cucurbits-edible peel								
Cucumbers		0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.02*	
Gherkins									
Courgettes		0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.02*	
Others		0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.02*	
c)	Cucurbits-inedible peel								
Melons		0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.02*	
Squashes									
Watermelons		0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.02*	
Others		0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.02*	
d)	Sweet corn								
	Flowering Brassicas	0.05* <sup>a)(3)</sup>	0.01*	5	0.05*	0.1*	0.05*	0.02*	
a)	Broccoli								
	Cauliflower	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.02*	
	Others	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.02*	
b)	Head Brassicas								
	Brussels sprouts	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.02*	

Group to which food belongs	Groups include the following products	Tecnazene	TEPP	Thiabendazole	Thifensulfuron methyl	Triadimenol and Triadimenol	Triasulfuron	Triazophos	Trichlorfon
<b>v) LEAF VEGETABLES AND FRESH HERBS</b>									
a)	Lettuce & similar Cress	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*
	Lamb's lettuce	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*
	Lettuce	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*
	Scarole	0.05*(6)	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*
	Others	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*
b)	Spinach & similar Spinach	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*
	Beet leaves (chard)	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*
	Others	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*
c)	Watercress	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*
d)	Witloof	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*
e)	Herbs	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*
	Chervil								
	Chives	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*
	Parsley	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*

Group to which food belongs	Groups include the following products	Tecnazene	TEPP	Thiabendazole	Thifensulfuron methyl	Triadimenol and Triadimenol	Triasulfuron	Triazophos	Trichlorfon
v) LEGUME VEGETABLES (fresh)									
Celery leaves	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*	
Others	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*	
Beans (with pods)	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*	
Beans (without pods)	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*	
Peas (with pods)	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*	
Peas (without pods)	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*	
Others	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*	
vii) STEM VEGETABLES									
Asparagus	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*	
Cardoons	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*	
Celery	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*	
Fennel	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*	
Globe artichokes	0.05*	0.01*	0.05*	0.05*	1	0.05*	0.05*	0.02*	
Leeks	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*	
Rhubarb	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*	
Others	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.05*	0.02*	
viii) FUNGI	a) Cultivated mushrooms	0.05*	0.01*	10	0.05*	0.1*	0.05*	0.02*	
	b) Wild mushrooms	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.02*	
3. PULSES	Beans	0.05*	0.01*	0.05*	0.1*	0.05*	0.05*	0.02*	
	Lentils	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.02*	

Group to which food belongs	Groups include the following products	Tecnazene	TEPP	Thiabendazole	Thifensulfuron methyl	Triadimenol and Triadimenol	Triasulfuron	Triazophos	Trichlorfon
<b>4. OILSEEDS</b>									
	Peas	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.02*	
	Others	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.02*	
	Linseed	0.05*	0.01*	0.05*	0.05*	0.2*	0.05*	0.02*	
	Peanuts	0.05*	0.01*	0.05*	0.05*	0.2*	0.05*	0.02*	
	Poppy seed	0.05*	0.01*	0.05*	0.05*	0.2*	0.05*	0.02*	
	Sesame seed	0.05*	0.01*	0.05*	0.05*	0.2*	0.05*	0.02*	
	Sunflower seed	0.05*	0.01*	0.05*	0.05*	0.2*	0.05*	0.02*	
	Rape seed	0.05*	0.01*	0.05*	0.05*	0.2*	0.05*	0.02*	
	Soya bean	0.05*	0.01*	0.05*	0.05*	0.2*	0.05*	0.02*	
	Mustard seed	0.05*	0.01*	0.05*	0.05*	0.2*	0.05*	0.02*	
	Cotton seed	0.05*	0.01*	0.05*	0.05*	0.2*	0.05*	0.1	
	Others	0.05*	0.01*	0.05*	0.05*	0.2*	0.05*	0.02*	
<b>5. POTATOES</b>									
	Early potatoes	0.05*	0.01*	0.05*	0.05*	0.1*	0.05*	0.02*	
	Ware potatoes	0.05*	0.01*	15	0.05*	0.1*	0.05*	0.02*	
<b>6. TEA</b>	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.02*	0.1*	0.1*	0.2*	0.1*	0.05*	
<b>7. HOPS (dried)</b>	including hop pellets & unconcentrated powder	0.1*	0.02*	0.1*	0.1*	10	0.1*	0.05*	
<b>8. CEREALS</b>									
	Wheat	0.05*		0.05*	0.05*	0.2	0.05*	0.02*	0.1
	Rye	0.05*		0.05*	0.05*	0.2	0.05*	0.02*	0.1

Group to which food belongs	Groups include the following products	Tecnazene	TEPP	Thiabendazole	Thifensulfuron methyl	Triadimenol and Triadimenol	Triasulfuron	Triazophos	Trichlorfon
Barley		0.05*	0.05*	0.2	0.05*	0.02*	0.02*	0.1	
Sorghum		0.05*	0.05*	0.1*	0.05*	0.02*	0.02*	0.1	
Oats		0.05*	0.05*	0.2	0.05*	0.02*	0.02*	0.1	
Triticale		0.05*	0.05*	0.2	0.05*	0.02*	0.02*	0.1	
Maize		0.05*	0.05*	0.1*	0.05*	0.02*	0.02*	0.1	
Buckwheat		0.05*	0.05*	0.1*	0.05*	0.02*	0.02*	0.1	
Millet		0.05*	0.05*	0.1*	0.05*	0.02*	0.02*	0.1	
Rice <sup>(1)</sup>		0.05*	0.05*	0.1*	0.05*	0.02*	0.02*	0.1	
Other cereals		0.05*	0.05*	0.1*	0.05*	0.02*	0.02*	0.1	
		0.1 <sup>(38)</sup>		0.1*			0.02*		
<b>9. FOODSTUFFS OF ANIMAL ORIGIN</b>									
Meat, edible offal, fat & preparations of meat and edible offal <sup>(2)</sup>									
Milk <sup>(3)</sup> & Dairy Produce <sup>(4)</sup>		0.05*		0.1*		0.02*			
Eggs <sup>(5)</sup>		0.05 <sup>(7)</sup>		0.1*		0.02* <sup>(7)</sup>			

Group to which food belongs	Groups include the following products	Tridemorph	Trifloxystrobin (from 4 December 2006)	Triforine	Vinclozolin
<b>1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS</b>					
i) CITRUS FRUIT					
Grapefruit	0.05*	0.3	0.05*	0.05*	0.05*
Lemons	0.05*	0.3	0.05*	0.05*	0.05*
Limes	0.05*	0.3	0.05*	0.05*	0.05*
Mandarins (inc clementines & similar hybrids)	0.05*	0.3	0.05*	0.05*	0.05*
Oranges	0.05*	0.3	0.05*	0.05*	0.05*
Pomelos	0.05*	0.3	0.05*	0.05*	0.05*
Others	0.05*	0.3	0.05*	0.05*	0.05*
ii) TREE NUTS (shelled or unshelled)					
Almonds	0.1*	0.02*	0.05*	0.05*	0.05*
Brazil nuts	0.1*	0.02*	0.05*	0.05*	0.05*
Cashew nuts	0.1*	0.02*	0.05*	0.05*	0.05*
Chestnuts	0.1*	0.02*	0.05*	0.05*	0.05*
Coconuts	0.1*	0.02*	0.05*	0.05*	0.05*
Hazelnuts	0.1*	0.02*	0.05*	0.05*	0.05*
Macadamia nuts	0.1*	0.02*	0.05*	0.05*	0.05*
Pecans	0.1*	0.02*	0.05*	0.05*	0.05*
Pine nuts	0.1*	0.02*	0.05*	0.05*	0.05*
Pistachios	0.1*	0.02*	0.05*	0.05*	0.05*
Walnuts	0.1*	0.02*	0.05*	0.05*	0.05*
Others	0.1*	0.02*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Tridemorph	Trifloxystrobin (from 4 December 2006)	Tritofine	Vinclozolin
<b>iii) POME FRUIT</b>					
	Apples	0.05*	0.5	2	1
	Pears	0.05*	0.5	2	1
	Quinces	0.05*	0.5	2	1
	Others	0.05*	0.5	2	1
<b>iv) STONE FRUIT</b>					
	Apricots	0.05*	1	2	2
	Cherries	0.05*	1	2	0.5
	Peaches (incl nectarines & similar hybrids)	0.05*	1	2	0.05*
	Plums	0.05*	0.02*	1	2
	Others	0.05*	0.02*	0.05*	0.05*
<b>v) BERRIES AND SMALL FRUIT</b>					
a)	Table & wine grapes Table grapes	0.05*	5	0.05*	5
	Wine grapes	0.05*	5	0.05*	5
b)	Strawberries (other than wild)	0.05*	0.02*	0.05*	5
c)	Cane Fruit (other than wild) Blackberries	0.05*	0.02*	0.05*	5
	Dewberries	0.05*	0.02*	0.05*	5
	Loganberries	0.05*	0.02*	0.05*	5
	Raspberries	0.05*	0.02*	0.05*	5
	Others	0.05*	0.02*	0.05*	5

Group to which food belongs	Groups include the following products	Tridemorph	Trifloxystrobin (from 4 December 2006)	Tritofine	Vinclozolin
<hr/>					
d)	Other small fruit & berries (other than wild)	0.05*	0.02*	0.05*	0.05*
	Bilberries				
	Cranberries	0.05*	0.02*	0.05*	0.05*
	Currants (red, black & white)	0.05*	1	2	10
	Gooseberries	0.05*	1	2	0.05*
	Others	0.05*	0.02*	0.05*	0.05*
e)	Wild berries & wild fruit	0.05*	0.02*	0.05*	0.05*
<hr/>					
vi) MISCELLANEOUS FRUIT					
	Avocados	0.05*	0.02*	0.05*	0.05*
	Bananas	0.05*	0.05	0.05*	0.05*
	Dates	0.05*	0.02*	0.05*	0.05*
	Figs	0.05*	0.02*	0.05*	0.05*
	Kiwi fruit	0.05*	0.02*	0.05*	10
	Kumquats	0.05*	0.02*	0.05*	0.05*
	Litchis	0.05*	0.02*	0.05*	0.05*
	Mangoes	0.05*	0.02*	0.05*	0.05*
	Olives (table consumption)	0.05*	0.02*	0.05*	0.05*
	Olives (oil extract)	0.05*	0.02*	0.05*	0.05*
	Papaya	0.05*	0.02*	0.05*	0.05*
	Passion fruit	0.05*	0.02*	0.05*	0.05*
	Pineapples	0.05*	0.02*	0.05*	0.05*
	Pomegranates	0.05*	0.02*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Tridemorph	Trifloxystrobin (from 4 December 2006)	Tritrine	Vinclozolin
<b>2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY</b>					
i) ROOT AND TUBER VEGETABLES					
Beetroot	Others	0.05*	0.02*	0.05*	0.05*
Carrots		0.05*	0.02*	0.05*	0.05*
Celeriac		0.05*	0.02*	0.05*	0.05*
Horseradish		0.05*	0.02*	0.05*	0.05*
Jerusalem artichokes		0.05*	0.02*	0.05*	0.05*
Parsnips		0.05*	0.02*	0.05*	0.05*
Parsley root		0.05*	0.02*	0.05*	0.05*
Radishes		0.05*	0.02*	0.05*	0.05*
Salsify		0.05*	0.02*	0.05*	0.05*
Sweet potatoes		0.05*	0.02*	0.05*	0.05*
Swedes		0.05*	0.02*	0.05*	0.05*
Turnips		0.05*	0.02*	0.05*	0.05*
Yams		0.05*	0.02*	0.05*	0.05*
Others		0.05*	0.02*	0.05*	0.05*
ii) BULB VEGETABLES					
Garlic		0.05*	0.02*	0.05*	1
Onions		0.05*	0.02*	0.05*	1
Shallots		0.05*	0.02*	0.05*	1
Spring onions		0.05*	0.02*	0.05*	1
Others		0.05*	0.02*	0.05*	1

Group to which food belongs	Groups include the following products	Tridemorph	Trifloxystrobin (from 4 December 2006)	Tritonine	Vinclozolin
<b>iii) FRUITING VEGETABLES</b>					
a)	Solanaceae	0.05*	0.5	0.05*	0.05*
	Tomatoes				
	Peppers	0.05*	0.02*	0.05*	3
	Chili peppers	0.05*	0.02*	0.05*	3
	Aubergines	0.05*	0.02*	0.05*	3
	Others	0.05*	0.02*	0.05*	3
b)	Cucurbits-edible peel	0.05*	0.2	0.5	1
	Cucurbits-inedible peel	0.05*	0.3	0.05*	1
	Cucumbers				
	Gherkins	0.05*	0.2	0.5	1
	Courgettes	0.05*	0.2	0.5	1
	Others	0.05*	0.2	0.5	1
c)	Melons	0.05*	0.3	0.05*	1
	Squashes	0.05*	0.02*	0.05*	1
	Watermelons	0.05*	0.02*	0.05*	1
	Others	0.05*	0.02*	0.05*	1
d)	Sweet corn	0.05*	0.02*	0.05*	0.05*
<b>iv) BRASSICA VEGETABLES</b>					
a)	Flowering Brassicas	0.05*	0.02*	0.05*	0.05*
	Broccoli				
	Cauliflower	0.05*	0.02*	0.05*	0.05*
	Others	0.05*	0.02*	0.05*	0.05*
b)	Head Brassicas	0.05*	0.02*	0.05*	0.05*
	Brussels sprouts				

Group to which food belongs	Groups include the following products	Tridemorph	Trifloxystrobin (from 4 December 2006)	Tritrine	Vinclozolin
<b>v) LEAF VEGETABLES AND FRESH HERBS</b>					
a)	Lettuce & similar	0.02*	0.05*	0.05*	0.05*
	Cress	0.05*	0.02*	0.05*	5
	Lamb's lettuce	0.05*	0.02*	0.05*	5
	Lettuce	0.05*	0.02*	0.05*	5
	Scarole	0.05*	0.02*	0.05*	5
	Others	0.05*	0.02*	0.05*	5
b)	Spinach & similar	0.05*	0.02*	0.05*	0.05*
	Spinach	0.05*	0.02*	0.05*	0.05*
	Beet leaves (chard)	0.05*	0.02*	0.05*	0.05*
	Others	0.05*	0.02*	0.05*	0.05*
c)	Watercress	0.05*	0.02*	0.05*	0.05*
d)	Witloof	0.05*	0.02*	0.05*	2
e)	Herbs	0.05*	0.02*	0.05*	0.05*
	Chervil	0.05*	0.02*	0.05*	0.05*
	Chives	0.05*	0.02*	0.05*	0.05*
	Parsley	0.05*	0.02*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Tridemorph	Trifloxystrobin (from 4 December 2006)	Tritrine	Vinclozolin
<b>v) LEGUME VEGETABLES (fresh)</b>					
Celery leaves	0.05*	0.02*	0.05*	0.05*	0.05*
Others	0.05*	0.02*	0.05*	0.05*	0.05*
<b>vii) STEM VEGETABLES</b>					
Asparagus	0.05*	0.02*	0.05*	0.05*	0.05*
Cardoons	0.05*	0.02*	0.05*	0.05*	0.05*
Celery	0.05*	0.02*	0.05*	0.05*	0.05*
Fennel	0.05*	0.02*	0.05*	0.05*	0.05*
Globe artichokes	0.05*	0.02*	0.05*	0.05*	0.05*
Leeks	0.05*	0.02*	0.05*	0.05*	0.05*
Rhubarb	0.05*	0.02*	0.05*	0.05*	0.05*
Others	0.05*	0.02*	0.05*	0.05*	0.05*
<b>viii) FUNGI</b>					
a) Cultivated mushrooms	0.05*	0.02*	0.05*	0.05*	0.05*
b) Wild mushrooms	0.05*	0.02*	0.05*	0.05*	0.05*
<b>3. PULSES</b>					
Beans	0.05*	0.02*	0.05*	0.5	0.5
Lentils	0.05*	0.02*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Tridemorph	Trifloxystrobin (from 4 December 2006)	Tritrine	Vinclozolin
	Peas	0.05*	0.02*	0.05*	0.5
	Others	0.05*	0.02*	0.05*	0.05*
<b>4. OILSEEDS</b>					
	Linseed	0.1*	0.05*	0.05*	0.05*
	Peanuts	0.1*	0.05*	0.05*	0.05*
	Poppy seed	0.1*	0.05*	0.05*	0.05*
	Sesame seed	0.1*	0.05*	0.05*	0.05*
	Sunflower seed	0.1*	0.05*	0.05*	0.05*
	Rape seed	0.1*	0.05*	0.05*	1
	Soya bean	0.1*	0.05*	0.05*	0.05*
	Mustard seed	0.1*	0.05*	0.05*	0.05*
	Cotton seed	0.1*	0.05*	0.05*	0.05*
	Others	0.1*	0.05*	0.05*	0.05*
<b>5. POTATOES</b>					
	Early potatoes	0.05*	0.02*	0.05*	0.05*
	Ware potatoes	0.05*	0.02*	0.05*	0.05*
<b>6. TEA</b>	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	20	0.05*	0.1*	0.1*
<b>7. HOPS (dried)</b>	including hop pellets & unconcentrated powder	0.1*	30	30	40
<b>8. CEREALS</b>					
	Wheat	0.05*	0.05	0.1	0.05*
	Rye	0.05*	0.05	0.1	0.05*

Group to which food belongs	Groups include the following products	Tridemorph	Trifoxystrobin (from 4 December 2006)	Tritrine	Vinclozolin
Barley		0.2	0.3	0.1	0.05*
Sorghum		0.05*	0.02*	0.05*	0.05*
Oats		0.2	0.02*	0.1	0.05*
Triticale		0.05*	0.05	0.1	0.05*
Maize		0.05*	0.02*	0.05*	0.05*
Buckwheat		0.05*	0.02*	0.05*	0.05*
Millet		0.05*	0.02*	0.05*	0.05*
Rice <sup>(1)</sup>		0.05*	0.02*	0.05*	0.05*
Other cereals		0.05*	0.02*	0.05*	0.05*
		0.05*	0.05*	0.05*	
<b>9. FOODSTUFFS OF ANIMAL ORIGIN</b>	<b>Meat, edible offal, fat &amp; preparations of meat and edible offal <sup>(2)</sup></b>				
Milk <sup>(3)</sup> & Dairy Produce <sup>(4)</sup>		0.05*		0.05*	
Eggs <sup>(5)</sup>		0.05*		0.05*	

**UNITS:**  
Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

**KEY:**  
\* Level at or about the limit of determination.

**FOOTNOTES:**

1. Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
2. Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
3. These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
4. For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd. Whether made from cow's milk or other milk of a combination, the following levels apply:
  - if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
  - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
5. Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
6. Scarole includes broad-leaf endive.
7. For eggs and egg products with a fat content higher than 10%, the maximum level is expressed in mg/kg fat. In this case, the maximum level is 10 times higher than the maximum level for fresh eggs.
8. Kidney except of poultry.
9. All other meat, edible offal, fat and preparations of meat and edible offal.
10. All meat.
11. All liver and kidney.
12. Liver of bovine animals.
13. Broccoli includes calabrese.
14. Meat of poultry.
15. Meat of bovine animals.
16. Fat of bovine animals.
17. Except poultry.
18. Liver of chicken.
19. Kidney of bovine animals.
20. Liver of bovine animals, sheep and goats.
21. Except foodstuffs of ovine origin.

- 22. Meat of bovine animals, sheep and goats.
- 23. Except meat and liver of bovine animals, sheep and poultry or meat of poultry.
- 24. This MRL also applies to spelt.  
Except spelt.
- 25. Liver of bovine animals, sheep, goats, and swine.
- 26. Kidney of bovine animals, sheep, goats, and swine.
- 27. Meat of poultry, fat and edible offal.
- 28. Meat of bovine animals, sheep, goats, and swine.
- 29. All kidney
- 30. Kidney of swine
- 31. Kidney of bovine animals sheep and goats.
- 32. This figure is the sum of the alpha and beta isomers.  
For meat, fat & preparations of meat MRL for alpha isomer is 0.2 mg/kg and MRL for beta isomer is 0.1 mg/kg.  
For milk and dairy produce MRL for alpha isomer is 0.004 mg/kg and MRL for beta isomer is 0.003 mg/kg.  
For eggs MRL for alpha isomer is 0.02 mg/kg and MRL for beta isomer is 0.01 mg/kg.
- 33. All meat, liver and fat.  
1 mg/kg applies to whole seeds; 0.05 mg/kg applies to seed without shell.
- 34. Ruminant liver.
- 35. Fat liver and kidney.  
With the exception of meat and other ovine, bovine and caprine products.
- 36.
- 37.
- 38.

## SCHEDULE 3

Regulations 2(1) and 5(a)

*Note:* The word ‘fresh’ extends to products which have been chilled

Column 1 <i>Group of products</i>	Column 2 <i>Products included in the groups</i>	Column 3 <i>Part of product to which maximum residue levels apply</i>
<b>1.</b> Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts		
(i) CITRUS FRUIT	Grapefruit Lemons Limes Mandarins (including clementines and similar hybrids) Oranges Pomelos Others	Whole Product
(ii) TREE NUTS (shelled or unshelled)	Almonds Brazil nuts Cashew nuts Chestnuts Coconuts Hazelnuts Macadamia nuts Pecans Pine nuts Pistachios Walnuts Others	Whole product after removal of shell
(iii) POME FRUIT	Apples Pears Quinces Others	Whole product after removal of stems
(iv) STONE FRUIT	Apricots Cherries Peaches (including nectarines and similar hybrids) Plums Others	Whole product after removal of stems
(v) BERRIES AND SMALL FRUIT	(a) <i>Table and wine grapes</i> Table grapes Wine grapes (b) <i>Strawberries</i> (other than wild) (c) <i>Cane fruit</i> (other than wild) Blackberries Dewberries Loganberries Raspberries Others	Whole product after removal of caps and stems (if any) and, in the case of currants, fruits with stems

Column 1 <i>Group of products</i>	Column 2 <i>Products included in the groups</i>	Column 3 <i>Part of product to which maximum residue levels apply</i>
	(d) <i>Other small fruit and berries</i> (other than wild) Bilberries Cranberries Currants (red, black and white) Gooseberries Others	
	(e) <i>Wild berries and wild fruit</i>	
(vi) MISCELLANEOUS	Avocados Bananas Dates Figs Kiwi fruit Kumquats Litchis Mangoes Olives (table consumption)† Olives (oil extract) Papaya Passion fruit Pineapples Pomegranates Others	Whole fruit after removal of stems (if any) and in the case of pineapple, after removal of the crown
2. Vegetables, fresh or uncooked, frozen or dry		
(i) ROOT AND TUBER VEGETABLES	Beetroot Carrots Celeriac Horseradish Jerusalem artichokes Parsnips Parsley root Radishes Salsify Sweet potatoes Swedes Turnips Yams Others	Whole product after removal of tops and adhering soil (if any) (removal of soil by rinsing in running water or by gentle brushing of the dry product)

Column 1 <i>Group of products</i>	Column 2 <i>Products included in the groups</i>	Column 3 <i>Part of product to which maximum residue levels apply</i>
(ii) BULB VEGETABLES	Garlic Onions Shallots Spring onions Others	For dry onions, shallots and garlic: whole product after removal of easily detachable skin and soil (if any); onions, shallots and garlic other than dry, spring onions: whole product after removal of roots and soil (if any)
(iii) FRUITING VEGETABLES	(a) <i>Solanaceae</i> Tomatoes Peppers Chilli peppers Aubergines Others (b) <i>Cucurbits—edible peel</i> Cucumbers Gherkin Courgettes Others (c) <i>Cucurbits—inedible peel</i> Melons Squashes Watermelons Others (d) <i>Sweet corn</i>	Whole product after removal of stems  Kernels or cobs without husks
(iv) BRASSICA VEGETABLES	(a) <i>Flowering brassicas</i> Broccoli Cauliflower Others (b) <i>Head brassicas</i> Brussels sprouts Head cabbage Others (c) <i>Leafy brassicas</i> Chinese cabbage Kale Others (d) <i>Kohlrabi</i>	Cauliflower and broccoli curd only  Product after removal of decayed leaves (if any)  Whole product after removal of tops and adhering soil (if any) (removal of soil by rinsing in running water or by gentle brushing of the dry product)

Column 1 <i>Group of products</i>	Column 2 <i>Products included in the groups</i>	Column 3 <i>Part of product to which maximum residue levels apply</i>
(v) LEAF VEGETABLES AND FRESH HERBS	(a) <i>Lettuce and similar</i> Cress Lamb's lettuce Lettuce Scarole Others (b) <i>Spinach and similar</i> Spinach Beet leaves (chard) Others (c) <i>Watercress</i> (d) <i>Witloof</i> (e) <i>Herbs</i> Chervil Chives Parsley Celery Leaves Others	Whole product after removal of decayed outer leaves, root and soil (if any)
(vi) LEGUME VEGETABLES (FRESH)	Beans (with pods) Beans (without pods) Peas (with pods) Peas (without pods) Others	Whole product after removal of pods or with pods if they are intended to be eaten
(vii) STEM VEGETABLES	Asparagus Cardoons Celery Fennel Globe artichokes Leeks Rhubarb Others	Whole product after removal of decayed tissue and soil (if any); leeks and fennel: whole product after removal of roots and soil (if any)
(viii) FUNGI	Mushrooms (other than wild) Wild Mushrooms	Whole product after removal of soil or growing medium
3. Pulses	Beans Lentils Peas Others	Whole product

<b>Column 1</b> <i>Group of products</i>	<b>Column 2</b> <i>Products included in the groups</i>	<b>Column 3</b> <i>Part of product to which maximum residue levels apply</i>
<b>4.</b> Oil seeds	Linseed Peanuts Poppy seed Rape seed Sesame seed Sunflower seed* Soya bean Others	Whole seed or kernel after removal of shell and husk when possible
<b>5.</b> Potatoes	Early potatoes Ware potatoes	* Whole seed, including shell when present, and whole seed without shell, when the shell is absent Whole product after removal of soil (if any) (removal of soil by rinsing in running water or by gentle brushing of the dry product)
<b>6.</b> Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i> )		Whole product
<b>7.</b> Hops (dried), including hop pellets and unconcentrated powder		Whole product
<b>8.</b> Cereals	Wheat Rye Barley Sorghum Oats Triticale Maize Buckwheat Millet Rice Other cereals	Whole grain without husk
<b>9.</b> Foodstuffs of animal origin	Meat, fat and preparations of meat  Milk Eggs	Whole commodity (for fat soluble pesticides a portion of carcase fat is analysed and maximum residue levels apply to carcase fat) Whole commodity Whole egg whites and yolks combined after removal of shells

## SCHEDULE 4

Regulation 6

### Revocations

<i>Title</i>	<i>Number</i>
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000	S.S.I. 2000/22
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment Regulations 2001	S.S.I. 2001/84
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment (No. 2) Regulations 2001	S.S.I. 2001/221
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment (No. 3) Regulations 2001	S.S.I. 2001/435
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment Regulations 2002	S.S.I. 2002/271
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment (No. 2) Regulations 2002	S.S.I. 2002/489
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment Regulations 2003	S.S.I. 2003/118
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment (No. 2) Regulations 2003	S.S.I. 2003/445
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment Regulations 2004	S.S.I. 2004/104
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment (No. 2) Regulations 2004	S.S.I. 2004/220
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment (No. 3) Regulations 2004	S.S.I. 2004/399
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment Regulations 2005	S.S.I. 2005/109
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment (No. 2) Regulations 2005	S.S.I. 2005/281

## **EXPLANATORY NOTE**

*(This note is not part of the Regulations)*

These Regulations, which extend to Scotland only, are made under section 2(2) of the European Communities Act 1972 and consolidate and replace the provisions of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000 (S.S.I. 2000/22) as amended by S.S.I. 2001/84, S.S.I. 2001/221, S.S.I. 2001/435, S.S.I. 2002/271, S.S.I. 2002/489, S.S.I. 2003/118, S.S.I. 2003/445, S.S.I. 2004/104, S.S.I. 2004/220, S.S.I. 2004/399, S.S.I. 2005/109 and S.S.I. 2005/281 - see regulation 6 and Schedule 4 for revocations.

The Regulations specify maximum levels of pesticide residues which crops, food and feeding stuffs may contain in implementation of: Council Directive 76/895/EEC (O.J. No. L 340, 9.12.1976, p.26) relating to fruit and vegetables; Council Directive 86/362/EEC (OJ No. L 221, 7.8.86, p.37) and Council Directive 86/363/EEC (O.J. No. L 221, 7.8.86, p.43) as regards cereals and products of animal origin; and Council Directive 90/642/EEC (O.J. No. L 350, 14.12.90, p.71) as regards certain products of plant origin (including fruit and vegetables), as amended (these Directives as so amended being referred to in these Regulations as "the Residues Directives").

In particular, these Regulations specify new maximum residue levels on products of plant origin including cereals for the pesticides Carfentrazone-ethyl, Fenamidone, Isoxaflutole, Maleic Hydrazide, Mecoprop, Propyzamide, Trifloxystrobin in implementation of Commission Directive 2005/37/EC (O.J. No. L 141, 4.6.2005, p.10); on products of plant origin, cereals and foodstuffs of animal origin for Amitraz in implementation of Commission Directive 2005/46/EC (O.J. No. L 177, 9.7.2005, p.35); and on products of plant origin, cereals and foodstuffs of animal origin for Flufenacet, Fosthiazate, Iodosulfuron-methyl sodium, Iprodione, Mesotrione, Molinate, Picoxystrobin, Propiconazole, Silthiofam in implementation of Commission Directive 2005/48/EC (O.J. No. L 219, 24.8.2005, p.29).

Regulation 3 also creates offences, specifies penalties, provides defences and confers enforcement powers where maximum residue levels have been exceeded in respect of products put into circulation.

The Regulations also confer powers to seize and dispose of products where maximum residue levels have been exceeded (regulation 4) and prescribe how much of a particular product is to be taken into account in determining whether a maximum residue level has been exceeded in accordance with Council Directive 90/642/EEC (regulation 5(a) and Schedule 3). Provision is also made with regard to the manner for determining whether maximum residue levels have been exceeded when found in dried or processed products or composite foods, so far as these are the subject of the Residues Directives (regulation 5(c) and (d)).

A regulatory impact assessment and transposition note have been prepared in respect of these Regulations and placed in the Scottish Parliament Information Centre. Copies of the assessment and note can be obtained from the Scottish Executive Environment and Rural Affairs Department, EPHAS2, Area 1-B, Pentland House, 47 Robb's Loan, Edinburgh, EH14 1TY.

**2005 No. 599**

**AGRICULTURE**

**PESTICIDES**

**The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2005**

**£28.00**

© Crown Copyright 2005

Printed in the UK by The Stationery Office Limited  
under the authority and superintendence of Carol Tullo, the Queen's Printer for Scotland