

SCHEDULE

Article 2

CLASSES OF FIREPLACE WHICH ARE EXEMPT

<i>Column 1</i> <i>Class of fireplace</i>	<i>Column 2</i> <i>Conditions</i>
The Quadra-Fire 2100 Millennium Freestanding Wood Burning Stove manufactured by Hearth & Home Technologies 1445 North Highway, Colville, WA 99114, USA.	<ol style="list-style-type: none"> 1. The fireplaces shall be installed, maintained and operated in accordance with the manufacturer’s instructions dated 9th October 2003 and bearing the reference 250-6931B. 2. No fuel shall be used other than dry cured untreated wood of maximum size 38.1cm × 10.16cm × 5.08cm.
The Quadra-Fire Yosemite Freestanding Wood Burning Stove manufactured by Hearth & Home Technologies 1445 North Highway, Colville, WA 99114, USA.	<ol style="list-style-type: none"> 1. The fireplaces shall be installed, maintained and operated in accordance with the manufacturer’s instructions dated 4th June 2003 and bearing the reference 7004-187. 2. No fuel shall be used other than dry cured untreated wood of maximum size 38.1cm × 10.16cm × 5.08cm.
The Quadra-Fire Cumberland Gap Freestanding Wood Burning Stove manufactured by Hearth & Home Technologies 1445 North Highway, Colville, WA 99114, USA.	<ol style="list-style-type: none"> 1. The fireplaces shall be installed, maintained and operated in accordance with the manufacturer’s instructions dated 8th July 2003 and bearing the reference 7006-186. 2. No fuel shall be used other than dry cured untreated wood of maximum size 43.18cm × 10.16cm × 10.16cm.
The Orchard Ovens models: FVR Speciale 80, 100, 110, 110 × 160 and 120; TOP Superiore 100 and 120; GR 100, 120, 140, 120 × 160, 140 × 160, 140 × 180 and 180; OT 100, 120, 140, 120 × 160, 140 × 160, 140 × 180 and 180; the Valoriani Piccolo, all of which are manufactured by Valoriani of Via Caselli alla Fornace, 213, 50066 Reggello, Firenze, Italy.	<ol style="list-style-type: none"> 1. The fireplaces shall be installed, maintained and operated in accordance with the manufacturer’s instructions dated 25th October 2004 and bearing the references:

Instruction Model

OOLinst.1	FVR 80
OOLinst.2	FVR 100
OOLinst.3	FVR 110
OOLinst.4	FVR 120
OOLinst.5	FVR 110 × 160
OOLinst.6	TOP 100
OOLinst.7	TOP 120

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Column 1</i> <i>Class of fireplace</i>	<i>Column 2</i> <i>Conditions</i>
	OOLinst.8 GR 100 and OT 100
	OOLinst.9 GR 120 and OT 120
	OOLinst.10 GR 140 and OT 140
	OOLinst.11 GR 120 × 160 and OT 120 × 160
	OOLinst.12 GR 140 × 160 and OT 140 × 160
	OOLinst.13 GR 140 × 180 and OT 140 × 180
	OOLinst.14 GR 180 and OT 180
	OOLinst.15 Valoriani Piccolo
	2. No fuel shall be used other than untreated dry wood.
The Dunsley Yorkshire Woodburning Stove manufactured by Dunsley Heat Limited.	1. The fireplaces shall be installed, maintained and operated in accordance with the manufacturer's instructions dated 4th December 2004 and bearing the reference D13W. 2. No fuel shall be used other than untreated dry wood.
The Dunsley Yorkshire Woodburning Stove and Boiler manufactured by Dunsley Heat Limited.	1. The fireplaces shall be installed, maintained and operated in accordance with the manufacturer's instructions dated 4th December 2004 and bearing the reference D13W together with the manufacturer's instructions dated 4th October 2004 and bearing the reference GHD/DUN4B/1. 2. No fuel shall be used other than untreated dry wood.
The Wood Waste Technology Heater, models WT10 and WT15, manufactured by Wood Waste Technology.	1. The fireplaces shall be installed, maintained and operated in accordance with the manufacturer's instructions dated 19th January 2005 and bearing the reference WT10 and WT15. 2. No fuel shall be used other than hardwood and softwood offcuts, but excluding any such wood which contains halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings and, in particular, wood waste originating from construction and demolition waste.
The Binder Wood Fired Boiler models RRK 22 49 (49kW output) manufactured by Binder Gesellschaft mit beschränkter Haftung (GmbH) of Austria.	1. The fireplaces shall be installed, maintained and operated in accordance with the manufacturer's and Wood Energy Limited's instructions entitled Binder Equipment Installation, Commissioning and Maintenance dated 17th May 2005 and bearing the reference WELBinderManualrev0.doc, revision 0. 2. No fuel shall be used other than wood pellets or wood chips, but excluding any such wood which contains halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings and, in particular, wood waste originating from construction and demolition waste.
The Binder Wood Fired Boiler models RRK 80 175	1. The fireplaces shall be installed, maintained and operated in accordance with the manufacturer's and Wood Energy

<i>Column 1</i>	<i>Column 2</i>
<i>Class of fireplace</i>	<i>Conditions</i>
(75 149 kW output) with cyclone models ZA 80 175 manufactured by Binder Gesellschaft mit beschränkter Haftung (GmbH) of Austria.	Limited's instructions entitled Binder Equipment Installation, Commissioning and Maintenance dated 17th May 2005 and bearing the reference WELBinderManualrev0.doc, revision 0. 2. No fuel shall be used other than wood pellets or wood chips, but excluding any such wood which contains halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings and, in particular, wood waste originating from construction and demolition waste.