

**2006 No. 151**

**AGRICULTURE**

**PESTICIDES**

**The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Amendment Regulations 2006**

*Made* 14th March 2006

*Laid before the Scottish Parliament* 15th March 2006

*Coming into force in accordance with regulation 1(2) to (4)*

The Scottish Ministers, in exercise of the powers conferred by section 2(2) of the European Communities Act 1972(a) and of all other powers enabling them in that behalf, hereby make the following Regulations:

**Citation and commencement**

1.—(1) These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Amendment Regulations 2006.

(2) Subject to paragraphs (3) and (4), these Regulations shall come into force on 27th April 2006.

(3) Regulation 5 shall come into force on 10th May 2006.

(4) Regulation 6 shall come into force on 21st April 2007.

**Interpretation**

2. In these Regulations, “the principal Regulations” means the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2005(b).

**Amendment of the principal Regulations**

3. Subject to regulation 1(3) and (4), the principal Regulations are amended in accordance with regulations 4 to 6.

---

(a) 1972 c.68. Section 2(2) was amended by the Scotland 1998 (c.46), Schedule 8, paragraph 15(3). The function conferred upon the Minister of the Crown under section 2(2) of the European Communities Act 1972, insofar as within devolved competence, was transferred to the Scottish Ministers by virtue of section 53 of the Scotland Act 1998.

(b) S.S.I. 2005/599.

#### **Amendments coming into force on 27th April 2006**

4.—(1) In regulation 2(1) (interpretation), for the definition of “the Residues Directives” substitute—

““the Residues Directives” means Directive 76/895(a), Directive 86/362(b), Directive 86/363(c) and Directive 90/642(d), in each case as amended at the date of the making of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment Regulations 2006(e).”.

(2) Schedules 2 and 3 are amended as follows—

- (a) in Schedule 2 (maximum residue levels), for the entries in the columns relating to the pesticides Ethofumesate, Lambda-cyhalothrin, Methomyl/thiodicarb, Pymetrozine and Thiabendazole substitute the entries in the columns relating to those pesticides set out in Schedule 1 to these Regulations; and
- (b) in Schedule 3—
  - (i) in paragraph 2(i) (root and tuber vegetables), in column 2, beneath “Carrots” insert “Cassava”; and
  - (ii) after paragraph 9 (foodstuffs of animal origin), insert the entry set out in Schedule 2 to these Regulations.

#### **Amendments coming into force on 10th May 2006**

5. Schedules 1 and 2 are amended as follows—

- (a) in Schedule 1 (pesticide residues), for the entry for Metalaxyl, substitute the entry for Metalaxyl set out in Schedule 3 to these Regulations; and
- (b) in Schedule 2 (maximum residue levels), for the entries in the columns relating to Azoxystrobin, Bifenthrin, Cyromazine, Kresoxim-methyl and Metalaxyl, substitute the entries in the columns relating to those pesticides set out in Schedule 1 to these Regulations.

#### **Amendments coming into force on 21st April 2007**

6. Schedules 1 and 2 are amended as follows—

- (a) in Schedule 1 (pesticide residues)—
  - (i) for the entry for Glyphosate, substitute the two entries for Glyphosate set out in Schedule 3 to these Regulations; and
  - (ii) in the appropriate place in the alphabetical sequence, insert the entries for the pesticides Bromoxynil, Chlorpropham, Dimethenamid-P, Flazasulfuron, Flurtamone, Ioxynil, Mepanipyrim, Propoxycarbazone, Pyraclostrobin, Quinoxifen and Zoxamide set out in Schedule 3 to these Regulations; and
- (b) in Schedule 2 (maximum residue levels)—
  - (i) for the column relating to Glyphosate substitute the two columns relating to Glyphosate set out in Schedule 1 to these Regulations;

---

(a) O.J. No. L 340, 9.12.76, p.26, as last amended by Commission Directive 2005/70/EC (O.J. No. L 276, 21.10.05, p.35).  
(b) O.J. No. L 221, 7.8.86, p.37, as last amended by Commission Directive 2006/4/EC (O.J. No. L 23, 27.1.06, p.69).  
(c) O.J. No. L 221, 7.8.86, p.43, as last amended by Commission Directive 2005/70/EC (O.J. No. L 276, 21.10.05, p.35).  
(d) O.J. No. L 350, 14.12.90, p.71, as last amended by Commission Directive 2006/9/EC (O.J. No. L 22, 26.1.06, p.24).  
(e) S.S.I. 2006/151.

- (ii) in the appropriate place in the alphabetical sequence, insert the entries in the columns relating to the pesticides Bromoxynil, Chlorpropham, Dimethenamid-P, Flazasulfuron, Flurtamone, Ioxynil, Mepanipyrim, Propoxycarbazone, Pyraclostrobin, Quinoxifen and Zoxamide set out in Schedule 1 to these Regulations; and
- (iii) at the end, insert the footnotes set out at the end of Schedule 1 to these Regulations.

*ROSS FINNIE*  
A member of the Scottish Executive

St Andrew's House,  
Edinburgh  
14th March 2006

SCHEDULE 1 Regulations 4(2)(a), 5(b) and 6(b)

ENTRIES SUBSTITUTED OR INSERTED IN SCHEDULE 2 TO THE  
PRINCIPAL REGULATIONS

Group to which food belongs	Groups include the following products	Azoxystrobin	Bifenthrin	Bromoxynil	Chlorpropham	Cyromazine	Dimethenamid-P	Ethofumesate	Flazasulfuron	Furitanone	Glyphosate (except trimesium salt)	Glyphosate (as trimesium salt)	loxylin
<b>1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS</b>													
<b>i) CITRUS FRUIT</b>													
	Grapefruit	1	0.1	0.05*	0.05*	0.05*	0.01*	0.05*	0.02	0.02*	0.1	0.05*	0.05*
	Lemons	1	0.1	0.05*	0.05*	0.05*	0.01*	0.05*	0.02	0.02*	0.1	0.05*	0.05*
	Limes	1	0.1	0.05*	0.05*	0.05*	0.01*	0.05*	0.02	0.02*	0.1*	0.05*	0.05*
	Mandarins (inc clementines & similar hybrids)	1	0.1	0.05*	0.05*	0.05*	0.01*	0.05*	0.02	0.02*	0.1	0.05*	0.05*
	Oranges	1	0.1	0.05*	0.05*	0.05*	0.01*	0.05*	0.02	0.02*	0.5	0.5	0.05*
	Pomeios	1	0.1	0.05*	0.05*	0.05*	0.01*	0.05*	0.02	0.02*	0.1*	0.05*	0.05*
	Others	1	0.1	0.05*	0.05*	0.05*	0.01*	0.05*	0.02	0.02*	0.1*	0.05*	0.05*
<b>ii) TREE NUTS (shelled or unshelled)</b>													
	Almonds	0.1*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Brazil nuts	0.1*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Cashew nuts	0.1*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Chestnuts	0.1*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Coconuts	0.1*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Hazelnuts	0.1*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Macadamia nuts	0.1*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Pecans	0.1*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Pine nuts	0.1*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Pistachios	0.1*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Walnuts	0.1*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Others	0.1*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
<b>iii) POME FRUIT</b>													
	Apples	0.05*	0.3	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Pears	0.05*	0.3	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Quinces	0.05*	0.3	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Others	0.05*	0.3	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Azoxystrobin	Bifenthrin	Bromoxynil	Chlorpropham	Cyromazine	Dimethenamid-P	Ethofumesate	Flazasulfuron	Furtamone	Glyphosate (except trimesium salt)	Glyphosate (as trimesium salt)	loxylin
i) STONE FRUIT													
	Apricots	0.05*	0.2	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Cherries	0.05*	0.2	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Peaches (including nectarines & similar hybrids)	0.05*	0.2	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Plums	0.05*	0.2	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Others	0.05*	0.2	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
v) BERRIES AND SMALL FRUIT													
a) Table & wine grapes													
	Table grapes	2	0.2	0.05*	0.05*	0.05*	0.01*	0.05*	0.02	0.02*	0.5	0.05*	0.05*
	Wine grapes	2	0.2	0.05*	0.05*	0.05*	0.01*	0.05*	0.02	0.02*	0.5	0.05*	0.05*
b) Strawberries (other than wild)													
	Strawberries (other than wild)	2	0.5	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
c) Cane Fruit (other than wild)													
	Blackberries	3	0.3	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Dewberries	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Loganberries	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Raspberries	3	0.3	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
d) Other small fruit & berries (other than wild)													
	Bilberries	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Cranberries	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Currants (red, black & white)	0.05*	0.5	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Gooseberries	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
e) Wild berries & wild fruit													
	Wild berries & wild fruit	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
v) MISCELLANEOUS FRUIT													
	Avocados	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*
	Bananas	2	0.1	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Azoxystrobin	Bifenthrin	Bromoxynil	Chlorpropham	Cymazane	Dimethanami- P	Ethofumesate	Flazasulfuron	Furamone	Glyphosate (except trimesium salt)	Glyphosate (as trimesium salt)	Ioxynil
	Dates	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*
	Figs	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*
	Kiwi fruit	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*
	Kumquats	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*
	Lichis	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*
	Mangoes	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*
	Olives (table consumption)	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02	0.02*	0.05*	0.05*	0.05*
	Olives (oil extract)	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02	0.02*	1	1	0.05*
	Papaya	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*
	Passion fruit	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*
	Pineapples	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*
	Pomegranates	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*
<b>2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY</b>													
<b>1) ROOT AND TUBER VEGETABLES</b>													
	Beetroot	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.1	0.01*	0.02*	0.1*	0.05*	0.05*
	Carrots	0.2	0.05*	0.05*	0.05*	1	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.2
	Cassava	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Celtnac	0.3	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Horseradish	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Jerusalem artichokes	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Parsnips	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.2
	Parsley root	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Radishes	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Salsify	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Azoxystrobin	Bifenthrin	Bromoxynil	Chlorpropham	Cymazine	Dimethenamid-P	Ethofumesate	Flazasulfuron	Furtamone	Glyphosate (except trimesium salt)	Glyphosate (as trimesium salt)	Ioxynil	
ii) BULB VEGETABLES	Sweet potatoes	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*	
	Swedes	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*	
	Turnips	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*	
	Yams	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*	
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*	
	Garlic	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*	
	Onions	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.2	
	Shallots	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*	
	Spring onions	2	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
iii) FRUITING VEGETABLES														
a)														
Solanacea														
Tomatoes	2	0.2	0.2	0.05*	0.05*	1	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*	
Peppers	2	0.2	0.2	0.05*	0.05*	1	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*	
Chill peppers	2	0.2	0.2	0.05*	0.05*	1	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*	
Aubergines	2	0.2	0.2	0.05*	0.05*	1	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*	
Others	2	0.2	0.2	0.05*	0.05*	1	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*	
b)														
Cucurbitis-edible peel														
Cucumbers	1	0.1	0.1	0.05*	0.05*	1	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*	
Gherkins	1	0.1	0.1	0.05*	0.05*	1	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*	
Courgettes	1	0.1	0.1	0.05*	0.05*	1	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*	
Others	1	0.1	0.1	0.05*	0.05*	1	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*	
c)														
Cucurbitis-inedible peel														
Melons	0.5	0.05*	0.05*	0.05*	0.05*	0.3	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*	
Squashes	0.5	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*	



Group to which food belongs	Groups include the following products	Azoxystrobin	Bifenthrin	Bromoxynil	Chlorpropham	Cymazane	Dimethamid-P	Ethofumesate	Flazasulfuron	Furamone	Glyphosate (except trimesium salt)	Glyphosate (as trimesium salt)	loxylin	
i) BRASSICA VEGETABLES	Watermelons	0.5	0.05*	0.05*	0.05*	0.3	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*	
		Others	0.5	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	d) Sweet corn	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
		Others	0.5	0.2	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	a) Flowering Brassicas	0.5 <sup>(13)</sup>	0.2 <sup>(13)</sup>	0.05*	0.05*	0.05 <sup>(13)</sup>	0.01*	0.05 <sup>(13)</sup>	0.01*	0.02*	0.2*	0.1*	0.05*	0.05*
		Broccoli	0.5	0.2	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	b) Head Brassicas	Head Brassicas Brussels sprouts	0.3	1	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
		Head cabbage	0.3	1	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	c) Leafy Brassicas	Chinese cabbage	5	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
		Kale	5	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	d) Kohlrabi	Others	5	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
		Others	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
v) LEAF VEGETABLES AND FRESH HERBS														
a) Lettuce & similar	Cress	3	2	0.05*	0.05*	15	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*	
	Lamb's lettuce	3	2	0.05*	0.05*	15	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*	
b) Spinach & similar	Lettuce	3	2	0.05*	0.05*	15	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*	
	Scarole	3 <sup>(6)</sup>	2 <sup>(6)</sup>	0.05*	0.05*	15 <sup>(6)</sup>	0.01*	0.05 <sup>(6)</sup>	0.01*	0.02*	0.1*	0.05*	0.05*	
c) Beet leaves (chard)	Others	3	2	0.05*	0.05*	15	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*	
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*	

Group to which food belongs	Groups include the following products	Azoxystrobin	Bifenthrin	Bromoxynil	Chlorpropham	Cyromazine	Dimethenamid-P	Ethofumesate	Flazasulfuron	Furitanone	Glyphosate (except trimesium salt)	Glyphosate (as trimesium salt)	Ioxynil	
c)	Watercress	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*	
	d)	Witloof	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
		Herbs												
	e)	Chervil	3	0.05*	0.05*	0.05*	15	0.01*	1	0.01*	0.02*	0.1*	0.05*	0.05*
		Chives	3	0.05*	0.05*	0.05*	15	0.01*	1	0.01*	0.02*	0.1*	0.05*	0.05*
		Parsley	3	0.05*	0.05*	0.05*	15	0.01*	1	0.01*	0.02*	0.1*	0.05*	0.05*
	Others	Celery leaves	3	0.05*	0.05*	0.05*	15	0.01*	1	0.01*	0.02*	0.1*	0.05*	0.05*
			3	0.05*	0.05*	0.05*	15	0.01*	1	0.01*	0.02*	0.1*	0.05*	0.05*
			3	0.05*	0.05*	0.05*	15	0.01*	1	0.01*	0.02*	0.1*	0.05*	0.05*
	v) LEGUME VEGETABLES (fresh)	Beans (with pods)	1	0.5	0.05*	0.05*	5	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
Beans (without pods)			0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
Peas (with pods)		0.5	0.1	0.05*	0.05*	5	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*	
Peas (without pods)		0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*	
Others		0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*	
vii) STEM VEGETABLES		Asparagus	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
			Cardoons	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*
		Celery	5	0.05*	0.05*	0.05*	2	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
		Fennel	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
		Globe artichokes	1	0.05*	0.05*	0.05*	2	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Leeks	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*	
	Rhubarb	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*	
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*	
	viii) FUNGI	a) Cultivated mushrooms	0.05*	0.05*	0.05*	0.05*	5	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
		b) Wild mushrooms	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	50	20	0.05*

Group to which food belongs	Groups include the following products	Azoxystrobin	Bifenthrin	Bromoxynil	Chlorpropham	Cyromazine	Dimethamid-P	Ethofumesate	Flazasulfuron	Furitanone	Glyphosate (except trimesium salt)	Glyphosate (as trimesium salt)	loxynil
<b>3. PULSES</b>	Beans	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	2	0.05*	0.05*
	Lentils	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Peas	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	10	0.05*	0.05*
	Others	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Linseed	0.05*	0.1*	0.1*	0.1*	0.1*	0.05*	0.02*	0.02*	0.05*	10	0.05*	0.1*
<b>4. OILSEEDS</b>	Peanuts	0.05*	0.1*	0.1*	0.1*	0.05*	0.02*	0.1*	0.02*	0.05*	0.1*	0.05*	0.1*
	Poppy seed	0.05*	0.1*	0.1*	0.1*	0.05*	0.02*	0.1*	0.02*	0.05*	0.1*	0.05*	0.1*
	Sesame seed	0.05*	0.1*	0.1*	0.1*	0.05*	0.02*	0.1*	0.02*	0.05*	0.1*	0.05*	0.1*
	Sunflower seed	0.05*	0.1*	0.1*	0.1*	0.05*	0.02*	0.1*	0.02*	0.05*	20	0.05*	0.1*
	Rape seed	0.5	0.1*	0.1*	0.1*	0.05*	0.02*	0.1*	0.02*	0.05*	10	0.05*	0.1*
	Soya bean	0.5	0.1	0.1*	0.1*	0.05*	0.02*	0.1*	0.02*	0.05*	20	10	0.1*
	Mustard seed	0.05*	0.1*	0.1*	0.1*	0.05*	0.02*	0.1*	0.02*	0.05*	10	0.05*	0.1*
	Cotton seed	0.05*	0.1*	0.1*	0.1*	0.05*	0.02*	0.1*	0.02*	0.05*	10	0.05*	0.1*
	Others	0.05*	0.1*	0.1*	0.1*	0.05*	0.02*	0.1*	0.02*	0.05*	0.1*	0.05*	0.1*
	<b>5. POTATOES</b>	Early potatoes	0.05*	0.05*	0.05*	10	1	0.01*	0.05*	0.01*	0.02*	0.5	0.05*
Ware potatoes		0.05*	0.05*	0.05*	10	1	0.01*	0.05*	0.01*	0.02*	0.5	0.05*	0.05*
<b>6. TEA</b>	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	5	0.1*	0.1*	0.05*	0.02*	0.1*	0.02*	0.05*	2	0.05*	0.1*
<b>7. HOPS (dried)</b>	including hop pellets & unconcentrated powder	20	10	0.1*	0.1*	0.05*	0.02*	0.1*	0.02*	0.05*	0.1*	0.05*	0.1*
<b>8. CEREALS</b>	Wheat	0.3	0.5	0.05*	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	10	5	0.05*
	Rye	0.3	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	10	5	0.05*
	Barley	0.3	0.5	0.05*	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	20	10	0.05*
	Sorghum	0.05*	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	20	0.05*	0.05*

Group to which food belongs	Groups including the following products	Azoxystrobin	Bifenthrin	Bromoxynil	Chlorpropham	Cyromazine	Dimethenamid-P	Ethofumesate	Fiazasulfuron	Flumonone	Glyphosate (except trimesium salt)	Glyphosate (as trimesium salt)	Ioxynil
	Oats	0.3	0.5	0.05*	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	20	10	0.05*
	Triticale	0.3	0.5	0.05*	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	10	5	0.05*
	Maize	0.05*	0.05*	0.1	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	1	0.05*	0.05*
	Buckwheat	0.05*	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	0.1*	0.05*	0.05*
	Millet	0.05*	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	0.1*	0.05*	0.05*
	Rice <sup>(1)</sup>	5	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	0.1*	0.05*	0.05*
	Other cereals	0.05*	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	0.1*	0.05*	0.05*
<b>9. PRODUCTS OF ANIMAL ORIGIN</b>													
	Meat, fat & preparations of meat <sup>(2)</sup>	0.05*	0.1 <sup>(16)</sup> 0.05* <sup>(9)</sup>	0.2 <sup>(39)</sup> 0.05* <sup>(40)</sup>	0.05* <sup>(41)</sup> 0.05* <sup>(42)</sup> 0.2 <sup>(43)</sup>	0.05* <sup>(21)</sup>		0.1*			2 <sup>(18)</sup> , 0.2 <sup>(12)</sup> 0.5 <sup>(31)</sup> , 0.1 <sup>(44)</sup> 0.05* <sup>(45)</sup>	0.2 <sup>(18)</sup> , 0.5 <sup>(12)</sup> 0.2 <sup>(18)</sup> , 0.1 <sup>(44)</sup> 0.05* <sup>(45)</sup>	0.2 <sup>(39)</sup> 0.05* <sup>(40)</sup>
	Milk <sup>(3)</sup> & Dairy produce <sup>(4)</sup>	0.01*	0.01*	0.01*	0.2	0.02*		0.1*			0.1*	0.1	0.01*
	Eggs <sup>(5)</sup>	0.05*	0.01*			0.2		0.1*			0.1*	0.01*	0.01*
<b>10. SPICES</b>													
	Cumin seed							0.5					
	Juniper seed							0.5					
	Nutmeg							0.5					
	Pepper, black and white							0.5					
	Vanilla pods							0.5					
	Others							0.5					

Group to which food belongs	Groups include the following products	Kresoxim-methyl	Lambda-cyhalothrin	Metapyrifos	Metaxyl	Methomyl / thiodicarb	Propoxy-carbazone	Pyrimetrozine	Pyraclostrobin	Quinoxifen	Thiabendazole	Zoxamide
<b>1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS</b>												
<b>i) CITRUS FRUIT</b>												
	Grapefruit	0.05*	0.1	0.01*	0.5	0.5	0.02*	0.3	1	0.02*	5	0.02*
	Lemons	0.05*	0.2	0.01*	0.5	1	0.02*	0.3	1	0.02*	5	0.02*
	Limes	0.05*	0.2	0.01*	0.5	1	0.02*	0.3	1	0.02*	5	0.02*
	Mandarins (inc clementines & similar hybrids)	0.05*	0.2	0.01*	0.5	1	0.02*	0.3	1	0.02*	5	0.02*
	Oranges	0.05*	0.1	0.01*	0.5	0.5	0.02*	0.3	1	0.02*	5	0.02*
	Pomeios	0.05*	0.1	0.01*	0.5	0.5	0.02*	0.3	1	0.02*	5	0.02*
	Others	0.05*	0.02*	0.01*	0.5	0.05*	0.02*	0.3	1	0.02*	5	0.02*
<b>ii) TREE NUTS (shelled or unshelled)</b>												
	Almonds	0.1*	0.05*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.1*	0.02*
	Brazil nuts	0.1*	0.05*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.1*	0.02*
	Cashew nuts	0.1*	0.05*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.1*	0.02*
	Chestnuts	0.1*	0.05*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.1*	0.02*
	Coconuts	0.1*	0.05*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.1*	0.02*
	Hazelnuts	0.1*	0.05*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.1*	0.02*
	Macadamia nuts	0.1*	0.05*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.1*	0.02*
	Pecans	0.1*	0.05*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.1*	0.02*
	Pine nuts	0.1*	0.05*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.1*	0.02*
	Pistachios	0.1*	0.05*	0.01*	0.05*	0.05*	0.02*	0.02*	1	0.02*	0.1*	0.02*
	Walnuts	0.1*	0.05*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.1*	0.02*
	Others	0.1*	0.05*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.1*	0.02*
<b>iii) POME FRUIT</b>												
	Apples	0.2	0.1	0.01*	1	0.2	0.02*	0.02*	0.02*	0.02*	5	0.02*
	Pears	0.2	0.1	0.01*	1	0.2	0.02*	0.02*	0.02*	0.02*	5	0.02*
	Quinces	0.2	0.1	0.01*	1	0.2	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Others	0.2	0.1	0.01*	1	0.2	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*

Group to which food belongs	Groups include the following products	Kresoxim-methyl	Lambda-cyhalothrin	Metpanipyrim	Metaxyl	Methomyl / thiodicarb	Propoxycarbazone	Pymetrozine	Pyraclostrobin	Quinoxifen	Thiabendazole	Zoxamide
iv) STONE FRUIT												
	Apricots	0.05*	0.2	0.01*	0.05*	0.2	0.02*	0.05	0.02*	0.02*	0.05*	0.02*
	Cherries	0.05*	0.1	0.01*	0.05*	0.1	0.02*	0.02*	0.2	0.3	0.05*	0.02*
	Peaches (including nectarines & similar hybrids)	0.05*	0.2	0.01*	0.05*	0.2	0.02*	0.05	0.02*	0.02*	0.05*	0.02*
	Plums	0.05*	0.1	0.01*	0.05*	0.5	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Others	0.05*	0.1	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
v) BERRIES AND SMALL FRUIT												
a) Table & wine grapes												
	Table grapes	1	0.2	3	2	0.05*	0.02*	0.02*	0.02*	1	0.05*	5
	Wine grapes	1	0.2	3	1	1	0.02*	0.02*	2	1	0.05*	5
b) Strawberries (other than wild)												
	Strawberries (other than wild)	1	0.5	2	0.5	0.05*	0.02*	0.02*	0.5	0.3	0.05*	0.02*
c) Cane Fruit (other than wild)												
	Blackberries	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Dewberries	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Loganberries	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Raspberries	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Others	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
d) Other small fruit & berries (other than wild)												
	Bilberries	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	1	0.05*	0.02*
	Cranberries	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	1	0.05*	0.02*
	Currants (red, black & white)	1	0.1	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	1	0.05*	0.02*
	Gooseberries	1	0.1	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	1	0.05*	0.02*
	Others	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	1	0.05*	0.02*
e) Wild berries & wild fruit												
	Wild berries & wild fruit	0.05*	0.2	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
v) MISCELLANEOUS FRUIT												
	Avocados	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	15	0.02*
	Bananas	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	5	0.02*

Group to which food belongs	Groups include the following products	Kresoxim-methyl	Lambda-cyhalothrin	Metpanipyrim	Metlaxyl	Methomyl / thiodicarb	Propoxycarbazone	Pymetrozine	Pyraclostrobin	Quinoxifen	Thiabendazole	Zoxamide
	Dates	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Figs	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Kiwi fruit	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Kunquats	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Litchis	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Mangoes	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.05	0.02*	5	0.02*
	Olives (table consumption)	0.2	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Olives (oil extract)	0.2	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Papaya	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.05	0.02*	10	0.02*
	Passion fruit	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Pineapples	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Pomegranates	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Others	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
<b>2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY</b>												
<b>1) ROOT AND TUBER</b>												
<b>VEGETABLES</b>												
	Beetroot	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Carrots	0.05*	0.02*	0.01*	0.1	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Cassava	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	15	0.02*
	Celeriac	0.05*	0.1	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Horseradish	0.05*	0.02*	0.01*	0.1	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Jerusalem artichokes	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Parsnips	0.05*	0.02*	0.01*	0.1	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Parsley root	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Radishes	0.05*	0.1	0.01*	0.1	0.5	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Salsify	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*

Group to which food belongs	Groups include the following products	Kresoxim-methyl	Lambda-cyhalothrin	Mepanipyrim	Metalaxyl	Methomyl / thiodicarb	Propoxy-carbazono	Pymetrozine	Pyraclostrobin	Quinoxifen	Thiabendazole	Zoxamide			
ii) BULB VEGETABLES	Sweet potatoes	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	15	0.02*			
	Swedes	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*			
	Turnips	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*			
	Yams	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	15	0.02*			
	Others	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*			
	iii) FRUITING VEGETABLES	a)	Garlic	0.05*	0.02*	0.01*	0.5	0.05*	0.02*	0.02*	0.2	0.02*	0.05*	0.02*	
			Onions	0.05*	0.02*	0.01*	0.5	0.05*	0.02*	0.02*	0.2	0.02*	0.05*	0.02*	
			Shallots	0.05*	0.02*	0.01*	0.5	0.05*	0.02*	0.02*	0.2	0.02*	0.05*	0.02*	
			Spring onions	0.05*	0.05	0.01*	0.2	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*	
			Others	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*	
Solanacea			0.5	0.1	1	0.2	0.5	0.02*	0.5	0.02*	0.02*	0.05*	0.5		
Tomatoes			1	0.1	0.01*	0.5	0.2	0.02*	1	0.02*	0.02*	0.05*	0.02*		
Peppers			1	0.1	0.01*	0.5	0.2	0.02*	1	0.02*	0.02*	0.05*	0.02*		
Chill peppers			1	0.1	0.01*	0.5	0.2	0.02*	1	0.02*	0.02*	0.05*	0.02*		
Aubergines			0.5	0.5	0.01*	0.05*	0.5	0.02*	0.5	0.02*	0.02*	0.05*	0.02*		
b)	cucurbits-edible peel	Others	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*		
		Cucurbits	0.05*	0.1	0.01*	0.5	0.05*	0.02*	0.5	0.02*	0.02*	0.05*	0.02*		
		Gherkins	0.05*	0.1	0.01*	0.05*	0.05*	0.02*	0.5	0.02*	0.02*	0.05*	0.02*		
		Courgettes	0.05*	0.1	0.01*	0.05*	0.05*	0.02*	0.5	0.02*	0.02*	0.05*	0.02*		
		Others	0.05*	0.1	0.01*	0.05*	0.05*	0.02*	0.5	0.02*	0.02*	0.05*	0.02*		
		c)	Cucurbits-inedible peel	Melons	0.2	0.05	0.01*	0.2	0.05*	0.02*	0.2	0.02*	0.05*	0.02*	
				Squashes	0.2	0.05	0.01*	0.05*	0.05*	0.02*	0.2	0.02*	0.05*	0.05*	0.02*



Group to which food belongs	Groups include the following products	Kresoxim-methyl	Lambda-cyhalothrin	Mepanipyrim	Metalaxyl	Methomyl / thiodicarb	Propoxy/carbazono	Pymetrozine	Pyraclostrobin	Quinoxifen	Thiabendazole	Zoxamide			
Iv) BRASSICA VEGETABLES	d) Sweet corn	Watermelons	0.2	0.05	0.01*	0.2	0.05*	0.02*	0.2	0.02*	0.05	0.05*	0.02*		
		Others	0.2	0.05	0.01*	0.05*	0.05*	0.02*	0.2	0.02*	0.05	0.05*	0.02*		
	a) Flowering Brassicas Broccoli	Cauliflower	0.05*(13)	0.1(13)	0.01*	0.1(13)	0.2(13)	0.02*	0.02*(13)	0.02*	0.02*	0.02*	5 (13)	0.02*	
		Others	0.05*	0.1	0.01*	0.1	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	
		b) Head Brassicas Brussels sprouts	Head cabbage	0.05*	0.2	0.01*	1	0.05*	0.02*	0.05	0.02*	0.02*	0.05*	0.02*	
			Others	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*	
		c) Leafy Brassicas Chinese cabbage	Kale	0.05*	1	0.01*	0.05*	0.05*	0.02*	0.1	0.02*	0.02*	0.05*	0.02*	
			Others	0.05*	1	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*	
			d) Kohlrabi		0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
		V) LEAF VEGETABLES AND FRESH HERBS													
		a) Lettuce & similar Cress	Lamb's lettuce	0.05*	1	0.01*	0.05*	0.05*	0.02*	1	2	0.02*	0.05*	0.02*	
			Lettuce	0.05*	1	0.01*	2	2	0.02*	1	2	0.02*	0.05*	0.02*	
Scarole	0.05*(6)		1(6)	0.01*	1(6)	0.05*(6)	0.02*	1(6)	2	0.02*	0.05*(6)	0.02*			
Others	0.05*		1	0.01*	0.05*	0.05*	0.02*	1	2	0.02*	0.05*	0.02*			
b) Spinach & similar Spinach	Beet leaves (chard)		0.05*	0.5	0.01*	0.05*	2	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*		
	Others		0.05*	0.5	0.01*	0.05*	2	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*		

Group to which food belongs	Groups include the following products	Kresoxim-methyl	Lambda-cyhalothrin	Mepanipyrim	Metalaxyl	Methomyl / thiodicarb	Propoxycarbazone	Pymetrozine	Pyraclostrobin	Quinoxifen	Thiabendazole	Zoxamide
c)	Watercress	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
d)	Witloof	0.05*	0.02*	0.01*	0.3	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
e)	Herbs	0.05*	1	0.01*	1	2	0.02*	1	0.02*	0.02*	0.05*	0.02*
	Chervil	0.05*	1	0.01*	1	2	0.02*	1	0.02*	0.02*	0.05*	0.02*
	Chives	0.05*	1	0.01*	1	2	0.02*	1	0.02*	0.02*	0.05*	0.02*
	Parsley	0.05*	1	0.01*	1	2	0.02*	1	0.02*	0.02*	0.05*	0.02*
	Celery leaves	0.05*	1	0.01*	1	2	0.02*	1	0.02*	0.02*	0.05*	0.02*
	Others	0.05*	1	0.01*	1	2	0.02*	1	0.02*	0.02*	0.05*	0.02*
v)	LEGUME VEGETABLES (fresh)											
	Beans (with pods)	0.05*	0.2	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Beans (without pods)	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Peas (with pods)	0.05*	0.2	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Peas (without pods)	0.05*	0.2	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Others	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
vii)	STEM VEGETABLES											
	Asparagus	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Cardoons	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Celery	0.05*	0.3	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Fennel	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Globe artichokes	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Leeks	5	0.3	0.01*	0.2	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Rhubarb	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Others	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
viii)	FUNGI											
a)	Cultivated mushrooms	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	10	0.02*
b)	Wild mushrooms	0.05*	0.5	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*

Group to which food belongs	Groups include the following products	Kresoxim-methyl	Lambda-cyhalothrin	Mepanipyrim	Metalaxyl	Methomyl / thiodicarb	Propoxycarbazone	Pymetrozine	Pyraclostrobin	Quinoxifen	Thiabendazole	Zoxamide	
<b>3. PULSEES</b>	Beans	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.3	0.02*	0.05*	0.02*	
	Lentils	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.3	0.02*	0.05*	0.02*	
	Peas	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.3	0.02*	0.05*	0.02*	
	Others	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.3	0.02*	0.05*	0.02*	
	Linseed	0.1*	0.02*	0.02*	0.1*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.05*	
	Peanuts	0.1*	0.02*	0.02*	0.1*	0.1	0.02*	0.02*	0.02*	0.02*	0.05*	0.05*	
<b>4. OILSEEDS</b>	Poppy seed	0.1*	0.02*	0.02*	0.1*	0.05*	0.02*	0.02*	0.02*	0.05*	0.05*	0.05*	
	Sesame seed	0.1*	0.02*	0.02*	0.1*	0.05*	0.02*	0.02*	0.02*	0.05*	0.05*	0.05*	
	Sunflower seed	0.1*	0.02*	0.02*	0.1*	0.05*	0.02*	0.02*	0.02*	0.05*	0.05*	0.05*	
	Rape seed	0.1*	0.02*	0.02*	0.1*	0.05*	0.02*	0.02*	0.02*	0.05*	0.05*	0.05*	
	Soya bean	0.1*	0.02*	0.02*	0.1*	0.1	0.02*	0.02*	0.02*	0.05*	0.05*	0.05*	
	Mustard seed	0.1*	0.02*	0.02*	0.1*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.05*	
	Cotton seed	0.1*	0.02*	0.02*	0.1*	0.1	0.05	0.02*	0.02*	0.05*	0.05*	0.05*	
	Others	0.1*	0.02*	0.02*	0.1*	0.05*	0.02*	0.02*	0.02*	0.05*	0.05*	0.05*	
	<b>5. POTATOES</b>	Early potatoes	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
		Ware potatoes	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	15	0.02*
<b>6. TEA</b>	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	1	0.02*	0.1*	0.1*	0.05*	0.1*	0.05*	0.05*	0.1*	0.05*	
<b>7. HOPS (dried)</b>	including hop pellets & unconcentrated powder	0.1*	10	0.02*	10	10	0.05*	5	0.05*	0.5	0.1*	0.05*	
<b>8. CEREALS</b>	Wheat	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.1	0.02*	0.05*	0.02*	
	Rye	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.1	0.02*	0.05*	0.02*	
	Barley	0.05*	0.05	0.01*	0.05*	0.05*	0.02*	0.02*	0.3	0.2	0.05*	0.02*	
	Sorghum	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*	

Group to which food belongs	Groups include the following products	Kresoxim-methyl	Lambda-cyhalothrin	Mepanipyrim	Metalaxyl	Methomyl / thiodicarb	Propoxy-carbazono	Pymetrozine	Pyraclostrobin	Quinoxifen	Thiabendazole	Zoxamide
	Oats	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.3	0.2	0.05*	0.02*
	Triticale	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.1	0.02*	0.05*	0.02*
	Maize	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Buckwheat	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Millet	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Rice <sup>(1)</sup>	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Other cereals	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
<b>9. PRODUCTS OF ANIMAL ORIGIN</b>												
	Meat, fat & preparations of meat <sup>(2)</sup>	0.02*(34) 0.05 <sup>(30)</sup>	0.5 <sup>(17)</sup> 0.02*(14)		0.05*	0.02		0.01*	0.05*	0.2	0.1	
	Milk <sup>(3)</sup> & Dairy produce <sup>(4)</sup>	0.05*	0.05		0.05*	0.02		0.01*	0.01*	0.05		
	Eggs <sup>(5)</sup>	0.02*	0.02*		0.05*	0.02		0.01*	0.05*	0.02*		0.01*
<b>10. SPICES</b>												
	Cumin seed											
	Juniper seed											
	Nutmeg											
	Pepper, black and white											
	Vanilla pods											
	Others											

**UNITS:**

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

**KEY:**

\* Level at or about the limit of determination.

**FOOTNOTES:**

39. Offals only
40. All meat except offal
41. All meat except liver and kidney.
42. All liver.
43. Except liver and kidney of bovine animals, and kidney of swine and poultry.
44. Kidney of poultry.
45. Except liver, kidney and meat of bovine animals, and kidney of poultry.

SCHEDULE 2

Regulation 4(2)(b)(ii)

ENTRY INSERTED IN SCHEDULE 3 TO THE PRINCIPAL REGULATIONS

Column 1 <i>Group of products</i>	Column 2 <i>Products included in the groups</i>	Column 3 <i>Part of product to which maximum residue levels apply</i>
10. Spices	Cumin seed Juniper berries Nutmeg Pepper, black and white Vanilla pods Others	Whole product

SCHEDULE 3

Regulations 5(a) and 6(a)

ENTRIES SUBSTITUTED OR INSERTED IN SCHEDULE 1 TO THE  
PRINCIPAL REGULATIONS

Column 1 <i>Pesticide</i>	Column 2 <i>Residue</i>
Bromoxynil	bromoxynil including its esters expressed as bromoxynil
Chlorpropham	(1) for products of plant origin: except potatoes: chlorpropham and the 3-chloroaniline, expressed as chlorpropham potatoes: chlorpropham (2) for foodstuffs of animal origin: chlorpropham and 4'-hydroxychlorpropham-0-sulphonic acid (4-HSA), expressed as chlorpropham
Dimethenamid-P	dimethenamid-P including other mixtures of constituent isomers (sum of isomers)
Flazasulfuron	flazasulfuron
Flurtamone	flurtamone
Glyphosate (except trimesium salt)	glyphosate
Glyphosate (as trimesium salt)	trimethylsulfonium cation resulting from the use of glyphosate
Ioxynil	ioxynil including its esters expressed as ioxynil
Mepanipyrim	mepanipyrim and its metabolite (2-anilino-4-(2-hydroxy-propyl)-6-methylpyrimidine) expressed as mepanipyrim
Metalaxyl	(1) for products of plant origin: metalaxyl including other mixtures of constituent isomers including metalaxyl M (sum of isomers) (2) for foodstuffs of animal origin: metalaxyl
Propoxycarbazone	propoxycarbazone, its salts and 2-hydroxypropoxy-propoxycarbazone, calculated as propoxycarbazone
Pyraclostrobin	pyraclostrobin
Quinoxifen	quinoxifen
Zoxamide	zoxamide

## EXPLANATORY NOTE

*(This note is not part of the Regulations)*

These Regulations, which are made under section 2(2) of the European Communities Act 1972, amend the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2005 (S.S.I. 2005/599) (“the principal Regulations”).

These Regulations implement Commission Directives 2005/70/EC (O.J. No. L 276, 21.10.05, p.35), 2005/74/EC (O.J. No. L 282, 26.10.05, p.9) and 2005/76/EC (O.J. No. L 293, 9.11.05, p.14).

With the exceptions of regulations 5 and 6, these Regulations come into force on 27th April 2006.

Regulation 4 makes amendments which—

- (a) update the definition of “the Residues Directives” in regulation 2 of the principal Regulations;
- (b) substitutes certain new maximum residue levels in Schedule 2 to the principal Regulations; these are maximum residue levels for residues of the pesticides Ethofumesate, Lambda-cyhalothrin, Methomyl/thiodicarb, Pymetrozine and Thiabendazole; and
- (c) inserts a new product, “Cassava”, and a new product group “spices” in Schedule 3 to the principal Regulations.

Regulation 5 comes into force on 10th May 2006. It amends—

- (a) Schedule 1 to the principal Regulations, which identifies the substances residues of which are taken into account in the measuring of residue levels for each pesticide, by replacing the residue for the pesticide Metalaxyl; and
- (b) Schedule 2 to the principal Regulations, by substituting new maximum residue levels for residues of the pesticides Azoxystrobin, Bifenthrin, Cyromazine, Kresoxim-methyl and Metalaxyl.

Regulation 6 comes into force on 21st April 2007. It amends—

- (a) Schedule 1 to the principal Regulations, by substituting the entry for the pesticide Glyphosate with two new entries for Glyphosate; and by inserting new entries for the pesticides Bromoxynil, Chlorpropham, Dimethenamid-P, Flazasulfuron, Flurtamone, Ioxynil, Mepanipyrim, Propoxycarbazone, Pyraclostrobin, Quinoxifen and Zoxamide; and
- (b) Schedule 2 to the principal Regulations, by substituting the column for the pesticide Glyphosate with two new columns for Glyphosate; and by inserting new columns for the pesticides Bromoxynil, Chlorpropham, Dimethenamid-P, Flazasulfuron, Flurtamone, Ioxynil, Mepanipyrim, Propoxycarbazone, Pyraclostrobin, Quinoxifen and Zoxamide.

No Regulatory Impact Assessment has been prepared in respect of these Regulations.



**2006 No. 151**

**AGRICULTURE**

**PESTICIDES**

**The Pesticides (Maximum Residue Levels in Crops, Food and  
Feeding Stuffs) (Scotland) Amendment Regulations 2006**

**£4.00**

© Crown Copyright 2006

Printed in the UK by The Stationery Office Limited  
under the authority and superintendence of Carol Tullo, the Queen's Printer for Scotland