SCHEDULE 1 Regulations 4(2)(a), 5(b) and 6(b)

ENTRIES SUBSTITUTED OR INSERTED IN
SCHEDULE 2 TO THE PRINCIPAL REGULATIONS

Group to which food belongs	Products to include the following products	Azoxystrobin	Bifenthrin	Boscalid	Chlorpyrifos	Cyprodinil	Dimethomorph	Endosulfan	Fludioxonil	Flutriafol	Folpet	Glyphosate (except trimesium salt)	Glufosinate (except trimesium salt)	Iprovalicarb	Kresoxim-methyl	Lambda-cyhalothrin	Malathion	Metalaxyl	Metalaxyl-M	Methiocarb	Methomyl	Pyraclostrobin	Pyrimethanil	Quinoxyfen	Thiacloprid	Thiodicarb	Thiophanate-methyl	Trifloxystrobin
1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS																												
i) CITRUS FRUIT																												
Grapefruit		0.1	0.05	0.05	0.05	0.01	0.05	0.02	0.02	0.1	0.05	0.05	0.05	0.1	0.01	0.5	0.5	0.02	0.3	1	0.025	0.02
Lemons		0.1	0.05	0.05	0.05	0.01	0.05	0.02	0.02	0.1	0.05	0.05	0.05	0.2	0.01	0.5	1	0.02	0.3	1	0.025	0.02
Limes		0.1	0.05	0.05	0.05	0.01	0.05	0.02	0.02	0.1	0.05	0.05	0.05	0.2	0.01	0.5	1	0.02	0.3	1	0.025	0.02
Mandarins (inc clementines & similar hybrids)		0.1	0.05	0.05	0.05	0.01	0.05	0.02	0.02	0.1	0.05	0.05	0.05	0.2	0.01	0.5	1	0.02	0.3	1	0.025	0.02
Oranges		0.1	0.05	0.05	0.05	0.01	0.05	0.02	0.02	0.5	0.5	0.05	0.05	0.1	0.01	0.5	0.5	0.02	0.3	1	0.025	0.02
Pomelos		0.1	0.05	0.05	0.05	0.01	0.05	0.02	0.02	0.1	0.05	0.05	0.05	0.1	0.01	0.5	0.5	0.02	0.3	1	0.025	0.02
Others		0.1	0.05	0.05	0.05	0.01	0.05	0.02	0.02	0.1	0.05	0.05	0.05	0.02	0.01	0.5	0.05	0.02	0.3	1	0.025	0.02
ii) TREE NUTS (shelled or unshelled)																												
Almonds		0.1	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.1	0.05	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.1	0.02
Brazil nuts		0.1	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.1	0.05	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.1	0.02
Cashew nuts		0.1	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.1	0.05	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.1	0.02

a UNITS:
Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.
KEY:
* Level at or about the limit of determination.
FOOTNOTES:

b Offals only

c All meat except offal

d All meat except liver and kidney.

e All liver.

f Except liver and kidney of bovine animals, and kidney of swine and poultry.

g Kidney of poultry.

h Except liver, kidney and meat of bovine animals, and kidney of poultry.

Group to which food belongs	Groups include the following products	Azoxystrobin	Bifenthrin	Boscalid	Chlorpyrifos	Cyproconazole	Dimethomorph	Ethofumesate	Flutriafol	Fludioxonil	Glufosinate ammonium (except trimesium salt)	Glyphosate (except trimesium salt)	Kresoxim-methyl	Lambda-cyhalothrin	Mepanipyrim	Metaflumizone	Methiocarb	Methoxyfenozide	Pyraclostrobin	Pyrimethanil	Quinoxyfen	Tebuconazole	Thiacloprid	Thiamethoxam
Chestnuts	0.1	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.1	0.05	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.1	0.02
Coconuts	0.1	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.1	0.05	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.1	0.02
Hazelnuts	0.1	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.1	0.05	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.1	0.02
Macadamia nuts	0.1	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.1	0.05	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.1	0.02
Pecans	0.1	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.1	0.05	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.1	0.02
Pine nuts	0.1	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.1	0.05	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.1	0.02
Pistachios	0.1	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.1	0.05	0.01	0.05	0.05	0.02	0.02	1	0.02	0.1	0.02
Walnuts	0.1	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.1	0.05	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.1	0.02
Others	0.1	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.1	0.05	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.1	0.02
iii) POME FRUIT																								
Apples	0.05	0.3	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.2	0.1	0.01	1	0.2	0.02	0.02	0.02	0.02	5	0.02
Pears	0.05	0.3	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.2	0.1	0.01	1	0.2	0.02	0.02	0.02	0.02	5	0.02
Quinces	0.05	0.3	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.2	0.1	0.01	1	0.2	0.02	0.02	0.02	0.02	0.05	0.02
Others	0.05	0.3	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.2	0.1	0.01	1	0.2	0.02	0.02	0.02	0.02	0.05	0.02
iv) STONE FRUIT																								
Apricots	0.05	0.2	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.2	0.01	0.05	0.2	0.02	0.05	0.02	0.02	0.05	0.02
Cherries	0.05	0.2	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.1	0.01	0.05	0.1	0.02	0.02	0.2	0.3	0.05	0.02
Peaches (incuding nectarines &	0.05	0.2	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.2	0.01	0.05	0.2	0.02	0.05	0.02	0.02	0.05	0.02

a UNITS:
Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.
KEY:
* Level at or about the limit of determination.
FOOTNOTES:

b Offals only

c All meat except offal

d All meat except liver and kidney.

e All liver.

f Except liver and kidney of bovine animals, and kidney of swine and poultry.

g Kidney of poultry.

h Except liver, kidney and meat of bovine animals, and kidney of poultry.

Group to which food belongs	Groups include the following products	Azoxystrobin	Bifenthrin	Boscalid	Chlorpyrifos	Cyproconazole	Dimethomorph	Ethofumesate	Flutriafol	Fludioxonil	Glufosinate (except trimesium salt)	Glyphosate (except trimesium salt)	Iprodione	Kresoxim-methyl	Lambda-cyhalothrin	Metaflumizone	Metamitron	Metiram	Metrafenone	Pendimethalin	Propamocarb	Propiconazole	Quinoxyfen	Tebuconazole	Thiacloprid	Thiamethoxam
	similar hybrids)						P																			
	Plums	0.05	0.2	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.1	0.01	0.05	0.5	0.02	0.02	0.02	0.02	0.05	0.02		
	Others	0.05	0.2	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.1	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05	0.02		
v)	BERRIES AND SMALL FRUIT																									
	(a) (a) Table & wine grapes																									
	Table grapes	2	0.2	0.05	0.05	0.05	0.01	0.05	0.02	0.02	0.5	0.05	0.05	1	0.2	3	2		0.05	0.02	0.02	0.02	1	0.05	5	
	Wine grapes	2	0.2	0.05	0.05	0.05	0.01	0.05	0.02	0.02	0.5	0.05	0.05	1	0.2	3	1	1	0.02	0.02	2	1	0.05	5		
	Strawberries	2	(b) 0.5	(b) 0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	1	0.5	2	0.5		0.05	0.02	0.02	0.5	0.3	0.05	0.02	
	(c) (c) Cane Fruit (other than wild)																									
	Blackberries	1	0.3	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05	0.02		
	Dewberries	1	0.5	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05	0.02		
	Loganberries	0.5	0.5	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05	0.02		
	Raspberries	3	0.3	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05	0.02		
	Others	0.5	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05	0.02		
	(d) (d) Other small fruit & berries (other than wild)																									
	Bilberries	0.5	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	1	0.05	0.02		
	Cranberries	0.5	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	1	0.05	0.02		
	Currants (red,	0.5	0.5	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	1	0.1	0.01	0.05	0.05	0.02	0.02	0.02	1	0.05	0.02		

a UNITS:
Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.
KEY:
* Level at or about the limit of determination.
FOOTNOTES:

b Offals only

c All meat except offal

d All meat except liver and kidney.

e All liver.

f Except liver and kidney of bovine animals, and kidney of swine and poultry.

g Kidney of poultry.

h Except liver, kidney and meat of bovine animals, and kidney of poultry.

Group to which food belongs	Groups include the following products	Azoxystrobin	Bifenthrin	Boscalid	Chlorpyrifos	Cyproconazole	Dimethomorph	Ethephon	Flonicamid	Fluazinam	Fludioxonil	Glufosinate (except trimesium salt)	Glyphosate (except trimesium salt)	Kresoxim-methyl	Lambda-cyhalothrin	Mepanipyrim	Metaflumizone	Metalaxyl-M	Metrafenone	Pyraclostrobin	Pyrimethanil	Quinoxyfen	Tebufenpyrad	Thiacloprid	Thiamethoxam	Thiodicarb
						P																				
	black & white)																									
	Gooseberries	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	1	0.1	0.01	0.05	0.05	0.02	0.02	0.02	1	0.05	0.02			
	Others	0.05	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	1	0.05	0.02		
	Wild berries & wild fruit	0.05	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.2	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05	0.02		
vi)	MISCELLANEOUS FRUIT																									
	Avocados	0.05	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.05	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	15	0.02		
	Bananas	2	0.1	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.05	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	5	0.02	
	Dates	0.05	0.05	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.05	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05	0.02	
	Figs	0.05	0.05	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.05	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05	0.02	
	Kiwi fruit	0.05	0.05	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.05	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05	0.02	
	Kumquats	0.05	0.05	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.05	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05	0.02	
	Litchis	0.05	0.05	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.05	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05	0.02	
	Mangoes	2	0.05	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.05	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.05	0.05	0.02		
	Olives (table consumption)	0.05	0.05	0.05	0.05	0.05	0.05	0.01	0.05	0.02	0.02	0.05	0.05	0.05	0.2	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05	0.02	
	Olives (oil extract)	0.05	0.05	0.05	0.05	0.05	0.05	0.01	0.05	0.02	0.02	1	1	0.05	0.2	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05	0.02	

a UNITS:
Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.
KEY:
* Level at or about the limit of determination.
FOOTNOTES:

b Offals only

c All meat except offal

d All meat except liver and kidney.

e All liver.

f Except liver and kidney of bovine animals, and kidney of swine and poultry.

g Kidney of poultry.

h Except liver, kidney and meat of bovine animals, and kidney of poultry.

Group to which food belongs	Groups include the following products	Azoxystrobin	Bifenthrin	Boscalid	Chlorpyrifos	Cyproconazole	Dimethomorph	Ethofumesate	Fenhexamid	Flubendiamide	Flufenoxuron (except trimesium salt)	Glufosinate (except trimesium salt)	Hexythiazox	Kresoxim-methyl	Lambda-cyhalothrin	Mepanipyrim	Metaflumizone	Methiocarb	Methomyl	Novaluron	Pyraclostrobin	Pyrethrins	Quinoxyfen	Thiacloprid	Thiamethoxam
	Papaya	0.2	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.05	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.05	0.02	10		0.02
	Passion fruit	0.05	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.05	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05		0.02
	Pineapples	0.05	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.05	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05		0.02
	Pomegranates	0.05	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.05	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05		0.02
	Others	0.05	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.05	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05		0.02
2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY																									
i) ROOT AND TUBER VEGETABLES																									
	Beetroot	0.05	0.05	0.05	0.05	0.05	0.01	0.1	0.01	0.02	0.1	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05		0.02
	Carrots	0.2	0.05	0.05	0.05	1	0.01	0.05	0.01	0.02	0.1	0.05	0.2	0.05	0.02	0.01	0.1	0.05	0.02	0.02	0.02	0.02	0.05		0.02
	Cassava	0.05	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	15		0.02
	Celeriac	0.3	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.1	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05		0.02
	Horseradish	0.2	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.02	0.01	0.1	0.05	0.02	0.02	0.02	0.02	0.05		0.02
	Jerusalem artichokes	0.05	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05		0.02
	Parsnips	0.3	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.2	0.05	0.02	0.01	0.1	0.05	0.02	0.02	0.02	0.02	0.05		0.02
	Parsley root	0.3	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05		0.02
	Radishes	0.3	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.1	0.01	0.1	0.5	0.02	0.02	0.02	0.02	0.05		0.02
	Salsify	0.2	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05		0.02
	Sweet potatoes	0.1	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	15		0.02
	Swedes	0.1	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05		0.02

a UNITS:
Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.
KEY:
* Level at or about the limit of determination.
FOOTNOTES:

b Offals only

c All meat except offal

d All meat except liver and kidney.

e All liver.

f Except liver and kidney of bovine animals, and kidney of swine and poultry.

g Kidney of poultry.

h Except liver, kidney and meat of bovine animals, and kidney of poultry.

Group to which food belongs	Groups include the following products	Azoxystrobin	Bifenthrin	Boscalid	Chlorpyrifos	Cyproconazole	Dimethomorph	Ethephon	Flonicamid	Fludioxonil	Glufosinate-ammonium (except trimesium salt)	Glyphosate (except trimesium salt)	Imidacloprid	Kresoxim-methyl	Lambda-cyhalothrin	Mepanipyrim	Metaflumizone	Metalaxyl-M	Methiocarb	Methomyl	Methoxyfenozide	Pyraclostrobin	Pyrimethanil	Quinoxyfen	Thiacloprid	Thiamethoxam	Thiophanate-methyl
	Turnips	0.05	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05	0.02			
	Yams	0.05	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	15	0.02			
	Others	0.05	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05	0.02			
ii)	BULB VEGETABLES																										
	Garlic	0.05	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.02	0.01	0.5	0.05	0.02	0.02	0.2	0.02	0.05	0.02			
	Onions	0.05	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.2	0.05	0.02	0.01	0.5	0.05	0.02	0.02	0.2	0.02	0.05	0.02			
	Shallots	0.05	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.02	0.01	0.5	0.05	0.02	0.02	0.2	0.02	0.05	0.02			
	Spring onions	2	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.05	0.01	0.2	0.05	0.02	0.02	0.02	0.02	0.05	0.02			
	Others	0.05	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05	0.02			
iii)	FRUITING VEGETABLES																										
	(a)	(a) Solanacea																									
	Tomatoes	2	0.2	0.05	0.05	1	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.5	0.1	1	0.2	0.5	0.02	0.5	0.02	0.02	0.05	0.5			
	Peppers	2	0.2	0.05	0.05	1	0.01	0.05	0.01	0.02	0.1	0.05	0.05	1	0.1	0.01	0.5	0.2	0.02	1	0.02	0.02	0.05	0.02			
	Chili peppers	2	0.2	0.05	0.05	1	0.01	0.05	0.01	0.02	0.1	0.05	0.05	1	0.1	0.01	0.5	0.2	0.02	1	0.02	0.02	0.05	0.02			
	Aubergines	2	0.2	0.05	0.05	1	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.5	0.5	0.01	0.05	0.5	0.02	0.5	0.02	0.02	0.05	0.02			
	Others	2	0.2	0.05	0.05	1	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05	0.02			
	(b)	(b) Cucurbits-edible peel																									
	Cucumbers	1	0.1	0.05	0.05	1	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.1	0.01	0.5	0.05	0.02	0.5	0.02	0.02	0.05	0.02			
	Gherkins	1	0.1	0.05	0.05	1	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.1	0.01	0.05	0.05	0.02	0.5	0.02	0.02	0.05	0.02			
	Courgettes	1	0.1	0.05	0.05	1	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.1	0.01	0.05	0.05	0.02	0.5	0.02	0.02	0.05	0.02			
	Others	1	0.1	0.05	0.05	1	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.1	0.01	0.05	0.05	0.02	0.5	0.02	0.02	0.05	0.02			

a UNITS:
Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.
KEY:
* Level at or about the limit of determination.
FOOTNOTES:

b Offals only

c All meat except offal

d All meat except liver and kidney.

e All liver.

f Except liver and kidney of bovine animals, and kidney of swine and poultry.

g Kidney of poultry.

h Except liver, kidney and meat of bovine animals, and kidney of poultry.

Group to which the food belongs	Groups include the following products	Azoxystrobin	Bifenthrin	Boscalid	Chlorpyrifos	Cyproconazole	Dimethomorph	Ethofumesate	Fenhexamid	Flubendiamide	Flufenoxuron (except trimesium salt)	Glufosinate (except trimesium salt)	Hexythiazox	Kresoxim-methyl	Lambda-cyhalothrin	Mepanipyrim	Metaflumizone	Metiram	Metolachlor	Pendimethalin	Propiconazole	Quinoxyfen	Thiacloprid	Thiamethoxam	Thiodicarb
	(c)	(c) Cucurbits-inedible peel																							
Melons	0.5	0.05	0.05	0.05	0.3	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.2	0.05	0.01	0.2	0.05	0.02	0.2	0.02	0.05	0.05	0.02		
Squashes	0.5	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.2	0.05	0.01	0.05	0.05	0.02	0.2	0.02	0.05	0.05	0.02		
Watermelons	0.5	0.05	0.05	0.05	0.3	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.2	0.05	0.01	0.2	0.05	0.02	0.2	0.02	0.05	0.05	0.02		
Others	0.5	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.2	0.05	0.01	0.05	0.05	0.02	0.2	0.02	0.05	0.05	0.02		
Sweet corn (b)	0.05	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.05	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05	0.02		
iv)	BRASSICA VEGETABLES																								
	(a)	(a) Flowering Brassicas																							
Broccoli	0.5 (13)	0.2 (13)	0.05 (13)	0.05	0.05 (13)	0.01 (13)	0.05 (13)	0.01 (13)	0.02	0.1	0.05	0.05	0.05	0.1 (13)	0.01 (13)	0.1 (13)	0.2 (13)	0.02 (13)	0.02 (13)	0.02 (13)	0.02 (13)	0.05 (13)	0.02		
Cauliflower	0.5	0.2	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.1	0.01	0.1	0.05	0.02	0.02	0.02	0.02	0.05	0.02		
Others	0.5	0.2	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.1	0.01	0.1	0.05	0.02	0.02	0.02	0.02	0.05	0.02		
	(b)	(b) Head Brassicas																							
Brussels sprouts	0.3	1	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.05	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05	0.02		
Head cabbage	0.3	1	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.2	0.01	1	0.05	0.02	0.05	0.02	0.02	0.05	0.02		
Others	0.3	1	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05	0.02		
	(c)	(c) Leafy Brassicas																							
Chinese cabbage	5	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	1	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05	0.02		
Kale	5	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	1	0.01	0.2	0.05	0.02	0.1	0.02	0.02	0.05	0.02		
Others	5	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	1	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05	0.02		

a UNITS:
Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.
KEY:
* Level at or about the limit of determination.
FOOTNOTES:

b Offals only

c All meat except offal

d All meat except liver and kidney.

e All liver.

f Except liver and kidney of bovine animals, and kidney of swine and poultry.

g Kidney of poultry.

h Except liver, kidney and meat of bovine animals, and kidney of poultry.

Group to which the food belongs	Groups include the following products	Azoxystrobin	Bifenthrin	Boscalid	Chlorpyrifos	Cyprodinil	Dimethomorph	Ethofumesate	Flonicamid	Fludioxonil	Glufosinate (except trimesium salt)	Glyphosate (except trimesium salt)	Kresoxim-methyl	Lambda-cyhalothrin	Mepanipyrim	Metaflumizone	Methiocarb	Methomyl	Methoxyfenozide	Pyraclostrobin	Pyrimethanil	Quinoxyfen	Thiacloprid	Thiamethoxam
		P																						
(d)		0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05	0.02		
v) LEAF VEGETABLES AND FRESH HERBS																								
(a) (a) Lettuce & similar																								
Cress	3	2	0.05	0.05	15	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	1	0.01	0.05	0.05	0.02	1	2	0.02	0.05	0.02	
Lamb's lettuce	3	2	0.05	0.05	15	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	1	0.01	0.05	0.05	0.02	1	2	0.02	0.05	0.02	
Lettuce	3	2	0.05	0.05	15	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	1	0.01	2	2	0.02	1	2	0.02	0.05	0.02	
Scarole	3 (6)	2 (6)	0.05	0.05	15 (6)	0.01	0.05 (6)	0.01	0.02	0.1	0.05	0.05	0.05 (6)	1	0.01 (6)	0.05 (6)	0.02	1 (6)	2	2	0.02	0.05 (6)	0.02	
Others	3	2	0.05	0.05	15	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	1	0.01	0.05	0.05	0.02	1	2	0.02	0.05	0.02	
(b) (b) Spinach & similar																								
Spinach	0.05	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.5	0.01	0.05	2	0.02	0.02	0.02	0.02	0.05	0.02	
Beet leaves (chard)	0.05	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.5	0.01	0.05	2	0.02	0.02	0.02	0.02	0.05	0.02	
Others	0.05	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.5	0.01	0.05	2	0.02	0.02	0.02	0.02	0.05	0.02	
(c) (c) Watercress		0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05	0.02	
(d) (d) Witloof		0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.02	0.01	0.3	0.05	0.02	0.02	0.02	0.02	0.05	0.02	
(e) (e) Herbs																								
Chervil	3	0.05	0.05	0.05	15	0.01	1	0.01	0.02	0.1	0.05	0.05	0.05	1	0.01	1	2	0.02	1	0.02	0.02	0.05	0.02	
Chives	3	0.05	0.05	0.05	15	0.01	1	0.01	0.02	0.1	0.05	0.05	0.05	1	0.01	1	2	0.02	1	0.02	0.02	0.05	0.02	
Parsley	3	0.05	0.05	0.05	15	0.01	1	0.01	0.02	0.1	0.05	0.05	0.05	1	0.01	1	2	0.02	1	0.02	0.02	0.05	0.02	
Celery leaves	3	0.05	0.05	0.05	15	0.01	1	0.01	0.02	0.1	0.05	0.05	0.05	1	0.01	1	2	0.02	1	0.02	0.02	0.05	0.02	

a UNITS:
Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.
KEY:
* Level at or about the limit of determination.
FOOTNOTES:

b Offals only

c All meat except offal

d All meat except liver and kidney.

e All liver.

f Except liver and kidney of bovine animals, and kidney of swine and poultry.

g Kidney of poultry.

h Except liver, kidney and meat of bovine animals, and kidney of poultry.

Group to which food belongs	Groups include the following products	Azoxystrobin	Bifenthrin	Boscalid	Chlorpyrifos	Cyproconazole	Dimethomorph	Ethofumesate	Flazasulfuron	Fludioxonil	Glufosinate (except trimesium salt)	Glyphosate (except trimesium salt)	Kresoxim-methyl	Lambda-cyhalothrin	Metaflumizone	Metamitron	Metazachlor	Methiocarb	Methomyl	Pendimethalin	Propyzamide	Quinoxyfen	Thiacloprid	Thiamethoxam	Thiophanate-methyl
Others	3	0.05	0.05	0.05	15	0.01	1	0.01	0.02	0.1	0.05	0.05	0.05	1	0.01	1	2	0.02	1	0.02	0.02	0.05	0.02		
vi) LEGUME VEGETABLES (fresh)																									
Beans (with pods)	1	0.5	0.05	0.05	5	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.2	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05	0.02		
Beans (without pods)	0.2	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05	0.02		
Peas (with pods)	0.5	0.1	0.05	0.05	5	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.2	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05	0.02		
Peas (without pods)	0.2	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.2	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05	0.02		
Others	0.05	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05	0.02		
vii) STEM VEGETABLES																									
Asparagus	0.05	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05	0.02		
Cardoons	0.05	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05	0.02		
Celery	5	0.05	0.05	0.05	2	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.3	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05	0.02		
Fennel	0.05	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05	0.02		
Globe artichokes	1	0.05	0.05	0.05	2	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05	0.02		
Leeks	1	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	5	0.3	0.01	0.2	0.05	0.02	0.02	0.02	0.02	0.05	0.02		
Rhubarb	0.05	0.05	0.05	0.05	0,05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05	0.02		
Others	0.05	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05	0.02		

a UNITS:
Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.
KEY:
* Level at or about the limit of determination.
FOOTNOTES:

b Offals only

c All meat except offal

d All meat except liver and kidney.

e All liver.

f Except liver and kidney of bovine animals, and kidney of swine and poultry.

g Kidney of poultry.

h Except liver, kidney and meat of bovine animals, and kidney of poultry.

Group to which food belongs	Groups include the following products	Azoxystrobin	Bifenthrin	Boscalid	Chlorpyrifos	Cyproconazole	Dimethomorph	Ethofumesate	Flutriafol	Fludioxonil	Glufosinate ammonium (except trimesium salt)	Glyphosate (except trimesium salt)	Kresoxim-methyl	Lambda-cyhalothrin	Metaflumizone	Metamitron	Metazachlor	Metiram	Metrafenone	Pendimethalin	Propyzamide	Quinoxyfen	Tebuconazole	Thiacloprid	Thiamethoxam
						P																			
viii)	FUNGI																								
Cultivated		0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	10	0.02		
	mushrooms																								
Wild		0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	50	20	0.05	0.05	0.5	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05	0.02		
	mushrooms																								
3. PULSES																									
Beans		0.1	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	2	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.3	0.02	0.05	0.02	
Lentils		0.1	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.3	0.02	0.05	0.02	
Peas		0.1	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	10	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.3	0.02	0.05	0.02	
Others		0.1	0.05	0.05	0.05	0.05	0.01	0.05	0.01	0.02	0.1	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.3	0.02	0.05	0.02	
4. OILSEEDS																									
Linseed		0.05	0.1	0.1	0.1	0.05	0.02	0.1	0.02	0.05	10	0.05	0.1	0.1	0.02	0.02	0.1	0.05	0.02	0.02	0.02	0.05	0.05	0.05	
Peanuts		0.05	0.1	0.1	0.1	0.05	0.02	0.1	0.02	0.05	0.1	0.05	0.1	0.1	0.02	0.02	0.1	0.1	0.02	0.02	0.02	0.05	0.05	0.05	
Poppy seed		0.05	0.1	0.1	0.1	0.05	0.02	0.1	0.02	0.05	0.1	0.05	0.1	0.1	0.02	0.02	0.1	0.05	0.02	0.02	0.02	0.05	0.05	0.05	
Sesame seed		0.05	0.1	0.1	0.1	0.05	0.02	0.1	0.02	0.05	0.1	0.05	0.1	0.1	0.02	0.02	0.1	0.05	0.02	0.02	0.02	0.05	0.05	0.05	
Sunflower seed		0.05	0.1	0.1	0.1	0.05	0.02	0.1	0.02	0.05	20	0.05	0.1	0.1	0.02	0.02	0.1	0.05	0.02	0.02	0.02	0.05	0.05	0.05	
Rape seed		0.5	0.1	0.1	0.1	0.05	0.02	0.1	0.02	0.05	10	0.05	0.1	0.1	0.02	0.02	0.1	0.05	0.02	0.02	0.02	0.05	0.05	0.05	
Soya bean		0.5	0.1	0.1	0.1	0.05	0.02	0.1	0.02	0.05	20	10	0.1	0.1	0.02	0.02	0.1	0.1	0.02	0.02	0.02	0.05	0.05	0.05	
Mustard seed		0.05	0.1	0.1	0.1	0.05	0.02	0.1	0.02	0.05	10	0.05	0.1	0.1	0.02	0.02	0.1	0.05	0.02	0.02	0.02	0.05	0.05	0.05	

a UNITS:
Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.
KEY:
* Level at or about the limit of determination.
FOOTNOTES:

b Offals only

c All meat except offal

d All meat except liver and kidney.

e All liver.

f Except liver and kidney of bovine animals, and kidney of swine and poultry.

g Kidney of poultry.

h Except liver, kidney and meat of bovine animals, and kidney of poultry.

Group to which food belongs	Groups include the following products	Azoxystrobin	Bifenthrin	Boscalid	Chlorpyrifos	Cyproconazole	Dimethomorph	Ethofumesate	Flazasulfuron	Flubendiamide	Fluopyram	Glufosinate-ammonium (except trimesium salt)	Glyphosate (except trimesium salt)	Kresoxim-methyl	Lambda-cyhalothrin	Mepanipyrim	Metaflumizone	Metalaxyl-M	Metrafenone	Nicotine	Pendimethalin	Propamocarb	Propiconazole	Pyraclostrobin	Quinoxyfen	Thiacloprid	Thiamethoxam	Thiophanate-methyl
Cotton seed		0.05	0.1	0.1	0.1	0.05	0.02	0.1	0.02	0.05	10	0.05	0.1	0.1	0.02	0.02	0.1	0.1	0.02	0.05	0.02	0.05	0.05	0.05				
Others		0.05	0.1	0.1	0.1	0.05	0.02	0.1	0.02	0.05	0.1	0.05	0.1	0.1	0.02	0.02	0.1	0.05	0.02	0.02	0.02	0.05	0.05	0.05				
5. POTATOES																												
Early potatoes		0.05	0.05	0.05	10	1	0.01	0.05	0.01	0.02	0.5	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05	0.02				
Ware potatoes		0.05	0.05	0.05	10	1	0.01	0.05	0.01	0.02	0.5	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	15	0.02				
6. TEA																												
(dried leaves and stalks, fermented or otherwise, Camellia sinensis)		0.1	5	0.1	0.1	0.05	0.02	0.1	0.02	0.05	2	0.05	0.1	0.1	1	0.02	0.1	0.1	0.05	0.1	0.05	0.05	0.1	0.05				
7. HOPS (dried)																												
including hop pellets & unconcentrated powder		20	10	0.1	0.1	0.05	0.02	0.1	0.02	0.05	0.1	0.05	0.1	0.1	10	0.02	10	10	0.05	5	0.05	0.5	0.1	0.05				
8. CEREALS																												
Wheat		0.3	0.5	0.05	0.02	0.05	0.01	0.05	0.02	0.02	10	5	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.1	0.02	0.05	0.02				

a UNITS:
Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.
KEY:
* Level at or about the limit of determination.
FOOTNOTES:

b Offals only

c All meat except offal

d All meat except liver and kidney.

e All liver.

f Except liver and kidney of bovine animals, and kidney of swine and poultry.

g Kidney of poultry.

h Except liver, kidney and meat of bovine animals, and kidney of poultry.

Group to which food belongs	Groups include the following products	Azoxystrobin	Bifenthrin	Boscalid	Chlorpyrifos	Cyproconazole	Dimethomorph	Epoxiconazole	Fenbuconazole	Flubendiamide	Flufenoxuron	Glufosinate-ammonium (except trimesium salt)	Glyphosate (except trimesium salt)	Imidacloprid	Kresoxim-methyl	Lambda-cyhalothrin	Metaflumizone	Metamitron	Metconazole	Methiocarb	Methomyl	Methoxyfenozide	Pyraclostrobin	Pyraclostrobin-methoxy-carbamate	Quinoxyfen	Tebufenpyrad	Thiacloprid	Thiamethoxam
	Rye	0.3	0.05	0.05	0.02	0.05	0.01	0.05	0.02	0.02	1	0	5	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.1	0.02	0.05	0.02			
	Barley	0.3	0.5	0.05	0.02	0.05	0.01	0.05	0.02	0.02	2	0	10	0.05	0.05	0.05	0.01	0.05	0.05	0.02	0.02	0.3	0.2	0.05	0.02			
	Sorghum	0.05	0.05	0.05	0.02	0.05	0.01	0.05	0.02	0.02	2	0	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05	0.02			
	Oats	0.3	0.5	0.05	0.02	0.05	0.01	0.05	0.02	0.02	2	0	10	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.3	0.2	0.05	0.02			
	Triticale	0.3	0.5	0.05	0.02	0.05	0.01	0.05	0.02	0.02	1	0	5	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.1	0.02	0.05	0.02			
	Maize	0.05	0.05	0.1	0.02	0.05	0.01	0.05	0.02	0.02	1		0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05	0.02			
	Buckwheat	0.05	0.05	0.05	0.02	0.05	0.01	0.05	0.02	0.02	0.1		0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05	0.02			
	Millet	0.05	0.05	0.05	0.02	0.05	0.01	0.05	0.02	0.02	0.1		0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05	0.02			
	Rice (1)	5	0.05	0.05	0.02	0.05	0.01	0.05	0.02	0.02	0.1		0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05	0.02			
	Other cereals	0.05	0.05	0.05	0.02	0.05	0.01	0.05	0.02	0.02	0.1		0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.02	0.02	0.02	0.02	0.05	0.02			
9. PRODUCTS OF ANIMAL ORIGIN																												
	Meat fat & preparations of meat (2)	0,05	0.1 (16)	0.2 (39)	0.05 (41)	0.05 (21)	0.1				2 (19)		0.2 (19)	0.2 (39)	0.02 (34)	0.5 (17)		0.05	0.02		0.01	0.05	0.2	0.1			
			0.05 (9)	0.05 (40)	0.05 (42)						0.2 (12)	0.5 (12)	0.05 (40)	0.05 (30)	0.02 (14)												
				0.2 (30)							0.5 (31)	0.2 (15)															
											0.1 (44)	0.1 (44)															
											0.05 (43)	0.05 (44)															
	Milk (3) & Dairy	0.01	0.01	0.01	0.2	0.02	0.1				0.1	0.1	0.01	0.05	0.05		0.05	0.02		0.01	0.01	0.05						

a UNITS:
Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.
KEY:
* Level at or about the limit of determination.
FOOTNOTES:

b Offals only

c All meat except offal

d All meat except liver and kidney.

e All liver.

f Except liver and kidney of bovine animals, and kidney of swine and poultry.

g Kidney of poultry.

h Except liver, kidney and meat of bovine animals, and kidney of poultry.

Group to which food belongs	Groups include the following products	Azoxystrobin	Bifenthrin	Boscalid	Chlorpyrifos	Cyproconazole	Dimethomorph	Ethofumesate	Flonicamid	Fluazinam	Fludioxonil	Glufosinate ammonium (except trimesium salt)	Glyphosate (except trimesium salt)	Imidacloprid	Kresoxim-methyl	Lambda-cyhalothrin	Mepanipyrim	Metaflumizone	Metalaxyl-M	Methiocarb	Methomyl	Pirimicarb	Polyoxin D	Propiconazole	Quinoxyfen	Thiacloprid	Thiamethoxam
	produce (4)																										
	Eggs (5)	0.05	0.01		0.2		0.1					0.1	0.01		0.02	0.02		0.05	0.02			0.01	0.05	0.02	0.01		
10. SPICES																											
	Cumin seed						0.5																				
	Juniper seed						0.5																				
	Nutmeg						0.5																				
	Pepper, black and white						0.5																				
	Vanilla pods						0.5																				
	Others						0.5																				

a UNITS:
Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.
KEY:
* Level at or about the limit of determination.
FOOTNOTES:

b Offals only

c All meat except offal

d All meat except liver and kidney.

e All liver.

f Except liver and kidney of bovine animals, and kidney of swine and poultry.

g Kidney of poultry.

h Except liver, kidney and meat of bovine animals, and kidney of poultry.