

SCHEDULE

Regulation 11(3)

MEASURES TO BE TAKEN IN RESPECT OF DANGEROUS SUBSTANCES

1. In applying measures to control risks the person with duties under section 53 or 54 must, in order of priority–

- (a) reduce the quantity of dangerous substances to a minimum;
- (b) avoid or minimise the release of a dangerous substance;
- (c) control the release of a dangerous substance at source;
- (d) prevent the formation of an explosive atmosphere, including the application of appropriate ventilation;
- (e) ensure that any release of a dangerous substance which may give rise to risk is suitably collected, safely contained, removed to a safe place, or otherwise rendered safe, as appropriate;
- (f) avoid–
 - (i) ignition sources including electrostatic discharges; and
 - (ii) such other adverse conditions as could result in harmful physical effects from a dangerous substance; and
- (g) segregate incompatible dangerous substances.

Commencement Information

11 Sch. para. 1 in force at 1.10.2006, see [reg. 1](#)

2. The person with duties under section 53 or 54 must ensure that mitigation measures applied in accordance with regulation 11(3)(b) include–

- (a) reducing to a minimum the number of persons exposed;
- (b) measures to avoid the propagation of fires or explosions;
- (c) providing explosion pressure relief arrangements;
- (d) providing explosion suppression equipment;
- (e) providing plant which is constructed so as to withstand the pressure likely to be produced by an explosion; and
- (f) providing suitable personal protective equipment.

Commencement Information

12 Sch. para. 2 in force at 1.10.2006, see [reg. 1](#)

3. The person with duties under section 53 or 54 must–

- (a) ensure that the relevant premises are designed, constructed and maintained so as to reduce risk;
- (b) ensure that suitable special, technical and organisational measures are designed, constructed, assembled, installed, provided and used so as to reduce risk;
- (c) ensure that special, technical and organisational measures are maintained in an efficient state, in efficient working order and in good repair;
- (d) ensure that equipment and protective systems meet the following requirements–

Changes to legislation: There are currently no known outstanding effects for the
The Fire Safety (Scotland) Regulations 2006. (See end of Document for details)

- (i) where power failure can give rise to the spread of additional risk, equipment and protective systems must be able to be maintained in a safe state of operation independently of the rest of the plant in the event of power failure;
- (ii) means for manual override must be possible, operated by employees competent to do so, for shutting down equipment and protective systems incorporated within automatic processes which deviate from the intended operating conditions, provided that the provision or use of such means does not compromise safety;
- (iii) on operation of emergency shutdown, accumulated energy must be dissipated as quickly and as safely as possible or isolated so that it no longer constitutes a hazard; and
- (iv) necessary measures must be taken to prevent confusion between connecting devices;
- (e) where the work is carried out in hazardous places or involves hazardous activities, ensure that appropriate systems of work are applied including–
 - (i) the issuing of written instructions for the carrying out of work; and
 - (ii) a system of permits to work, with such permits being issued by a person with responsibility for this function prior to the commencement of the work concerned.

Commencement Information

I3 Sch. para. 3 in force at 1.10.2006, see [reg. 1](#)

Changes to legislation:

There are currently no known outstanding effects for the The Fire Safety (Scotland) Regulations 2006.