

2007 No. 523

AGRICULTURE

PESTICIDES

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Amendment (No. 4) Regulations 2007

Made - - - - 21st November 2007

Laid before the Scottish Parliament 23rd November 2007

Coming into force in accordance with regulation 1(2)

The Scottish Ministers make the following Regulations in exercise of the powers conferred by section 2(2) of the European Communities Act 1972(a) and all other powers enabling them to do so.

Citation and commencement

1.—(1) These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Amendment (No. 4) Regulations 2007.

(2) These Regulations come into force on 19th December 2007, except for—

- (a) regulation 4, which comes into force on 19th March 2008; and
- (b) regulation 5, which comes into force on 6th April 2008.

Amendment of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2005

2. The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2005(b) are amended in accordance with regulations 3 to 5.

Amendments coming into force on 19th December 2007

3.—(1) In Schedule 1 (pesticide residues), for the entry for Deltamethrin, substitute the entry for Deltamethrin set out in Schedule 1 to these Regulations.

(a) 1972 c.68. Section 2(2) was amended by the Scotland Act 1998 (c.46), Schedule 8, paragraph 15(3) and the Legislative and Regulatory Reform Act 2006 (c.51), section 27(1)(a). The function conferred upon the Minister of the Crown under section 2(2), insofar as within devolved competence, was transferred to the Scottish Ministers by virtue of section 53 of the Scotland Act 1998.

(b) S.S.I. 2005/599 as amended by S.S.I. 2006/151, 312, 548 and S.S.I. 2007/142, 306 and 481.

- (2) In Schedule 2 (maximum residue levels)–
- (a) for the entries in the columns relating to the pesticides Azoxystrobin, Chlorothalonil, Deltamethrin, Hexachlorobenzene (HCB), Ioxynil, Oxamyl and Quinoxifen, substitute the entries in the columns relating to those pesticides set out in Schedule 2 to these Regulations; and
 - (b) in the column relating to the pesticide Penconazole, for the entry relating to milk and dairy produce in food group 9 (foodstuffs of animal origin)–
 - (i) for “0.01” substitute “0.01*”; and
 - (ii) omit “0.05”.
- (3) In Schedule 3–
- (a) in paragraph 4 (oilseeds), in column 2, beneath “Poppy seed”, insert “Pumpkin seed”; and
 - (b) in paragraph 8 (cereals), in column 2, beneath “Rice”, insert “Spelt”.

Amendments coming into force on 19th March 2008

- 4.—(1) In Schedule 1 (pesticide residues)–
- (a) omit the entry for the pesticides Maneb, Mancozeb, Metiram, Propineb and Zineb in column 1 and the residue entries (1) and (2) relating to those pesticides in column 2; and
 - (b) in the appropriate places in the alphabetical sequence, insert the entries for the pesticides Dithiocarbamates, Propineb, Thiram and Ziram set out in Schedule 1 to these Regulations.
- (2) In Schedule 2 (maximum residue levels)–
- (a) for the entries in the column relating to Azinphos-methyl, substitute the entries for that pesticide set out in Schedule 2 to these Regulations;
 - (b) omit the column headed “Maneb Mancozeb Metiram Propineb Zineb”;
 - (c) in the appropriate places in the alphabetical sequence, insert the columns and corresponding entries relating to the pesticides Dithiocarbamates, Propineb, Thiram and Ziram set out in Schedule 2 to these Regulations; and
 - (d) at the end, add as footnote 53, the footnote numbered (53) set out in Schedule 2 to these Regulations.

Amendments coming into force on 6th April 2008

5.—(1) In Schedule 1 (pesticide residues), in the appropriate places in the alphabetical sequence, insert the entries for the pesticides Bifenazate, Pethoxamid, Pyrimethanil and Rimsulfuron set out in Schedule 1 to these Regulations.

(2) In Schedule 2 (maximum residue levels), in the appropriate places in the alphabetical sequence, insert the columns and corresponding entries relating to the pesticides Bifenazate, Pethoxamid, Pyrimethanil and Rimsulfuron set out in Schedule 2 to these Regulations.

RICHARD LOCHHEAD
A member of the Scottish Executive

St Andrew’s House,
Edinburgh
21st November 2007

SCHEDULE 1 Regulations 3(1), 4(1) and 5(1)

Entries substituted or inserted in Schedule 1

Column 1 <i>Pesticide</i>	Column 2 <i>Residue</i>
Bifenazate	Bifenazate
Deltamethrin	Deltamethrin (cis-deltamethrin)
Dithiocarbamates	Dithiocarbamates, expressed as CS ₂ , including mancozeb, maneb, metiram, propineb, thiram and ziram
Pethoxamid	Pethoxamid
Propineb	Propineb (expressed as propilendiammine)
Pyrimethanil	Pyrimethanil
Rimsulfuron	Rimsulfuron
Thiram	Thiram (expressed as Thiram)
Ziram	Ziram (expressed as Ziram)

SCHEDULE 2

Regulations 3(2), 4(2) and 5(2)

Entries substituted or inserted in Schedule 2

Group to which food belongs	Groups include the following products						
	Azinphos-methyl	Azoxystrobin	Bifenazate	Chlorothalonil	Deltamethrin		
1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS							
i) CITRUS FRUIT							
Grapefruit	0.05*	1	0.01*	0.01*	0.05*		
Lemons	0.05*	1	0.01*	0.01*	0.05*		
Limes	0.05*	1	0.01*	0.01*	0.05*		
Mandarins (inc clementines & similar hybrids)	0.05*	1	0.01*	0.01*	0.05*		
Oranges	0.05*	1	0.01*	0.01*	0.05*		
Pomelos	0.05*	1	0.01*	0.01*	0.05*		
Others	0.05*	1	0.01*	0.01*	0.05*		
ii) TREE NUTS (shelled or unshelled)							
Almonds	0.5	0.1*	0.01*	0.01*	0.05*		
Brazil nuts	0.5	0.1*	0.01*	0.01*	0.05*		
Cashew nuts	0.5	0.1*	0.01*	0.01*	0.05*		
Chestnuts	0.5	0.1*	0.01*	0.01*	0.05*		
Coconuts	0.5	0.1*	0.01*	0.01*	0.05*		
Hazelnuts	0.5	0.1*	0.01*	0.01*	0.05*		
Macadamia nuts	0.5	0.1*	0.01*	0.01*	0.05*		
Pecans	0.5	0.1*	0.01*	0.01*	0.05*		
Pine nuts	0.5	0.1*	0.01*	0.01*	0.05*		
Pistachios	0.5	0.1*	0.01*	0.01*	0.05*		

Group to which food belongs	Groups include the following products	Azinphos-methyl	Azoxystrobin	Bifenazate	Chlorothalonil	Deltamethrin
iii) POME FRUIT	Walnuts	0.5	0.1*	0.01*	0.01*	0.05*
	Others	0.5	0.1*	0.01*	0.01*	0.05*
iv) STONE FRUIT	Apples	0.5	0.05*	0.01*	1	0.2
	Pears	0.5	0.05*	0.01*	1	0.1
	Quinces	0.5	0.05*	0.01*	1	0.1
	Others	0.5	0.05*	0.01*	1	0.1
	Apricots	0.5	0.05*	0.01*	1	0.1
v) BERRIES AND SMALL FRUIT	Cherries	0.5	0.05*	0.01*	0.01*	0.2
	Peaches (inc nectarines & similar hybrids)	0.5	0.05*	0.01*	1	0.1
	Plums	0.5	0.05*	0.01*	0.01*	0.1
	Others	0.5	0.05*	0.01*	0.01*	0.1
	a) Table & wine grapes					
b) Strawberries (other than wild)	Table grapes	0.05*	2	0.01*	1	0.2
	Wine grapes	0.05*	2	0.01*	3	0.2
c) Cane fruit (other than wild)	Strawberries (other than wild)	0.5	2	2	3	0.2
	Cane fruit (other than wild)					
d) Other small fruit & berries (other than wild)	Blackberries	0.5	3	0.01*	0.01*	0.5
	Dewberries	0.5	0.05*	0.01*	0.01*	0.05*
	Loganberries	0.5	0.05*	0.01*	0.01*	0.05*
	Raspberries	0.5	3	0.01*	0.01*	0.05*
	Others	0.5	0.05*	0.01*	0.01*	0.05*
Currants (red, black & white)	Other small fruit & berries (other than wild)					
	Bilberries	0.05*	0.05*	0.01*	0.01*	0.05*
	Cranberries	0.1	0.05*	0.01*	2	0.05*

Group to which food belongs	Groups include the following products	Azinphos-methyl	Azoxystrobin	Bifenazate	Chlorothalonil	Deltamethrin
	Gooseberries	0.5	0.05*	0.01*	10	0.2
	Others	0.05*	0.05*	0.01*	0.01*	0.05*
e)	Wild berries & wild fruit	0.05*	0.05*	0.01*	0.01*	0.05*
vi)	MISCELLANEOUS FRUIT					
	Avocados	0.05*	0.05*	0.01*	0.01*	0.05*
	Bananas	0.05*	2	0.01*	0.2	0.05*
	Dates	0.05*	0.05*	0.01*	0.01*	0.05*
	Figs	0.05*	0.05*	0.01*	0.01*	0.05*
	Kiwi fruit	0.05*	0.05*	0.01*	0.01*	0.2
	Kumquats	0.05*	0.05*	0.01*	0.01*	0.05*
	Litchis	0.05*	0.05*	0.01*	0.01*	0.05*
	Mangoes	0.05*	0.2	0.01*	0.01*	0.05*
	Olives (table consumption)	0.05*	0.05*	0.01*	0.01*	1
	Olives (oil extract)	0.05*	0.05*	0.01*	0.01*	1
	Papaya	0.05*	0.2	0.01*	20	0.05*
	Passion fruit	0.05*	0.05*	0.01*	0.01*	0.05*
	Pineapples	0.05*	0.05*	0.01*	0.01*	0.05*
	Pomegranates	0.05*	0.05*	0.01*	0.01*	0.05*
	Others	0.05*	0.05*	0.01*	0.01*	0.05*
2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY						
i)	ROOT AND TUBER VEGETABLES					
	Beetroot	0.05*	0.05*	0.01*	0.01*	0.05*
	Carrots	0.05*	0.2	0.01*	1	0.05*
	Cassava	0.05*	0.05*	0.01*	0.01*	0.05*
	Celeriac	0.05*	0.3	0.01*	1	0.05*
	Horseradish	0.05*	0.2	0.01*	0.01*	0.05*
	Jerusalem artichokes	0.05*	0.05*	0.01*	0.01*	0.05*
	Parsnips	0.05*	0.2	0.01*	0.01*	0.05*
	Parsley root	0.05*	0.2	0.01*	0.01*	0.05*

Group to which food belongs	Groups include the following products						
	Azinphos-methyl	Azoxystrobin	Bifenazate	Chlorothalonil	Deltamethrin		
Radishes	0.05*	0.2	0.01*	0.01*	0.05*		
Salsify	0.05*	0.2	0.01*	0.01*	0.05*		
Sweet potatoes	0.05*	0.05*	0.01*	0.01*	0.05*		
Swedes	0.05*	0.05*	0.01*	0.01*	0.05*		
Turnips	0.05*	0.05*	0.01*	0.01*	0.05*		
Yams	0.05*	0.05*	0.01*	0.01*	0.05*		
Others	0.05*	0.05*	0.01*	0.01*	0.05*		
ii) BULB VEGETABLES							
Garlic	0.05*	0.05*	0.01*	0.5	0.1		
Onions	0.05*	0.05*	0.01*	0.5	0.1		
Shallots	0.05*	0.05*	0.01*	0.5	0.1		
Spring onions	0.05*	2	0.01*	5	0.1		
Others	0.05*	0.05*	0.01*	0.01*	0.05*		
iii) FRUITING VEGETABLES							
a) Solanacea							
Tomatoes	0.05*	2	0.5	2	0.3		
Peppers	0.05*	2	2	2	0.2		
Chili Peppers	0.05*	2	2	2	0.2		
Aubergines	0.05*	2	0.5	2	0.3		
Okra	0.05*	2	0.01*	2	0.3		
Others	0.05*	2	0.01*	2	0.2		
b) Cucurbits-edible peel							
Cucumbers	0.2	1	0.3	1	0.2		
Gherkins	0.05*	1	0.3	5	0.2		
Courgettes	0.05*	1	0.3	0.01*	0.2		
Others	0.05*	1	0.3	0.01*	0.2		
c) Cucurbits-inedible peel							
Melons	0.05*	0.5	0.01*	1	0.2		
Squashes	0.05*	0.5	0.01*	1	0.2		

Group to which food belongs	Groups include the following products	Azinphos-methyl	Azoxystrobin	Bifenazate	Chlorothalonil	Deltamethrin
	Watermelons	0.05*	0.5	0.01*	1	0.2
	Others	0.05*	0.5	0.01*	1	0.2
	d) Sweet corn	0.05*	0.05*	0.01*	0.01*	0.05*
iv) BRASSICA VEGETABLES						
	a) Flowering Brassicas					
	Broccoli	0.05*(13)	0.5(13)	0.01*(13)	3(13)	0.1(13)
	Cauliflower	0.05*	0.5	0.01*	3	0.1
	Others	0.05*	0.5	0.01*	3	0.1
	b) Head Brassicas					
	Brussels sprouts	0.05*	0.3	0.01*	3	0.1
	Head cabbage	0.05*	0.3	0.01*	3	0.1
	Others	0.05*	0.3	0.01*	0.01*	0.1
	c) Leafy Brassicas					
	Chinese cabbage	0.05*	5	0.01*	0.01*	0.5
	Kale	0.05*	5	0.01*	0.01*	0.5
	Others	0.05*	5	0.01*	0.01*	0.5
	d) Kohlrabi	0.05*	0.2	0.01*	0.01*	0.05*
v) LEAF VEGETABLES AND FRESH HERBS						
	a) Lettuce & similar					
	Cress	0.05*	3	0.01*	0.01*	0.5
	Lamb's lettuce	0.05*	3	0.01*	0.01*	0.5
	Lettuce	0.05*	3	0.01*	0.01*	0.5
	Scarole	0.05*(6)	3(6)	0.01*(6)	0.01*(6)	0.5(6)
	Ruccola	0.05*	3	0.01*	0.01*	0.5
	Leaves and stems of brassica, including turnip greens	0.05*	3	0.01*	0.01*	0.5
	Others	0.05*	3	0.01*	0.01*	0.5
	b) Spinach & similar					
	Spinach	0.05*	0.05*	0.01*	0.01*	0.5

Group to which food belongs	Groups include the following products	Azinphos-methyl	Azoxystrobin	Bifenazate	Chlorothalonil	Deltamethrin
	Beet leaves (chard)	0.05*	0.05*	0.01*	0.01*	0.5
	Others	0.05*	0.05*	0.01*	0.01*	0.5
c)	Watercress	0.05*	0.05*	0.01*	0.01*	0.05*
d)	Witloof	0.05*	0.2	0.01*	0.01*	0.05*
e)	Herbs					
	Chervil	0.05*	3	0.01*	5	0.5
	Chives	0.05*	3	0.01*	5	0.5
	Parsley	0.05*	3	0.01*	5	0.5
	Celery leaves	0.05*	3	0.01*	5	0.5
	Others	0.05*	3	0.01*	5	0.5
vi)	LEGUME VEGETABLES (Fresh)					
	Beans (with pods)	0.05*	1	0.01*	5	0.2
	Beans (without pods)	0.05*	0.2	0.01*	2	0.2
	Peas (with pods)	0.05*	0.5	0.01*	2	0.2
	Peas (without pods)	0.05*	0.2	0.01*	0.3	0.2
	Others	0.05*	0.05*	0.01*	0.01*	0.2
vii)	STEM VEGETABLES					
	Asparagus	0.05*	0.05*	0.01*	0.01*	0.05*
	Cardoons	0.05*	0.05*	0.01*	0.01*	0.05*
	Celery	0.05*	5	0.01*	10	0.05*
	Fennel	0.05*	5	0.01*	0.01*	0.05*
	Globe artichokes	0.05*	1	0.01*	0.01*	0.1
	Leeks	0.05*	2	0.01*	10	0.2
	Rhubarb	0.05*	0.05*	0.01*	0.01*	0.05*
	Others	0.05*	0.05*	0.01*	0.01*	0.05*
viii)	FUNGI					
a)	Cultivated mushrooms	0.05*	0.05*	0.01*	2	0.05
b)	Wild mushrooms	0.05*	0.05*	0.01*	0.01*	0.05

Group to which food belongs	Groups include the following products						Chlorothalonil	Deltamethrin
	Azinphos-methyl	Azoxystrobin	Bifenazate					
3. PULSES								
Beans	0.05*	0.1	0.01*	0.01*	0.01*	0.01*	1	
Lentils	0.05*	0.1	0.01*	0.01*	0.01*	0.01*	1	
Peas	0.05*	0.1	0.01*	0.01*	0.01*	0.01*	1	
Lupins	0.05*	0.1	0.01*	0.01*	0.01*	0.01*	1	
Others	0.05*	0.1	0.01*	0.01*	0.01*	0.01*	1	
4. OILSEEDS								
Linseed	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	
Peanuts	0.05*	0.05*	0.02*	0.02*	0.05	0.05	0.05*	
Poppy seed	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	
Sesame seed	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	
Sunflower seed	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	
Rape seed	0.05*	0.5	0.02*	0.02*	0.01*	0.01*	0.1	
Soya bean	0.05*	0.5	0.02*	0.02*	0.01*	0.01*	0.05*	
Mustard seed	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.1	
Cotton seed	0.2	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	
Hemp seed	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	
Pumpkin seed	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	
Others	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	
5. POTATOES								
Early potatoes	0.05*	0.05*	0.01*	0.01*	0.01*	0.01*	0.05*	
Ware potatoes	0.05*	0.05*	0.01*	0.01*	0.01*	0.01*	0.05*	
6. TEA								
(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.1*	0.02*	0.02*	0.1*	0.1*	5	
7. HOPS (dried)								
including hop pellets & unconcentrated powder	0.1*	20	0.02*	0.02*	50	50	5	

Group to which food belongs	Groups include the following products					
	Azinphos-methyl	Azoxystrobin	Bifenazate	Chlorothalonil	Deltamethrin	
8. CEREALS						
Wheat	0.05*	0.3	0.01*	0.1	2	
Rye	0.05*	0.3	0.01*	0.1	2	
Barley	0.05*	0.3	0.01*	0.1	2	
Sorghum	0.05*	0.05*	0.01*	0.01*	2	
Oats	0.05*	0.3	0.01*	0.1	2	
Triticale	0.05*	0.3	0.01*	0.1	2	
Maize	0.05*	0.05*	0.01*	0.01*	2	
Buckwheat	0.05*	0.05*	0.01*	0.01*	2	
Millet	0.05*	0.05*	0.01*	0.01*	2	
Rice ⁽¹⁾	0.05*	5	0.01*	0.01*	2	
Spelt	0.05*	0.05*	0.01*	0.01*	2	
Other cereals	0.05*	0.05*	0.01*	0.01*	2	
9. FOODSTUFFS OF ANIMAL ORIGIN						
Meat, edible offal, fat & preparations of meat & edible offal ⁽²⁾	0.01*	0.05*		0.01*	0.03* ⁽¹¹⁾ 0.1 ⁽⁴⁷⁾	
Milk ⁽³⁾ and Dairy Produce ⁽⁴⁾	0.01*	0.01*		0.01*	0.5 ⁽⁹⁾	
Eggs ⁽⁵⁾	0.01*	0.05*		0.01*	0.05	
Cumin seed					0.05*	
Juniper seed						
Nutmeg						
Pepper, black and white						
Vanilla pods						
Spices - others						
10. SPICES						

Group to which food belongs	Groups include the following products	Hexachlorobenzene (HCB)						
		Dithiocarbamates	Ioxynil	Oxamyl	Pethoxamid	Propineb ⁽⁵³⁾		
1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS								
i) CITRUS FRUIT								
	Grapefruit	5	0.01*	0.05*	0.01*	0.01*	0.05*	
	Lemons	5	0.01*	0.05*	0.01*	0.01*	0.05*	
	Limes	5	0.01*	0.05*	0.01*	0.01*	0.05*	
	Mandarins (inc clementines & similar hybrids)	5	0.01*	0.05*	0.02*	0.01*	0.05*	
	Oranges	5	0.01*	0.05*	0.01*	0.01*	0.05*	
	Pomelos	5	0.01*	0.05*	0.01*	0.01*	0.05*	
	Others	5	0.01*	0.05*	0.01*	0.01*	0.05*	
ii) TREE NUTS (shelled or unshelled)								
	Almonds	0.05*	0.01*	0.05*	0.01*	0.01*	0.05*	
	Brazil nuts	0.05*	0.01*	0.05*	0.01*	0.01*	0.05*	
	Cashew nuts	0.05*	0.01*	0.05*	0.01*	0.01*	0.05*	
	Chestnuts	0.05*	0.01*	0.05*	0.01*	0.01*	0.05*	
	Coconuts	0.05*	0.01*	0.05*	0.01*	0.01*	0.05*	
	Hazelnuts	0.05*	0.01*	0.05*	0.01*	0.01*	0.05*	
	Macadamia nuts	0.05*	0.01*	0.05*	0.01*	0.01*	0.05*	
	Pecans	0.05*	0.01*	0.05*	0.01*	0.01*	0.05*	
	Pine nuts	0.05*	0.01*	0.05*	0.01*	0.01*	0.05*	
	Pistachios	0.05*	0.01*	0.05*	0.01*	0.01*	0.05*	
	Walnuts	0.1	0.01*	0.05*	0.01*	0.01*	0.05*	
	Others	0.05*	0.01*	0.05*	0.01*	0.01*	0.05*	
iii) POME FRUIT								
	Apples	5	0.01*	0.05*	0.01*	0.01*	0.3	
	Pears	5	0.01*	0.05*	0.01*	0.01*	0.3	
	Quinces	5	0.01*	0.05*	0.01*	0.01*	0.3	
	Others	5	0.01*	0.05*	0.01*	0.01*	0.3	

Group to which food belongs	Groups include the following products	Hexachlorobenzene (HCB)						Propineb ⁽⁵³⁾
		Dithiocarbamates	Ioxynil	Oxamyl	Pethoxamid	Propineb ⁽⁵³⁾		
iv) STONE FRUIT								
	Apricots	2	0.01*	0.01*	0.01*	0.01*	0.05*	
	Cherries	2	0.01*	0.01*	0.01*	0.01*	0.3	
	Peaches (inc nectarines & similar hybrids)	2	0.01*	0.01*	0.01*	0.01*	0.05*	
	Plums	2	0.01*	0.01*	0.01*	0.01*	0.05*	
	Others	0.05*	0.01*	0.01*	0.01*	0.01*	0.05*	
v) BERRIES AND SMALL FRUIT								
	a) Table & wine grapes							
	Table grapes	5	0.01*	0.01*	0.01*	0.01*	1	
	Wine grapes	5	0.01*	0.01*	0.01*	0.01*	1	
	b) Strawberries (other than wild)							
	c) Cane fruit (other than wild)	10	0.01*	0.01*	0.01*	0.01*	0.05*	
	Blackberries	0.05*	0.01*	0.01*	0.01*	0.01*	0.05*	
	Dewberries	0.05*	0.01*	0.01*	0.01*	0.01*	0.05*	
	Loganberries	0.05*	0.01*	0.01*	0.01*	0.01*	0.05*	
	Raspberries	0.05*	0.01*	0.01*	0.01*	0.01*	0.05*	
	Others	0.05*	0.01*	0.01*	0.01*	0.01*	0.05*	
	d) Other small fruit & berries (other than wild)							
	Bilberries	0.05*	0.01*	0.01*	0.01*	0.01*	0.05*	
	Cranberries	0.05*	0.01*	0.01*	0.01*	0.01*	0.05*	
	Currants (red, black & white)	5	0.01*	0.01*	0.01*	0.01*	0.05*	
	Gooseberries	0.05*	0.01*	0.01*	0.01*	0.01*	0.05*	
	Others	0.05*	0.01*	0.01*	0.01*	0.01*	0.05*	
	e) Wild berries & wild fruit	0.05*	0.01*	0.01*	0.01*	0.01*	0.05*	
vi) MISCELLANEOUS FRUIT								
	Avocados	0.05*	0.01*	0.01*	0.01*	0.01*	0.05*	
	Bananas	2	0.01*	0.01*	0.01*	0.01*	0.05*	
	Dates	0.05*	0.01*	0.01*	0.01*	0.01*	0.05*	
	Figs	0.05*	0.01*	0.01*	0.01*	0.01*	0.05*	

Group to which food belongs	Groups include the following products	Dithiocarbamates	Hexachlorobenzene (HCB)	Ioxynil	Oxamyl	Pethoxamid	Propineb ⁽⁵³⁾
	Kiwi fruit	0.05*	0.01*	0.05*	0.01*	0.01*	0.05*
	Kumquats	0.05*	0.01*	0.05*	0.01*	0.01*	0.05*
	Litchis	0.05*	0.01*	0.05*	0.01*	0.01*	0.05*
	Mangoes	2	0.01*	0.05*	0.01*	0.01*	0.05*
	Olives (table consumption)	5	0.01*	0.05*	0.01*	0.01*	0.3
	Olives (oil extract)	5	0.01*	0.05*	0.01*	0.01*	0.3
	Papaya	7	0.01*	0.05*	0.01*	0.01*	0.05*
	Passion fruit	0.05*	0.01*	0.05*	0.01*	0.01*	0.05*
	Pineapples	0.05*	0.01*	0.05*	0.01*	0.01*	0.05*
	Pomegranates	0.05*	0.01*	0.05*	0.01*	0.01*	0.05*
	Others	0.05*	0.01*	0.05*	0.01*	0.01*	0.05*
2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY							
i) ROOT AND TUBER VEGETABLES							
	Beetroot	0.5	0.01*	0.05*	0.01*	0.01*	0.05*
	Carrots	0.2	0.01*	0.2	0.01*	0.01*	0.05*
	Cassava	0.05*	0.01*	0.05*	0.01*	0.01*	0.05*
	Celeriac	0.3	0.01*	0.05*	0.01*	0.01*	0.3
	Horseradish	0.2	0.01*	0.05*	0.01*	0.01*	0.05*
	Jerusalem artichokes	0.05*	0.01*	0.05*	0.01*	0.01*	0.05*
	Parsnips	0.2	0.01*	0.2	0.01*	0.01*	0.05*
	Parsley root	0.2	0.01*	0.05*	0.01*	0.01*	0.05*
	Radishes	0.05*	0.01*	0.05*	0.01*	0.01*	0.05*
	Salsify	0.2	0.01*	0.05*	0.01*	0.01*	0.05*
	Sweet potatoes	0.05*	0.01*	0.05*	0.01*	0.01*	0.05*
	Swedes	0.05*	0.01*	0.05*	0.01*	0.01*	0.05*
	Turnips	0.05*	0.01*	0.05*	0.01*	0.01*	0.05*
	Yams	0.05*	0.01*	0.05*	0.01*	0.01*	0.05*
	Others	0.05*	0.01*	0.05*	0.01*	0.01*	0.05*

Group to which food belongs	Groups include the following products						Hexachlorobenzene (HCB)					
	Dithiocarbamates	Ioxynil	Oxamyl	Pethoxamid	Propineb ⁽⁵³⁾		Dithiocarbamates	Ioxynil	Oxamyl	Pethoxamid	Propineb ⁽⁵³⁾	
ii) BULB VEGETABLES												
Garlic	0.1	0.2	0.01*	0.01*	0.05*	0.01*	0.01*	0.01*	0.01*	0.05*		
Onions	1	0.2	0.01*	0.01*	0.05*	0.01*	0.01*	0.01*	0.01*	0.05*		
Shallots	1	0.2	0.01*	0.01*	0.05*	0.01*	0.01*	0.01*	0.01*	0.05*		
Spring onions	1	3	0.01*	0.01*	0.05*	0.01*	0.01*	0.01*	0.01*	0.05*		
Others	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.01*	0.01*	0.01*	0.05*		
iii) FRUITING VEGETABLES												
a) Solanacea												
Tomatoes	3	0.05*	0.01*	0.01*	0.05*	0.01*	0.01*	0.02	0.01*	0.05*	2	
Peppers	5	0.05*	0.01*	0.01*	0.05*	0.01*	0.01*	0.02	0.01*	0.05*	1	
Chili Peppers	5	0.05*	0.01*	0.01*	0.05*	0.01*	0.01*	0.02	0.01*	0.05*	1	
Aubergines	3	0.05*	0.01*	0.01*	0.05*	0.01*	0.01*	0.02	0.01*	0.05*	0.05*	
Okra	0.5	0.05*	0.01*	0.01*	0.05*	0.01*	0.01*	0.01*	0.01*	0.05*	0.05*	
Others	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.01*	0.01*	0.01*	0.05*	0.05*	
b) Cucurbits-edible peel												
Cucumbers	2	0.05*	0.01*	0.01*	0.05*	0.01*	0.01*	0.02	0.01*	0.05*	2	
Gherkins	2	0.05*	0.01*	0.01*	0.05*	0.01*	0.01*	0.02	0.01*	0.05*	0.05*	
Courgettes	2	0.05*	0.01*	0.01*	0.05*	0.01*	0.01*	0.03	0.01*	0.05*	0.05*	
Others	2	0.05*	0.01*	0.01*	0.05*	0.01*	0.01*	0.01*	0.01*	0.05*	0.05*	
c) Cucurbits-inedible peel												
Melons	1	0.05*	0.01*	0.01*	0.05*	0.01*	0.01*	0.01*	0.01*	0.05*	1	
Squashes	1	0.05*	0.01*	0.01*	0.05*	0.01*	0.01*	0.01*	0.01*	0.05*	0.05*	
Watermelons	1	0.05*	0.01*	0.01*	0.05*	0.01*	0.01*	0.01*	0.01*	0.05*	1	
Others	1	0.05*	0.01*	0.01*	0.05*	0.01*	0.01*	0.01*	0.01*	0.05*	0.05*	
d) Sweet corn	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.01*	0.01*	0.01*	0.05*	0.05*	
iv) BRASSICA VEGETABLES												
a) Flowering Brassicas												
Broccoli	1 ⁽¹³⁾	0.05* ⁽¹³⁾	0.01* ⁽¹³⁾	0.01* ⁽¹³⁾	0.05* ⁽¹³⁾	0.01* ⁽¹³⁾	0.01* ⁽¹³⁾	0.01* ⁽¹³⁾	0.01* ⁽¹³⁾	0.05* ⁽¹³⁾	0.05* ⁽¹³⁾	

Group to which food belongs	Groups include the following products	Hexachlorobenzene (HCB)						Propineb ⁽⁵⁾
		Dithiocarbamates	Ioxynil	Oxamyl	Pethoxamid	Propineb ⁽⁵⁾		
b) Head Brassicas	Cauliflower	1	0.01*	0.05*	0.01*	0.01*	0.05*	
	Others	1	0.01*	0.05*	0.01*	0.01*	0.05*	
	Brussels sprouts	2	0.01*	0.05*	0.01*	0.01*	0.05*	
	Head cabbage	3	0.01*	0.05*	0.01*	0.01*	0.05*	
	Others	0.05*	0.01*	0.05*	0.01*	0.01*	0.05*	
	c) Leafy Brassicas	Chinese cabbage	0.5	0.01*	0.05*	0.01*	0.01*	0.05*
		Kale	0.5	0.01*	0.05*	0.01*	0.01*	0.05*
		Others	0.5	0.01*	0.05*	0.01*	0.01*	0.05*
		Kohlrabi	1	0.01*	0.05*	0.01*	0.01*	0.05*
	v) LEAF VEGETABLES AND FRESH HERBS							
a) Lettuce & similar	Cress	5	0.01*	0.05*	0.01*	0.01*	0.05*	
	Lamb's lettuce	5	0.01*	0.05*	0.01*	0.01*	0.05*	
	Lettuce	5	0.01*	0.05*	0.01*	0.01*	0.05*	
	Scarole	5 ⁽⁶⁾	0.01* ⁽⁶⁾	0.05* ⁽⁶⁾	0.01* ⁽⁶⁾	0.01* ⁽⁶⁾	0.05* ⁽⁶⁾	
	Ruccola	5	0.01*	0.05*	0.01*	0.01*	0.05*	
	b) Spinach & similar	Spinach	0.05*	0.01*	0.05*	0.01*	0.01*	0.05*
		Beet leaves (chard)	0.05*	0.01*	0.05*	0.01*	0.01*	0.05*
		Others	0.05*	0.01*	0.05*	0.01*	0.01*	0.05*
		Watercress	0.3	0.01*	0.05*	0.01*	0.01*	0.05*
	d) Witloof	Witloof	0.5	0.01*	0.05*	0.01*	0.01*	0.05*
Herbs								
e) Chervil	Chervil	5	0.01*	0.05*	0.01*	0.01*	0.05*	

Group to which food belongs	Groups include the following products	Hexachlorobenzene (HCB)					Propineb ⁽⁵³⁾
		Dithiocarbamates	Ioxynil	Oxamyl	Pethoxamid	Propineb ⁽⁵³⁾	
	Chives	5	0.05*	0.01*	0.01*	0.05*	
	Parsley	5	0.05*	0.01*	0.01*	0.05*	
	Celery leaves	5	0.05*	0.01*	0.01*	0.05*	
	Others	5	0.05*	0.01*	0.01*	0.05*	
vi) LEGUME VEGETABLES (Fresh)							
	Beans (with pods)	1	0.05*	0.01*	0.01*	0.05*	
	Beans (without pods)	0.1	0.05*	0.01*	0.01*	0.05*	
	Peas (with pods)	1	0.05*	0.01*	0.01*	0.05*	
	Peas (without pods)	0.1	0.05*	0.01*	0.01*	0.05*	
	Others	0.05*	0.05*	0.01*	0.01*	0.05*	
vii) STEM VEGETABLES							
	Asparagus	0.5	0.05*	0.01*	0.01*	0.05*	
	Cardoons	0.05*	0.05*	0.01*	0.01*	0.05*	
	Celery	0.05*	0.05*	0.01*	0.01*	0.05*	
	Fennel	0.05*	0.05*	0.01*	0.01*	0.05*	
	Globe artichokes	0.05*	0.05*	0.01*	0.01*	0.05*	
	Leeks	3	3	0.01*	0.01*	0.05*	
	Rhubarb	0.5	0.05*	0.01*	0.01*	0.05*	
	Others	0.05*	0.05*	0.01*	0.01*	0.05*	
viii) FUNGI							
	a) Cultivated mushrooms	0.05*	0.05*	0.01*	0.01*	0.05*	
	b) Wild mushrooms	0.05*	0.05*	0.01*	0.01*	0.05*	
3. PULSES							
	Beans	0.1	0.05*	0.01*	0.01*	0.05*	
	Lentils	0.05*	0.05*	0.01*	0.01*	0.05*	
	Peas	0.1	0.05*	0.01*	0.01*	0.05*	
	Lupins	0.05*	0.05*	0.01*	0.01*	0.05*	
	Others	0.05*	0.05*	0.01*	0.01*	0.05*	

Group to which food belongs	Groups include the following products	Hexachlorobenzene (HCB)					Propineb ⁽⁵³⁾
		Dithiocarbamates	Ioxynil	Oxamyl	Pethoxamid	Propineb ⁽⁵³⁾	
4. OILSEEDS							
	Linseed	0.1*	0.02*	0.02*	0.01*	0.1*	0.1*
	Peanuts	0.1*	0.02*	0.02*	0.01*	0.1*	0.1*
	Poppy seed	0.1*	0.02*	0.02*	0.01*	0.1*	0.1*
	Sesame seed	0.1*	0.02*	0.02*	0.01*	0.1*	0.1*
	Sunflower seed	0.1*	0.02*	0.02*	0.01*	0.1*	0.1*
	Rape seed	0.5	0.02*	0.02*	0.01*	0.1*	0.1*
	Soya bean	0.1*	0.02*	0.02*	0.01*	0.1*	0.1*
	Mustard seed	0.1*	0.02*	0.02*	0.01*	0.1*	0.1*
	Cotton seed	0.1*	0.02*	0.02*	0.01*	0.1*	0.1*
	Hemp seed	0.1*	0.02*	0.02*	0.01*	0.1*	0.1*
	Pumpkin seed	0.1*	0.05	0.02*	0.01*	0.1*	0.1*
	Others	0.1*	0.02*	0.02*	0.01*	0.1*	0.1*
5. POTATOES							
	Early potatoes	0.3	0.01	0.05*	0.01*	0.2	0.2
	Ware potatoes	0.3	0.01	0.05*	0.01*	0.2	0.2
6. TEA							
	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.02*	0.1*	0.02*	0.1*	0.1*
7. HOPS (dried)							
	including hop pellets & unconcentrated powder	25	0.02*	0.1*	0.02*	50	50
8. CEREALS							
	Wheat	1	0.01	0.05*	0.01*	0.05*	0.05*
	Rye	1	0.01	0.05*	0.01*	0.05*	0.05*
	Barley	2	0.01	0.05*	0.01*	0.05*	0.05*
	Sorghum	0.05*	0.01	0.05*	0.01*	0.05*	0.05*
	Oats	2	0.01	0.05*	0.01*	0.05*	0.05*
	Triticale	1	0.01	0.05*	0.01*	0.05*	0.05*
	Maize	0.05*	0.01	0.05*	0.01*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Dithiocarbamates	Hexachlorobenzene (HCB)	Ioxynil	Oxamyl	Pethoxamid	Propineb ⁽⁵³⁾
	Buckwheat	0.05*	0.01	0.05*	0.01*	0.01*	0.05*
	Millet	0.05*	0.01	0.05*	0.01*	0.01*	0.05*
	Rice ⁽¹⁾	0.05*	0.01	0.05*	0.01*	0.01*	0.05*
	Spelt	1	0.01	0.05*	0.01*	0.01*	0.05*
	Other cereals	0.05*	0.01	0.05*	0.01*	0.01*	0.05*
9. FOODSTUFFS OF ANIMAL ORIGIN							
	Meat, edible offal, fat & preparations of meat & edible offal ⁽²⁾	0.05*	0.2	0.2 ⁽³⁹⁾ 0.05 ⁽⁴⁰⁾			
	Milk ⁽³⁾ and Dairy Produce ⁽⁴⁾	0.05*	0.01	0.01*			
	Eggs ⁽⁵⁾	0.05*	0.02				
10. SPICES							
	Cumin seed						
	Juniper seed						
	Nutmeg						
	Pepper, black and white						
	Vanilla pods						
	Spices - others						

Group to which food belongs	Groups include the following products	Pyrimethanil	Quinoxifen	Rimsulfuron	Thiram ⁽⁵³⁾	Ziram ⁽⁵³⁾
1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS						
i) CITRUS FRUIT						
	Grapefruit	10	0.02*	0.05*	0.1*	0.1*
	Lemons	10	0.02*	0.05*	0.1*	0.1*
	Limes	10	0.02*	0.05*	0.1*	0.1*
	Mandarins (inc clementines & similar hybrids)	10	0.02*	0.05*	0.1*	0.1*
	Oranges	10	0.02*	0.05*	0.1*	0.1*
	Pomelos	10	0.02*	0.05*	0.1*	0.1*
	Others	10	0.02*	0.05*	0.1*	0.1*
ii) TREE NUTS (shelled or unshelled)						
	Almonds	0.2	0.02*	0.05*	0.1*	0.1*
	Brazil nuts	0.05*	0.02*	0.05*	0.1*	0.1*
	Cashew nuts	0.05*	0.02*	0.05*	0.1*	0.1*
	Chestnuts	0.05*	0.02*	0.05*	0.1*	0.1*
	Coconuts	0.05*	0.02*	0.05*	0.1*	0.1*
	Hazelnuts	0.05*	0.02*	0.05*	0.1*	0.1*
	Macadamia nuts	0.05*	0.02*	0.05*	0.1*	0.1*
	Pecans	0.05*	0.02*	0.05*	0.1*	0.1*
	Pine nuts	0.05*	0.02*	0.05*	0.1*	0.1*
	Pistachios	0.2	0.02*	0.05*	0.1*	0.1*
	Walnuts	0.05*	0.02*	0.05*	0.1*	0.1*
	Others	0.05*	0.02*	0.05*	0.1*	0.1*
iii) POME FRUIT						
	Apples	5	0.05	0.05*	5	0.1*
	Pears	5	0.02*	0.05*	5	1

Group to which food belongs	Groups include the following products	Pyrimethanil	Quinoxifyfen	Rimsulfuron	Thiram ⁽⁵³⁾	Ziram ⁽⁵³⁾	
iv) STONE FRUIT	Quinces	5	0.02*	0.05*	0.1*	0.1*	
	Others	5	0.02*	0.05*	0.1*	0.1*	
	Apricots	3	0.05	0.05*	3	0.1*	
	Cherries	0.05*	0.3	0.05*	3	5	
	Peaches (inc nectarines & similar hybrids)	10	0.05	0.05*	3	0.1*	
	Plums	3	0.02*	0.05*	2	2	
	Others	0.05*	0.02*	0.05*	0.1*	0.1*	
	v) BERRIES AND SMALL FRUIT	a) Table & wine grapes					
		Table grapes	5	1	0.05*	0.1*	0.1*
		Wine grapes	5	1	0.05*	3	0.1*
b) Strawberries (other than wild)							
c) Cane fruit (other than wild)							
Blackberries		10	0.02*	0.05*	0.1*	0.1*	
Dewberries		0.05*	0.02*	0.05*	0.1*	0.1*	
Loganberries		0.05*	0.02*	0.05*	0.1*	0.1*	
Raspberries		10	0.02*	0.05*	0.1*	0.1*	
Others		0.05*	0.02*	0.05*	0.1*	0.1*	
d) Other small fruit & berries (other than wild)							
Bilberries		5	2	0.05*	0.1*	0.1*	
Cranberries		5	2	0.05*	0.1*	0.1*	
Currants (red, black & white)		5	2	0.05*	0.1*	0.1*	
Gooseberries		5	2	0.05*	0.1*	0.1*	
Others	5	2	0.05*	0.1*	0.1*		
e) Wild berries & wild fruit							
Wild berries & wild fruit	0.05*	0.02*	0.05*	0.1*	0.1*		
vi) MISCELLANEOUS FRUIT	Avocados	0.05*	0.02*	0.05*	0.1*	0.1*	
	Bananas	0.1	0.02*	0.05*	0.1*	0.1*	

Group to which food belongs	Groups include the following products	Pyrimethanil	Quinoxifen	Rimsulfuron	Thiram ⁽⁵³⁾	Ziram ⁽⁵³⁾
	Dates	0.05*	0.02*	0.05*	0.1*	0.1*
	Figs	0.05*	0.02*	0.05*	0.1*	0.1*
	Kiwi fruit	0.05*	0.02*	0.05*	0.1*	0.1*
	Kumquats	0.05*	0.02*	0.05*	0.1*	0.1*
	Litchis	0.05*	0.02*	0.05*	0.1*	0.1*
	Mangoes	0.05*	0.02*	0.05*	0.1*	0.1*
	Olives (table consumption)	0.05*	0.02*	0.05*	0.1*	0.1*
	Olives (oil extract)	0.05*	0.02*	0.05*	0.1*	0.1*
	Papaya	0.05*	0.02*	0.05*	0.1*	0.1*
	Passion fruit	0.05*	0.02*	0.05*	0.1*	0.1*
	Pineapples	0.05*	0.02*	0.05*	0.1*	0.1*
	Pomegranates	0.05*	0.02*	0.05*	0.1*	0.1*
	Others	0.05*	0.02*	0.05*	0.1*	0.1*
2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY						
i) ROOT AND TUBER VEGETABLES						
	Beetroot	0.05*	0.02*	0.05*	0.1*	0.1*
	Carrots	1	0.02*	0.05*	0.1*	0.1*
	Cassava	0.05*	0.02*	0.05*	0.1*	0.1*
	Celeriac	0.05*	0.02*	0.05*	0.1*	0.1*
	Horseradish	0.05*	0.02*	0.05*	0.1*	0.1*
	Jerusalem artichokes	0.05*	0.02*	0.05*	0.1*	0.1*
	Parsnips	0.05*	0.02*	0.05*	0.1*	0.1*
	Parsley root	0.05*	0.02*	0.05*	0.1*	0.1*
	Radishes	0.05*	0.02*	0.05*	0.1*	0.1*
	Salsify	0.05*	0.02*	0.05*	0.1*	0.1*
	Sweet potatoes	0.05*	0.02*	0.05*	0.1*	0.1*
	Swedes	0.05*	0.02*	0.05*	0.1*	0.1*
	Turnips	0.05*	0.02*	0.05*	0.1*	0.1*

Group to which food belongs	Groups include the following products	Pyrimethanil	Quinoxifen	Rimsulfuron	Thiram ⁽⁵³⁾	Ziram ⁽⁵³⁾	
ii) BULB VEGETABLES	Yams	0.05*	0.02*	0.05*	0.1*	0.1*	
	Others	0.05*	0.02*	0.05*	0.1*	0.1*	
iii) FRUITING VEGETABLES	Garlic	0.05*	0.02*	0.05*	0.1*	0.1*	
	Onions	0.1	0.02*	0.05*	0.1*	0.1*	
	Shallots	0.05*	0.02*	0.05*	0.1*	0.1*	
	Spring onions	0.05*	0.02*	0.05*	0.1*	0.1*	
	Others	0.05*	0.02*	0.05*	0.1*	0.1*	
a) Solanacea	Tomatoes	1	0.02*	0.05*	0.1*	0.1*	
	Peppers	2	0.02*	0.05*	0.1*	0.1*	
	Chili Peppers	2	0.02*	0.05*	0.1*	0.1*	
	Aubergines	1	0.02*	0.05*	0.1*	0.1*	
	Okra	0.05*	0.02*	0.05*	0.1*	0.1*	
	Others	0.05*	0.02*	0.05*	0.1*	0.1*	
	b) Cucurbits-edible peel	Cucumbers	1	0.02*	0.05*	0.1*	0.1*
		Gherkins	1	0.02*	0.05*	0.1*	0.1*
		Courgettes	1	0.02*	0.05*	0.1*	0.1*
		Others	1	0.02*	0.05*	0.1*	0.1*
		c) Cucurbits-inedible peel	Melons	0.05*	0.05	0.05*	0.1*
	Squashes		0.05*	0.05	0.05*	0.1*	0.1*
	Watermelons		0.05*	0.05	0.05*	0.1*	0.1*
	Others		0.05*	0.05	0.05*	0.1*	0.1*
	Sweet corn		0.05*	0.02*	0.05*	0.1*	0.1*

Group to which food belongs	Groups include the following products	Pyrimethanil	Quinoxyfen	Rimsulfuron	Thiram ⁽⁵³⁾	Ziram ⁽⁵³⁾
iv) BRASSICA VEGETABLES						
a)	Flowering Brassicas					
	Broccoli	0.05* ⁽¹³⁾	0.02* ⁽¹³⁾	0.05* ⁽¹³⁾	0.1* ⁽¹³⁾	0.1* ⁽¹³⁾
	Cauliflower	0.05*	0.02*	0.05*	0.1*	0.1*
	Others	0.05*	0.02*	0.05*	0.1*	0.1*
b)	Head Brassicas					
	Brussels sprouts	0.05*	0.02*	0.05*	0.1*	0.1*
	Head cabbage	0.05*	0.02*	0.05*	0.1*	0.1*
	Others	0.05*	0.02*	0.05*	0.1*	0.1*
c)	Leafy Brassicas					
	Chinese cabbage	0.05*	0.02*	0.05*	0.1*	0.1*
	Kale	0.05*	0.02*	0.05*	0.1*	0.1*
	Others	0.05*	0.02*	0.05*	0.1*	0.1*
d)	Kohlrabi	0.05*	0.02*	0.05*	0.1*	0.1*
v) LEAF VEGETABLES AND FRESH HERBS						
a)	Lettuce & similar					
	Cress	0.05*	0.02*	0.05*	0.1*	0.1*
	Lamb's lettuce	0.05*	0.02*	0.05*	0.1*	0.1*
	Lettuce	10	0.02*	0.05*	2	0.1*
	Scarole	0.05* ⁽⁶⁾	0.02* ⁽⁶⁾	0.05* ⁽⁶⁾	2 ⁽⁶⁾	0.1* ⁽⁶⁾
	Ruccola	0.05*	0.02*	0.05*	0.1*	0.1*
	Leaves and stems of brassica, including turnip greens	0.05*	0.02*	0.05*	0.1*	0.1*
	Others	0.05*	0.02*	0.05*	0.1*	0.1*
b)	Spinach & similar					
	Spinach	0.05*	0.02*	0.05*	0.1*	0.1*
	Beet leaves (chard)	0.05*	0.02*	0.05*	0.1*	0.1*
	Others	0.05*	0.02*	0.05*	0.1*	0.1*
c)	Watercress	0.05*	0.02*	0.05*	0.1*	0.1*

Group to which food belongs	Groups include the following products	Pyrimethanil	Quinoxifen	Rimsulfuron	Thiram ⁽⁵³⁾	Ziram ⁽⁵³⁾
d)	Witloof	0.05*	0.02*	0.05*	0.1*	0.1*
e)	Herbs					
	Chervil	3	0.02*	0.05*	0.1*	0.1*
	Chives	3	0.02*	0.05*	0.1*	0.1*
	Parsley	3	0.02*	0.05*	0.1*	0.1*
	Celery leaves	3	0.02*	0.05*	0.1*	0.1*
	Others	3	0.02*	0.05*	0.1*	0.1*
vi)	LEGUME VEGETABLES (Fresh)					
	Beans (with pods)	2	0.02*	0.05*	0.1*	0.1*
	Beans (without pods)	0.05*	0.02*	0.05*	0.1*	0.1*
	Peas (with pods)	0.05*	0.02*	0.05*	0.1*	0.1*
	Peas (without pods)	0.2	0.02*	0.05*	0.1*	0.1*
	Others	0.05*	0.02*	0.05*	0.1*	0.1*
vii)	STEM VEGETABLES					
	Asparagus	0.05*	0.02*	0.05*	0.1*	0.1*
	Cardoons	0.05*	0.02*	0.05*	0.1*	0.1*
	Celery	0.05*	0.02*	0.05*	0.1*	0.1*
	Fennel	0.05*	0.02*	0.05*	0.1*	0.1*
	Globe artichokes	0.05*	0.3	0.05*	0.1*	0.1*
	Leeks	1	0.02*	0.05*	0.1*	0.1*
	Rhubarb	0.05*	0.02*	0.05*	0.1*	0.1*
	Others	0.05*	0.02*	0.05*	0.1*	0.1*
viii)	FUNGI					
a)	Cultivated mushrooms	0.05*	0.02*	0.05*	0.1*	0.1*
b)	Wild mushrooms	0.05*	0.02*	0.05*	0.1*	0.1*
3. PULSESES						
	Beans	0.5	0.02*	0.05*	0.1*	0.1*
	Lentils	0.5	0.02*	0.05*	0.1*	0.1*
	Peas	0.5	0.02*	0.05*	0.1*	0.1*

Group to which food belongs	Groups include the following products	Pyrimethanil	Quinoxifen	Rimsulfuron	Thiram ⁽⁵³⁾	Ziram ⁽⁵³⁾
4. OILSEEDS	Lupins	0.5	0.02*	0.05*	0.1*	0.1*
	Others	0.5	0.02*	0.05*	0.1*	0.1*
5. POTATOES	Linseed	0.1*	0.05*	0.05*	0.1*	0.1*
	Peanuts	0.1*	0.05*	0.05*	0.1*	0.1*
	Poppy seed	0.1*	0.05*	0.05*	0.1*	0.1*
	Sesame seed	0.1*	0.05*	0.05*	0.1*	0.1*
	Sunflower seed	0.1*	0.05*	0.05*	0.1*	0.1*
	Rape seed	0.1*	0.05*	0.05*	0.1*	0.1*
	Soya bean	0.1*	0.05*	0.05*	0.1*	0.1*
	Mustard seed	0.1*	0.05*	0.05*	0.1*	0.1*
	Cotton seed	0.1*	0.05*	0.05*	0.1*	0.1*
	Hemp seed	0.1*	0.05*	0.05*	0.1*	0.1*
	Pumpkin seed	0.1*	0.05*	0.05*	0.1*	0.1*
	Others	0.1*	0.05*	0.05*	0.1*	0.1*
	Early potatoes	0.05*	0.02*	0.05*	0.1*	0.1*
	Ware potatoes	0.05*	0.02*	0.05*	0.1*	0.1*
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.05*	0.1	0.2*	0.2*
	including hop pellets & unconcentrated powder	0.1*	0.5	0.1*	0.2*	0.2*
7. HOPS (dried)	Wheat	0.05*	0.02*	0.05*	0.1*	0.1*
	Rye	0.05*	0.02*	0.05*	0.1*	0.1*
	Barley	0.05*	0.2	0.05*	0.1*	0.1*
	Sorghum	0.05*	0.02*	0.05*	0.1*	0.1*
	Oats	0.05*	0.2	0.05*	0.1*	0.1*
8. CEREALS	Wheat	0.05*	0.02*	0.05*	0.1*	0.1*
	Rye	0.05*	0.02*	0.05*	0.1*	0.1*
	Barley	0.05*	0.2	0.05*	0.1*	0.1*
	Sorghum	0.05*	0.02*	0.05*	0.1*	0.1*
	Oats	0.05*	0.2	0.05*	0.1*	0.1*

Group to which food belongs	Groups include the following products	Pyrimethanil	Quinoxifen	Rimsulfuron	Thiram ⁽⁵³⁾	Ziram ⁽⁵³⁾
	Triticale	0.05*	0.02*	0.05*	0.1*	0.1*
	Maize	0.05*	0.02*	0.05*	0.1*	0.1*
	Buckwheat	0.05*	0.02*	0.05*	0.1*	0.1*
	Millet	0.05*	0.02*	0.05*	0.1*	0.1*
	Rice ⁽¹⁾	0.05*	0.02*	0.05*	0.1*	0.1*
	Spelt	0.05*	0.02*	0.05*	0.1*	0.1*
	Other cereals	0.05*	0.02*	0.05*	0.1*	0.1*
9. FOODSTUFFS OF ANIMAL ORIGIN						
	Meat, edible offal, fat & preparations of meat & edible offal ⁽²⁾		0.2			
	Milk ⁽³⁾ and Dairy Produce ⁽⁴⁾		0.05			
	Eggs ⁽⁵⁾		0.02*			
10. SPICES						
	Cumin seed					
	Juniper seed					
	Nutmeg					
	Pepper, black and white					
	Vanilla pods					
	Spices - others					

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

* Level at or about the limit of determination.

FOOTNOTES:

- (1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
- (2) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
- (3) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
- (4) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd. Whether made from cow's milk or other milk or a combination, the following levels apply:
 - if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
 - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
- (5) Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (6) Scarole includes broad-leaf endive.
- (9) All other meat, edible offal, fat and preparations of meat and edible offal.
- (11) All liver and kidney.
- (13) Broccoli includes calabrese.
- (39) Offals only.
- (40) All meat except offal.
- (47) Poultry and poultry products.
- (53) These maximum residue levels apply when single residue methods are employed for the specific quantification of Propineb, Thiram or Ziram, as the case may be.

EXPLANATORY NOTE

(This note is not part of these Regulations)

These Regulations, which are made under section 2(2) of the European Communities Act 1972, amend the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2005 (S.S.I. 2005/599) (“the principal Regulations”).

These Regulations implement Commission Directives 2007/55/EC (O.J. No. L 243, 18.9.2007, p.41), 2007/56/EC (O.J. No. L 243, 18.9.2007, p.50), 2007/57/EC (O.J. No. L 243, 18.9.2007, p.61) and 2007/62/EC (O.J. No. L 260, 5.10.2007, p.4).

The Regulations come into force, in stages, on 19th December 2007, 19th March 2008 and 6th April 2008. They substitute or insert—

- (a) new residue definitions for the pesticides Bifenazate, Deltamethrin, Dithiocarbamates, Pethoxamid, Propineb, Pyrimethanil, Rimsulfuron, Thiram and Ziram in Schedule 1 to the principal Regulations, which identifies the pesticide residues that are taken into account in the measuring of residue levels for each pesticide; and
- (b) maximum residue levels for the pesticides Azinphos-methyl, Azoxystrobin, Bifenazate, Chlorothalonil, Deltamethrin, Dithiocarbamates, Hexachlorobenzene (HCB), Ioxynil, Oxamyl, Pethoxamid, Propineb, Pyrimethanil, Quinoxifen, Rimsulfuron, Thiram and Ziram in Schedule 2 to the principal Regulations.

Regulation 3(2)(b) corrects an error in the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Amendment (No. 3) Regulations 2007 (S.S.I. 2007/481).

A Regulatory Impact Assessment (RIA) was prepared in respect of the principal Regulations which provides a basis for establishing the impact of amendments to those Regulations. Copies of the RIA can be obtained from the Scottish Government Rural Directorate, Area 1B, Pentland House, 47 Robb’s Loan, Edinburgh, EH14 1TY. Copies have been placed in the Scottish Parliament Information Centre.

2007 No. 523

AGRICULTURE

PESTICIDES

The Pesticides (Maximum Residue Levels in Crops, Food and
Feeding Stuffs) (Scotland) Amendment (No. 4)
Regulations 2007

£5.50

© Crown Copyright 2007

Printed in the UK by The Stationery Office Limited
under the authority and superintendence of Carol Tullo, the Queen's Printer for Scotland