

SCHEDULE 6

Regulation 15(4);  
 regulation 17(2);schedule 2, paragraphs 9,  
 10(1) and (3),11, 17 (1) and (3), 18, 23(1)  
 and (3), 24; and schedule 3, paragraphs  
 1(1) and 2(1)

Pests

TABLE IA

**PESTS FROM WHICH FREEDOM (OR PRACTICAL FREEDOM) IS REQUIRED.**

<i>Column 1</i>	<i>Column 2</i>
<i>Genus or Species</i>	<i>Pests</i>
<i>Castanea sativa</i> Mill.	<p><b>Fungi</b></p> <p><i>Mycosphaerella maculiformis</i></p> <p><i>Phytophthora cambivora</i></p> <p><i>Phytophthora cinnamomi</i></p> <p><b>Virus like disease</b></p> <p>Chestnut mosaic virus (ChMV)</p>
<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	<p><b>Insects</b></p> <p><i>Aleurotrixus floccosus</i></p> <p><i>Parabemisia myricae</i></p> <p><b>Nematodes</b></p> <p><i>Pratylenchus vulnus</i></p> <p><i>Tylenchus semi-penetrans</i></p> <p><b>Fungi</b></p> <p><i>Phytophthora citrophthora</i></p> <p><i>Phytophthora parasitica</i></p>
<i>Corylus avellana</i> L.	<p><b>Mites</b></p> <p><i>Phytoptus avellanae</i></p> <p><b>Fungi</b></p> <p><i>Armillariella mellea</i></p> <p><i>Verticillium dahliae</i></p> <p><i>Verticillium albo-atrum</i></p>

**Status:** This is the original version (as it was originally made).

<b>Column 1</b>	<b>Column 2</b>
<b>Genus or Species</b>	<b>Pests</b>
	<p><b>Bacteria</b></p> <p><i>Xanthomonas arboricola</i> pv. <i>corylina</i></p> <p><i>Pseudomonas avellanae</i></p>
<p><i>Cydonia oblonga</i> Mill., <i>Malus</i> Mill. and <i>Pyrus</i> L.</p>	<p><b>Insects</b></p> <p><i>Eriosoma lanigerum</i></p> <p><i>Psylla</i> spp.</p> <p><b>Nematodes</b></p> <p><i>Meloidogyne hapla</i></p> <p><i>Meloidogyne javanica</i></p> <p><i>Pratylenchus penetrans</i></p> <p><i>Pratylenchus vulnus</i></p> <p><b>Fungi</b></p> <p><i>Armillariella mellea</i></p> <p><i>Chondrostereum purpureum</i></p> <p><i>Glomerella cingulata</i></p> <p><i>Pezicula alba</i></p> <p><i>Pezicula malicorticis</i></p> <p><i>Nectria galligena</i></p> <p><i>Phytophthora cactorum</i></p> <p><i>Roessleria pallida</i></p> <p><i>Verticillium dahliae</i></p> <p><i>Verticillium albo-atrum</i></p> <p><b>Bacteria</b></p> <p><i>Agrobacterium tumefaciens</i></p> <p><i>Pseudomonas syringae</i> pv. <i>syringae</i></p> <p><b>Viruses</b></p>

<b>Column 1</b>	<b>Column 2</b>
<b>Genus or Species</b>	<b>Pests</b>
	Other than those listed in Table II
<i>Ficus carica</i> L.	<p><b>Insects</b></p> <p><i>Ceroplastes rusci</i></p> <p><b>Nematodes</b></p> <p><i>Heterodera fici</i></p> <p><i>Meloidogyne arenaria</i></p> <p><i>Meloidogyne incognita</i></p> <p><i>Meloidogyne javanica</i></p> <p><i>Pratylenchus penetrans</i></p> <p><i>Pratylenchus vulnus</i></p> <p><b>Fungi</b></p> <p><i>Armillaria mellea</i></p> <p><b>Bacteria</b></p> <p><i>Phytoplasma fici</i></p> <p><b>Virus-like diseases</b></p> <p>Fig mosaic disease</p>
<i>Juglans regia</i> L.	<p><b>Insects</b></p> <p><i>Epidiaspis leperii</i></p> <p><i>Pseudaulacaspis pentagona</i></p> <p><i>Quadraspidiotus perniciosus</i></p> <p><b>Fungi</b></p> <p><i>Armillariella mellea</i></p> <p><i>Nectria galligena</i></p> <p><i>Chondrostereum purpureum</i></p> <p><i>Phytophthora cactorum</i></p> <p><b>Bacteria</b></p> <p><i>Agrobacterium tumefaciens</i></p>

**Status:** This is the original version (as it was originally made).

<b>Column 1</b>	<b>Column 2</b>
<b>Genus or Species</b>	<b>Pests</b>
	<i>Xanthomonas arboricola</i> pv. <i>Juglandi</i>
<i>Olea europaea</i> L.	<p><b>Nematodes</b></p> <p><i>Meloidogyne arenaria</i></p> <p><i>Meloidogyne incognita</i></p> <p><i>Meloidogyne javanica</i></p> <p><i>Pratylenchus vulnus</i></p> <p><b>Bacteria</b></p> <p><i>Pseudomonas savastanoi</i> pv. <i>savastanoi</i></p> <p><b>Virus-like diseases</b></p> <p>Leaf yellowing complex disease 3</p>
<i>Pistacia vera</i> L.	<p><b>Nematodes</b></p> <p><i>Pratylenchus penetrans</i></p> <p><i>Pratylenchus vulnus</i></p> <p><b>Fungi</b></p> <p><i>Phytophthora cryptogea</i></p> <p><i>Phytophthora cambivora</i></p> <p><i>Rosellinia necatrix</i></p> <p><i>Verticillium dahliae</i></p>
<i>Prunus amygdalus</i> , <i>P. armeniaca</i> , <i>P. domestica</i> , <i>P. persica</i> and <i>P. salicina</i>	<p><b>Insects</b></p> <p><i>Pseudaulacaspis pentagona</i></p> <p><i>Quadraspidiotus perniciosus</i></p> <p><b>Nematodes</b></p> <p><i>Meloidogyne arenaria</i></p> <p><i>Meloidogyne javanica</i></p> <p><i>Meloidogyne incognita</i></p> <p><i>Pratylenchus penetrans</i></p> <p><i>Pratylenchus vulnus</i></p>

<b>Column 1</b> <b>Genus or Species</b>	<b>Column 2</b> <b>Pests</b>
	<p><b>Fungi</b></p> <p><i>Phytophthora cactorum</i></p> <p><i>Verticillium dahliae</i></p> <p><b>Bacteria</b></p> <p><i>Agrobacterium tumefaciens</i></p> <p><i>Pseudomonas syringae</i> pv. <i>morsprunorum</i></p> <p><i>Pseudomonas syringae</i> pv. <i>syringae</i> (on <i>P. armeniaca</i>)</p> <p><i>Pseudomonas viridiflava</i> (on <i>P. armeniaca</i>)</p>
<i>Prunus avium</i> , <i>P. cerasus</i>	<p><b>Insects</b></p> <p><i>Quadraspidotus perniciosus</i></p> <p><b>Nematodes</b></p> <p><i>Meloidogyne arenaria</i></p> <p><i>Meloidogyne javanica</i></p> <p><i>Meloidogyne incognita</i></p> <p><i>Pratylenchus penetrans</i></p> <p><i>Pratylenchus vulnus</i></p> <p><b>Fungi</b></p> <p><i>Phytophthora cactorum</i></p> <p><b>Bacteria</b></p> <p><i>Agrobacterium tumefaciens</i></p> <p><i>Pseudomonas syringae</i> pv. <i>morsprunorum</i></p>
<i>Ribes</i> L.	<p><b>Insects and mites</b></p> <p><i>Dasyneura tetensi</i></p> <p><i>Ditylenchus dipsaci</i></p> <p><i>Pseudaulacaspis pentagona</i></p> <p><i>Quadraspidotus perniciosus</i></p>

**Status:** This is the original version (as it was originally made).

<i>Column 1</i>	<i>Column 2</i>
<b>Genus or Species</b>	<b>Pests</b>
	<i>Tetranychus urticae</i> <i>Cecidophyopsis ribis</i> <b>Fungi</b> <i>Sphaerotheca mors-uvae</i> <i>Microsphaera grossulariae</i> <i>Diaporthe strumella (Phomopsis ribicola)</i>
<i>Rubus L.</i>	<b>Fungi</b> <i>Peronospora rubi</i>

**TABLE IB**

**PESTS FROM WHICH FREEDOM (OR PRACTICAL FREEDOM) IS REQUIRED OR WHICH MAY ONLY BE PRESENT TO THE TOLERANCE PRESCRIBED.**

<i>Column 1</i>	<i>Column 2</i>		
<b>Pests per genus or species</b>	<b>Tolerance levels (%)</b>		
	<i>a) Pre-basic</i>	<i>b) Basic</i>	<i>c) Certified</i>
<b><i>Fragaria L.</i></b>			
<b>Insects and mites</b>			
<i>Chaetosiphon fragaefoliae</i>	0	0.5	1
<i>Phytonemus pallidus</i>	0	0	0.1
<b>Nematodes</b>			
<i>Aphelenchoides fragariae</i>	0	0	1
<i>Ditylenchus dipsaci</i>	0	0.5	1
<i>Meloidogyne hapla</i>	0	0.5	1
<i>Pratylenchus vulnus</i>	0	1	1

**TABLE II**

**PESTS FOR THE PRESENCE OF WHICH VISUAL INSPECTION AND, IN PARTICULAR CASES, SAMPLING AND TESTING IS REQUIRED.**

<i>Column 1</i>	<i>Column 2</i>
<b>Genus or species</b>	<b>Pests</b>
<i>Citrus L., Fortunella Swingle and Poncirus Raf.</i>	<b>Viruses</b>

<i>Column 1</i> <b>Genus or species</b>	<i>Column 2</i> <b>Pests</b>
	<p><i>Citrus variegation virus (CVV)</i></p> <p><i>Citrus psorosis virus (CPSV)</i></p> <p><i>Citrus leaf Blotch virus (CLBV)</i></p> <p><b>Virus-like diseases</b></p> <p>Impietratura</p> <p>Cristacortis</p> <p><b>Viroids</b></p> <p><i>Citrus exocortis viroid (CEVd)</i></p> <p><i>Hop stunt viroid (HSVd) Cachexia variant</i></p>
<i>Corylus avellana L.</i>	<p><b>Viruses</b></p> <p><i>Apple mosaic virus (ApMV)</i></p> <p><b>Phytoplasmas</b></p> <p><i>Hazelnut maculatura lineare phytoplasma</i></p>
<i>Cydonia oblonga Mill. and Pyrus L.</i>	<p><b>Viruses</b></p> <p><i>Apple chlorotic leaf spot virus (ACLSV)</i></p> <p><i>Apple stem-grooving virus (ASGV)</i></p> <p><i>Apple stem-pitting virus (ASPV)</i></p> <p><b>Virus-like diseases</b></p> <p>Bark split, bark necrosis</p> <p>Rough bark</p> <p>Rubbery wood, quince yellow blotch</p> <p><b>Viroids</b></p> <p><i>Pear blister canker viroid (PBCVd)</i></p>
<i>Fragaria L.</i>	<p><b>Nematodes</b></p> <p><i>Aphelenchoides blastoforus</i></p> <p><i>Aphelenchoides fragariae</i></p> <p><i>Aphelenchoides ritzemabosi</i></p>

**Status:** This is the original version (as it was originally made).

<i>Column 1</i> <b>Genus or species</b>	<i>Column 2</i> <b>Pests</b>
	<p><i>Ditylenchus dipsaci</i></p> <p><b>Fungi</b></p> <p><i>Phytophthora cactorum</i></p> <p><i>Colletotrichum acutatum</i></p> <p><b>Viruses</b></p> <p><i>Strawberry mottle virus (SMoV)</i></p>
<i>Juglans regia</i> L.	<p><b>Viruses</b></p> <p><i>Cherry leaf roll virus (CLRV)</i></p>
<i>Malus</i> Mill.	<p><b>Viruses</b></p> <p><i>Apple chlorotic leaf spot virus (ACLSV)</i></p> <p><i>Apple mosaic virus (ApMV)</i></p> <p><i>Apple stem-grooving virus (ASGV)</i></p> <p><i>Apple stem-pitting virus (ASPV)</i></p> <p><b>Virus-like diseases</b></p> <p>Rubbery wood, flat limb</p> <p>Horseshoe wound</p> <p>Fruit disorders: chat fruit, green crinkle, bumpy fruit of Ben Davis, rough skin, star crack, russet ring, russet wart</p> <p><b>Viroids</b></p> <p><i>Apple scar skin viroid (ASSVd)</i></p> <p><i>Apple dimple fruit viroid (ADFVd)</i></p>
<i>Olea europaea</i> L.	<p><b>Fungi</b></p> <p><i>Verticillium dahliae</i></p> <p><b>Viruses</b></p> <p><i>Arabis mosaic virus (ArMV)</i></p> <p><i>Cherry leaf roll virus (CLRV)</i></p> <p><i>Strawberry latent ringspot virus (SLRV)</i></p>
<i>Prunus amygdalus</i> Batsch	<p><b>Viruses</b></p>



<i>Column 1</i> <b>Genus or species</b>	<i>Column 2</i> <b>Pests</b>
	<p><i>Apple chlorotic leaf spot virus (ACLSV)</i></p> <p><i>Apple mosaic virus (ApMV)</i></p> <p><i>Prune dwarf virus (PDV)</i></p> <p><i>Prunus necrotic ringspot virus (PNRSV)</i></p>
<i>Prunus armeniaca L.</i>	<p><b>Viruses</b></p> <p><i>Apple chlorotic leaf spot virus (ACLSV)</i></p> <p><i>Apple mosaic virus (ApMV)</i></p> <p><i>Apricot latent virus (ApLV)</i></p> <p><i>Prune dwarf virus (PDV)</i></p> <p><i>Prunus necrotic ringspot virus (PNRSV)</i></p>
<i>Prunus avium and P. cerasus</i>	<p><b>Viruses</b></p> <p><i>Apple chlorotic leaf spot virus (ACLSV)</i></p> <p><i>Apple mosaic virus (ApMV)</i></p> <p><i>Arabis mosaic virus (ArMV)</i></p> <p><i>Cherry green ring mottle virus (CGRMV)</i></p> <p><i>Cherry leaf roll virus (CLRV)</i></p> <p><i>Cherry necrotic rusty mottle virus (CNRMV)</i></p> <p><i>Little cherry virus 1 and 2 (LChV1, LChV2)</i></p> <p><i>Cherry mottle leaf virus (ChMLV)</i></p> <p><i>Prune dwarf virus (PDV)</i></p> <p><i>Prunus necrotic ringspot virus (PNRSV)</i></p> <p><i>Raspberry ringspot virus (RpRSV)</i></p> <p><i>Strawberry latent ringspot virus (SLRSV)</i></p> <p><i>Tomato black ring nepovirus (TBRV)</i></p>
<i>Prunus domestica and P. salicina</i>	<p><b>Viruses</b></p> <p><i>Apple chlorotic leaf spot virus (ACLSV)</i></p>

**Status:** This is the original version (as it was originally made).

<i>Column 1</i> <b>Genus or species</b>	<i>Column 2</i> <b>Pests</b>
	<p><i>Apple mosaic virus (ApMV)</i></p> <p><i>Myrobalan latent ringspot virus (MLRSV)</i></p> <p><i>Prune dwarf virus (PDV)</i></p> <p><i>Prunus necrotic ringspot virus (PNRSV)</i></p>
<i>Prunus persica</i>	<p><b>Viruses</b></p> <p><i>Apple chlorotic leaf spot virus (ACLSV)</i></p> <p><i>Apple mosaic virus (ApMV)</i></p> <p><i>Apricot latent virus (ApLV)</i></p> <p><i>Prune dwarf virus (PDV)</i></p> <p><i>Prunus necrotic ringspot virus (PNRSV)</i></p> <p><i>Strawberry latent ringspot virus (SLRSV)</i></p> <p><b>Viroids</b></p> <p><i>Peach latent mosaic viroid (PLMVd)</i></p>
<i>Ribes L.</i>	<p><b>Viruses</b></p> <p>as appropriate for the species concerned</p> <p><i>Arabis mosaic virus (ArMV)</i></p> <p><i>Blackcurrant reversion virus (BRV)</i></p> <p><i>Cucumber mosaic virus (CMV)</i></p> <p><i>Gooseberry vein banding associated viruses (GVBaV)</i></p> <p><i>Strawberry latent ringspot virus (SLRSV)</i></p> <p><i>Raspberry ringspot virus (RpRSV)</i></p>
<i>Rubus L.</i>	<p><b>Fungi</b></p> <p><i>Phytophthora</i> spp. infecting <i>Rubus</i></p> <p><b>Viruses</b></p> <p>as appropriate for the species concerned</p> <p><i>Apple mosaic virus (ApMV)</i></p>

<i>Column 1</i> <b>Genus or species</b>	<i>Column 2</i> <b>Pests</b>
	<p><i>Black raspberry necrosis virus (BRNV)</i></p> <p><i>Cucumber mosaic virus (CMV)</i></p> <p><i>Raspberry leaf mottle (RLMV)</i></p> <p><i>Raspberry leaf spot (RLSV)</i></p> <p><i>Raspberry vein chlorosis virus (RVCV)</i></p> <p><i>Rubus yellow net virus (RYNV)</i></p> <p><i>Raspberry bushy dwarf virus (RBDV)</i></p> <p><b>Phytoplasmas</b></p> <p><i>Rubus stunt phytoplasma</i></p> <p><b>Virus like-diseases</b></p> <p>Raspberry yellow spot</p>
<i>Vaccinium L.</i>	<p><b>Viruses</b></p> <p><i>Blueberry shoestring virus (BSSV)</i></p> <p><i>Blueberry red ringspot virus (BRRV)</i></p> <p><i>Blueberry scorch virus (BIScV)</i></p> <p><i>Blueberry shock virus (BIShV)</i></p> <p><b>Phytoplasmas</b></p> <p><i>Blueberry stunt phytoplasma</i></p> <p><i>Blueberry witches' broom phytoplasma</i></p> <p><i>Cranberry false blossom phytoplasma</i></p> <p><b>Virus like diseases</b></p> <p>Blueberry mosaic agent</p> <p>Cranberry ringspot agent</p>

**Status:** This is the original version (as it was originally made).

**TABLE III**  
**PESTS THE PRESENCE OF WHICH IN SOIL IS REGULATED**

<i>Column 1</i>	<i>Column 2</i>
<b>Genus or Species</b>	<b>Specific pests</b>
<i>Fragaria L.</i>	<b>Nematodes</b>  <i>Longidorus attenuatus</i>  <i>Longidorus elongatus</i>  <i>Longidorus macrosoma</i>  <i>Xiphinema diversicaudatum</i>
<i>Juglans regia L.</i>	<b>Nematodes</b>  <i>Xiphinema diversicaudatum</i>
<i>Olea europaea L.</i>	<b>Nematodes</b>  <i>Xiphinema diversicaudatum</i>
<i>Pistacia vera L.</i>	<b>Nematodes</b>  <i>Xiphinema index</i>
<i>Prunus avium</i> and <i>P. cerasus</i>	<b>Nematodes</b>  <i>Longidorus attenuatus</i>  <i>Longidorus elongatus</i>  <i>Longidorus macrosoma</i>  <i>Xiphinema diversicaudatum</i>
<i>P. domestica</i> , <i>P. persica</i> and <i>P. salicina</i>	<b>Nematodes</b>  <i>Longidorus attenuatus</i>  <i>Longidorus elongatus</i>  <i>Xiphinema diversicaudatum</i>
<i>Ribes L.</i>	<b>Nematodes</b>  <i>Longidorus elongatus</i>  <i>Longidorus macrosoma</i>  <i>Xiphinema diversicaudatum</i>
<i>Rubus L.</i>	<b>Nematodes</b>

<i>Column 1</i>	<i>Column 2</i>
<b><i>Genus or Species</i></b>	<b><i>Specific pests</i></b>
	<i>Longidorus attenuatus</i> <i>Longidorus elongatus</i> <i>Longidorus macrosoma</i> <i>Xiphinema diversicaudatum</i>