1971 No. 2042

CUSTOMS AND EXCISE

The Import Duties (Temporary Exemptions) (No. 10) Order 1971

Made - - -

16th December 1971

Laid before the
House of Commons
Coming into Operation

23rd December 1971 1st January 1972

The Lords Commissioners of Her Majesty's Treasury, by virtue of the powers conferred on them by sections 3(6) and 13 of the Import Duties Act 1958(a), and of all other powers enabling them in that behalf, on the recommendation of the Secretary of State, hereby make the following Order:—

- 1.—(1) This Order may be cited as the Import Duties (Temporary Exemptions) (No. 10) Order 1971.
- (2) The Interpretation Act 1889(b) shall apply for the interpretation of this Order as it applies for the interpretation of an Act of Parliament.
 - (3) This Order shall come into operation on 1st January 1972.
- 2.—(1) Until the beginning of 1st January 1973, any import duty which is for the time being chargeable on goods of a heading of the Customs Tariff 1959 specified in Schedule 1 to this Order shall not be chargeable in respect of goods of any description there specified in relation to that heading.
- (2) The period for which goods of the headings of the Customs Tariff 1959 and descriptions specified in Schedule 2 to this Order are exempt from import duty shall be extended until the beginning of 1st January 1973.
- (3) Any entry in column 2 in Schedule 1 or Schedule 2 to this Order is to be taken to comprise all goods which would be classified under an entry in the same terms constituting a subheading (other than the final subheading) in the relevant heading in the Customs Tariff 1959.
- (4) For the purposes of classification under the Customs Tariff 1959, in so far as that depends on the rate of duty, any goods to which paragraph (1) or paragraph (2) above applies shall be treated as chargeable with the same duty as if this Order had not been made.

Tim Fortescue, Walter Clegg,

Two of the Lords Commissioners of Her Majesty's Treasury.

16th December 1971.

SCHEDULE 1

GOODS TEMPORARILY EXEMPT FROM IMPORT DUTY

Tariff Heading	g Description
15.10	Fatty alcohols, normal, containing fourteen or more carbon atoms in the molecule and having an iodine value not less than 40
28.30	Aluminium chloride, anhydrous, containing by weight (a) not more than 0.0005 per cent. of lead compounds calculated as Pb, (b) not more than 0.0010 per cent. of magnesium compounds calculated as Mg, and (c) not more than 0.0020 per cent. of zinc compounds calculated as Zn
28.42	Lithium carbonate
29.02	1-Chloro-n-octane of a purity not less than 99·5 per cent., containing not more than 0·2 per cent. by weight of other chloro-octanes and not more than 0·05 per cent, by weight of other alkyl chlorides α,4-Dichlorodiphenylmethane
29.03	4-Nitro-m-xylene diSodium naphthalene-2,7-disulphonate triSodium naphthalenetrisulphonate, mixed isomers, which contains not more than 0.005 per cent. by weight of iron compounds calculated as Fe, and of which an aqueous solution containing 50 grammes per litre has a pH not greater than 7
29.07	3-Hydroxynaphthalene-2,7-disulphonic acid 2-Nitro-p-cresol (-OH at 1)
29.10	2,2-Dimethoxypropane 1,2-O-isoPropylidene-D-glucofuranose
29.12	diSodium 4-formylbenzene-1,3-disulphonate
29.13	Dicyclohexyl ketone 1,5-Dihydroxyanthraquinone 1,8-Dihydroxyanthraquinone 9α-Fluoro-11β,17α-dihydroxy-16α-methylpregna-1,4-diene-3,20-dione
29.14	Aluminium formate, solid n-Valeric acid
29.15	n-Hexadecylsuccinic anhydride
29.16	Dimethyl 4,4'-(ethylenedioxy)dibenzoate 4,4'-(Ethylenedioxy)dibenzoic acid 3-Hydroxy-2-naphthoic acid n-Octadecyl 3-(3,5-ditert butyl-4-hydroxyphenyl)propionate Phenyl 1-hydroxy-2-naphthoate 2-p-Toluoylbenzoic acid
29.19	Pyruvic acid enol phosphate, monopotassium salt Pyruvic acid enol phosphate, monosodium salt
29.22	5-Aminonaphthalene-2-sulphonic acid 6-Aminonaphthalene-2-sulphonic acid Aminonaphthalenesulphonic acid, mixed 5,2- and 8,2- isomers 4-Aminostilbene-2-sulphonic acid Aniline-2,5-disulphonic acid 8-Anilinonaphthalene-1-sulphonic acid N-Benzyl-N-ethyl-m-toluidine 2-Chloro-5-nitroaniline NN'-Disecbutyl-p-phenylenediamine

Tariff Heading	Description
29.22	Fast Scarlet G Base N-Methyl-n-octadecylamine m-Phenylenediamine-4-sulphonic acid Pyruvic acid enol phosphate, triscyclohexylammonium salt Sodium 8-aminonaphthalene-2-sulphonate Sodium hydrogen 8-aminonaphthalene-1,6-disulphonate Sodium hydrogen aniline-2,5-disulphonate Solium hydrogen aniline-2,5-disulphonate Sulphanilic acid of a purity not less than 98 per cent., and of which an ammoniacal aqueous solution containing 100 grammes per litre shows optical densities which, being measured in a cell of 20 millimetres length at wavelengths of 470 nanometres, 570 nanometres and 680 nanometres and added together, give a sum not greater than 1.26
	3-Amino-5-chloro-2-hydroxybenzenesulphonic acid 2-Amino-p-cresol (—OH at 1) 2-Amino-3-hydroxyanthraquinone 3-Amino-4-hydroxybenzenesulphonic acid 4-Amino-5-hydroxynaphthalene-2,7-disulphonic acid 4-Amino-5-hydroxynaphthalene-1-sulphonic acid 7-Amino-4-hydroxynaphthalene-2-sulphonic acid 3-Amino-4-methoxybenzoic acid 2-Amino-6-nitro-p-cresol hydrochloride (—OH at 1) p-Anisidine-3-sulphonic acid (—NH ₂ at 1) Anthranilic acid containing not more than 1 per cent. by weight of water 2,4-Dimethoxyaniline 6-Dimethylamino-4-hydroxynaphthalene-2-sulphonic acid 2,4-Di-o-tolyloxyaniline Fast Bordeaux GP Base Fast Red B Base 2-(4-tert Pentylphenoxy)aniline Sodium 7-(4-aminoanilino)-4-hydroxynaphthalene-2-sulphonate Sodium hydrogen 4-amino-5-hydroxynaphthalene-1,3-disulphonate
	4-Acetamidoaniline 4-Acetamidoaniline-3-sulphonic acid 3,5-Dinitro-o-toluamide (—CONH ₂ at 1) Ethyl 2-[N-(3,4-dichlorophenyl)benzamido]propionate Methyl 7-hydroxy-1-naphthylcarbamate
29.26	Sodium 2-(cyclohexa-1,4-dienyl)-2-(2-methoxycarbonyl- 1-methylethylideneamino)acetate
	2-Amino-5-nitrobenzonitrile 2-Chlorobenzonitrile Phenylacetonitrile
	4-Aminoazobenzene 4-Aminoazobenzene-3,4'-disulphonic acid
	2-Amino-4-methylsulphonylphenol Di-(4-aminophenyl) sulphide Tridecane-1-thiol, mixed isomers
29.32	4-Hydroxyphenylarsonic acid
29.34	1,2-Diaminoethane-NNN'N'-tetra(methylphosphonic acid)
	Adenosine 3',5'-(hydrogen cyclic phosphate) 2-Amino-6-chlorobenzothiazole hydrochloride 6-Amino-1,2-dihydroindazol-3-one dihydrochloride 1-(4-Aminophenyl)-3-methyl-5-pyrazolone 3-Amino-1-(2,4,6-trichlorophenyl)-5-pyrazolone

Tariff Heading

Description

Benzothiazole-2-sulphenamide 29.35 Betahistine dihydrochloride

Carbazole

2-(4-Chloroanilino)-5-(4-chlorophenyl)-3,5-dihydro-

3-isopropyliminophenazine

3-(4-Chlorophenyl)-1-[4-(2-hydroxyethylsulphonyl)phenyl]-2-pyrazoline

4-Chloropyridinium chloride

N602'-Di-n-butyryladenosine 3',5'-(sodium cyclic phosphate)

2,4-Dichloro-α-5-pyrimidylbenzhydrol 3-Ethoxycarbonyl-1-phenyl-5-pyrazolone

1-(2-Ethylphenyl)-3-methyl-5-pyrazolone

Guanosine 5'-(trisodium hydrogen triphosphate) 2-(2-Hydroxy-3,5-ditert pentylphenyl)benzotriazole

2-(6-Hydroxy-m-tolyl)benzotriazole

3-Methyl-1-phenyl-5-pyrazolone 3-Methyl-1-(3-sulphophenyl)-5-pyrazolone

6-Nitrobenzimidazole

1,3,3-Trimethylindolin-2-ylideneacetaldehyde

1.3.3-Trimethyl-2-methyleneindoline

Fast Red ITR Base 29.36

- 29.38 Nicotinamide
- 29.44 Thiostrepton
- Artificial waxes, being partial esters of the acids derived from montan 34.04 wax, and having an acid value of not less than 10 and not more than 20 and a saponification value of not less than 110
- Poly(vinyl chloride), emulsion-polymerised, in powder form and of 39.02 natural colour, unplasticised but compounded with not less than 1.3 per cent. by weight and not more than 2.5 per cent. by weight of artificial wax, and having a viscosity number of not less than 150 and not more than 170 when determined by Method 404A of British Standard 2782:1970
- Yarn spun from silk waste other than noil, not dyed and not put up 50.05 for retail sale
- Nickel plated iron or steel wire, the wire having a diameter of not less 73.14 than 0.005 inch nor more than 0.250 inch and the nickel plating being not less than 0.0001 inch and not more than 0.0005 inch
- Cold-rolled steel strip, with dressed edges, in coils, the strip being less 73.15 than 0.004 inch in thickness and not less than 1 inch nor more than 4 inches in width, containing not less than 16 per cent. by weight nor more than 18 per cent. by weight of chromium and not less than 6 per cent. by weight nor more than 8 per cent. by weight of nickel and being of a tensile strength of more than 115 tons per square inch

Cold-rolled steel strip, with dressed edges, in coils, the strip being less than 0.004 inch in thickness and not less than to inch nor more than 4 inches in width, containing not less than 16 per cent. by weight nor more than 18 per cent. by weight of chromium, and not less than 6 per cent. by weight nor more than 8 per cent. by weight of nickel, and being of a tensile strength of not less than 120 tons per square inch

Cold-rolled steel strip, with dressed edges, in coils, the strip being not less than 0.004 inch nor more than 0.040 inch in thickness and not less than 0.0625 inch nor more than 0.24 inch in width, containing not less than 16 per cent. by weight nor more than 18 per cent. by weight of chromium, and not less than 6 per cent. by weight nor more than 8 per cent. by weight of nickel, and being of a tensile strength of not less than 120 tons per square inch

Tariff Headin	Description
76.03	Aluminium alloy strip in coils, containing not less than 18 per cent. by weight and not more than 22 per cent. by weight of tin and not less than 0.7 per cent. by weight and not more than 1.5 per cent. by weight of copper as the major alloying elements, and having a width of not less than 75 millimetres and not more than 230 millimetres and a thickness of not less than 4.5 millimetres and not more than 6.5 millimetres
81.04	Hafnium metal in the form of crushed pieces or sponge, containing not more than 7 per cent. by weight of zirconium and not more than 1 per cent. by weight of other alloying elements
88.02	Helicopters of an empty weight of 5,000 kilogrammes or more
	SCHEDULE 2
G	OODS FOR WHICH EXEMPTION FROM IMPORT DUTY IS EXTENDED
Tariff Headin	
15.04	Herring oil, falling within subheading (C), and oils falling within subheading (D), except fish liver oils and refined sperm oil
25.11	Natural barium sulphate, not ground or powdered
28.18	Barium oxide
28.38	Aqueous barium sulphate paste containing not less than 70 per cent. and not more than 80 per cent. by weight of barium sulphate and containing in the dried material not more than four parts per million by weight of iron compounds calculated as Fe and not more than forty parts per hundred million by weight of ethanol soluble sulphur
29.02	1,2-Dibromoethane
29.06	3,5-Ditert butyl-4-hydroxybenzyl alcohol
29.08	Dipentaerythritol
29.13	Cyclo-octanone Indanetrione hydrate
29.14	Dichloroacetyl chloride Glycidyl methacrylate Methyl chloroacetate
29.16	n-Butyl glycollate
29.19	Di-n-butyl phenyl phosphate
29.21	4,4'-isoPropylidenedicyclohexyl di-(4-[1-(4-hydroxycyclohexyl)-1-methylethyl]cyclohexyl phenyl phosphite)
29.22	2-Nitroaniline Tri-n-butylamine
29.23	2-Amino-5,2'-dichlorobenzophenone p-Phenetidine triSodium nitrilotriacetate
29.25	Procainamide hydrochloride
29.31	Di-(4-hydroxyphenyl) sulphone having a melting point not less than 236° centigrade Diphenyl sulphone Hexane-1,6-dithiol

Tariff Heading	Description
29.32	p-Arsanilic acid
29.34	O-Ethyl phenyl ethylphosphonodithioate
29.35	Chloroquine sulphate Hypoxanthine Pyridine 5-Vinyl-2-picoline
29.36	Sulphanilamide
29.42	Theobromine
29.44	Sodium cephalothin
29.45	Sodium methoxide
30.02	Foot-and-mouth disease vaccine
38.05	Tall oil, crude
38.19	Mixed alkyl-substituted benzenesulphonic acids having an acid value not greater than 125
48.03	Genuine vegetable parchment paper of a substance not exceeding 75 grammes per square metre
73.14	Iron-nickel alloy wire, copper-clad and nickel-plated, having an overall diameter of not less than 400 micrometres and not more than 450 micrometres, the nickel plating being not less than 2 micrometres and not more than 15 micrometres in thickness; the whole containing not less than 20 per cent. by weight of copper, not less than 25 per cent. by weight of nickel and not less than 40 per cent. by weight of iron, and having, when measured on an 0·20 metre length, a percentage elongation not less than 18 and not more than 25, and a tensile strength not less than 430 newtons per square millimetre and not more than 530 newtons per square millimetre, the rate of straining being 50 millimetres per minute
81.04	Chromium, electrolytic, in the form of cathode chips, which contains not more than 0·10 per cent. by weight of total oxygen, not more than 0·015 per cent. by weight of total aluminium, and not more than 0·001 per cent. by weight of aluminium compounds insoluble in boiling 5N hydrochloric acid and in boiling fuming perchloric acid, and estimated as Al
85.18	Tantalum capacitors greater than 10 microfarads in capacitance, of a kind for incorporation in deaf aids, with a maximum length not exceeding 7 millimetres exclusive of leads and with a transverse cross section having a circumference not exceeding 14 millimetres Tantalum capacitors greater than 12 microfarads in capacitance of a working voltage of not less than 4 volts, of a kind for incorporation in deaf aids, with a maximum length not exceeding 8 millimetres exclusive of leads with a transverse cross section having a circumference not exceeding 13 millimetres Tantalum capacitors, of a kind for incorporation in deaf aids, with a maximum length not exceeding 7 millimetres exclusive of leads and with a transverse cross section having a circumference not exceeding 10 millimetres

EXPLANATORY NOTE

(This Note is not part of the Order.)

This Order provides that the goods listed in Schedule 1 shall be temporarily exempt from import duty, and those listed in Schedule 2 shall continue to be exempt from import duty, both until 1st January 1973.