STATUTORY INSTRUMENTS

1972 No. 1829

CUSTOMS AND EXCISE

The Import Duties (Temporary Exemptions) (No. 18) Order 1972

Made - - - 29th November 1972

Laid before the

House of Commons 11th December 1972

Coming into Operation 1st January 1973

The Lords Commissioners of Her Majesty's Treasury, by virtue of the powers conferred on them by sections 3(6) and 13 of the Import Duties Act 1958(a), and of all other powers enabling them in that behalf, on the recommendation of the Secretary of State(b), hereby make the following Order:—

- 1.—(1) This Order may be cited as the Import Duties (Temporary Exemptions) (No. 18) Order 1972.
- (2) The Interpretation Act 1889(c) shall apply for the interpretation of this Order as it applies for the interpretation of an Act of Parliament.
 - (3) This Order shall come into operation on 1st January 1973.
- 2.—(1) Until the beginning of 1st January 1974 or, in the case of goods in relation to which an earlier day is specified in Schedule 1 to this Order, until the beginning of that day, any import duty which is for the time being chargeable on goods of a heading of the Customs Tariff 1959 specified in that Schedule shall not be chargeable in respect of goods of any description there specified in relation to that heading.
 - (2) In Schedule 1 to this Order—
 - (a) a reference to the British Pharmacopoeia or the British Pharmaceutical Codex is to the edition thereof current at the date of this Order, with amendments up to (but exclusive of) that date;
 - (b) an item marked with an asterisk is an item not exempt from import duty at the date of this Order;
 - (c) an item marked with a dagger is an item appearing under a revised description, as compared with the description under which exemption from import duty was allowed at the date of this Order; and
 - (d) an item marked with a double dagger is an item covering substantially, but not precisely, the same goods as were covered by an item under which exemption from import duty was allowed at the date of this Order.
- (3) Any entry in column 2 in Schedule 1 to this Order shall be taken to comprise all goods which would be classified under an entry in the same terms constituting a subheading (other than the final subheading) in the relevant heading in the Customs Tariff 1959.

- 3.—(1) Until the beginning of 1st March 1973, in the case of goods of a description specified in paragraph (2) below, any import duty which is for the time being chargeable on goods of heading 85.21(D)(2) of the Customs Tariff 1959—
 - (a) shall not be chargeable if the goods qualify for Commonwealth preference, and
 - (b) shall be chargeable at the rate of 3% if, apart from this Order, they would be chargeable at the rate of 10% (the full rate).
- (2) Paragraph (1) above applies to goods of the following description, namely, monolithic integrated circuit linear amplifiers having a voltage gain of 75 decibels to 100 decibels and a rated power output of 2.5 milliwatts to 5 milliwatts, of a kind for incorporation in deaf aids, with five connection terminals each side, of a length not exceeding 0.260 inch, of a width, exclusive of terminals, not exceeding 0.150 inch and a thickness not exceeding 0.050 inch.
- 4. Until the beginning of 1st January 1974, goods of heading 39.03(A)(2)(b) of the Customs Tariff 1959 (which comprises photographic, including cinematographic, film base of cellulose acetate) shall not be chargeable with import duty of an amount greater than 10% of their value.
- 5. For the purposes of classification under the Customs Tariff 1959, in so far as that depends on the rate of duty, any goods to which Article 2(1) or Article 3(1) above applies shall be treated as chargeable with the same duty as if this Order had not been made.
- 6. The Import Duties (Temporary Exemptions) Orders specified in Schedule 2 to this Order are hereby revoked.

Hugh Rossi,
V. H. Goodhew,
Two of the Lords Commissioners
of Her Majesty's Treasury.

29th November 1972.

SCHEDULE 1

GOODS TEMPORARILY EXEMPT FROM IMPORT DUTY

GOODS TEMPORARILY EXEMPT FROM IMPORT DUTY	
Tariff Heading Description	
05.15	Blue whiting (Gadus Poutassou) Horse mackerel (trachurus trachurus) Mackerel (scomber scombrus) Norway Pout (Trisopterus(Gadus)Esmarkii) Sand eels (ammodytes)
07.01	Tarragon, fresh or chilled
07.02	Asparagus (until 1st March 1973)
07.04	Asparagus Celery Dried onions
12.01	Castor seed
15.04	Herring oil, falling within subheading (C), and oils falling within subheading (D), except fish liver oils and refined sperm oil (until 1st February 1973) Sperm oil, unrefined
15.10	Fatty alcohols, normal, containing fourteen or more carbon atoms in the molecule and having an iodine value not less than 40
25.11	Natural barium sulphate, not ground or powdered
25.19	††Magnesite, dead-burned, containing (a) not less than 94 per cent. by weight of magnesium compounds expressed as MgO, (b) not more than 0.05 per cent. by weight of boron compounds expressed as B ₂ O ₃ , (c) not more than 3.0 per cent. by weight of calcium compounds expressed as CaO, (d) not more than 1.75 per cent. by weight of silicon compounds expressed as SiO ₂ , and (e) a total of not more than 3.0 per cent. by weight of aluminium compounds and iron compounds expressed as Al ₂ O ₃ and Fe ₂ O ₃
27.07	Anthracene Pyridine bases, having a basicity equivalent to not less than 7.0 millilitres and not more than 12.5 millilitres of 1.0 N sulphuric acid solution when estimated by method No. RB. 1-67 of "Standard Methods for Testing Tar and its Products" published by the Standardisation of Tar Products Test Committee Pyridine bases, of which, after drying, not less than 70 per cent. by volume distils between 140° and 250° centigrade at normal pressure
28.14	Boron tribromide Boron trichloride Phosphorus pentabromide Phosphorus pentafluoride Silicon tetrachloride Sulphur tetrafluoride Thionyl chloride
28.15	Carbonyl sulphide Phosphorus pentasulphide, containing less than 15 parts per million by weight of arsenic calculated as As ₂ O ₃ , and containing less than 35 parts per million by weight of iron calculated as Fe (until 3rd July 1973)

Potassium hydroxide, pharmaceutical quality Sodium peroxide

28.17

Description

28.18 Barium oxide

Magnesium oxide, dead-burned but not fused, of a purity not less than 96 per cent., which contains (a) not more than 0.05 per cent. by weight of boron compounds expressed as B2O3, (b) a total of not more than 0.5 per cent. by weight of aluminium compounds and iron compounds expressed as Al_2O_3 and Fe_2O_3 , and (c) a total of not less than $1\cdot 0$ per cent. by weight and not more than $3\cdot 5$ per cent. by weight of calcium compounds and silicon compounds expressed as CaO and SiO₂, the weight of calcium compounds being not less than 1.5 times and not more than 2.5 times the weight of silicon compounds; and (d) of which not less than 35 per cent. by weight is retained by a sieve having a nominal width of aperture of $\frac{3}{16}$ inch (until 1st March 1973)

- 28.20 Aluminium oxide, not being artificial corundum, being in the form of spheres and containing by weight not more than 0.06 per cent. of acid soluble sulphates expressed as SO₃ and not more than 0.005 per cent. of sodium expressed as Na, and all of which passes a sieve having a nominal width of aperture of 4.76 millimetres and not less than 99 per cent. by weight of which is retained by a sieve having a nominal width of aperture of 1.00 millimetre
- 28.23 γ-Ferric oxide
- 28.27 Lead monoxide which, when examined by X-ray diffraction is free of the tetragonal form, and which has a specific surface, when determined by air permeability, of not less than 600 square metres per kilogramme
- 28.28 Beryllium oxide Hydroxylammonium sulphate
- Aluminium sodium fluoride 28.29

Potassium fluorosilicate

Sodium fluoride, which does not contain impurities equivalent to more than 5×10^{-9} grammes of U₃O₈ per gramme, and of which 1 gramme must not contain impurities capable of depressing the estimation of U_3O_8 by more than 1×10^{-8} grammes, when determined fluorimetrically

Sodium fluorosilicate Tungsten hexafluoride

- 28.30 Aluminium chloride, anhydrous, containing by weight (a) not more than 0.0005 per cent. of lead compounds calculated as Pb, (b) not more than 0.0010 per cent. of magnesium compounds calculated as Mg, and (c) not more than 0.0020 per cent. of zinc compounds calculated as Zn Barium chloride
- 28.32 Ammonium perchlorate Sodium perchlorate
- Zinc sulphide 28.35
- Aqueous barium sulphate paste containing not less than 70 per cent. 28.38 and not more than 80 per cent. by weight of barium sulphate and containing in the dried material not more than four parts per million by weight of iron compounds calculated as Fe and not more than forty parts per hundred million by weight of ethanol soluble sulphur Magnesium sulphate, anhydrous, containing not less than 0.05 per cent. by weight and not more than 1.0 per cent. by weight of potassium

compounds calculated as K Mercuric sulphate

Potassium hydrogen permonosulphate

Thallous sulphate

Tariff Heading Description Barium nitrate containing not more than 0.006 per cent. by weight of 28.39 heavy metals calculated as Pb Beryllium nitrate Potassium nitrite 28.40 Potassium dihydrogen orthophosphate in the form of single crystals tetraPotassium pyrophosphate Sodium hypophosphite monohydrate Lithium carbonate 28.42 Magnesium carbonate, light, in rectangular blocks of a weight not less than 25 grammes and not more than 125 grammes and of a cubic capacity not less than 115 cubic centimetres Manganous carbonate Nickel carbonate, basic Potassium hydrogen carbonate 28.43 Mercuric cyanide Mercuric oxycyanide, which satisfies the requirements of the British Pharmaceutical Codex Potassium ferricyanide Sodium nitroprusside 28.44 Ammonium thiocyanate Potassium cyanate Sodium thiocyanate 28.46 Sodium metaborate tetrahydrate, Na₂B₂O₄, 4H₂O 28.47 Bismuth aluminate containing not less than 52 per cent. by weight and not more than 55 per cent. by weight of bismuth calculated as Bi on the dry anhydrous salt Sodium tungstate containing not more than 0.0003 per cent. by weight of arsenic compounds calculated as As and not more than 0.005 per cent. by weight of molybdenum compounds calculated as Mo 28.48 · Dihydroxyaluminium sodium carbonate Ferric sodium pyrophosphate Silver protein, mild, which satisfies the requirements of the British 28.49 Pharmaceutical Codex Silver protein, which satisfies the requirements of the British Pharmaceutical Codex 28.50 All goods of this heading other than radium compounds, natural uranium and compounds thereof and nuclear reactor cartridges, spent or irradiated 28.51 Deuterated potassium dihydrogen orthophosphate in the form of single crystals (until 3rd May 1973) Deuterium oxide 28.52 Compounds of uranium depleted in uranium-235, the following:— Uranium hexafluoride Mixed rare earth compounds containing not less than 3.5 per cent. by weight and not more than 9.0 per cent. by weight of combined fluorine estimated as F, and not less than 0.5 per cent. by weight and not more than 4.0 per cent. by weight of barium compounds estimated as BaSO₄; and of which not less than 10 per cent. by weight is retained by a sieve having a nominal width of aperture of 45 micrometres

28,57

Silane

Aluminium sodium hydride Lithium borohydride

```
Tariff Heading
                                             Description
              Trichlorosilane containing not more than 0.002 parts per millian by
    28.58
                 weight of boron compounds calculated as B
    29.01
              Acenaphthene
              Acenaphthylene
Allene
              Anthracene
              Azulene
              1,2-Benzanthracene
              Bicyclo[2,2,1]hepta-2,5-diene
              isoButane
              n-But-1-ene
              cisBut-2-ene
              transBut-2-ene
               But-2-ene, mixed isomers
               isoButene of a purity not less than 99.0 per cent.
               But-l-yne
               Chrysene
              trans-trans-Cyclododeca-1,5,9-triene
               9,10-Dihydroanthracene
               2,2-Dimethylpropane
               n-Eicosane
               5-Ethylidenebicyclo[2,2,1]hept-2-ene
               Fluoranthene
               Fluorene
              2-Methylnaphthalene
2-Methylpentane
               n-Nonane
               Perylene
               Propyne
               Pyrene
              transStilbene
               p-Terphenyl
               1,2,3,4-Tetrahydro-1,1,2,4,4,7-hexamethylnaphthalene
               1,2,4,5-Tetramethylbenzene
               n-Undecane
     29.02
               Aldrin
               Allyl chloride
               1-Bromo-3-chloro-2-methylpropane
              *Bromotrichloromethane
               Bromotrifluoromethane
               Carbon tetrafluoride
               Chlordane
               3-Chlorobenzotrifluoride
               4-Chlorobenzotrifluoride
               2-Chlorobuta-1,3-diene
               1-Chloro-n-butane
               1-Chloro-n-but-1-ene
               3-Chloro-n-but-1-ene
               1-Chloro-n-but-2-ene
               1-Chloro-1,1-difluoroethane
              *2-Chloro-6-fluorotoluene (until 1st March 1973)
               1-Chloronaphthalene
               1-Chloro-n-octane of a purity not less than 99.5 per cent., containing
                 not more than 0.2 per cent. by weight of other chloro-octanes and not more than 0.05 per cent. by weight of other alkyl chlorides
               1-Chloroprop-1-ene
               3-Chloropropyne
               2-Chlorotoluene
```

Decachlorobicyclopenta-2,4-dienyl

1,4-Dibromobut-2-ene

Description

29.02

2,3-Dibromobut-2-ene Dibromodifluoromethane 1,2-Dibromoethane Dibromomethane 1,3-Dichlorobenzene

2,3-Dichlorobuta-1,3-diene 1,3-Dichloro-n-but-2-ene

1,4-Dichlorobut-2-ene
1,1-Dichloro-2,2-di-(4-chlorophenyl)ethane

a,4-Dichlorodiphenylmethane

1,2-Dichloroethane (until 1st March 1973)

1,2-Dichloroethylene 2,3-Dichloroprop-1-ene 2,6-Dichlorotoluene 1,1-Difluoroethane Diphenylchloromethane

Dodecachloropentacyclo[5,2,1,0^{2,6},0^{3,9},0^{5,8}]decane 1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo-[12,2,1,1^{6,9},0^{2,13},0^{5,10}]octadeca-7,15-diene

Fluorobenzene

Heptachlor

Hexabromobiphenyl, mixed isomers

1,2,5,6,9,10-Hexabromocyclododecane 1,2,3,4,5,6-Hexachlorocyclohexane, mixed isomers, of which either (a) the α -isomer content is not more than 50 per cent. by weight, or (b) the γ -isomer content is not less than 35 per cent. by weight provided that, in a case where the γ -isomer content is not less than 35 per cent. and not more than 40 per cent. by weight, not less than 90 per cent. by weight of the material passes a sieve having a nominal width of aperture of 53 micrometres

α-1,2,3,4,5,6-Hexachlorocyclohexane

y-1,2,3,4,5,6-Hexachlorocyclohexane

Hexachlorocyclopentadiene

Hexafluoropropene Methallyl chloride Octafluorocyclobutane

Pentachloroethane

1,1,2,2-Tetrabromoethane 1,2,3,4-Tetrachlorobenzene

1,2,4,5,-Tetrachlorobenzene 1,1,1,2-Tetrachloroethane

1,1,2,2-Tetrachloroethane Tribromofluoromethane 1,2,3-Trichlorobenzene

1,2,4-Trichlorobenzene

Trichlorobenzene, mixed isomers

1,1,1-Trichloro-2,2-di(chlorophenyl)ethane, mixed isomers

1,1,2-Trichloroethane of which not less than 92 per cent. by volume distils between 110° and 115° centigrade at normal pressure

Trifluoroiodomethane Vinyl bromide

Vinyl fluoride

29.03 Benzene-1,3-disulphonic acid

1-tertButyl-3,4,5-trimethyl-2,6-dinitrobenzene

Chloropicrin

Methanesulphonic acid Methanesulphonyl chloride

Nitroethane

Nitromethane

Description 29.03 1-Nitronaphthalene 1-Nitropropane 2-Nitropropane 4-Nitro-m-xylene 1,1,3,3,5-Pentamethyl-4,6-dinitroindane diSodium benzene-1,3-disulphonate Sodium 4-chlorobenzenesulphonate Sodium 3-chloro-n-but-2-ene-1-sulphonate Sodium ethylenesulphonate diSodium naphthalene-2,7-disulphonate triSodium naphthalenetrisulphonate, mixed isomers, which contains not more than 0.005 per cent. by weight of iron compounds calculated as Fe, and of which an aqueous solution containing 50 grammes per litre has a pH not greater than 7 Sodium styrenesulphonate, mixed isomers Adonitol 29.04 Allyl alcohol Amyl alcohol, containing not less than 58 per cent. by weight of n-pentan-1-ol and not more than 1 per cent. by weight of aldehydes or ketones calculated as C₅H₁₀O **D-Arabitol** n-Butane-1,3-diol Butane-1,4-diol *n*-Butane-2,3-diol Butane-1,2,4-triol n-Butan-2-ol But-2-ene-1,4-diol n-But-2-en-1-ol But-2-yne-1,4-diol But-3-yn-2-ol 2-Chloroethanol

3-Chloropropan-1-ol Decane-1,10-diol

2,2-Di(fromomethyl)propanediol 2,6-Dimethylheptan-4-ol 2,5-Dimethylhexane-2,5-diol (\pm) -3,7-Dimethylnona-1,6-dien-3-ol

Dimethyloctadienol, mixed 2,6,3,5,2- and 3,7,4,6,3- isomers 3,6-Dimethyloctan-3-ol

3,7-Dimethyloctan-3-ol

Dimethyloctanol, mixed 2,6,2- and 3,7,3- isomers

(-)-3,7-Dimethyloct-6-en-1-ol 3,7-Dimethyloct-6-en-1-yn-3-ol 3,6-Dimethyloct-4-yne-3,6-diol 2,2-Dimethylpropanediol 2,2-Dimethylpropanol Ethchlorvynol 2-Ethylhexane-1,3-diol 2-Ethyl-2-hydroxymethylpropanediol

Farnesol n-Heptan-1-ol

Hexadecyl alcohol, mixed isomers, which freezes at a temperature not higher than -40° centigrade

2H-Hexafluoropropan-2-ol

Hexane-1,6-diol Hexane-1,2,6-triol

Hexanetriol, mixed isomers

n-Hexan-1-ól n-Hex-3-en-1-ol

```
Tariff Heading
                                                   Description
     29.04
                2-Hydroxymethyl-2-methylpropanediol
                2-Hydroxymethyl-2-nitropropanediol
                3-Methylbutan-1-ol, of a purity not less than 90 per cent.
                2-Methylbutan-2-ol
3-Methylpentyn-3-ol
2-Methylpropan-2-ol containing not more than 0.007 per cent. by
                   weight of unsaturated compounds calculated as butene
                2-Methylpropan-2-ol containing not less than 10 per cent. by weight
                   and not more than 13 per cent. by weight of water
                Nerolidol
                1H,1H,5H-Octafluoropentan-1-ol
                2-n-Octyl-n-dodecan-1-ol
                n-Pentan-1-ol
                Phytol isoPhytol
                Pinacol
                Propane-1,3-diol
               *Propan-1-ól
                Prop-2-yn-1-ol
Succinaldehyde di(sodium bisulphite)
                1H,1H,3H-Tetrafluoropropan-1-ol 3,7,11,15-Tetramethylhexadecane-1,2,3-triol
                3,7,9-Trimethyldeca-1,6-dien-3-ol
                2,2,4-Trimethylhexane-1,6-diol
                n-Undecan-1-ol
                Undec-10-en-1-ol
                Xylitol
     29.05
                Borneol
                isoBorneol
                Dihydrotachysterol
                2,2-Di-(4-hydroxycyclohexyl)propane
                1,4-Di(hydroxymethyl)cyclohexane
                Fenchyl alcohol
                meso Inositol
                p-Menth-1-en-4-ol
                (\pm)-Menthol
                2-Methyl-4-phenylbutan-2-ol
3-Methyl-1-phenylpentan-3-ol
                Nopol
                Phenylethane-1,2-diol
                1-Phenylethanol
                1-Phenylprop-2-yn-1-ol
               α-Terpineol, having a freezing point not less than 20° centigrade 2,2,2-Trichlorodi-(4-chlorophenyl)ethanol cis-3,3,5-Trimethylcyclohexanol
                3,5-Ditertbutyl-4-hydroxybenzyl alcohol 3,5-Ditertbutyl-4-hydroxybiphenyl
     29.06
                Di-(3,5-ditertbutyl-4-hydroxyphenyl)methane (until 1st March 1973)
                3,4-Dihydroxybiphenyl
                1,3-Dihydroxynaphthalene
                1,5-Dihydroxynaphthalene
2,3-Dihydroxynaphthalene
                3,4-Di-(4-hydroxyphenyl)-n-hexane-3,4-diol
                  ,4-Ditertpentylphenol
                2,5-Ditertpentylquinol
                4-Ethylphenol
4-Hydroxybiphenyl
                2-Methylquinol
```

```
Tariff Heading
```

Description

29.06

1-Naphthol

*Oestra-1,3,5(10)-triene-3,16 β ,17 β -triol 3-n-Pentadecylphenol

4-tertPentylphenol Resorcinol Salicyl alcohol

Sodium biphenyl-2-yloxide

Stilboestrol 2,4,2',4'-Tetrahydroxybiphenyl

Thymol

1,1,3-Tri-(5-tertbutyl-4-hydroxy-2-methylphenyl)-n-butane-toluene complex

2,4,6-Tri-(3,5-di*tert*butyl-4-hydroxybenzyl)mesitylene 2,3,5-Trimethylquinol

2,4-Xylenol

29.07 2-tertButyl-4,6-dinitrophenol

4-Chloro-*m*-cresol (-OH at 1) (until 1st March 1973) 4-Chloro-*m*-cresol (-OH at 1), sodium salt 4-Chloro-2-cyclopentylphenol

3-Chlorophenol

4-Chlororesorcinol 2,3-Dichlorophenol

2,2-Di(3,5-dibromo-4-hydroxyphenyl)propane (until 3rd July 1973) 2,2-Di-(3,5-dichloro-4-hydroxyphenyl) propane 6,7-Dihydroxynaphthalene-2-sulphonic acid 4,6-Dinitro-o-cresol (-OH at 1), ammonium salt 3-Hydroxynaphthalene-2,7-disulphonic acid 4-Hydroxynaphthalene-1-sulphonic acid 5-Hydroxynaphthalene-1-sulphonic acid 2-Nitro-p-cresol (-OH at 1)

3-Nitrophenol

diSodium 1,8-dihydroxynaphthalene-3,6-disulphonate Sodium 6,7-dihydroxynaphthalene-2-sulphonate Sodium 4-hydroxybenzenesulphonate diSodium 3-hydroxynaphthalene-2,7-disulphonate Sodium 4-hydroxynaphthalene-1-sulphonate Zinc 4-hydroxybenzenesulphonate (until 3rd July 1973)

29.08 4-Allylanisole

Anethole Batyl alcohol

Benzyl cyclohex-3-enylidenemethyl ether

Benzyl isopentyl ether isoButyl vinyl ether *Cedryl methyl ether Chloromethyl methyl ether

Di-n-butyldigol

2,5-Ditert butylperoxy-2,5-dimethylhexane 1,4-Di-(1-tert butylperoxy-1-methylethyl)benzene

Di-(2-chloroethyl) ether 2,4-Dichlorophenyl 4-nitrophenyl ether Di-(αα-dimethylbenzyl) peroxide

Diethyldigol

2,2-Di-[4-(2-hydroxyethoxy)phenyl]propane 1,2-Dimethoxyethane Dimethyl ether

Dimethyltetragol Dimethyltrigol

Description

29.08

1,4-Dioxan Dipentaerythritol

Di(phenoxyphenoxy)benzene, mixed isomers

Diisopropylbenzene hydroperoxide

2-Ethoxynaphthalene

Ethyl vinyl ether

Guaiacol having a melting point of not less than 27° centigrade

n-Hexyldigol

p-Menthanyl hydroperoxide 3-Methoxy-*n*-butan-1-ol Methoxychlor Methoxyflurane

2-Methoxynaphthalene

4-Methoxy-1-naphthol

Methyl vinyl ether

Musk ambrette

Potassium guaiacolsulphonate 5-Propenylguaethol (-OH at 1)

1,2,3-Tri-(2-hydroxy-n-propoxy)propane Tri-α-propylene glycol monomethyl ether

29.09

Allyl glycidyl ether 1-Chloro-2,3-epoxypropane

Dieldrin

1,4-Di-(2,3-epoxypropoxy)butane

Endrin

1,2-Epoxy-n-butane

Epoxybutane, mixed 1,2- and 2,3- isomers 1,11-Epoxy-5,5,7,8-tetramethyltricyclo[5,4,0,0^{4,6}]undecane

3,4-Epoxytricyclo[5,2,1,0^{2,6}]decanol

Glycidol Styrene oxide

29.10 α-Anhydroglucochloral

1-Chloro-2,2-diethoxyethane

1,1-Diethoxy-3,7-dimethylocta-2,6-diene 1,1-Dimethoxy-3,7-dimethylocta-2,6-diene

1,1-Dimethoxy-n-octane

2,2-Dimethoxypropane

1,3-Dioxan

2-Ethyl-2-methyl-1,3-dioxolan

17α-Ethynyl-3,3-dimethoxyoestr-5(10)-en-17β-ol Hexahydro-2,3,6,7-tetrahydroxy-1,4,5,8-tetraoxanaphthalene 4-Hydroxymethyl-2-(iodoethyl)-1,3-dioxolan, mixed isomers

1,2-O-isoPropylidene-D-glucofuranose

1,1,3,3-Tetraethoxypropane 4,4a,5,9b-Tetrahydroindeno[1,2-d]-1,3-dioxin 4,4a,9,9a-Tetrahydroindeno[2,1-d]-1,3-dioxin

1,1,3,3-Tetramethoxypropane

29.11 Acrylaldehyde

3-(4-tertButylphenyl)-2-methylpropionaldehyde

n-Butyraldehyde

isoButyraldhyde

Crotonaldehyde containing not more than 4 per cent. by weight of water

isoCyclocitral

2,4-Dihydroxybenzaldehyde

3,4-Dihydroxybenzaldehyde 2,3-Dimethoxybenzaldehyde

2,6-Dimethylhept-5-enal

Description

29.11 2-Ethylhexanal DL-Glyceraldehyde

Glyoxal n-Hex-2-enal

4-Hydroxybenzaldehyde

†4-(4-Hydroxy-4-methylpentyl)cyclohex-3-enecarbaldehyde *2-Methylvaleraldehyde

n-Octanal

Terephthalaldehyde

4-(Tricyclo[5,2,1,02,6]dec-8-ylidene)butyraldehyde 3,5,5-Trimethylhexanal 2,6,10-Trimethylundec-10-enal

1,3,5-Trioxan n-Valeraldehyde iso Valeraldehyde

Chloroacetaldehyde 29.12

2-Chlorobenzaldehyde

4-Chlorobenzaldehyde

2,6-Dichlorobenzaldehyde 2-Nitrobenzaldehyde

4-Nitrobenzaldehyde 5-Nitrosalicylaldehyde

diSodium 4-formylbenzene-1,3-disulphonate

Sodium 2-formylbenzenesulphonate

29.13 Acetoin

Acetoin dimer

Acetonylacetone

4-Acetyl-6-*tert* butyl-1,1-dimethylindane 7-Acetyl-6-ethyl-1,2,3,4-tetrahydro-1,1,4,4-tetramethylnaphthalene 7-Acetyl-2-methyl-5-*iso*propylbicyclo[2,2,2]oct-2-ene

Benzoin

Benzyl methyl ketone
Butanedione
α-n-Butoxybenzyl phenyl ketone

(+)-Camphor Canthaxanthin L-Carvone

Chloranil

2-Chlorocyclohexanone

2-[α-(4-Chlorophenyl)phenylacetyl]indane-1,3-dione

Cycloheptadec-9-enone

Cyclo-octanone

Cyclopentadecanone 1,5-Dichloroanthraquinone

Dicyclohexyl ketone

1,3-Dihydroxyacetone

2,4-Dihydroxyacetophenone

2,6-Dihydroxyacetophenone 1,5-Dihydroxyanthraquinone

1,8-Dihydroxyanthraquinone
1,8-Dihydroxyanthraquinone
2,2'-Dihydroxy-4,4'-dimethoxybenzophenone
2,2'-Dihydroxy-4-methoxybenzophenone

11 β ,21-Dihydroxypregna-4,17(20)-dien-3-one 3 β ,17 α -Dihydroxy-5 β -pregnane-11,20-dione

 11β , 17α -Dihydroxypregn-4-ene-3, 20-dione 3,3-Dimethoxyoestr-5(10)-en-17-one

2,6-Dimethylheptan-4-one

3,17-Dioxoandrost-4-en-19-al

Description

29.13 Dithranol 4-(1-Ethoxyvinyl)-3,3,5,5-tetramethylcyclohexanone 2-Ethylanthraquinone

17,17-Ethylenedioxyandrosta-1,4-dien-3-one

Fenchone

Fluorenone (until 3rd July 1973)

 9α -Fluoro- 11β , 17α -dihydroxy- 16α -methylpregna-1, 4-diene-3, 20-dione

n-Heptan-2-one

n-Heptan-3-one 3H,3H-Hexafluoroacetylacetone

2-*n*-Hexylcyclopent-2-enone 2-Hydroxyacetophenone

4-Hydroxyacetophenone

4-Hydroxybenzophenone

2-Hydroxy-3-methylcyclopent-2-enone 2-Hydroxy-4-*n*-octyloxybenzophenone

17α-Hydroxypregn-4-ene-3,11,20-trione

17β-Hydroxy-4,5-seco-19-norandrostane-3,5-dione

Indanetrione hydrate Menaphthone

 (\pm) -iso Menthone

Mesityl oxide

4-Methoxy-4-methylpentan-2-one

5-Methylheptan-3-one 5-Methylhexan-2-one

6-Methyl-α-ionone

3-Methyl-2-(*n*-pent-2-enyl)cyclopent-2-enone 3-Methyl-2-*n*-pentylcyclopent-2-enone

4-Methyl-4-phenylpentan-2-one

Musk ketone

1,4-Naphthaquinone

n-Octan-3-one

Oestr-5(10)-ene-3,17-dione

Oestr-4-en-17-one

n-Pentan-2-one

Pentan-3-one

Phenacyl bromide

Pinacolone

Sodium 2,2'-dihydroxy-4,4'-dimethoxybenzophenone-5-sulphonate 2,4,2',4'-Tetrahydroxybenzophenone

1,1,1-Trifluoroacetylacetone, of a purity not less than 99 per cent.

n-Undecan-2-one

29.14 Acrylic acid (until 1st March 1973)

Allyl 3-cyclohexylpropionate

Allyl methacrylate

 \dagger (±)-3-Allyl-2-methyl-4-oxocyclopent-2-enyl trans-(+)-chrysanthemate

Aluminium acetate, basic Aluminium formate, solid

Ammonium pentadecafluoro-n-octanoate

Arachidonic acid

†Binapacryl

(-)-Bornyl acetate

n-Butane-1,3-diol dimethacrylate

isoButyl acrylate (until 1st March 1973)

4-tertButylbenzoic acid

n-Butyl chloroformate

secButyl chloroformate tertButyl 2-ethylperbutyrate

n-Butyric acid

Description

29.14 isoButyric acid

Chloroacetyl chloride

2-Chlorobenzoic acid 3-Chlorobenzoic acid

4-Chloro-3-nitrobenzoic acid

Chrysanthemic acid

Chrysanthemoyl chloride

Citronellyl 3-methylcrotonate

Crotonic acid Cyclofenil

Cyclohexyl chloroformate Decahydro-2-naphthyl acetate

n-Dec-2-enoic acid

Decyl acrylate, mixed isomers

Dichloroacetic acid

Dichloroacetyl chloride

2,4-Dichlorobenzoyl chloride

Digol dichloroformate

Dihydrocarveyl acetate

Dihydrocarveyl propionate

17α,21-Dihydroxy-16α-methylpregna-1,4,9(11)-triene-3,20-dione 21acetate

17 α ,21-Dihydroxy-5 α -pregnane-3,11,20-trione 21-propionate 3 α ,20-Dihydroxy-5 β -pregn-17(20)-en-11-one diacetate

1,1-Dimethyl-5-methylenehept-6-enyl acetate

1,1-Dimethyl-2-phenylethyl n-butyrate
1,1-Dimethyl-3-phenylpropyl acetate
(±)-1,5-Dimethyl-1-vinylhept-4-enyl acetate

Ethanediol dimethacrylate

2-Ethylhexyl chloroformate

2-Ethyl-2-hydroxymethylpropanediol triacrylate

2-Ethyl-2-hydroxymethylpropanediol trimethacrylate

Ethyl methacrylate (until 1st March 1973)

α-Ethyl-3-nitrocinnamic acid

Ethyl trichloroacetate

Farnesyl acetate

Fenchyl acetate

Geranyl 5,9,13-trimethyltetradeca-4,8,12-trienoate Glycerol tripropionate

Glycidyl methacrylate

Heptafluoro-n-butyric acid

n-Heptanoic acid

n-Heptyl acrylate Lead tetra-acetate

Linalyl cinnamate

3-Methoxy-n-butyl acetate

2-Methoxyethyl chloroformate

Methyl acetate of a purity not less than 98 per cent.

Methyl chloroacetate
Methyl 2-chloro-3-(4-chlorophenyl)propionate
Methyl chloroformate

Methyl n-dodecanoate (until 1st March 1973)

Methyl formate

Methyl 1-methyl-4-isopropylbicyclo[2,2,2]oct-2-ene-6-carboxylate

Methyl *p*-toluate

2-Nitrobenzoic acid

4-Nitrobenzoic acid

n-Nonanoic acid

Nonyl acetate, mixed isomers, having a specific rotation at 20° centigrade

to the D line of sodium of between -9° and -13°

n-Octanoic acid

Description

n-Oct-2-ynoic acid Phenyl chloroformate 29.14 Pivalic acid Potassium sorbate 2-(4-isoPropenylcyclohex-1-enyl)ethyl formate Propiolic acid Propionic anhydride n-Propyl acetate n-Propyl acrylate isoPropyl acrylate isoPropyl chloroformate Sodium fluoroacetate Sodium formate Sodium trichloroacetate Tetragol di-(2-ethylhexanoate)
Tetragol dimethacrylate
o-Toluic acid (-COOH at 1)
p-Toluic acid (-COOH at 1)
Tricyclo[5,2,1,0²,6]dec-4-en-8-yl acetate
Triethyl orthogeniae Triethyl orthopropionate Trifluoroacetic acid Trigol di-(2-ethylbutyrate) Trigol dimethacrylate Trimethyl orthoformate 2,2,4-Trimethylpentane-1,3-diol 1-isobutyrate 2,2,4-Trimethylpentane-1,3-diol diisobutyrate n-Valeric acid isoValeric acid Vinyl n-butyrate Vinyl chloroacetate Vinyl decanoate, mixed isomers Vinyl *n*-dodecanoate Vinyl 2-ethylhexanoate

29.15 cisAconitic acid

Ammonium ferric oxalate

Azelaic acid

Vinyl propionate

Benzenedicarboxylic acid, mixed isomers Benzene-1,2,4-tricarboxylic anhydride n-Butyl hydrogen itaconate

Di-n-butyl itaconate Dichloromaleic anhydride Dimethyl adipate

Dimethyl isophthalate Dimethyl itaconate

Dioctyl 2H,3H-hexachlorobicyclo[2,2,1]hept-5-ene-2,3-dicarboxylate,

mixed isomers

Dodecane-1,12-dioic acid

Dodecenylsuccinic acid, mixed isomers
Dodecenylsuccinic anhydride, mixed isomers

†Ethanediol brassylate

Glutaric anhydride

2H,3H-Hexachlorobicyclo[2,2,1]hept-5-ene-2,3-dicarboxylic acid

1,8,9,10,11,11-Hexachlorotricyclo[6,2,1,0^{2,7}]undec-9-ene-4,5-dicarboxylic anhydride

n-Hexadecylsuccinic anhydride

Isophthalic acid Itaconic anhydride

Malonic acid

Description

29.15 Methylbicyclo[2,2,1]hept-5-ene-2,3-dicarboxylic anhydride

Naphthalic anhydride

Oxalic acid

Pimelic acid

Potassium 3,5-di(methoxycarbonyl)benzenesulphonate

Pyromellitic dianhydride

Sodium 3,5-di(methoxycarbonyl)benzenesulphonate

Sodium oxalate which, in the form in which it is imported, contains not less than 5.0 per cent. by weight of moisture and which contains in the dried material not more than 98.0 per cent. by weight of oxalates expressed as sodium oxalate, Na₂C₂0₄

Suberic acid

Succinic acid (until 3rd July 1973)

4-Sulphophthalic acid

4-Sulphophthalic acid, diammonium salt

Tetrachlorophthalic anhydride

29.16 4-Allyloxy-3-chlorophenylacetic acid

Aluminium hydroxide di-(O-acetylsalicylate)

Antimony potassium tartrate, which satisfies the requirements of the British Pharmacopoeia

2-(3-Benzoylphenyl)propionic acid

4-Bromo-3,5-dihydroxybenzoic acid

n-Butoxycarbonylmethyl *n*-butyl phthalate

n-Butyl glycollate

Calcium gluconate lactobionate

Calcium lactate which, on ignition at 120° centigrade, loses not less than 25 per cent. of its weight and which contains

- (1) not more than 0.0002 per cent. by weight of arsenic expressed as As,
- (2) not more than 0.07 per cent. by weight of chlorides expressed as C1, and
- (3) not more than 0.12 per cent. by weight of sulphates expressed as SO₄,

all being calculated on the pentahydrate, C₆H₁₀CaO₆.5H₂O (until 1st March 1973)

Calcium D-saccharate

Carbenoxolone

Carbenoxolone, disodium salt

Cyclandelate (until 1st March 1973)

2,5-Dichloro-6-methoxybenzoic acid

Diethyl ethoxymethylenemalonate

2,5-Dihydroxybenzoic acid 3,5-Dihydroxybenzoic acid

2,2-Di(hydroxymethyl)propionic acid

3,5-Di-iodosalicylic acid (-COOH at 1)

Dimethyl 4,4'-(ethylenedioxy)dibenzoate

Dimethyl methoxymethylenemalonate

Enoxolone

Ethacrynic acid

4,4'-(Ethylenedioxy)dibenzoic acid

Ethyl sodioacetoacetate

Galacturonic acid

Glucuronic acid

Glycollic acid

Glyoxylic acid

3-Hydroxy-2,2-dimethylpropyl 3-hydroxydimethylpropionate 1-Hydroxy-2-naphthoic acid

3-Hydroxy-2-naphthoic acid 2-Hydroxy-*m*-toluic acid

Laevulic acid

Description

29.16 Magnesium gluconate

L-Malic acid L-Mandelic acid Methallenoestril

2-(6-Methoxy-2-naphthyl)propionic acid

Methyl 2-chloro-9-hydroxyfluorene-9-carboxylate

Methyl 4-chlorophenyl-(3-trifluoromethylphenoxy)acetate

Methyl 3,5-dihydroxybenzoate

*Methyl 2,4-dihydroxy-3,6-dimethylbenzoate

Mucic acid

Mucochloric acid

n-Octadecyl 3-(3,5-ditertbutyl-4-hydroxyphenyl)propionate

2-Oxoglutaric acid

Pentaerythritol tetra-3-(3,5-ditertbutyl-4-hydroxyphenyl)propionate

Phenyl 1-hydroxy-2-naphthoate

Potassium gluconate

Potassium sodium tartrate Prostaglandin E₁

Prostaglandin E2

Pyruvic acid which, in the dry state, contains not more than 97 per cent.

by weight of free acid calculated as pyruvic acid

Quinic acid

Sodium cis-3-bromo-3-(4-methoxybenzoyl)acrylate

triSodium (±)-isocitrate Sodium deoxycholate Sodium dihydrogen citrate

(—)-Tartaric acid mesoTartaric acid

2-p-Toluoylbenzoic acid 2,4,5-Trichlorophenoxyacetic acid

Triethyl O-acetylcitrate 3,7,12-Trioxo-5 β -cholanic acid

1-isoButyl-4-ethyloctyl sodium sulphate 29.17 n-Dodecyl sodium sulphate

29.19 Barium hydrogen 3-phospho-D-glycerate

*Calcium glycerophosphate †Chlorfenvinphos

trans-2-Chloro-1-(2,4,5-trichlorophenyl)vinyl dimethyl phosphate

†Crotoxyphos Di-n-butyl 2,2-dichlorovinyl phosphate

Di-n-butyl phenyl phosphate

†Dichlorvos

Di-(2-ethylhexyl) sodium phosphate

2-Ethylhexyl diphenyl phosphate

*Glycerophosphoric acid

†Naled

*diPotassium glycerophosphate
Pyruvic acid enol phosphate, monopotassium salt

Pyruvic acid enol phosphate, monosodium salt

*diSodium glycerophosphate

Sodium phytate

Triethyl phosphate

29.20 Diallyl digol dicarbonate

Di-(4-tertbutylcyclohexyl) peroxydicarbonate

Diethyl pyrocarbonate Diphenyl carbonate Ethylene carbonate Propylene carbonate

Tariff Heading Description 29.21 †Bromophos Bromophos-ethyl †Dichlofenthion OO-Diethyl phosphorochloridothioate 1,3-Di-(4-methyl-1,3,2-dioxaborinan-2-yloxy)butane Di-(4,4,6-trimethyl-1,3,2-dioxaborinan-2-yl) oxide †Endosulfan †Fenchlorphos †Fenitrothion †Parathion †Parathion-methyl 4,4'-isoPropylidenedicyclohexyl di-(4-[1-(4-hydroxycyclohexyl)-1methyl]cyclohexyl phenyl phosphite) Tri-(2-ethylhexyl) phosphite Triethyl phosphite Trimethyl phosphite 29.22 Allylamine Amantadine hydrochloride 2-Aminobiphenyl N-2-Amino-3,5-dibromobenzyl-N-cyclohexylmethylammonium chloride 4-Amino-1-diethylamino-n-pentane 4-Aminodiphenylamine 4-Aminodiphenylamine 3-Aminomethyl-3,5,5-trimethylcyclohexylamine 2-Aminonaphthalene-1-sulphonic acid 5-Aminonaphthalene-2-sulphonic acid 6-Aminonaphthalene-2-sulphonic acid 8-Aminonaphthalene-1-sulphonic acid 8-Aminonaphthalene-2-sulphonic acid Aminonaphthalenesulphonic acid Aminonaphthalenesulphonic acid Aminonaphthalenesulphonic acid Aminonaphthalenesulphonic acid 4-Aminostilbene-2-sulphonic acid Amitriptyline embonate Amitriptyline hydrochloride Aniline-2,5-disulphonic acid 8-Anilinonaphthalene-1-sulphonic acid Benzidine Benzidine hydrochloride N-Benzyl-N-ethyl-m-toluidine *n*-Butylamine isoButylamine secButylamine tertButylamine 2-Chloro-5-nitroaniline 4-Chloro-2-nitroaniline 4-Chloro-m-toluidine-6-sulphonic acid (-NH₂ at 1) 4-Chloro-2-trifluoromethylaniline 4-Cyclohexylaminodiphenylamine 3-Cyclohexylaminopropylamine N-Cyclohexyldimethylamine N-Cyclohexylmethylamine Cyclopentamine hydrochloride N-n-Decyldimethylamine Diallylamine 1,3-Diaminocyclohexane

1,12-Diaminododecane

1,8-Diaminonaphthalene 1,2-Diaminopropane 1,3-Diaminopropane Di-(3-aminopropyl)amine 2,4-Diaminotoluene

Di-(4-amino-3-methylcyclohexyl)methane

Description

29.22 1,6-Diaminotrimethylhexane, mixed 2,2,4- and 2,4,4-isomers

αα'-Diaminoxylene, mixed isomers

Diamylamine, mixed isomers

6,8-Dianilinonaphthalene-1-sulphonic acid

Di-n-butylamine

NN'-Disecbutyl-p-phenylenediamine 2,4-Dichloroaniline

3,4-Dichloroaniline (until 3rd July 1973)

2,6-Dichloro-4-nitroaniline

4,5-Dichloro-o-phenylenediamine

Dicyclohexylamine

NN'-Dicyclohexyl-p-phenylenediamine 1,3-Di(dimethylamino)-n-butane

 $\dot{N}N'$ -Di-(1,4-dimethylpentyl)-p-phenylenediamine

2-Diethylaminoethylamine

3-Diethylaminopropylamine
NN'-Di-(l-ethyl-3-methylpentyl)-p-phenylenediamine
NN-Diethyl-p-phenylenediamine

2-Dimethylaminoethylamine

3-Dimethylaminopropylamine

NN'-Di-(1-methylheptyl)-p-phenylenediamine

NN-Dimethyl-n-octylamine

NN-Dimethyl-p-phenylenediamine

NN-Dimethyl-*n*-tetradecylamine 2,6-Dinitro-*NN*-di-*n*-propyl-4-trifluoromethylaniline

Di-n-octylamine Di-n-propylamine

Diisopropylamine N-n-Dodecyldimethylamine

Ethamsylate 2-Ethylaniline

N-Ethyldi-(3-phenylpropyl)ammonium dihydrogen citrate

N-Ethyl-1-naphthylamine

N-Ethyl-m-toluidine

Fast Red RL Base

Fast Red TR Base
Fast Scarlet G Base

Fenfluramine hydrochloride

4-Fluoroaniline

n-Hexylamine

Mephentermine

*Metanilic acid

3-Methylaminopropylamine

N-Methylaniline

3-Methylbenzylamine

N-1-Methylheptyl-N'-phenyl-p-phenylenediamine
N-(2-Methyl-2-nitropropyl)-4-nitrosoaniline
N-Methyl-n-octadecylamine

N-Methyltaurine, sodium salt

1-Naphthylamine

2-Naphthylamine 2-Nitroaniline

3-Nitroaniline

2-Nitroaniline-4-sulphonic acid

4-Nitroaniline which contains not more than 1 per cent. by weight of water and of which not more than 10 per cent. by weight is retained by a sieve having a nominal width of aperture of 1.00 millimetre

4-Nitrodiphenylamine

4-Nitro-m-phenylenediamine

n-Octylamine

Pargyline hydrochloride

Description

NNN'N"N"-Pentamethyldiethylenetriamine 29.22

n-Pentylamine isoPentylamine

Phentermine m-Phenylenediamine

p-Phenylenediamine

p-Phenylenediamine dihydrochloride m-Phenylenediamine-4-sulphonic acid

 (\pm) -1-Phenylethylamine Prenylamine lactate

n-Propylamine

isoPropylamine

Protriptyline hydrochloride

Pyruvic acid enol phosphate, triscyclohexylammonium salt

Sodium 4-aminonaphthalene-1-sulphonate Sodium 8-aminonaphthalene-2-sulphonate

Sodium N-benzylsulphanilate

Sodium hydrogen 8-aminonaphthalene-1,6-disulphonate

Sodium hydrogen aniline-2,5-disulphonate

Sodium sulphanilate

Sulphanilic acid of a purity not less than 98 per cent., and of which an ammoniacal aqueous solution containing 100 grammes per litre shows optical densities which, being measured in a cell of 20 millimetres length at wavelengths of 470 nanometres, 570 nanometres and 680 nanometres and added together, give a sum not greater than 1.26

3,4,3',4'-Tetra-aminobiphenyl tetrahydrochloride

Tetraethylenepentamine

o-Tolidine

o-Tolidine dihydrochloride

m-Tolidine dihydrochloride

8-p-Toluidinonaphthalene-1-sulphonic acid

Triallylamine Tri-n-butylamine 2,4,5-Trichloroaniline

Tri-n-decylamine Triethylenetetramine

4-Trifluoromethylaniline

Tri-n-hexylamine

2,4,6-Trimethylaniline Tri-n-octylamine

Tri-n-pentylamine Triisopentylamine Tri-n-propylamine

2,3-Xylidine 2,5-Xylidine

3,4-Xylidine

29.23 D-Alanine

L-Alanine

DL-Alanine

4-Aminoacetophenone

7-(4-Aminoanilino)-4-hydroxynaphthalene-2-sulphonic acid

4-Aminobenzoic acid 2-Amino-n-butan-1-ol

4-Aminobutyric acid

5-Amino-2-chlorobenzoic acid

3-Amino-5-chloro-2-hydroxybenzenesulphonic acid 2-Amino-*p*-cresol (-OH at 1) 2-Amino-5,2'-dichlorobenzophenone

L-2-Amino-3-(3,4-dihydroxyphenyl)-2-methylpropionic acid

Description 29.23 2-(2-Aminoethoxy)ethanol 2-Aminoethyl dihydrogen phosphate N-(2-Aminoethyl)ethanolamine (until 3rd May 1973) 2-Amino-2-ethylpropane-1,3-diol 6-Aminohexanoic acid 2-Amino-3-hydroxyanthraquinone 3-Amino-4-hydroxybenzenesulphonic acid 4-Amino-5-hydroxynaphthalene-1,3-disulphonic acid 4-Amino-5-hydroxynaphthalene-1,7-disulphonic acid 4-Amino-5-hydroxynaphthalene-2,7-disulphonic acid 4-Amino-5-hydroxynaphthalene-1-sulphonic acid 6-Amino-4-hydroxynaphthalene-2-sulphonic acid 7-Amino-4-hydroxynaphthalene-2-sulphonic acid 3-Amino-4-methoxybenzoic acid 2-Amino-2-methylpropane-1,3-diol 2-Amino-2-methylpropan-1-ol 2-Amino-6-nitro-p-cresol hydrochloride (-OH at 1) 2-Amino-5-nitrophenol -)-2-Amino-1-(4-nitrophenyl)propane-1,3-diol (—)-2-Animo 3-Aminophenol 4-Aminophenol (+)-2-Aminopropan-1-ol 3-Áminopropan-1-ol 3-Aminopropionic acid 4-Aminosalicylic acid (-COOH at 1) 11-Aminoundecanoic acid 7-Anilino-4-hydroxynaphthalene-2-sulphonic acid (until 3rd May 1973) o-Anisidine m-Anisidine p-Anisidine-3-sulphonic acid (-NH2 at 1) Anthranilic acid containing not more than 1 per cent. by weight of water L-Aspartic acid DL-Aspartic acid Bamethan sulphate Benzocaine 2-tertButylaminoethyl methacrylate 7-(4-Carboxymethoxyanilino)-4-hydroxynaphthalene-2-sulphonic acid 5-Chloro-o-anisidine (-NH₂ at 1) 5-Chloroanthranilic acid (-COOH at 1) 3-Chloro-4-(4-chlorophenoxy)aniline 4-(4-chlorophenoxy)aniline 3-Chloro-6-phenoxyaniline Chlorphenoxamine hydrochloride Clorprenaline hydrochloride 2-(Cyclohexa-1,4-dienyl)glycine 2,4-Diaminoanisole 2,4-Diaminoanisole monosulphate 1,2-Diaminocyclohexane-NNN'N'-tetra-acetic acid 1,3-Diaminopropan-2-ol 1,3-Diaminopropan-2-ol-NNN'N'-tetra-acetic acid 3,9-Di-(3-aminopropyl)-2,4,8,10-tetraoxaspiro[5,5]undecane o-Dianisidine o-Dianisidine dihydrochloride of a purity not greater than 98.5 per cent. 1,15-Diaza-5,8,11-trioxapentadecane 2,6-Ditertbutyl-4-dimethylaminomethylphenol 3,3'-Di(carboxymethoxy)benzidine, dipotassium salt 1,2-Di[di-(2-hydroxy-*n*-propyl)amino]ethane

Di-(2-dimethylaminoethyl) ether

3-(3,4-Dihydroxyphenyl)-L-alanine

5,5'-Dihydroxy-2,2'-dinaphthylamine-7,7'-disulphonic acid

3-Diethylaminophenol

Description

3-(3,4-Dihydroxyphenyl)-DL-alanine 2,4-Dimethoxyaniline 29.23

2,5-Dimethoxyaniline

2-(3,4-Dimethoxyphenyl)ethylamine

2-Dimethylaminoethyl methacrylate (until 1st March 1973)

6-Dimethylamino-4-hydroxynaphthalene-2-sulphonic acid (+)-4-Dimethylamino-3-methyl-1,2-diphenylbutan-2-ol 6-Dimethylaminomethyl-2,5-xylenol hydrochloride (-OH at 1) 1-Dimethylaminopropan-2-ol

†5-(3-Dimethylaminopropyl)-10,11-dihydro-dibenzo[a,d]cyclohepten-5-ol N-(2-[4-(1,2-Diphenylvinyl)phenoxy]ethyl)diethylammonium chloride 2,4-Di-o-tolyloxyaniline

1,4-Di-(2,4,6-trimethylanilino)anthraquinone

Ethomoxane hydrochloride

Ethyl aminoacetate hydrochloride

2-Ethylaminoethanol, of which not less than 90 per cent. by volume distils between 165° and 170° centigrade at normal pressure and which contains not more than 0.5 per cent, by weight of water Ethylenediamine-NN'-diacetic acid, cobalt complex Ethylenediamine-NN'-di-[(2-hydroxyphenyl)acetic acid]

Ethylenediamine-NN'-di-[α-(2-hydroxyphenyl)acetic acid], iron complex Ethylenediamine-NN'N'-tetra-acetic acid, dicobalt complex

N-Ethyl-N-2-hydroxyethylaniline containing not more than 0.6 per cent. by weight of secondary amines estimated as ethylaniline, C₈H₁₁N (until 1st March 1973)

Fast Bordeaux GP Base

Fast Red B Base

Fast Scarlet RC Base
D-Glucosamine hydrochloride

Glutamic acid

N-2-Hydroxyethylaniline (until 3rd May 1973)

1-(4-Hydroxyphenyl)-2-methylaminoethanol tartrate

Iopanoic acid

Isatoic anhydride

Isoxsuprine hydrochloride

Ketamine hydrochloride

L-Leucine

DL-Leucine

L-isoLeucine

DL-isoLeucine

L-nor Leucine DL-nor Leucine

L-Lysine

L-Lysine L-glutamate

L-Lysine monohydrochloride

DL-Lysine monohydrochloride

Mebeverine hydrochloride

Metaraminol hydrogen (+)-tartrate Methoxyphenamine hydrochloride

3-Methoxypropylamine

6-Methoxy-m-toluidine (-NH₂ at 1)

2-Methylaminoethanol

N-Methyldiethanolamine 2,3,5,6,2',3',5',6'-Octachlorodi-(2-hydroxyethylamino)biphenyl

Orciprenaline sulphate

DL-Ornithine monohydrochloride

Orphenadrine

Orphenadrine dihydrogen citrate

Orphenadrine hydrochloride

Oxyfedrine hydrochloride

Pentyl 4-dimethylaminobenzoate, mixed isomers

Description

29.23 2-(4-tertPentylphenoxy)aniline

5-tertPentyl-2-phenoxyaniline

o-Phenetidine

m-Phenetidine p-Phenetidine

L-3-Phenylalanine DL-3-Phenylalanine

Potassium 4-aminobenzoate of which an aqueous solution containing 100 grammes per litre has a pH not greater than 8.5 (until 3rd July 1973)

Potassium 4-aminosalicylate (-COOH at 1)
Potassium hydrogen 4-amino-5-hydroxynaphthalene-1,3-disulphonate

Potassium 2-methylaminopropionate

Procaine

Procaine hydrochloride

Prostaglandin $F_{2\alpha}$, trometamol salt Protokylol hydrochloride

Sarcosine

L-Serine

DL-Serine

Sodium 7-(4-aminoanilino)-4-hydroxynaphthalene-2-sulphonate Sodium 4-aminosalicylate (-COOH at 1) diSodium 5,5'-dihydroxy-2,2'-dinaphthylamine-7,7'-disulphonate Sodium hydrogen 4-amino-5-hydroxynaphthalene-1,3-disulphonate

Sodium hydrogen glutamate triSodium nitrilotriacetate

L-Threonine

DL-Threonine

Thymoxamine hydrochloride

N-[2-(α-o-Tolylbenzyloxy)ethyl]methylammonium chloride

Tri-(2-hydroxy-n-propyl)amine

Trometamol

Tyramine hydrochloride

L-Tyrosine

DL-Tyrosine L-Valine

DL-Valine

DL-nor Valine

29.24 Benzethonium chloride

Betaine

Betaine hydrochloride

Edrophonium chloride

N-2,3-Epoxypropyltrimethylammonium chloride

Methylbenzethonium chloride

Tetraethylammonium chloride

Tridihexethyl chloride

29.25 4-Acetamidoaniline

4-Acetamidoaniline-3-sulphonic acid

O-Acetyl-4'-chloro-3,5-di-iodosalicylanilide

Acrylamide

Ambenonium chloride

Ambucetamide

7-(4-Aminobenzamido)-4-hydroxynaphthalene-2-sulphonic acid

4-Aminohippuric acid

L-α-Asparagine
DL-α-Asparagine
L-β-Asparagine

Barbitone Barbitone sodium

N-Benzoyl-N'N'-di-n-propylisoglutamine

```
Tariff Heading
                                                      Description
                 \beta-Benzyl hydrogen N-benzyloxycarbonyl-L-aspartate N-Bromoacetamide
     29.25
                 4-Bromo-3,5-dihydroxy-N-methylbenzamide
                 Bucetin
                 secButylurea
                 Carbachol
                †Carbaryl
                 Chloroacetamide
                 5'-Chloroacetoacet-o-anisidide
                 α-Chloro-2',6'-diethyl-N-(methoxymethyl)acetanilide
                †3-(3-Chloro-4-methoxyphenyl)-1,1-dimethylurea
†1-(3-Chlorophenyl)-3-(3-chloro-5-trifluoromethylphenyl)urea
†1-(4-Chlorophenyl)-3-(4-chloro-3-trifluoromethylphenyl)urea
N-(3-Chloro-p-tolyl)-2-methylvaleramide
                  2,6-Dichlorobenzamide
                 5,2'-Dichloro-2-\u03c3-chloroacetamidobenzophenone 1,2-Di(diacetylamino)ethane
                  2,4-Dihydroxybenzamide
                  1,3-Di-(2-hydroxyethyl)-5,5-dimethylhydantoin
                 2,5-Dihydroxy-N-(2-hydroxyethyl)benzamide
3,5-Dihydroxy-N-(2-hydroxyethyl)benzamide
Dimethylcarbamoyl chloride
                  N-(1,1-Dimethyl-3-oxobutyl)acrylamide 3-(N'N'-Dimethylureido)phenyl tertbutylcarbamate
                  3,5-Dinitro-o-toluamide (-CONH<sub>2</sub> at 1)
                  Diphenamid
                  Ethosalamide
                  Ethotoin
                    -)-1-Ethylcarbamoylethyl phenylcarbamate
                †Ethyl N-[3-(dibenzo[a,d]cyclohepten-5-yl)propyl]methylcarbamate
                  Ethyl 2-[N-(3,4-dichlorophenyl)benzamido]propionate 1-Ethyl-1-methylprop-2-ynyl carbamate
                  Fast Violet B Base
                  Fluoroacetamide
                  Formamide
                  L-Glutamine
                  DL-Glutamine
                  Glycylglycine
                  3-Hydroxy-NN-di-(2-hydroxyethyl)-2-naphthamide
                ‡N-(Hydroxymethyl)acrylamide, solid (until 4th September 1973)
                  Iocetamic acid
                  Iodoacetamide
                  Iothalamic acid
                  Isopropamide iodide
                  Methacrylamide
                  Methohexitone
                  Methyl 4-acetamido-2-ethoxybenzoate
                  Methyl 4-acetamido-5-chloro-2-methoxybenzoate
                  Methyl carbamate
                  2-Methyl-1,1-diureidopropane
                  Methyl 7-hydroxy-1-naphthylcarbamate
Methyl 3-(m-tolylcarbamoyloxy)phenylcarbamate
                  Metoclopramide monohydrochloride
                  Naphthol AS-BG
Naphthol AS-BS
                  Naphthol AS-D
                  Naphthol AS-E
```

Naphthol AS-G Naphthol AS-IRG Naphthol AS-ITR

Description

29.25

Naphthol AS-KB Naphthol AS-OL

Naphthol AS-RT Naphthol AS-TR

Nealbarbitone

Niclosamide

Phenytoin sodium

Procainamide hydrochloride

2-isoPropoxyphenyl methylcarbamate

Tetramethylurea

N-[2,2,2-Trichloro-1-(3,4-dichloroanilino)ethyl]formamide Tybamate

N-Vanillyl-n-nonanamide

29.26 Acetamidinium chloride

 α -(4-Aminophenyl)- α -ethylglutarimide

L-Arginine

L-Arginine L-glutamate

L-Arginine monohydrochloride

3,5-Dichloro-p-benzoquinonechlorimine

Dicyclohexylcarbodi-imine

Di-[2-(1,3-dimethylbutylideneamino)ethyl]amine

1-(Di-[2-(1,3-dimethylbutylideneamino)ethyl]amino)-3-phenoxypropan-

Di-(2,6-diisopropylphenyl)carbodi-imine

3-Dimethylaminomethyleneaminophenyl methylcarbamate hydro-

chloride

†Dodine

N-Ethylmaleimide

Glutethimide

Guanidinium carbonate

Guanidinium chloride

Guanidinium nitrate containing not more than 0.9 per cent. by weight of water

Hexahydro-1,3,5-tri-(2-hydroxyethyl)-1,3,5-triazine

Hexamine 3-chloroallylochloride

N-Phosphonocreatine, sodium salt

Sodium 2-(cyclohexa-1,4-dienyl)-2-(2-methoxycarbonyl

-1-methylethylideneamino)acetate

†Tetramethrin

(—)-2-Acetamido-2-vanillylpropionitrile Acetonitrile 2-Amino-5-nitrobenzonitrile 29.27

Benzonitrile

Chloroacetonitrile

2-Chlorobenzonitrile

4-Chlorophenylacetonitrile 3-Cyano-5-dimethylamino-2-methyl-3-phenylhexane

2-Cyanoethyl acrylate

Dichlobenil

2,3-Dichloro-5,6-dicyanobenzoquinone *NN*-Di-2-cyanoethylformamide

3-Dimethylaminopropionitrile

4,8-Dimethylnon-7-enonitrile

2,2-Dimethylpropionitrile

Diphenylacetonitrile

Ethyl 2-cyano-3,3-diphenylacrylate 2-Ethylhexyl 2-cyano-3,3-diphenylacrylate

Mandelonitrile

Methacrylonitrile

Tariff Heading Description 29.27 Phthalonitrile Propionitrile Tetrachloroisophthalonitrile Tetracyanoethylene Verapamil hydrochloride 29.28 4-Aminoazobenzene 4-Aminoazobenzene-3,4'-disulphonic acid Azobenzene α-Azo-2,4-dimethylvaleronitrile 4-N-Benzylethylaminophenyldiazonium zinc chloride Diazonium salts for azoic dyes, diluted to standard strengths Sodium 6-diazo-5-hydroxynaphthalene-1-sulphonate *tri*Sodium hydrogen 4,5-dihydroxy-3,6-di-(2-sulphophenylazo)-naphthalene-2,7-disulphonate 29.29 Benzamido-oxyacetic acid p-Benzoquinone dioxime p-Benzoquinone dioxime dibenzoate Benzylideneaminoguanidinium tartrate Bufexamac 1-(2-Carboxyphenyl)-5-(2-hydroxy-5-sulphophenyl)-3-phenylformazan N-(4-Chlorobenzoyl)-N-(4-methoxyphenyl)hydrazine Desferrioxamine mesylate 1,3-Di-(4-chlorobenzylideneamino)guanidinium chloride 3-Diethylaminopropiophenone O-(4-methoxyphenylcarbamoyl)oxime hydrochloride NN-Diethylhydroxylamine Diethyl naphthalimido phosphate -)-2-(3,4-Dihydroxybenzyl)-2-hydrazinopropionic acid NN-Dimethylhydrazine Hydroxyurea †Linuron †Monolinuron Phenelzine hydrogen sulphate Phenylhydrazine 1-Phenylsemicarbazide †Phoxim Procarbazine hydrochloride 4-tertButyl-2-chlorophenyl methyl methylphosphoramidate 29.30 1-Chloro-2-isocyanatobenzene 1-Chloro-3-isocyanatobenzene (until 3rd July 1973) 1-Chloro-4-isocyanatobenzene (until 3rd July 1973) 1-Chloro-2-isocyanatoethane isoCyanatobenzene 5-isoCyanato-3-isocyanatomethyl-1,1,3-trimethylcyclohexane isoCyanatocyclohexane isoCyanatomethane 1-isoCyanatonaphthalene 1-isoCyanato-n-octadecane 1-isoCyanatopropane 1,2-Dichloro-4-isocyanatobenzene (until 3rd July 1973) Di-(4-isocyanatocyclohexyl)methane 4,4'-Diisocyanato-3,3'-dimethoxybiphenyl 1,6-Diisocyanatohexane

1,5-Diisocyanatonaphthalene

Dimethylamine-borine Hexamethylphosphoramide

Schradan

†Di-(4-isocyanatophenyl)methane of a purity not less than 85 per cent.

Tariff Heading Description 29.30 Sodium cyclamate †Tri(4-isocyanatophenyl)methane 29.31 Acetyl cyclohexanesulphonyl peroxide N-Acetyl-DL-methionine †Aldicarb Ambazone 2-Aminobenzenethiol 2-Amino-4-methylsulphonylphenol Benzenethiol **Bithionol** isoBornyl thiocyanatoacetate Butane-1,4-dithiol n-Butane-1-thiol 2-n-Butoxyethyl 2-thiocyanatoethyl ether †Captan †Captafol †Carbophenothion S-Carboxymethylcysteine Chlordantoin †Chlorthiamid N-Cyclohexanesulphenylphthalimide DL-Cystathionine **L-Cysteine** L-Cysteine hydrochloride **L-Cystine** Dapsone *n*-Decane-1-thiol †Demeton-O †Demeton-O-methyl †Demeton-S-methyl †Di-allate Di-(4-aminophenyl) sulphide Di-(3-tertbutyl-4-hydroxy-6-methylphenyl) sulphide Di-(2-carboxyphenyl) disulphide Di-(2-catioxyphenyl) sulphone 1,2-Di-(3-ethoxycarbonyl-2-thioureido)benzene OO-Diethyl 2-ethylthioethyl phosphorodithioate Diethyl sulphote (until 3rd July 1973) Di-(2-hydroxyethyl) sulphide Di-(6-hydroxy-2-naphthyl) disulphide Di-(4-hydroxyphenyl)sulphone having a melting point not less than 236° centigrade Dimercaprol †Dimethoate †1,2-Di-(3-methoxycarbonylthioureido)benzene Dimethyl disulphide Dimethyl sulphide (until 3rd July 1973) Dimethyl sulphoxide Dimethylxanthogen disulphide †Dioxathion Diphenyl disulphide Diphenyl sulphide Diphenyl sulphone †1,3-Diphenylthiourea 3,6-Dithiaoctane-1,8-diol Dithio-oxamide Dithizone of a purity not less than 99.0 per cent. which yields not more than 0.20 per cent. by weight of sulphated ash Di(trichloromethyl) sulphone Dodecanethiol, mixed isomers

Description

29.31 Ecothiopate iodide

Ethane-1,2-dithiol Ethanethiol

†Ethion L-Ethionine

DL-Ethionine †Ethoate-methyl

*S-Ethyl N-cyclohexyl-N-ethylthiocarbamate

Ethyl methyl sulphide 2-(Ethylthio)ethanol

†Folpet

Glutathione

Glutathione disulphide Hexane-1,6-dithiol *n*-Hexane-1-thiol DL-Homocysteine

3-Mercaptopropionic acid 3-Mercaptopropionic acid 3-Mercaptopropionic acid Mercaptosuccinic acid

Methanethiol †Methiocarb

Methionine
5-(1-Methylbutyl)-5-(2-methylthioethyl)-2-thiobarbituric acid, sodium derivative

Methyl phenyl sulphide

2-Methylpropane-2-thiol (until 3rd July 1973)

1-Naphthylthiourea *n*-Octane-1-thiol

†Pebulate

n-Pentane-1-thiol

†Phorate

Potassium ethylxanthate Potassium *n*-pentylxanthate

Potassium *n*-pentylxanthat Propane-1,3-dithiol Propane-1-thiol Propane-2-thiol

Sodium toluene-4-sulphinate

†Sulfallate †Tetradifon †Tetrasul Thioacetamide

Thiobarbituric acid isoThiocyanatobenzene isoThiocyanatomethane Thiodiacetic acid

2,2'-Thiodi-(4-tt-octylphenolato)-n-butylaminenickel(II)

Thiourea
Tolnaftate
Toluene-2-thiol

Toluenethiol, mixed isomers

†Tri-allate

Trichloromethanesulphenyl chloride Tridecane-1-thiol, mixed isomers

†Vamidothion

Zinc di-(2-benzamidophenyl sulphide) Zinc di(pentachlorophenyl sulphide) Zinc propylenebisdithiocarbamate

29.32 p-Arsanilic acid

Bismuth N-glycollylarsanilate

Description

29.32 Cacodylic acid

4-Hydroxyphenylarsonic acid

Phenylarsonic acid Sodium cacodylate

4-Chloromercuribenzoic acid of a purity of not less than 98 per cent. 29.33

and a melting point of not less than 278° centigrade

3,2-Mercurioxy-4-nitrotoluene

Thiomersal

Allyltrichlorosilane 29.34

3-Aminopropyltriethoxysilane 3-Aminopropyltrimethoxysilane

n-Butyl-lithium secButyl-lithium

2-Chloroethylphosphonic acid (until 3rd July 1973)

3-Chloropropyltrimethoxysilane

1,2-Diaminoethane-NNN'N'-tetra(methylphosphonic acid)

Diisobutylaluminium hydride Dicyclopentadienyliron

Diethyl di-(2-hydroxyethyl)aminomethylphosphonate

Diphenyldichlorosilane

Diphenylsilanediol

2-(3,4-Epoxycyclohexyl)ethyltrimethoxysilane
O-Ethyl phenyl ethylphosphonodithioate
3-Glycidyloxypropyltrimethoxysilane

1-Hydroxyethylidenediphosphonic acid (until 1st March 1973)

3-Mercaptopropyltrimethoxysilane

3-Methacryloyloxypropyltrimethoxysilane Methylcyclopentadienylmanganese tricarbonyl

Methylphosphonothioic dichloride Methylphosphonous dichloride Methylvinyldichlorosilane

Molybdenum hexacarbonyl Nitrilotri(methylphosphonic acid) Octaphenylcyclotetrasiloxane

Phenyltrichlorosilane

pentaSodium hydrogen nitrilotri(methylphosphonate)

Sodium tetraphenylborate Tetramethylsilane

Tri-n-butylaluminium

Tri-n-butyl-2,4-dichlorobenzylphosphonium chloride

†Trichlorphon

Tricyclohexyltin hydroxide

Triphenylphosphine Triphenyltin acetate Triphenyltin hydroxide Tungsten hexacarbonyl Vinyltrichlorosilane

Vinyltriethoxysilane

Vinyltri-(2-methoxyethoxy)silane

Acepromazine hydrogen maleate 29.35

1-Acetylaziridine

2-Acetyl-1,4-butyrolactone

Acridine Acriflavine

Adenine

Adenine sulphate

Adenosine

Adenosine 3'-(dihydrogen phosphate)

Adenosine 5'-(dihydrogen phosphate)

```
Tariff Heading
                                                                Description
                    Adenosine 5'-(dilithium hydrogen pyrophosphate)
Adenosine 5'-(dipotassium dihydrogen triphosphate)
Adenosine 5'-(disodium dihydrogen triphosphate)
Adenosine 3',5'-(hydrogen cyclic phosphate)
Adenosine 5'-(sodium dihydrogen pyrophosphate)
      29.35
                    Adenosine 5'-(tetrasodium triphosphate)
Adenosine 5'-tosylate
Adenosine 5'-(trilithium pyrophosphate)
Adenosine 5'-(trisodium pyrophosphate)
                     Ambrettolide
                   †Ametryne
                     2-Aminobenzothiazole
                     2-Amino-6-chlorobenzothiazole hydrochloride
                     4-Amino-5-cyano-2-methylpyrimidine
                     6-Amino-1,2-dihydroindaxol-3-one dihydrochloride
                     5-Amino-3,4-dimethylisooxazole
4-Amino-2,6-dimethylpyrimidine
                     2-Aminomethyl-1-ethylpyrrolidine
2-Amino-6-methylbenzothiazole
                     5-Amino-3-methyl-1-phenylpyrazole
3-(4-Amino-2-methyl-5-pyrimidyl)methyl-5-(2-hydroxyethyl)-4-methylthiazoline-2-thione
                     3-Amino-5-morpholinomethyl-2-oxazolidone
3-Amino-2-oxazolidone sulphate
                     6-Aminopenicillanic acid
                     4-Aminophenazone
                     1-(4-Aminophenyl)-3-methyl-5-pyrazolone
5-Amino-1-phenylpyrazole
                     4-Aminopyridine
                     2-Aminopyrimidine
                     2-Aminothiazole
                     3-Amino-1,2,4-triazole
                    3-Amino-1-(2,4,6-trichlorophenyl)-5-pyrazolone
†Amprolium hydrochloride
                      Angiotensin amide
                     D-isoAscorbic acid
                     6-Azauridine
                    †Azinphos-methyl
Aziridine
                      Benzimidazole
                      Benzoguanamine
                      5,6-Benzoquinoline
                    †1-Benzothiazol-2-yl-1,3-dimethylurea
Benzothiazole-2-sulphenamide
                      5-Benzyl-3-furylmethanol
5-Benzyl-3-furylmethyl (±)-chrysanthemate
                      5-Benzyl-3-furylmethyl (+)-transchrysanthemate
                      Betahistine dihydrochloride
                      Biperiden hydrochloride
                      2,2'-Biquinolyl
Bisacodyl
                      5-Bromo-2'-deoxycytidine
5-Bromo-2'-deoxyuridine
Brompheniramine hydrogen maleate
                      Buclizine dihydrochloride
Bupivacaine hydrochloride
                      Butalamine hydrochloride
                      2-n-Butoxyethyl nicotinate
                         -)-1-tertButylamino-3-(4-morpholino-1,2,5-thiadiazol-
                         3-yloxy)propan-2-ol
                      N-tertButylbenzothiazole-2-sulphenamide
```

Description

29.35 tertButyl 1-(4-chlorobenzoyl)-5-methoxy-2-methylindol-3-ylacetate 2-n-Butyldihydro-4,6-dimethylpyran, mixed isomers 2-(3-tertButyl-2-hydroxy-5-methylphenyl)-5-chlorobenzotriazole 2-isoButylquinoline 6-isoButylquinoline 6-tertButylquinoline Butylquinoline, mixed isomers 1,4-Butyrolactone (until 1st March 1973) 2-Carbamoyloxymethyl-1-methyl-5-nitroimidazole Carbazole Carbinoxamine hydrogen maleate Chlordiazepoxide Chlordiazepoxide monohydrochloride 2-(4-Chlorobenzyl)pyridine
2-Chloro-4-(1-cyano-1-methylethylamino)-6-ethylamino-1,3,5-triazine
5-Chloro-2-(3,5-di*tert*butyl-2-hydroxyphenyl)-benzotriazole
7-Chloro-1-(2-diethylamino-1)-1,3dihydrobenzo-1,4-diazepin-2-one dihydrochloride
7-Chloro-1-(2-diethylaminoethyl)-5-(2-fluorophenyl)-1,3dihydrobenzo-1,4-diazepin-2-one *mono*hydrochloride *4-Chloro-2,3-dihydro-2-oxobenzothiazol-3-ylacetic acid 7-Chloro-10-(2-dimethylaminoethyl)dibenzo[b,e]-1,4-diazepin-11-one monohydrochloride 3-(4-Chlorophenyl)-1-[4-(2-hydroxyethylsulphonyl)phenyl]-2pyrazoline 1-(3-Chlorophenyl)-3-methyl-5-pyrazolone 6-Chloropurine 4-Chloropyridinium chloride Chloroquine sulphate 2-Chloroquinoline Chlorprothixene Chlorzoxazone Cinnarizine †Clofazimine Clonidine hydrochloride Clorazepic acid, dipotassium salt Cocarboxylase Coenzyme A Coenzyme A, trilithium salt 2,4,6-Collidine †Coumatetralyl Creatinine Creatinine hydrochloride o-Cresolphthalein-6,6'-di(methylaminodiacetic acid) 4-Cyano-1-methyl-4-phenylazacycloheptane 2-Cyanophenothiazine Cyanuric acid (until 1st March 1973) Cyanuric chloride 2-Cyclopentyl-2-(2-thienyl)glycollic acid Cyproheptadine hydrochloride Cytidine Cytidine dihydrogen phosphate, mixed 2'- and 3'- isomers Cytosine Cytosine- 1β -D-arabinoside hydrochloride Debrisoquine sulphate Decahydro-4a-hydroxy-2,8,8-trimethyl-2-naphthoic acid lactone 3,4,5,6,7,8,9,10,11,12-Decahydro-7,14,16-trihydroxy-3-methyl-2-oxabenzocyclotetradecin-1-one 1,5-Decanolactone Dehydracetic acid of a purity not less than 96 per cent.

2'-Deoxyadenosine

Description

29.35 2'-Deoxyadenosine 5'-(disodium dihydrogen triphosphate)

2'-Deoxycytidine 5'-(sodium trihydrogen triphosphate)

2'-Deoxyguanosine

2'-Deoxyguanosine 5'-(tetrasodium triphosphate)

2'-Deoxyuridine

Dextromethorphan hydrobromide Dextromoramide hydrogen (+)-tartrate 2,5-Diamino-7-ethoxyacridinium lactate

Diamthazole

1,4-Diazabicyclo[2,2,2]octane

Diazepam

†Diazinon

Diazoxide

†1,3-Di(benzothiazol-2-ylthiomethyl)urea 3,5-Dibenzyltetrahydro-1,3,5-thiadiazine-2-thione

2-(3,5-Ditertbutyl-2-hydroxyphenyl)benzotriazole N^6O^2 -Di-n-butyryladenosine 3',5'-(sodium cyclic phosphate) 1-(2,3-Dichloroallyl)pyridinium chloride

1-[2-(2,4-Dichlorobenzyloxy)-2-(2,4-dichlorophenyl)ethyl] imidazolium nitrate

2,6-Dichloro-3,5-dicyano-4-phenylpyridine

3,5-Dichloro-4-hydroxylutidine

2-(3,4-Dichlorophenyl)-4-methyl-1,2,4-oxadiazolidinedione

2,4-Dichloro-α-5-pyrimidylbenzhydrol
1,3-Di-(3-isocyanato-4-methylphenyl)-1,3-diazacyclobutane-2,4-dione

2,3-Dicyano-1,4-dithia-anthraquinone

NN-Dicyclohexylbenzothiazole-2-sulphenamide Diethyl 4-methyl-1,3-dithiolan-2-ylidenephosphoramidate

NN-Diethyl-2-[3-(1-naphthyl)-2-tetrahydrofurfurylpropionyloxy] ethylammonium hydrogen oxalate 2,4-Diethyl-6-isopropoxy-1,3,5-triazine

OO-Diethyl O-3,5,6-trichloro-2-pyridyl phosphorothioate

Dihydrallazine monosulphate

4,5-Dihydro-2,3:6,7-dibenzazepine 3,4-Dihydro-2-methoxypyran

Dihydronicotinamide-adenine dinucleotide, disodium salt

Dihydronicotinamide-adenine dinucleotide phosphate, tetrasodium sal

2,3-Dihydropyran

3-(3β,17β-Dihydroxyandrost-5-en-17α-yl)propionic acid lactone

2,4-Dihydroxyquinoline

2,4-Dihydroxyquinoline, *mono*sodium derivative

Dimethisoquin monohydrochloride

5,6-Dimethylbenzimidazole

2,3-Dimethyl-l-phenyl-4-*iso*propyl-5-pyrazolone *NN*-Dimethyl-2-(tribromopyrazol-1-yl)propionamide

2,6-Dimethyl-4-n-tridecylmorpholine

1,5-Di-(5-nitro-2-furyl)pentadien-3-one amidinohydrazone hydrochlorid

Diosgenin

Diperodon

Diphenoxylate hydrochloride

4-Diisopropylamino-2-phenyl-2-(2-pyridyl)butyramide

NN-Diisopropylbenzothiazole-2-sulphenamide

Dipyridamole

Dipyrone

Dithiazanine iodide

1.12-Dodecanolactam

1,5-Dodecanolactone

†Dodemorph acetate

†Dothiepin hydrochloride

Doxapram hydrochloride

†Doxepin hydrochloride

Description

†Droperidol 29.35

Dropropizine

Drostanolone tetrahydropyran-2-yl ether

†Endothal

Ethionamide

3-Ethoxycarbonyl-1-phenyl-5-pyrazolone 2-Ethoxy-3,4-dihydropyran 2-Ethyl-3-hydroxy-4-pyrone 1-(2-Ethylphenyl)-3-methyl-5-pyrazolone

5-Ethyl-2-picoline Fentanyl dihydrogen citrate Flavin-adenine dinucleotide

†Flavoxate hydrochloride

Fluopromazine monohydrochloride

Fluorescein-2',7'-di(methylaminodiacetic acid)
4'-Fluoro-4-[4-(2-pyridyl)piperazin-1-yl]butyrophenone

5-Fluorouracil

†Fluphenazine

Fluphenazine O-n-decanoate

Fluphenazine dihydrochloride

†Fluspirilene Furan

Furfuraldehyde

D-Glucuronolactone

Glycopyrronium bromide

Guanethidine monosulphate

Guanine

Guanine hydrochloride

Guanosine 5'-(disodium phosphate) Guanosine 5'-(trisodium hydrogen triphosphate)

Haloperidol

Hecogenin

Hecogenin acetate

1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylindeno-[5,6-c]pyran

Hexa(methoxymethyl)melamine

1,6-Hexanolactam (until 1st March 1973) 1,6-Hexanolactone (until 3rd July 1973)

Hexetidine

2-n-Hexyl-1,4-butyrolactone

Histamine acid phosphate

Histamine dihydrochloride

L-Histidine

L-Histidine *mono*hydrochloride DL-Histidine *mono*hydrochloride

Hydrallazine hydrochloride

2-(2-Hydroxy-3,5-di*tert* pentylphenyl)benzotriazole 4-Hydroxy-1-methylpiperidine

7-Hydroxy-7-(1-methyl-4-piperidyl)-1,2:5,6-dibenzocycloheptatriene

hydrochloride

3-Hydroxy-N-(3-morpholinopropyl)-2-naphthamide 2-(2-Hydroxyphenyl)benzotriazole

4-Hydroxypiperidine L-Hydroxyproline

3-Hydroxypyridine

3-Hydroxyquinaldine-4-carboxylic acid

2-(6-Hydroxy-m-tolyl)benzotriazole

5-Hydroxy-DL-tryptophan Hydroxyzine dihydrochloride Hydroxyzine embonate Hydroxyzine

Idoxuridine

Description

29.35 **Imidazole**

Imidazolidin-2-one

Imperatorin Indole

Indomethacin

Inosine

Inosine 5'-(disodium phosphate)
Inosine 5'-(trisodium pyrophosphate)
*Iprindole hydrochloride (until 4th September 1973)

Iproniazid monophosphate

Isatin

Isocarboxazid Isoniazid

Isoquinoline

Isothipendyl monohydrochloride Levallorphan hydrogen tartrate Levorphanol hydrogen tartrate

†Lidoflazine

Maltol

Mebhydrolin napadisylate

Menaphthone hydrogen bisulphite-2-hydroxy-4,6-dimethylpyrimimidine complex

Mepenzolate bromide 2-Mercaptobenzimidazole

6-Mercaptopurine

*Methaqualone

*Methaqualone hydrochloride

Methixene hydrochloride

Methotrexate

2-Methoxyphenothiazine

8-Methoxypsoralen

Methyl 3-amino-5,6-dichloropyrazine-2-carboxylate Methyl benzimidazol-2-ylcarbamate Methyl 5-benzoylbenzimidazol-2-ylcarbamate Methyl 1-(n-butylcarbamoyl)benzimidazol-2-ylcarbamate 6-Methyl-1,3-dithiolo[4,5-b]quinoxalin-2-one Methylenedi-(1,6-hexanolactam), mixed isomers

1-Methylimidazole

2-Methylindole

Methyl phenidate *mono*hydrochloride
Methyl 1-(1-phenylethyl)imidazole-5-carboxylate hydrochloride

3-Methyl-1-phenyl-5-pyrazolone

1-Methylpiperazine

1-Methylpyrrole
1-Methyl-2-pyrrolidone (until 3rd July 1973)
2-(4-Methylsulphonylphenyl)imidazo[1,2-a]pyridine

3-Methyl-1-(3-sulphophenyl)-5-pyrazolone

6-Methyl-2-thiouracil

4-Methylumbelliferone

Methyprylone Metyrapone

2-(Morpholinodithio)benzothiazole

1-(2-Morpholinoethyl)-5-nitroimidazole

Nialamide

isoNicotinamide

Nicotinamide-adenine dinucleotide

Nicotinamide-adenine dinucleotide phosphate, monosodium salt

Nicotinyl alcohol

Nifuratel

Nitrazepam 6-Nitrobenzimidazole

Description

4-Nitrobenzyl 7-amino-3-methyl-3-cephem-4-carboxylate hydrochloride Nitrofurantoin of which not more than 5.0 per cent. by weight passes a sieve having a nominal width of aperture of 75 micrometres

6-[2-(5-Nitro-2-furyl)vinyl]pyridazin-3-ylammonium chloride Nitron

1,8-Octanolactam

11-Oxa-1,16-hexadecanolactone 12-Oxa-1,16-hexadecanolactone

Oxandrolone

Oxazepam

4-Oxo-3-isopropylbenzo-2,1,3-thiadiazine 2,2-dioxide Oxymetazoline hydrochloride

Oxyphencyclimine hydrochloride

Pancuronium bromide

-)-Pantolactone

(±)-Pantolactone, which yields on hydrolysis not more than 5 parts per million by weight of cyanides calculated as CN

Pemoline

Penfluridol

Pentachloropyridine
1,15-Pentadecanolactone
1,10-Phenanthroline

Phenazone

Phenazopyridine monohydrochloride

Phenbutrazate hydrochloride Pheniramine hydrogen maleate

Phenmetrazine hydrochloride

Phenolphthalein, which satisfies the requirements of the British Pharmacopoeia

Phenoperidine hydrochloride

Phenprocoumon

Phentolamine monomesylate

Phenylbutazone

2-Phenylcinchoninic acid

2-Phenylindole

4-(3-Phenylpropyl)pyridine α-Phenylpyrrolidinoacetamide

†Phosalone

2-Picoline

Picoline, mixed isomers

Picolinic acid

†Pimozide

Pipenzolate bromide Piperazine dihydrochloride

Piperidolate hydrochloride

Piritramide

Potassium 4-amino-3,5,6-trichloropicolinate

Pramoxine hydrochloride

Prazepam

L-Proline

DL-Proline

Prolintane hydrochloride Propantheline bromide

1,3-Propiolactone

isoPropyl 2-(thiazol-4-yl)benzimidazol-5-ylcarbamate hydrochloride

6-n-Propylthiouracil

Prothionamide

Pyrazinamide

Pyridine

2-Pyridone

3-Pyridyl dimethylcarbamate

Description

29.35 Pyrrobutamine pentahydrogen diphosphate

Pyrrolidine

2-Pyrrolidone

(\pm)-2-Pyrrolidone-5-carboxylic acid Quinuronium sulphate

Skatole

Sodium D-isoascorbate Sodium dehydracetate Sodium deoxyribonucleate

Sodium (\pm)-2-pyrrolidone-5-carboxylate Sodium ribonucleate

Spironolactone Tetrabenazine

Tetrachloro-4-methylsulphonylpyridine

Tetracosactide hexa-acetate

Tetra(dichloro-1,3,5-triazinetrione)-trichloro-1,3,5-triazinetrione complex, tetrapotassium derivative

Tetrahydro-2,5-dimethoxyfuran
Tetrahydro-3,5-dimethyl-1,3,5-thiadiazine-2-thione
Tetrahydrofuran (until 1st March 1973)

Tetrahydrofurfuryl alcohol Tetrahydrofurfuryl methacrylate

(+)-Tetrahydro-4-methyl-2-(2-methylprop-1-enyl)pyran (-)-Tetrahydrol-4-methyl-2-(2-methylprop-1-enyl)pyran (±)-Tetrahydro-4-methyl-2-(2-methylprop-1-enyl)pyran 1,4,5,6-Tetrahydro-1-methyl-2-[2-(3-methyl-2-thienyl)vinyl] pyrimidine tartrate

2-(Tetrahydro-5-methyl-5-vinyl-2-furyl)propan-2-ol 2,3,5,6-Tetrahydro-6-phenylimidazo[2,1-*b*]thiazole hydrochloride

Tetrahydrozoline monohydrochloride

†Tetramisole Thiabendazole

Thiethylperazine di(hydrogen maleate)

Thioguanine †Thoinazin

Thioridazine

Thioridazine monohydrochloride

Thiotepa Thymidine

Thymidine 5'-(trisodium hydrogen triphosphate)

Thymine

Thymolphthalein-2,2'-di(methylaminodiacetic acid)

Triallyl cyanurate 2-(3-Trifluoromethylanilino)nicotinic acid 4,4,4-Trifluoro-1-(2-thienyl)butane-1,3-dione

†Trifluperidol

†Trifluperidol hydrochloride

Tri-(2-hydroxyethyl)-1,3,5-triazinetrione
Trimetaphan *mono*-(+)-camphorsulphonate
Trimetazidine dihydrochloride

Tri-(2-methylaziridin-1-yl)phosphine oxide 1,3,3-Trimethylindolin-2-ylideneacetaldehyde

1,3,3-Trimethyl-2-methyleneindoline Tripelennamine *mono*hydrochloride 4-(Triphenylmethyl)morpholine

Tryptamine hydrochloride

L-Tryptophan

DL-Tryptophan Uracil

Uric acid Uridine

Tariff Heading Description Uridine 3'-(dihydrogen phosphate) Uridine 5'-(disodium dihydrogen triphosphate) 29,35 5-Vinyl-2-picoline N-Vinyl-2-pyrrolidone Viprynium embonate Xanthen-9-carboxylic acid Xanthine Xylometazoline hydrochloride Zinc di-(2-thiobenzimidazole) N^1 -Acetylsulphamethoxypyridazine 3-isoButyl-6-chloro-3,4-dihydrobenzo-1,2,4-thiadiazine-7-29.36 sulphonamide 1,1-dioxide Chloramine T 5-Chloroaniline-2,4-disulphonamide 2-Dimethylsulphamoylphenothiazine Epithiazide N-(1-Ethylpyrrolidin-2-ylmethyl)-2-methoxy-5-sulphamoylbenzamide Fast Red ITR Base Frusemide Glibenclamide Sulphadimidine esylate, sodium derivative Sulphamethoxypyridazine Sulphanilamide Sulphathiazole Thiothixene Tolazamide 29.37 o-Cresolsulphonephthalein-6,6'-di(methylaminodiacetic acid) o-Cresolsulphonephthalein-6,6'-di(methylaminodiacetic acid), tetrasodium salt 1,3-Propanesultone Sulthiame Thymolsulphonephthalein-2,2'-di-(methylaminodiacetic acid) 29.38 L-Ascorbic acid Ascorbyl palmitate **D-Biotin** Calciferol Calcium folinate Carotene Dexpanthenol Ergosterol (+)-N-(3-Ethoxypropyl)-2,4-dihydroxy-3,3-dimethylbutyramide Nicotinamide **Phytomenadione** Pteroylmonoglutamic acid Pyridoxal 5-(dihydrogen phosphate) Riboflavine Sodium ascorbate Sodium p-pantothenate (+)-α-Tocopherol (+)- α -Tocopheryl acetate (+)-α-Tocopheryl hydrogen succinate Tocopherol, mixed isomers, containing not less than 50 per cent. by weight of (+)- α -tocopherol Vitamin D_2 resin 29.39 17β -Acetyl-6-chloro- 17α -hydroxyoestra-4,6-dien-3-one acetate (+)-Aldosterone

 17α -Allyloestr-4-en-17 β -ol

Description

29.39 Betamethasone 17-benzoate

†Chlormadinone acetate

Clostebol acetate

*Cortisol

*Cortisol 21-acetate

*Cortisone

*Cortisone 21-acetate

3-Cyclopentyloxy-17α-hydroxypregna-3,5-dien-20-one acetate

3-Cyclopentyloxypregna-3,5-dien-20-one

Delmadinone acetate

Deoxycorticosterone acetate

Deoxycorticosterone 21-p-glucoside

*Deoxycorticosterone 3-phenylpropionate

Deoxycorticosterone pivalate

†Deprodone

Dexamethasone

*Dexamethasone 21-acetate
Dexamethasone 21-(disodium phosphate)

Dexamethasone 21-(disodium priosphate)
Dexamethasone 21-isonicotinate
Dexamethasone 21-(3-phenylpropionate)
*Dexamethasone 21-(3-sodium-sulphobenzoate)
6α,7α-Difluorone 20-in-no priority

3,20-dione acetate

Dimethisterone

Drostanolone propionate

Dydrogesterone

Edogestrone

*Ethisterone

17α-Ethyloestr-4-en-17 β -ol

Ethynodiol diacetate

*17 α -Ethynyloestra-1,3,5(10)-triene-3,17 β -diol Fluclorolone acetonide

Fludrocortisone 21-acetate †Flugestone 17-acetate

Flumethasone

Flumethasone 21-pivalate

Fluocinolone acetonide

Fluocinolone acetonide 21-acetate

 9α -Fluoro- 11β , 17α , 21-trihydroxypregna-1, 4-diene-3, 20-dione 21-acetate

Fluoxymesterone

Flurandrenolone

Formocortal

17 β -Hydroxy-17 α -methylandrost-4-en-3-one 3 β -Hydroxypregn-5-en-20-one

Lynoestrenol

Medroxyprogesterone acetate

*Mestanolone (until 3rd July 1973)

Methandienone

Methylprednisolone

Methylprednisolone 21-acetate

*Nandrolone

*Nandrolone *n*-decanoate *Nandrolone 3-phenylpropionate

Nandrolone laurate

-)-Noradrenaline

-)-Noradrenaline hydrogen tartrate

Norethandrolone

Norethisterone

Norethisterone acetate

(±)-Norgestrel

* 17β -Oestradiol 17-(3-phenylpropionate)

Description

*Oestriol 29.39

Oxymesterone Oxymetholone

Oxytocin

Oxytocin dihydrogen citrate Paramethasone 21-acetate

*Prednisolone

*Prednisolone 21-acetate
*Prednisolone 21-(hydrogen succinate)
*Prednisolone 21-(3-sodium-sulphobenzoate)

Prednisolone 21-O-stearoylglycollate

*Prednisone

*Prednisone 21-acetate

*Progesterone

Quinestradol

†Quinestrol *Testosterone

*Testosterone *n*-decanoate

*Testosterone 4-methylvalerate

*Testosterone 3-phenylpropionate

*Testosterone propionate
Thyrocalcitonin, porcine
Triamcinolone

Triamcinolone acetonide

Triamcinolone acetonide 21-(3,3-dimethylbutyrate)

Triamcinolone 16,21-diacetate

Vasopressin

Vasopressin tannate

29.41 Aesculin

Digitalin

Digitonin

Digitoxin

Ouabain

Salicin

18 β -Acetoxy-10 β ,17 α -dimethoxy-16 β -methoxycarbonyl-3-oxo-2,3-seco-20 α -yohimbane 29,42

Alcuronium chloride

Arecoline-acetarsol

Arecoline hydrobromide

Bamifylline hydrochloride

Cinchonidine Cinchonidine sulphate

Cinchonine

Cocaine, of a purity not greater than 97.5 per cent. by weight

Colchicine

Deptropine dihydrogen citrate Dihydroergotamine *mono*mesylate

Dimenhydrinate

pseudoEphedrine

pseudoEphedrine hydrochloride Ergometrine hydrogen maleate Ergotamine tartrate

Ethyl quinine carbonate

1-n-Hexyltheobromine

Hyoscine *n*-butylobromide

Lobeline hydrochloride

Lobeline sulphate (+)-Lysergic acid

Lysergide tartrate-methanol complex

Description

†Lysuride hydrogen maleate *Methoserpidine 29,42

Papaverine

Papaverine hydrochloride

Papaverine hydrogen sulphate Phenmetrazine theoclate

†Prajmalium bitartrate

Reserpine

Theobromine

Vinblastine sulphate

Vincristine sulphate

Xanthinol nicotinate

Yohimbine monohydrochloride

29.43 **D**-Arabinose

L-Arabinose

D-Erythrose

Fructose 1-(barium phosphate)

Fructose tetranicotinate, mixed isomers

L-Fucose

D-Galactose

Galactose 6-(barium phosphate) Gentiobiose

di Magnesium hydrogen D-ribose 5-phosphate 1-pyrophosphate

Maltose

D-Mannose

Mannose 6-(barium phosphate)
D-Melezitose dihydrate

Raffinose

L-Rhamnose

D-Ribose

Ribose 5-(barium phosphate)

Sorbose

Sucrose diacetate hexaisobutyrate

Turanose

P1-Uridine-5' P2-glucose-1 disodium pyrophosphate

D-Xylose

29.44 Amphotericin B

Bacitracin zinc

*Bleomycin sulphate

Chloramphenicol sodium succinate
Clindamycin hydrochloride
Clindamycin 2'-palmitate hydrochloride
Clomocycline, sodium salt

Colistin sulphate

Colistin sulphomethate sodium

Cycloserine

Erythromycin ethyl succinate

Erythromycin lactobionate

Gentamicin sulphate

†Guamecycline dihydrochloride Lincomycin hydrochloride

Lucensomycin

Lymecycline

Natamycin

Novobiocin

Novobiocin calcium

Novobiocin sodium

Nystatin

Paromomycin sulphates

Description

29.44 Pristinamycin

†Rifampicin

Rifamycin B diethylamide, monosodium derivative

Rolitetracycline nitrate

Rubidomycin hydrochloride

Sodium cephalothin

Sodium 4-(2-[2-ethyl-5'-(tetrahydro-6-hydroxy-6-hydroxymethyl-3, 5-dimethylpyran-2-yl)-3'-methylbitetrahydro-2-furyl-5-yl]-9-hydroxy-2,8-dimethyl-1,6-dioxaspiro[4,5]-decan-7-yl)-3-methoxy-

2-methylvalerate

Sodium fusidate

Spectinomycin dihydrochloride Spectinomycin sulphate

Spiramycin

Thiostrepton Vancomycin hydrochloride

Viomycin sulphate

Virginiamycin

29.45 Boron trifluoride-ethylamine complex

Ferrous sulphate-glycine complex

Potassium tertbutoxide

Potassium methoxide

Sodium dihydridodi-(2-methoxyethoxy)aluminate

Sodium ethoxide Sodium methoxide

30.02 Foot-and-mouth disease vaccine

30.05 Plates bearing a reagent for the detection of Australian antigen (Au plates)

32.07 Lithopones, being pigments consisting of barium sulphate and zinc sulphide and containing not less than 28 per cent. by weight of zinc sulphide

Pigments, dry, which contain (a) hydrated iron oxides as the sole colouring agent and (b) not more than 1 per cent. by weight of total silica, and which, when spread evenly over a transparent substrate at a density of 13 grammes of pigment per square metre in a clear binder of refractive index 1.52, have an opacity of not more than 30 per cent. when measured by Ministry of Defence Specification DEF-1053 Method 12 modified by using the red filter of the reflectometer recommended therein

Pigments, white, dry, containing not less than 90 per cent. but less than 94 per cent. by weight of titanium dioxide, and which, when dispersed in four times their weight of a solution containing 50 per cent. by weight of a melamine formaldehyde resin having a mole ratio of 0.5 to 1, cause no visible greying on a filter paper which has been dipped in the dispersion, dried, cured and exposed to ultra-violet radiation sufficient to initiate fading of the number 5 reference standard of British Standard 1006: 1953 (until 1st March 1973)

- 34.04 Artificial waxes, being partial esters of the acids derived from montan wax, and having an acid value of not less than 10 and not more than 20 and a saponification value of not less than 110
- 37.01 Photographic plates on a glass base of flatness 0.001 inch or less per linear inch, of thickness between 0.058 inch and 0.092 inch, of a length and width between 2 and 4 inches, with an emulsion on one side and an anti-halation layer either incorporated in the emulsion or on the reverse side: the emulsion being between 5 and 7 micrometres

Description

thick, having a spectral sensitivity peak at about 520 nanometres and capable of resolving in excess of 2,000 line pairs per millimetre, and having an average surface contamination per square centimetre of less than 5 particles of a diameter greater than 2 micrometres

- 38.03 Acid-activated montmorillonite which, when examined by X-ray powder diffraction, shows four principal lines corresponding to crystal interplanar spacings (d values) of 0.44, 0.40, 0.33 and 0.25 nanometres, the line corresponding to 0.40 nanometre being the most intense
- 38.05 Tall oil, crude
- 38.15 Mixtures consisting of *N-tert* butylbenzothiazole-2-sulphenamide and *N*-cyclohexanesulphenylphthalimide and containing not less than 45 per cent. by weight of each constituent

Prepared rubber accelerators, being sulphides of alkylphenols, and containing not less than 20 per cent. by weight and not more than 30 per cent. by weight of sulphur in all

Prepared rubber accelerators containing not less than 80 per cent. by weight of NNN'-trimethylthiourea

38.19 Amines, mixed primary aromatic, containing not less than 4.5 per cent. by weight and not more than 5.5 per cent. by weight of nitrogen calculated as N

Calcined bauxite

Chlordane

Mixed alkyl-substituted benzenesulphonic acids having an acid value not greater than 125

Prepared catalysts, in the form of spheres, containing silver or silver oxide dispersed in, or deposited on, aluminium oxide or silica or other compounds of silicon, and which contain not less than 7 per cent. by weight and not more than 25 per cent. by weight of total silver calculated as Ag (until 1st March 1973)

39.01 Nylon 6 in the forms covered by Note 3(b) of Chapter 39, containing not more than 2 per cent. by weight of titanium dioxide and not more than 2·5 per cent. by weight of carbon black, but not otherwise compounded

Polycondensation products of 2,4,6-tri*iso* propylphenylcarbodi-imide containing not less than 5 per cent. of carbodi-imide groups estimated as CN₂ (and in the forms covered by Note 3(b) of Chapter 39)

Poly-[2,2-di-(4-hydroxyphenyl)propane carbonate] moulding compounds, containing glass fibres which amount to not less than 5 per cent. by weight of the product and not more than 45 per cent. by weight of the product

Poly-[2,2-di-(4-hydroxyphenyl)propane carbonate], uncompounded, or compounded with other materials which do not exceed 3 per cent. by weight of the product

Poly(ethylene terephthalate) in the forms covered by Note 3(b) of Chapter 39, containing not less than 1.5 per cent. by weight and not more than 3.5 per cent. by weight of carbon black

‡Polyimide film, of a width not less than 1.5 and not more than 1,530 millimetres, uncoated or coated with fluorocarbon resin and having a total thickness not greater than 0.3 millimetre

Resins, being products of the condensation of adipic acid with a mixture of propane-1,2-diol and ethanediol of which the ethanediol content is not less than 50 per cent. by weight, and having:—

(a) an acetyl value not less than 34 and not more than 38,

(b) an acid value not more than 1,

(c) a colour not deeper than 50 Hazen units, and

Description

39.01

(d) a viscosity at 40° centigrade of not less than 70 seconds and not more than 125 seconds, for a free fall of 20 centimetres of a steel sphere ½ inch in diameter, in a tube of internal diameter 3.5 centimetres, when determined by the method of British Standard 188: 1957, part 3, as amended up to and including September 1964 (until 1st March 1973)

Scrap photographic (including cinematographic) and X-ray film

39.02

Acrylic sheet, transparent, colourless, of a thickness not less than 1.5 millimetres and not greater than 35.0 millimetres, which, when kept for 24 hours at a temperature of 110° centigrade, undergoes a linear shrinkage of not more than 10 per cent. and which, when kept for 24 hours at a temperature of 145° centigrade, undergoes a linear shrinkage of not less than 37.5 per cent.

Copolymers solely of allyl alcohol with styrene, which have an acetyl

value of not less than 190

Poly(vinyl butyral) sheet, of a thickness not greater than 1.2 millimetres and of a width not less than 35 centimetres

Poly(vinyl chloride), emulsion-polymerised, in powder form and of natural colour, unplasticised but compounded with not less than 1·3 per cent. by weight and not more than 2·5 per cent. by weight of artificial wax, and having a viscosity number of not less than 150 and not more than 170 when determined by Method 404A of British Standard 2782: 1970

Poly(vinyl chloride) having an apparent density of not more than 0·3 grammes per millilitre and a viscosity number of not less than 170 when tested by the methods described in British Standard 2782:1970 and of which not more than 5 per cent. by weight is retained by a sieve having a nominal width of aperture of 150 micrometres

39.03

Carboxymethylcellulose, aluminium salt

Cellulose acetate, where the weight of the acetyl content, calculated as acetic acid, is not less than 60 per cent. of the weight of the cellulose acetate, not being cellulose acetate plasticised or otherwise compounded

Cellulose acetate butyrate compounded with other materials which do not exceed 25 per cent. by weight of the product, in the forms covered

by Note 3(b) of Chapter 39

Cellulose acetate butyrate, not plasticised or otherwise compounded Cellulose acetate propionate in the forms covered by Note 3(b) of Chapter 39 (until 3rd May 1973)

Regenerated cellulose in the form of sheets not exceeding 430 millimetres by 1,020 millimetres in size, 18 grammes per square metre in weight or 12 micrometres in thickness

Cellulose acetate propionate, not plasticised or otherwise compounded Cellulose propionate, not plasticised or otherwise compounded

Ethylcellulose

Ethylhydroxyethylcellulose Hydroxybutylmethylcellulose

Hydroxyethylcellulose Hydroxypropylcellulose

Scrap photographic (including cinematographic) and X-ray film

44.05 Stavewood of white oak (Quercus alba) not exceeding 1.38 metres long 42 millimetres thick and 204 millimetres wide

44.08 Staves of white oak (Quercus alba) not exceeding 1.38 metres long 42 millimetres thick and 204 millimetres wide

48.03 Genuine vegetable parchment paper of a substance not exceeding 75 grammes per square metre

Description

- 48.07 ††Electrophotographic base paper, barrier coated, of a substance not less than 50 grammes per square metre, being resistant to toluene solvent on either or both sides which, when subjected for 24 hours to 50 per cent. relative humidity at 17° centigrade, has an apparent surface resistance of not less than 10 megaohms and not more than 5,000 megaohms, measured under the same conditions between two electrodes 1 inch wide and 1 inch apart and using a Keithley model 600B electrometer (until 1st March 1973)
- 50.05 Yarn spun from silk waste other than noil, not dyed and not put up for retail sale
- 51.01 Yarn wholly of poly(glycollic acid)

Yarn wholly of polytetrafluoroethylene (until 3rd July 1973)

- 51.02 Monofil wholly of fluorocarbon polymer (until 3rd July 1973)
- 55.02 Bleached cotton linters not containing more than 3.5 milligrammes per kilogramme by weight of iron or 1.0 milligrammes per kilogramme by weight of copper and yielding, on ignition at a temperature of not less than 800° centigrade and not exceeding 900° centigrade not more than 0.025 per cent. by weight of ash, determined in each case by reference to the dry weight of the linters plus 8.5 per cent. moisture regain
- 56.02 Synthetic hair" being continuous filament tow of co-polymerised vinyl chloride and acrylonitrile, dyed and having a total weight of more than 60 grammes per metre (60,000tex/540,000 denier), the individual filaments having an irregular cross-section, a specific gravity of less than 1.32 at 20° centigrade and weighing more than 5.0 milligrammes per metre (50dtex/45 denier) (until 1st March 1973) "Synthetic grass" being a knitted pile fabric with a pile of green polyamide strip of not less than 350 decitex of heading number 51.02
- 58.02
 - and a ground of polyester and polyamide man-made fibres Synthetic grass", being a woven pile fabric with a pile of green, solution dyed, polyamide filament of not less than 60 decitex and a ground of polyolefin strip of heading number 51.02 impregnated with a synthetic rubber or artificial plastic material, and weighing
 - not less than 1.8 kilogrammes per square metre
 *" Synthetic grass", being a woven pile fabric with a pile of green polyamide strip of not less than 220 decitex of heading number 51.02 and a ground of polypropylene strip of heading number 51.02 sealed on the back with a layer of synthetic rubber or artificial plastic material, and weighing not less than 1.6 kilogrammes per square metre (until 1st March 1973)
- 59.03 Bonded fibre fabrics containing not less than 95 per cent. by weight, calculated on the dry material, of synthetic polyamide (fibres and fibrid bonding) materials which do not melt below 300° centigrade
- 59.17 or tow of polytetrafluoroethylene fibre impregnated with polytetrafluoroethylene dispersion whether or not treated with a lubricant (until 3rd July 1973)
- 68.13 Asbestos paper, rubber impregnated, in rolls, being not less than 0.55 millimetre and not more than 0.85 millimetre in thickness, weighing not less than 500 grammes and not more than 780 grammes per square metre, and having a loss on ignition at 1,000° centigrade of not less than 24 per cent. by weight and not more than 32 per cent. by weight (until 3rd May 1973)
- 69.09 Catalyst carriers in the form of spheres, consisting of aluminium oxide and silica whether or not combined together, and containing not more than 12.5 per cent. by weight of total silica, and of which (a) not less than 99 per cent. by weight passes a sieve having a nominal width of aperture of 2.40 millimetres and (b) not less than 99 per cent. by weight is retained by a sieve having a nominal width of aperture of 1.00 millimetre

Description

- 70.03 Amber-coloured tubing of soda glass, not being glass containing 0.25 per cent. or more of cadmium, free or combined, calculated as Cd Tubing of glass which contains not less than 58 per cent. by weight of lead compounds estimated as Pb0 and not more than 6.5 per cent. by weight of alkali metal compounds estimated as K₂O
 - Tubing of neutral glass, in straight lengths and capable of passing a test corresponding with the test for limit of alkalinity of glass prescribed by British Pharmacopeia, not including (a) glass with a content of more than 85 per cent. of silica and boric oxide together, or (b) glass of fused silica or fused quartz
- 70.08 Curved eyepieces of toughened glass not being coloured, tinted or otherwise shaded, with parallel faces and ground edges, having a maximum dimension of not less than 56 millimetres (until 4th September 1973)
- 70.18 Optical glass in the form of sheets, slabs or moulded lens blanks, having, with reference to the D line of sodium, a refractive index (n_D) not less than 1.5625 and not greater than 1.5650 and a dispersive power (v_D) not less than 60.0 and not greater than 61.5
 - Optical glass in the form of sheets, slabs or moulded lens blanks, having, with reference to the D line of sodium, a refractive index (n_D) not less than 1.612 and not greater than 1.615 and a dispersive power (v_D) not less than 43.5 and not greater than 45.0; having also at a wavelength of 400 nanometres a light transmission for a 25 millimetres path of not less than 83 per cent.; and which acquires no visible stain when kept for 15 minutes at a temperature of 25° centigrade in contact with a buffered sodium acetate solution having a pH value of 4.6
- 70.20 ††Glass fibre continuous filament singles yarn of low alkali borosilicate glass (E Glass) not exceeding 150 tex and folded or cabled yarns made therefrom having an ignition loss of not more than 10 per cent. by weight when ignited at a temperature of 575° centigrade plus or minus 25° centigrade (until 1st March 1973)
 - Glass fibres, loose, unfelted, having a diameter not greater than 3 micrometres
- 73.12 Iron or steel strip in coils, completely clad on both sides with alloy steel containing not less than 17 per cent. by weight of chromium and not less than 7 per cent. by weight of nickel the cladding layers each being less than 25 per cent. of the total thickness, of a width of not less than 200 millimetres nor more than 460 millimetres, and of a total thickness of not less than 2·5 millimetres nor more than 6 millimetres
 - Strip of iron or steel, in coil form, coated with tin, whether or not lacquered, of a width of not less than 140 millimetres, and not more than 155 millimetres, and of a thickness of not less than 0.20 millimetre and not more than 0.5 millimetre
- 73.14 Iron-nickel alloy wire, copper clad and nickel plated, having an overall diameter of not less than 200 micrometres and not more than 600 micrometres, the nickel plating being not less than 2 micrometres and not more than 15 micrometres in thickness; the whole containing not less than 18 per cent. by weight of copper, not less than 25 per cent. by weight of nickel and not less than 40 per cent. by weight of iron, and having, when measured on an 0·20 metre length, a percentage elongation not less than 16 and not more than 25, and a tensile strength not less than 430 newtons per square millimetre and not more than 590 newtons per square millimetre, the rate of straining being 50 millimetres per minute (until 3rd July 1973)
 - Nickel plated iron or steel wire, the wire having a diameter of not less than 0.005 inch nor more than 0.250 inch and the nickel plating being not less than 0.0001 inch and not more than 0.0005 inch (until 3rd May 1973)

Description

- 73.15 Alloy steel coils for re-rolling, which contain not less than 14 per cent. nor more than 18 per cent. by weight of chromium as the major alloying element, and not more than 0.5 per cent. by weight of nickel, and having a width exceeding 500 millimetres but not more than 1,372 millimetres, and a thickness of not less than 3 millimetres nor more than 6 millimetres (until 3rd May 1973)
 - Cold rolled non-oriented electrical steel in sheets or coils, whether or not coated, of a width exceeding 500 millimetres and being either:—
 (a) of a thickness of 0.50 millimetre with guaranteed maximum watts loss per kilogramme at 50 Hz and flux density of 1.0 Tesla

of 1.45 watts per kilogramme, or

- (b) of a thickness of 0.35 millimetre with guaranteed maximum watts loss per kilogramme at 50 Hz and flux density of 1.0 Tesla of 1.25 watts per kilogramme
- *Alloy steel bars for re-drawing into wire, containing not less than 34·5 per cent. and not more than 41·0 per cent. by weight of nickel, not less than 17·0 per cent. and not more than 19·0 per cent. by weight of chromium and not less than 1·90 per cent. and not more than 2·55 per cent. by weight of silicon, as the major alloying elements, and being not less than 47 millimetres and not more than 54 millimetres in width and not less than 47 millimetres and not more than 54 millimetres in breadth, in lengths of not less than 7,010 millimetres and not more than 7,316 millimetres (until 1st March 1973)
- *Alloy steel blooms and billets for re-rolling, containing not less than 34.5 per cent. and not more than 41.0 per cent. by weight of nickel, not less than 17.0 per cent. and not more than 19.0 per cent. by weight of chromium and not less than 1.90 per cent. and not more than 2.55 per cent. by weight of silicon, as the major alloying elements, and being not less than 276 millimetres and not more than 284 millimetres in width and not less than 92 millimetres and not more than 98 millimetres in thickness, in lengths of not less than 3,660 millimetres and not more than 5,182 millimetres (until 1st March 1973)
- *Alloy steel sheet bars for re-rolling, containing not less than 30·0 per cent. and not more than 35·0 per cent. by weight of nickel and not less than 19·0 per cent. and not more than 23·0 per cent. by weight of chromium, as the major alloying elements, and being not less than 276 millimetres and not more than 284 millimetres in width and not less than 35 millimetres and not more than 41 millimetres in thickness, in lengths of not less than 3,660 millimetres and not more than 5,487 millimetres (until 1st March 1973)
- *Alloy steel sheet bars for re-rolling, containing not less than 34.5 per cent. and not more than 41.0 per cent. by weight of nickel, not less than 17.0 per cent. and not more than 19.0 per cent. by weight of chromium and not less than 1.90 per cent. and not more than 2.55 per cent. by weight of silicon, as the major alloying elements, and being not less than 276 millimetres and not more than 284 millimetres in width and not less than 35 millimetres and not more than 41 millimetres in thickness, in lengths of not less than 3,660 millimetres and not more than 5,487 millimetres (until 1st March 1973)
- Cold-rolled steel strip, with dressed edges, in coils, the strip being not less than 0.002 inch nor more than 0.007 inch in thickness and not less than $\frac{1}{4}$ inch nor more than 4 inches in width, containing not less than 16 per cent. by weight nor more than 18 per cent. by weight of chromium and not less than 6 per cent. by weight nor more than 8 per cent. by weight of nickel and being of a tensile strength of not less than 115 tons per square inch (until 3rd July 1973)
- Cold-rolled steel strip, with dressed edges, in coils, the strip being not less than 0.002 inch nor more than 0.040 inch in thickness and not less than $\frac{1}{10}$ inch nor more than 4 inches in width, containing not

Description

73.15 less than 16 per cent. by weight nor more than 18 per cent. by weight of chromium and not less than 6 per cent. by weight nor more than 8 per cent. by weight of nickel, and being of a tensile strength of not less than 120 tons per square inch (until 3rd July 1973)

Heat resisting wire, not plated, coated or covered, of metal alloy containing by weight the following:

	Not less than	Not more than
	(per cent.)	(per cent.)
Chromium	19.0	26.0
Aluminium	4.0	5.5
Manganese	0.10	0.50
Iron	Balance	Ralance

and not more than a total of 2 per cent. by weight of substances other

than chromium, aluminium and manganese

Hot rolled alloy steel strip in coils, containing not less than 14 per cent. by weight nor more than 18 per cent. by weight of chromium as the major alloying element, and not more than 0.5 per cent. by weight of nickel, of a width of not less than 400 millimetres nor more than 500 millimetres and of a thickness of not less than 3 millimetres nor more than 6 millimetres (until 3rd May 1973)

- 73.19 Hot rolled seamless circular steel tubes of an outside diameter of not less than 49.5 centimetres and not more than 62.25 centimetres, and of a wall thickness of not less than 8.3 millimetres and not more than 17.9 millimetres (until 1st March 1973)
- 73.23 Tinplate containers, not being circular or rectangular, consisting of a can lipped for sealing, plain or printed externally and lacquered internally, with internal dimensions of not less than 120 millimetres nor more than 168 millimetres in length, not less than 85 millimetres nor more than 120 millimetres at the widest point and not less than 45 millimetres nor more than 70 millimetres in depth, of a minimum capacity of 445 cubic centimetres and a maximum capacity of 940 cubic centimetres scored for opening with opening key attached to base, and related sealing lids
- 73.40 Sintered alloy steel fibre in the form of flat rectangular porous sheets, re-inforced on one or both sides with alloy steel wire mesh, of an overall thickness of not less than 0.35 millimetre nor more than 1.15 millimetres, and of such length and width that the area of one side of a sheet is not less than 450 square centimetres nor more than 11,620 square centimetres
- 74.01 Copper alloy containing not less than 99.8 per cent. by weight of copper and not less than 0.08 per cent. nor more than 0.11 per cent. by weight of silver as the major alloying element in the form of billets of a diameter of not less than 149 millimetres nor more than 156 millimetres and of a length of not less than 1,358 millimetres nor more than 2,480 millimetres
- 74.02 Copper alloy ingots containing not less than 3.5 per cent. by weight of beryllium as the major alloying element
- 74.06 Copper alloy powder containing not less than 5 per cent. nor more than 9 per cent. by weight of iron, not less than 1 per cent. nor more than 3 per cent. by weight of manganese, not less than 0.2 per cent. nor more than 1 per cent. by weight of nickel, as the major alloying elements
- *Nickel alloy bars for re-drawing into wire, containing not less than 18.0 per cent. and not more than 21.0 per cent. by weight of chromium, not less than 1.80 per cent. and not more than 2.70 per cent. by weight of titanium and not less than 1.10 per cent. and not more than 1.60 per cent. by weight of aluminium, as the major alloying elements, and being not less than 35 millimetres and not

Description

75.02

- more than 41 millimetres in diameter, in lengths of not less than 5,487 millimetres and not more than 8,230 millimetres (until 1st March 1973)
- *Nickel alloy blooms and billets for re-rolling, containing not less than 18·0 per cent. and not more than 21·0 per cent. by weight of chromium and not less than 0·20 per cent. and not more than 0·60 per cent. by weight of titanium, as the major alloying elements, and being not less than 276 millimetres and not more than 284 millimetres in width and not less than 92 millimetres and not more than 98 millimetres in thickness, in lengths of not less than 3,660 millimetres and not more than 5,182 millimetres (until 1st March 1973)
- *Nickel alloy sheet bars for re-rolling, containing not less than 38.0 per cent. and not more than 46.0 per cent. by weight of nickel, not less than 19.5 per cent. and not more than 23.5 per cent. by weight of chromium, not less than 2.50 per cent. and not more than 3.50 per cent. by weight of molybdenum, not less than 1.50 per cent. and not more than 3.00 per cent. by weight of copper and not less than 0.60 per cent. and not more than 1.20 per cent. by weight of titanium, the remainder being iron, and being not less than 276 millimetres and not more than 284 millimetres in width and not less than 35 millimetres and not more than 41 millimetres in thickness, in lengths of not less than 3,660 millimetres and not more than 5,487 millimetres (until 1st March 1973)
- *Nickel alloy blooms and billets for re-rolling, containing not less than 38.0 per cent. and not more than 46.0 per cent. by weight of nickel, not less than 19.5 per cent. and not more than 23.5 per cent. by weight of chromium, not less than 2.50 per cent. and not more than 3.50 per cent. by weight of molybdenum, not less than 1.50 per cent. and not more than 3.00 per cent. by weight of copper and not less than 0.60 per cent. and not more than 1.20 per cent. by weight of titanium, the remainder being iron, and being not less than 2.76 millimetres and not more than 284 millimetres in width and not less than 92 millimetres and not more than 98 millimetres in thickness, in lengths of not less than 3,660 millimetres and not more than 5,182 millimetres (until 1st March 1973)
- *Nickel alloy sheet bars for re-rolling, containing not less than 14·0 per cent. and not more than 17·0 per cent. by weight of chromium and not less than 6·0 per cent. and not more than 10·0 per cent. by weight of iron, as the major alloying elements, and being not less than 276 millimetres and not more than 284 millimetres in width and not less than 35 millimetres and not more than 41 millimetres in thickness, in lengths of not less than 3,660 millimetres and not more than 5,487 millimetres (until 1st March 1973)
- *Nickel alloy blooms and billets for re-rolling, containing not less than 14·0 per cent. and not more than 17·0 per cent. by weight of chromium and not less tnan 6·0 per cent. and not more than 10·0 per cent. by weight of iron, as the major alloying elements, and being not less than 276 millimetres and not more than 284 millimetres in width and not less than 92 millimetres and not more than 98 millimetres in thickness, in lengths of not less than 3,660 millimetres and not more than 5,182 millimetres (until 1st March 1973)
- *Nickel alloy sheet bars for re-rolling, containing not less than 18.0 per cent. and not more than 21.0 per cent. by weight of chromium and not less than 0.20 per cent. and not more than 0.60 per cent. by weight of titanium, as the major alloying elements, and being not less than 276 millimetres and not more than 284 millimetres in width and not less than 35 millimetres and not more than 41 millimetres in thickness, in lengths of not less than 3,660 millimetres and not more than 5,487 millimetres (until 1st March 1973)

Description

- *Nickel bars for re-drawing into wire, containing not less than 99.5 per cent. by weight of nickel, and being not less than 47 millimetres and not more than 54 millimetres in width and not less than 47 millimetres and not more than 54 millimetres in breadth, in lengths of not less than 7,010 millimetres and not more than 7,316 millimetres (until 1st March 1973)
- *Nickel alloy tube shells for re-drawing, containing not less than 14·0 per cent. and not more than 17·0 per cent. by weight of chromium and not less than 6·0 per cent. and not more than 10·0 per cent. by weight of iron, as the major alloying elements, and being not less than 62 millimetres and not more than 64 millimetres in outside diameter and not less than 5 millimetres and not more than 8 millimetres in wall thickness, in lengths of not less than 3,048 millimetres and not more than 10,668 millimetres (until 1st March 1973)
 - *Nickel alloy tube shells for re-drawing, containing not less than 28.0 per cent. and not more than 34.0 per cent. by weight of copper, as the major alloying element, and being not less than 62 millimetres and not more than 64 millimetres in outside diameter and not less than 5 millimetres and not more than 8 millimetres in wall thickness, in lengths of not less than 3,048 millimetres and not more than 10,668 millimetres (until 1st March 1973)
 - *Nickel alloy tube shells for re-drawing, containing not less than 38.0 per cent. and not more than 46.0 per cent. by weight of nickel, not less than 19.5 per cent. and not more than 23.5 per cent. by weight of chromium, not less than 2.50 per cent. and not more than 3.50 per cent. by weight of molybdenum, not less than 1.50 per cent. and not more than 3.00 per cent. by weight of copper and not less than 0.60 per cent. and not more than 1.20 per cent. by weight of titanium, the remainder being iron, and being not less than 62 millimetres and not more than 64 millimetres in outside diameter and not less than 5 millimetres and not more than 8 millimetres in wall thickness, in lengths of not less than 3,048 millimetres and not more than 10,668 millimetres (until 1st March 1973)
- 76.02 Rod of aluminium or of aluminium alloy containing not less than 95 per cent. by weight of aluminium, copper clad, the cladding comprising not less than 25 per cent. by weight nor more than 39 per cent. by weight of the whole, and of an overall diameter of not less than 6 millimetres and not more than 20 millimetres (until 3rd May 1973)
- 76.03 Aluminium alloy strip in coils containing not less than 18 per cent. by weight and not more than 23 per cent. by weight of tin and not less than 0.7 per cent. by weight and not more than 1.5 per cent. by weight of copper as the major alloying elements and having a width of not less than 75 millimetres and not more than 230 millimetres and a thickness of not less than 3.0 millimetres and not more than 6.5 millimetres
 - Aluminium discs of a minimum value of £0.5000 per lb., not less than 6 inches nor more than 18 inches in diameter and not less than 0.033 inch nor more than 0.036 inch in thickness and which, when either face is placed on a flat surface, do not deviate from the flat by more than 0.010 inch at any point (until 1st March 1973)
- 76.16 Circular aluminium can ends spirally wound for opening with incorporated lift and pull tab and having an overall diameter of not less than 106 millimetres and not more than 110 millimetres (until 3rd July 1973)
 - Circular aluminium can ends scored for opening with incorporated ring-pull device and having an overall diameter of not less than 106 millimetres and not more than 110 millimetres (until 1st March 1973)

Description

81.02 ††Cylindrical molybdenum alloy bars containing not less than 98 per cent. by weight of molybdenum, not less than 0.40 per cent. by weight and not more than 1.00 per cent. by weight of titanium and not less than 0.06 per cent. by weight and not more than 0.20 per cent. by weight of zirconium as the major alloying elements, of a diameter of not less than 5 millimetres nor more than 357 millimetres, and of a length of not more than 508 millimetres

††Cylindrical molybdenum alloy tubes containing not less than 98 per cent. by weight of molybdenum, not less than 0.40 per cent. by weight and not more than 1.00 per cent. by weight of titanium and not less than 0.60 per cent. by weight and not more than 0.20 per cent. by weight of zirconium as the major alloying elements, of an external diameter of not less than 12 millimetres nor more than 64 millimetres, of a wall thickness of not more than 13 millimetres, and of a length of not

more than 381 millimetres

††Molybdenum alloy sheet containing not less than 98 per cent. by weight of molybdenum, not less than 0.40 per cent. by weight and not more than 1.00 per cent. by weight of titanium and not less than 0.06 per cent. by weight and not more than 0.20 per cent. by weight of zirconium as the major alloying elements

††Molybdenum alloy slabs containing not less than 98 per cent. by weight of molybdenum, not less than 0.40 per cent. by weight and not more than 1.00 per cent. by weight of titanium and not less than 0.06 per cent. by weight and not more than 0.20 per cent. by weight of

zirconium as the major alloying elements

Molybdenum flat strip in coils, containing not more than 0.05 per cent. by weight of iron and not more than 0.01 per cent. by weight of nickel as major impurities, of a thickness of not less than 0.02 millimetre and not more than 1.3 millimetres, and of a width of not less than 0.5 millimetre and not more than 3.6 millimetres

Molybdenum, of a purity not less than 99.8 per cent. in the form of rods (whether or not threaded at the ends) not less than 55 inches nor more than 100 inches in length and not less than $1\frac{7}{32}$ inches nor more

than 21/2 inches in diameter

Molybdenum, of a purity not less than 99.8 per cent. in the form of rods of not less than 18 inches and not more than 100 inches in length and of not less than $2\frac{1}{4}$ inches and not more than $4\frac{1}{4}$ inches in diameter and whether or not threaded at the ends

81.04 Chromium, in the form of cathode chips or pellets, which contains not more than 0.10 per cent. by weight of total oxygen, not more than 0.015 per cent. by weight of total aluminium, and not more than 0.001 per cent. by weight of aluminium compounds insoluble in boiling 5N hydrochloric acid and in boiling fuming perchloric acid, and estimated as A1

Hafnium crystal bars consisting of hafnium wire on which hafnium

crystals have been deposited

Hafnium crystal bars, whole or in pieces 2 inches or less in length, consisting of hafnium wire on which hafnium crystals have been deposited

Hafnium metal in the form of crushed pieces or sponge, containing not more than 7 per cent. by weight of zirconium and not more than 1 per cent. by weight of other alloying elements

Manganese metal of a purity not less than 96 per cent. and not more than 99.5p er cent. and containing not more than 1.0 per cent. by weight of carbon and not more than 3.0 per cent. by weight of iron

Titanium alloy containing not less than 5 per cent. nor more than 7 per cent. by weight of aluminium, not less than 3 per cent. nor more than 5 per cent. by weight of vanadium, as the major alloying elements, being in the form of blooms not less than 152 centimetres nor more than 191 centimetres in length, not less than 38 centimetres nor more than 41 centimetres in width and not less than 30 centimetres nor more than 36 centimetres in thickness (until 3rd May 1973)

Description

- 81.04 Titanium sponge (until 1st March 1973)
 - *Zirconium alloy ingots, surface trimmed, containing not less than 1.0 per cent. nor more than 2.0 per cent. by weight of tin, as the major alloying element, of circular cross-section of a diameter of not less than 43 centimetres and not more than 54 centimetres, and of a length of not less than 101 centimetres and not more than 127 centimetres

Zirconium sponge

- 83.13 Tinplate caps for sealing jars, of an internal diameter on the rim of not less than 1.580 inches and not more than 1.610 inches and a maximum depth of not less than 0.415 inch and not more than 0.425 inch stamped from tinplate of nominal thickness of 0.0055 inch or of 0.0066 inch, with an internal curl, a vinyl coating applied to the internal surface and a plasticised lining compound deposited on the internal side wall and top sealing panel to form a sealing gasket (until 3rd July 1973)
- 85.14 Microphones, of a kind for incorporation in deaf aids, approximately rectangular in shape, with a maximum thickness not exceeding 0·165 inch and a total of the length and width not exceeding 0·675 inch, exclusive of sound tube (until 3rd May 1973)
- 85.15 The following apparatus for use in aircraft:
 - (a) automatic radio direction finding apparatus covering a frequency range of at least 200 KHz to 850 KHz;
 - (b) distance measuring apparatus for determining the slant range from aircraft to ground transponder and operating within the frequency range of 960 MHz to 1,215 MHz;
 - (c) very high frequency omni-directional radio range apparatus (VOR), instrument landing system localiser apparatus (ILS/LOC), instrument landing system glide path apparatus (ILS/G.PATH);
 - (d) very high frequency communication apparatus (VHF/COM) (transmitters, receivers, or combined transmitter/receivers) covering a frequency band of at least 118 to 135.95 MHz, with not less than 180 channels and capable of operating in areas where 50 KHz channel spacing is in force;
 - (e) apparatus combining the functions and capabilities of any of the apparatus specified in (c) and (d) above but excluding apparatus combining any of those functions and capabilities with any other function or capability;

being in each case apparatus of a type approved by the Civil Aviation Authority, at the date of this Order, under Article 14(5) of the Air Navigation Order 1972, for use in aircraft of not more than 5,700 kilogrammes maximum total weight authorised, flying in controlled airspace in accordance with the Instrument Flight Rules as defined in the said Air Navigation Order, but not for use in other aircraft (until 1st March 1973)

- 85.18 Tantalum capacitors greater than 10 microfarads in capacitance, of a kind for incorporation in deaf aids, with a maximum length not exceeding 7 millimetres exclusive of leads and with a transverse cross section having a circumference not exceeding 14 millimetres (until 3rd May 1973)
 - Tantalum capacitors greater than 12 microfarads in capacitance of a working voltage of not less than 4 volts, of a kind for incorporation in deaf aids, with a maximum length not exceeding 8 millimetres exclusive of leads with a transverse cross section having a circumference not exceeding 13 millimetres (until 3rd May 1973)

Tantalum capacitors, of a kind for incorporation in deaf aids, with a maximum length not exceeding 7 millimetres exclusive of leads and with a transverse cross section having a circumference not exceeding 10 millimetres (until 3rd May 1973)

Description

- 85.19 ††Containers for electronic microcircuits, such containers consisting of a square or rectangular sheet of single or multi-layer alumina ceramic furnished with a central metal circuit pad and metal or ceramic square or circular sealing frame, and with printed refractory metal conductor paths which terminate as leads at one edge of the ceramic or are bonded to metal alloy lead frames along two opposite or all four edges, all exposed and unglazed metal surfaces being gold-plated
 - Carbon track volume controls of a kind for incorporation in deaf aids, being of drum type with a cylindrical drum not exceeding 12 millimetres in diameter and 4 millimetres in thickness
- 85.20 Glass neon discharge lamps, having a metal cap fitted to each end and not exceeding 1 inch in overall length and ½ inch in diameter over the caps
- 85.21 ††Containers for electronic micro-circuits, consisting of square or rectangular laminations, built up from a bottom sheet of glass, metal, or ceramic composition; from a middle frame of glass with embedded metal alloy leads extending to a lead frame along one, two or all four sides; and from a top sealing frame of glass, metal, or ceramic composition, all three laminae being fused together. Separate solder frames and metal alloy lids for subsequent sealing to the top sealing frame (until 3rd July 1973)
 - ††Photocells suitable for use in measuring the velocity of electrons by the application of a reverse electric field, consisting of an evacuated glass envelope of 42 millimetres diameter containing an almost flat circular potassium cathode of 12 centimetres² and of spectral response, of 350 to 600 nanometres and a circular collector anode of platinum wire connected within a 14 millimetres width glass neck to a 2 pole screw or bi-pin fitting at the base. This connection is to enable the heating of the anode to remove the alkali metal (which evaporates continuously from the cathode) prior to a series of measurements. The cathode is connected to a 9·5 millimetres diameter cap on the top of the envelope. The overall height from the top of the cap to the centre contact of screw base, or to the insulated portion of the bi-pin base, is 105 millimetres
- 85.28 Moving coil receivers having an overall diameter of 52 millimetres, of a kind for use with electro medical apparatus (for example, clinical audiometres)
- 88.02 ††Helicopters of an empty weight of 600 kilogrammes or less, powered by one engine
 - *Helicopters of an empty weight of 1,000 kilogrammes or less, equipped with one piston engine
 - Helicopters of an empty weight of 2,000 kilogrammes or less, powered by two engines
 - Helicopters of an empty weight of 5,000 kilogrammes or more
- 90.01 ††Flat material consisting of a polarising film supported on one or both sides by a transparent material, in rectangular sheets or rolls and being of a width of not less than 20 centimetres and an area of not less than 650 square centimetres
 - Lenses, prisms, mirrors and other optical elements, not optically worked, of barium fluoride (until 3rd July 1973)
 - Optical windows of zinc sulphide, unmounted

Description

90.19 Aortic heart valves

Earphones, of a kind for incorporation in deaf aids, approximately rectangular in shape, with a maximum thickness not exceeding 0·165 inch and a total of the length and width not exceeding 0·675 inch exclusive of sound tube (until 3rd May 1973)

Mitral heart valves

- 91.03 Electric clocks of the instrument panel type designed to be permanently mounted in a motor vehicle with the power source provided by the battery of the vehicle (until 3rd July 1973)
- 91.08 ††Movements for electric clocks of the instrument panel type designed to be permanently mounted in a motor vehicle with the power source provided by the battery of the vehicle (until 3rd July 1973)
- 95.05 Coral simply shaped in the form of cabochons, marquises, boutons or the like, polished but not faceted or otherwise worked

SCHEDULE 2

IMPORT DUTIES (TEMPORARY EXEMPTIONS) ORDERS REVOKED

Number and year of Order	Reference
No. 9 of 1971	S.I. 1971/2010 (1971 III, p. 5740)
No. 10 of 1971	S.I. 1971/2042 (1971 III, p. 5844)
No. 1 of 1972	S.I. 1972/52 (1972 I, p. 132)
No. 2 of 1972	S.I. 1972/226 (1972 I, p. 733)
No. 3 of 1972	S.I. 1972/648 (1972 I, p. 2122)
No. 4 of 1972	S.I. 1972/775 (1972 II, p. 2483)
No. 5 of 1972	S.I. 1972/849 (1972 II, p. 2698)
No. 6 of 1972	S.I. 1972/951 (1972 II, p. 2972)
No. 7 of 1972	S.I. 1972/1042 (1972 II, p. 3143)
No. 8 of 1972	S.I. 1972/1057 (1972 II, p. 3166)
No. 9 of 1972	S.I. 1972/1209 (1972 II, p. 3587)
No. 10 of 1972	S.I. 1972/1215 (1972 II, p. 3597)
No. 11 of 1972	S.I. 1972/1246 (1972 II, p. 3757)
No. 12 of 1972	S.I. 1972/1416 (1972 III, p. 4290)
No. 13 of 1972	S.I. 1972/1471 (1972 III, p. 4376)
No. 14 of 1972	S.I. 1972/1496 (1972 III, p. 4403)
No. 15 of 1972	S.I. 1972/1614 (1972 III, p. 4799)
No. 16 of 1972	S.I. 1972/1656 (1972 III, p. 4866)
No. 17 of 1972	S.I. 1972/1694 (1972 III, p. 4960).

EXPLANATORY NOTE

(This Note is not part of the Order.)

This Order provides that the goods listed in Schedule 1 shall be exempt, or shall continue to be exempt, from import duty until 1st January 1974, except for items for which an earlier date is specified. Descriptions of goods which were not exempt at the date of this Order are marked*.

Exemption of some goods is continued under a revised description and these are marked†. The majority of items so marked are chemicals (mainly pesticides) for which the use of revised descriptions is principally due to replacement of the systematic chemical names by the common names which are now accepted and are in general use. In other instances the more modern chemical name has been used.

For some other goods exemption is substantially continued, but under a modified definition; such items are marked††.

The Order also continues, until 1st January 1974, the partial exemption of photographic film base of cellulose acetate of Tariff subheading 39.03(A)(2)(b).

The reduction in the duty chargeable on certain monolithic integrated circuit linear amplifiers under heading 85.21 is continued until 1st March 1973; this temporary reduction is from 10% to 3% in the full rate of duty and from 7% to Nil in the Commonwealth rate.

The more specialist publications referred to in the Order are as follows:—

Standard Methods for Testing Tar and its Products—6th edition published in 1967 by the Standardisation of Tar Products Testing Committee, c/o Coal Tar Research Association, Oxford Road, Gomersal, Cleckheaton, Yorkshire.

Ministry of Defence Specification DEF-1053—Standard Methods of Testing Paint, Varnish, Lacquer and Related Products, Method No. 12, Opacity (Contrast Ratio), current at the date of this Order, published by H.M. Stationery Office.

Radio Equipment for Light Aircraft—Apparatus of a type approved by the Civil Aviation Authority is listed in Civil Aviation Publication CAP 208, Airbore Radio Apparatus Vol. 2, published by H.M. Stationery Office. This publication is subject to amendment, and confirmation that apparatus is of the type approved at the date of this Order should be obtained from the Civil Aviation Authority, Controllerate of National Air Traffic Services, Tels. N2(c). 19-29 Woburn Place, London, WC1H 0LX.

SI 1972/1829 ISBN 0-11-021829-9

