
STATUTORY INSTRUMENTS

1983 No. 684

GAS

The Gas (Meters) Regulations 1983

<i>Made</i>	- - - -	<i>5th May 1983</i>
<i>Laid before Parliament</i>		<i>9th May 1983</i>
<i>Coming into Operation</i>		<i>1st June 1983</i>

The Secretary of State, in exercise of his powers under section 30(2), (3), (6)(a), (d) and (e) of the Gas Act 1972(1) and of all other powers in that behalf enabling him, hereby makes the following Regulations:—

Citation and commencement

1. These Regulations may be cited as the Gas (Meters) Regulations 1983 and shall come into operation on 1st June 1983.

Commencement Information

I1 Reg. 1 in force at 1.6.1983, see [reg. 1](#)

Interpretation

2. In these Regulations—

“the Act” means the Gas Act 1972;

“diaphragm meter” means a meter constructed so that it contains a flexible partition;

“meter examiner” means a meter examiner appointed under section 30(3) of the Act.

Commencement Information

I2 Reg. 2 in force at 1.6.1983, see [reg. 1](#)

Status: Point in time view as at 16/04/1990.

Changes to legislation: There are currently no known outstanding effects for the The Gas (Meters) Regulations 1983. (See end of Document for details)

Prescribed standards for meters

3.—(1) The standards with which a meter examiner is to be satisfied that a meter conforms so that he may stamp, or authorise the stamping of, the meter in accordance with section 30(2) of the Act are as follows:—

- (a) the meter is such that no gas or air will escape from it;
- (b) in the case of any diaphragm meter, the meter, when used for the purpose of ascertaining the quantity of either gas or air passing through it—
 - (i) at any rate of flow not less than 1/50th of the greatest rate of flow for which it is designed and not more than that greatest rate of flow, will register such quantity of gas or air as does not differ from the actual quantity of gas or air passing through the meter by more than 2 per cent of that actual quantity; and
 - (ii) at the rate of flow specified in column 1 of Table A below which corresponds to the greatest rate of flow for which it is designed specified in column 2 of the Table, will register the passage of gas or air;

Table A

<i>Column 1</i> <i>Rate of flow in cubic decimetres per hour</i>	<i>Column 2</i> <i>Greatest rate of flow for which the meter is designed in cubic metres per hour</i>
15	Not exceeding 6
30	Exceeding 6 but not exceeding 25
60	Exceeding 25 but not exceeding 65
150	Exceeding 65

- (c) in the case of a meter other than a diaphragm meter, the meter, when used for the purpose of ascertaining the quantity of either gas or air passing through it—
 - (i) at any rate of flow not less than 1/5th of the greatest rate of flow for which it is designed and not more than that greatest rate of flow, will register such quantity of gas or air as does not differ from the actual quantity of gas or air passing through the meter by more than 1 per cent of that actual quantity; and
 - (ii) at any rate of flow not less than the smallest rate of flow for which it is designed and less than 1/5th of the greatest rate of flow for which it is designed, will register such quantity of gas or air as does not differ from the actual quantity of gas or air passing through the meter by more than 2 per cent of that actual quantity;
- (d) in the case of a diaphragm meter designed to operate at a pressure of not more than 1 bar, the mean difference between the pressure of air at the inlet of the meter and the pressure of air at the outlet of the meter, where air is passing through the meter at the greatest rate of flow for which it is designed, will not exceed the amount specified in column 1 of Table B below which corresponds to that greatest rate of flow specified in column 2 of the Table; and

Table B

<i>Column 1</i> <i>Mean difference in millibars</i>	<i>Column 2</i> <i>Greatest rate of flow for which the meter is designed in cubic metres per hour</i>
2.0	Not exceeding 16

<i>Column 1</i> <i>Mean difference in millibars</i>	<i>Column 2</i> <i>Greatest rate of flow for which the meter is designed in cubic metres per hour</i>
3.0	Exceeding 16 but not exceeding 65
4.0	Exceeding 65

- (e) in the case of any diaphragm meter, the difference between the pressure at the inlet of the meter and the pressure at the outlet of the meter, when air is passing through the meter at the rate of flow which is 1 per cent of the greatest rate of flow for which the meter is designed, will not exceed the amount specified in column 1 of Table C below which corresponds to that greatest rate of flow specified in column 2 of the Table.

Table C

<i>Column 1</i> <i>Mean difference in millibars</i>	<i>Column 2</i> <i>Greatest rate of flow for which the meter is designed in cubic metres per hour</i>
0.6	Not exceeding 65
1.0	Exceeding 65

(2) A meter shall be deemed to conform with a standard prescribed by paragraph (1)(b) or (c) above, notwithstanding that gas instead of air is passing through the meter, where the results of testing for that standard show that if it had been conducted with air passing through the meter—

- (a) at a density of 1.2 kilograms per cubic metre, or
- (b) in a case where the meter is marked in such manner as is approved by the Secretary of State so as to indicate that the meter is to be used only for the purpose of ascertaining the quantity of gas supplied to any person at a specified range of densities of which the lower limit exceeds 1.2 kilograms per cubic metre, at the higher and lower limits of that range,

the meter would have conformed with that standard.

(3) A meter shall be deemed to conform with a standard prescribed by paragraph (1)(d) or (e) above, notwithstanding that gas instead of air is passing through the meter, where the results of testing for that standard show that, if it had been conducted with air passing through the meter at a density of 1.2 kilograms per cubic metre, the meter would have conformed with that standard.

Commencement Information

I3 Reg. 3 in force at 1.6.1983, see [reg. 1](#)

Re-examination of disputed meters

4.—(1) Where there is a dispute between any person to whom gas is supplied and the person supplying the gas as to the accuracy with which a meter stamped under section 30 of the Act registered the quantity of gas supplied to that person and either party to the dispute requires a meter examiner appointed under that section to re-examine the meter, and the names and addresses of both parties to the dispute are communicated in writing to the meter examiner, it shall be the duty of the meter examiner on payment of the fee prescribed by any provision of Regulation 5 below to re-examine the meter.

Status: Point in time view as at 16/04/1990.

Changes to legislation: There are currently no known outstanding effects for the The Gas (Meters) Regulations 1983. (See end of Document for details)

(2) If a meter examiner, on re-examining the meter, is satisfied that the meter does not conform with the standards prescribed by Regulation 3 above, it shall be the duty of the meter examiner to cancel the stamp with which the meter is already stamped by defacing it.

(3) If a meter examiner on re-examining a meter is satisfied that the meter does not conform either with the standard prescribed by paragraph (1)(b)(i) or a standard prescribed by paragraph (1)(c) of Regulation 3 above, it shall be the duty of the meter examiner to give to each of the parties to the dispute a certificate signed by the meter examiner stating the degree exceeding the degree permissible for that standard to which the meter when re-examined registered erroneously.

(4) If a meter examiner on re-examining a meter is satisfied that the meter conforms either with the standard prescribed by paragraph (1)(b)(i) or the standards prescribed by paragraph (1)(c) of Regulation 3 above, it shall be the duty of the meter examiner to give to each of the parties to the dispute a certificate signed by the meter examiner stating that the meter when re-examined registered accurately

(5) If a meter examiner on re-examining a meter is satisfied that the meter is so defective that he cannot examine it for conformity with the standard prescribed by paragraph (1)(b)(i) or the standards prescribed by paragraph (1)(c) of Regulation 3 above, it shall be the duty of the meter examiner to give to each of the parties to the dispute a certificate signed by the meter examiner stating that the meter when re-examined could not be so examined and to cancel the stamp with which the meter is already stamped by defacing it.

Commencement Information

I4 Reg. 4 in force at 1.6.1983, see [reg. 1](#)

[^{F1}Fees

5.—(1) Subject to the provisions of paragraphs (2) to (8) below, the fee to be paid to the Secretary of State for examining or re-examining by a meter examiner, with or without stamping, a meter described in column 1 of Schedule 1 to these Regulations used or intended to be used for ascertaining the quantity of gas supplied to any person shall be the corresponding fee specified in column 2 of that Schedule.

(2) Where the meter has not been delivered to the office of a meter examiner for the purpose of examination or re-examination, there shall be paid the Secretary of State, in addition to any fee payable under paragraph (1) above, a fee equivalent to the amount of—

- (a) all reasonable expenses, including incidental expenses, incurred by the meter examiner, and any other meter examiner assisting him in the examination, in travelling to and from the premises at which the meter is situated, in preparing for the examination of the meter or in dismantling any equipment used therefor, and
- (b) a sum calculated at the rate of [^{F2}£31.80] for every hour, or part of an hour exceeding thirty minutes, spent by the examiner and any such other meter examiner respectively in such travelling, preparing or dismantling.

(3) Where the meter is required to be re-examined by a party to such a dispute as is mentioned in regulation 4(1) above, there shall be paid to the Secretary of State, in addition to any fee payable under paragraph (1) or (2) above, a fee of [^{F3}£4.70].

(4) Where the meter incorporates electro-mechanical compensating devices which cause its register to indicate the quantity of gas passing through it as if the gas were at a particular temperature or pressure or both, there shall be paid to the Secretary of State, in addition to any fee payable under paragraphs (1) to (3) above—

- (a) where the meter is a prototype submitted for approval of its pattern and construction or is a modified prototype so submitted which, prior to modification, had already been examined by a meter examiner, a fee of [^{F4}£469]; and
 - (b) where the meter is not such a prototype, a fee of [^{F5}£34.50].
- (5) Where the meter is marked in a manner referred to in regulation 3(2), there shall be paid to the Secretary of State, in addition to any fee payable under paragraphs (1) to (4) above—
- (a) where the meter is a prototype submitted for approval of its pattern and construction not being a modified prototype so submitted which, prior to modification, had already been examined by a meter examiner, a fee of [^{F6}£3,125]; and
 - (b) where the meter is such a modified prototype or is not a prototype so submitted, a fee of [^{F7}£230].
- (6) Where the meter cannot properly be examined or re-examined without the aid of equipment which is not in the possession of the meter examiner, there shall be paid to the Secretary of State, in addition to any fee payable under paragraphs (1) to (5) above, a fee equivalent to the amount of—
- (a) all reasonable expenses incurred by the examiner in procuring the use of such equipment as is needed; and
 - (b) except where a fee is payable in respect of preparing and dismantling the equipment under paragraph (2)(b) above, a sum calculated at the rate of [^{F8}£31.80] for every hour, or part of an hour exceeding 30 minutes, spent by the examiner and any other meter examiner assisting him in the examination, in preparing the equipment for use for the purpose of the examination or in dismantling it subsequently.
- (7) Where the meter—
- (a) is a prototype submitted for approval of its pattern and construction or is a modified prototype so submitted which, prior to modification, had already been examined by a meter examiner, and
 - (b) its durability is tested at the office of the meter examiner,
- there shall be paid to the Secretary of State, in addition to any fee payable under paragraphs (1) to (6) above, a fee equivalent to the costs of obtaining the fuel used for the purpose of the test.
- (8) Subject to the provisions of paragraph 4(4) of Schedule 5 to the Gas Act 1986, any fee payable under paragraphs (1) to (7) above shall be paid on demand by the person who requires the meter to be examined or re-examined.
- (9) Where any person requires the re-examination of any meter not owned by him through which gas is supplied to him and that meter, when examined on the premises at which it is situated for the purpose of ascertaining the quantity of gas, is found to register erroneously to a degree exceeding the degree permissible under regulation 3(1)(b)(i) or (c) above, the owner of the meter shall pay to that person the amount of all fees paid by him under this regulation.
- (10) The fee to be paid to the Secretary of State for stamping a meter described in column 1 of Schedule 1 to these Regulations (not being a prototype or a modified prototype) which has not been examined or re-examined by a meter examiner, and which is used or intended to be used for ascertaining the quantity of gas supplied to any person, shall be the corresponding fee specified in column 2 of that Schedule.
- (11) Any fee payable under paragraph (10) above shall be paid on demand by the person who requires the meter to be stamped.]

Status: Point in time view as at 16/04/1990.

Changes to legislation: There are currently no known outstanding effects for the The Gas (Meters) Regulations 1983. (See end of Document for details)

Textual Amendments

- F1** Reg. 5 substituted (1.7.1988) by [The Gas \(Meters\) \(Amendment\) Regulations 1988](#) (S.I. 1988/980), regs. 1, **3**
- F2** Sum in reg. 5(2)(b) substituted (16.4.1990) by [The Gas \(Meters\) \(Variation of Fees\) Regulations 1990](#) (S.I. 1990/686), regs. 1(1), **3(a)** (with reg. 1(2))
- F3** Sum in reg. 5(3) substituted (16.4.1990) by [The Gas \(Meters\) \(Variation of Fees\) Regulations 1990](#) (S.I. 1990/686), regs. 1(1), **3(b)** (with reg. 1(2))
- F4** Sum in reg. 5(4)(a) substituted (16.4.1990) by [The Gas \(Meters\) \(Variation of Fees\) Regulations 1990](#) (S.I. 1990/686), regs. 1(1), **3(c)** (with reg. 1(2))
- F5** Sum in reg. 5(4)(b) substituted (16.4.1990) by [The Gas \(Meters\) \(Variation of Fees\) Regulations 1990](#) (S.I. 1990/686), regs. 1(1), **3(d)** (with reg. 1(2))
- F6** Sum in reg. 5(5)(a) substituted (16.4.1990) by [The Gas \(Meters\) \(Variation of Fees\) Regulations 1990](#) (S.I. 1990/686), regs. 1(1), **3(e)** (with reg. 1(2))
- F7** Sum in reg. 5(5)(b) substituted (16.4.1990) by [The Gas \(Meters\) \(Variation of Fees\) Regulations 1990](#) (S.I. 1990/686), regs. 1(1), **3(f)** (with reg. 1(2))
- F8** Sum in reg. 5(6)(b) substituted (16.4.1990) by [The Gas \(Meters\) \(Variation of Fees\) Regulations 1990](#) (S.I. 1990/686), regs. 1(1), **3(a)** (with reg. 1(2))

Revocations

6. The Regulations specified in columns 1 and 2 of Schedule 2 to these Regulations are hereby revoked to the extent specified in column 3 of the Schedule.

Commencement Information

- I5** Reg. 6 in force at 1.6.1983, see [reg. 1](#)

Hamish Grey
Minister of State
Department of Energy

19 SCHEDULE 1

Regulation 5(1) and (10)

FEES

Textual Amendments

F9 Sch. 1 substituted (16.4.1990) by The Gas (Meters) (Variation of Fees) Regulations 1990 (S.I. 1990/686), regs. 1(1), 4 (with reg. 1(2))

(1) Meter	(2) Fee
	£
Prototype, or modified prototype incorporating relevant alterations, submitted for approval of its pattern and construction, of—	
(a) (a) a diaphragm meter	562.50
(b) (b) a rotary positive displacement meter	1312.50
(c) (c) a turbine meter	1487.50
(d) (d) any other kind of meter	2343.75
Modified prototype not incorporating relevant alterations so submitted, of—	
(a) (a) a diaphragm meter	112.50
(b) (b) a rotary positive displacement meter	262.50
(c) (c) a turbine meter	297.50
(d) (d) any other kind of meter	468.75
Any meter (not being a prototype or modified prototype so submitted) with measuring capacity—	
(a) (a) not exceeding 13 cubic metres per hour	0.83
(b) (b) exceeding 13 cubic metres per hour but not exceeding 19 cubic metres per hour	1.67
(c) (c) exceeding 19 cubic metres per hour but not exceeding 53 cubic metres per hour	5.01
(d) (d) exceeding 53 cubic metres per hour but not exceeding 228 cubic metres per hour	16.74

Status: Point in time view as at 16/04/1990.
Changes to legislation: There are currently no known outstanding effects for the The Gas (Meters) Regulations 1983. (See end of Document for details)

(1) Meter	(2) Fee
(e) (e) exceeding 228 cubic metres per hour but not exceeding 1600 cubic metres per hour	41.87
(f) (f) exceeding 1600 cubic metres per hour	100.00

Note

For the purposes of this Schedule—

- (a) “a modified prototype” means a prototype which, prior to modification, has already been examined by a meter examiner;
- (b) a modified prototype incorporates relevant alterations if the alterations made to it in the course of modification are such that a meter examiner considers that further tests are necessary to determine whether it conforms to the standard prescribed in paragraph (1)(b) or (c) of regulation 3 above;
- (c) “a rotary positive displacement meter” means a meter constructed so that it contains a rotating partition; and
- (d) “a turbine meter” means a meter constructed so that it contains a turbine wheel.]

SCHEDULE 2

Regulation 6

REVOCATIONS

Commencement Information

I6 Sch. 2 in force at 1.6.1983, see [reg. 1](#)

Column 1	Column 2	Column 3
Regulations revoked	Reference	Extent of revocation
The Gas (Meter) Regulations 1974.	S.I. 1974/848.	The whole Regulations.
The Gas (Meter) (Amendment) Regulations 1975.	S.I. 1975/1071.	The whole Regulations.
The Gas (Metrication) Regulations 1980.	S.I. 1980/1851.	Regulation 3(4).
The Gas (Meter) (Amendment) (No. 2) Regulations 1981.	S.I. 1981/504.	The whole Regulations.
The Gas (Meter) (Amendment) Regulations 1982.	S.I. 1982/565.	The whole Regulations.

EXPLANATORY NOTE

(This note is not part of the Regulations)

These Regulations consolidate the Gas (Meter) Regulations 1974 and their amending instruments with modifications.

Regulation 3 prescribes the national standards to which gas meters submitted for stamping or re-examination by a meter examiner must conform. The only change of substance is the inclusion of paragraph (2) which provides for the testing of meters to be used for ascertaining the quantity of gas supplied within a range of densities

Regulation 4 provides for the re-examination, in the case of disputes, of meters already stamped, for cancelling the stamp on any meter found on re-examination not to conform with the prescribed standards and for the giving of certificates to the parties to the dispute as to the result of the re-examination. The only change of substance is the inclusion of paragraph (5) which provides for the giving of an appropriate certificate where the meter is so defective that it cannot be examined for conformity with the prescribed standards and for cancelling the stamp.

Regulation 5 and Schedule 1 to the Regulations determine the fees to be paid for the examining or re-examining of meters by meter examiners and the persons by whom they are to be paid. The changes of substance are as follows:—

a) The basic fees specified in Schedule 1 are increased. These increases do not exceed 5.15% of the fees hitherto payable by virtue of the Gas (Meter) (Amendment) (No. 2) Regulations 1981 and the Gas (Meter) (Amendment) Regulations 1982.

b) The provisions of fees for the approval of the pattern and construction of prototypes of meters which are not diaphragm, rotary positive displacement, or turbine meters.

c) The hourly rate for meter examiners is increased from £8.88 hitherto payable under the 1982 Regulations to £9.32.

d) The re-examination fee is increased from 36p hitherto payable under the 1982 Regulations to £1.

e) The inclusion of paragraphs (4) and (5) which provide for the payment of additional fees in respect of meters with devices compensating for variations in temperature and pressure and meters to be used for ascertaining the quantity of gas supplied within a range of densities respectively.

Regulation 6 and Schedule 2 to the Regulations provide for the revocation of the 1974 Regulations and their amending instruments.

Status:

Point in time view as at 16/04/1990.

Changes to legislation:

There are currently no known outstanding effects for the The Gas (Meters) Regulations 1983.