STATUTORY INSTRUMENTS

1992 No. 168

PUBLIC HEALTH, ENGLAND & WALES PUBLIC HEALTH, SCOTLAND PUBLIC HEALTH, NORTHERN IRELAND

NOISE

The Lawnmowers (Harmonization of Noise Emission Standards) Regulations 1992

Made - - - -Laid before Parliament Coming into force 3rd February 19925th February 19921st March 1992

THE LAWNMOWERS (HARMONIZATION OF NOISE EMISSION STANDARDS) REGULATIONS 1992

- 1. Citation, commencement and revocation
- 2. Application of Regulations
- 3. Interpretation
- 4. Prohibition on supply
- 5. Listed laboratories
- 6. Prescribed fee
- 7. Conformity checks
- 8. Offences
- 9. Offences by Corporations Signature

SCHEDULE 1 — MODEL CERTIFICATE OF CONFORMITY ISSUED BY THE MANUFAC TURER, OR BY THE IMPORTER DOMICILED IN THE COMMUNITY

SCHEDULE 2A — MODEL FOR MARK STATING THE SOUND POWER LEVEL

SCHEDULE 2B — MODEL FOR MARK STATING THE SOUND PRESSURE LEVEL AT THE OPERATOR'S POSITION

SCHEDULE 3 —

- PART 1 METHOD OF DETERMINING AIRBORNE NOISE EMITTED BY LAWNMOWERS (ALSO REFERRED TO AS MOWERS IN THIS SCHEDULE)
- 1. OBJECT
- 2. SCOPE
- 2.1 Type of noise
- 2.2 Size of sound source
- 3. DEFINITIONS
- 3.1 Sound pressure level L_pA
- 3.2 Measuring surface
- 3.3 Surface sound pressure level L_{pAM}
- 3.4 Sound power level L_{WA} is obtained by applying the weighting A to the sound power level L_{W} .
- 3.5 Limit value of the sound power level L_{WA1}
- 3.6 Directivity index (DI)
- 3.7 Extraneous noise
- 3.7.1 Background noise
- 3.7.2 Parasitic noise
 - 4. CRITERIA TO BE USED FOR EXPRESSING RESULTS
 - 4.1 Acoustic criteria for the environment
 - 5. MEASURING INSTRUMENTS
 - 5.1 General
 - 5.2 Measuring instruments Note:
 - 5.3 Microphone with cable
 - 5.4 Weighting network
- 5.5 Inspection of the measuring apparatus
- 5.5.1 Before the tests, the acoustic properties of the entire apparatus...
- 5.5.2 These on-the-spot checks shall be supplemented by more thorough calibrations...
 - 6. MEASURING CONDITIONS
 - 6.1 Purpose of the measurement
- 6.1.1 Lawnmowers designed to be equipped with a device for collecting...
- 6.1.2 The cutting device shall be adjusted to a height of...
- 6.1.3 The cutting devices of cylinder lawnmowers shall be adjusted with...6.2 Operation of the sound source during measurement
 - 6.3 Measuring site
- 6.3.1 General
- 6.3.2 Measurements in the open air on artificial flooring
- 6.3.3 Measurements in the open air on grass
- 6.3.4 Measurements indoors
- 6.4 Measuring surface, measuring distance, location and number of measuring points
- 6.4.1 Measuring surface
- 6.4.2 Location and number of measuring points
- 6.4.2.1 General
- 6.4.2.2 Position of the measuring points on a hemisphere of radius r
 - 7. MEASUREMENTS

- 7.1 Measurement of the acoustic properties of the measuring site
- 7.1.1 Extraneous noise
- 7.1.2 Wind speed and direction
- 7.1.3 Measurement of temperature, humidity, barometric pressure and other disturbances
- 7.1.4 Acoustic quality of the test area
- 7.1.5 Presence of obstacles
- 7.2 Measurement of the sound pressure level L_{pA} Note:
- 7.3 Determination of the nature of the noise generated by the sound source
- 7.3.1 Detection of noise of an impulsive character
- 7.3.2 Detection of a noise with discrete tones
 - 8. USE OF RESULTS
- 8.1 Calculation of root mean square values
- 8.1.1 Root mean square value at a measuring point
- 8.1.2 Root mean square value on the measuring surface
- 8.2 Calculation of average extraneous noise level
- 8.3 Calculation of the area S of the measuring surface
- 8.4 Calculation of the surface sound pressure level L_{pAm}
- 8.5 Calculation of the sound power level L_{WA}
- 8.6 Corrections to be made to measurements
- 8.6.1 Extraneous noise
- 8.6.2 Acoustic properties of test area
- 8.6.3 Disturbances: temperature, humidity, altitude of site, etc.
- 8.6.4 Wind interference
 - 9. DATA TO BE RECORDED
 - 9.1 Sound source under test
 - 9.2 Acoustic environment
 - 9.3 Instrumentation
 - 9.4 Acoustic data
 - 10. DATA TO BE INCLUDED IN THE REPORT LAID DOWN IN SECTION 9
 - 11. METHOD OF CALCULATING THE AVERAGE LEVEL CORRESPONDING TO THE ROOT MEAN SQUARE VALUE OF THE VARIOUS SOUND PRESSURE LEVELS

ANNEX A

ARTIFICIAL FLOORING

- 1. DIMENSIONS AND MATERIALS
- 1.1 Dimensions
- 1.2 Materials *Note:*

ANNEX B

ARTIFICIAL FLOORING

EXAMPLE OF MATERIAL AND CONSTRUCTION PART 2 — METHOD OF DETERMINING AIRBORNE NOISE EMITTED BY LAWNMOWERS (ALSO REFERRED TO AS MOWERS IN THIS SCHEDULE) WITH A CUTTING WIDTH OF MORE THAN 120 CM AT THE OPERATOR POSITION

- 1. AIM
- 2. SCOPE
- 2.1 Type of noise
- 2.2 Type of lawnmowers
- 3. DEFINITIONS
- 3.1 Sound pressure level LpA
- 3.2 Equivalent continuous sound pressure level L_{Aeq} :(t₁, t₂)
- 4. CRITERION TO BE USED TO EXPRESS RESULTS
- 5. MEASURING INSTRUMENTS
- 6. PRESENCE OF THE OPERATOR
- 6.1 Clothing specifications
- 6.2 Height specifications of the operator(s)
- 6.2.1 Seated operator
 - 7. MICROPHONE LOCATIONS
 - 7.1 General
 - 7.2 Microphone locations with operator present Note:
 - 8. ENVIRONMENTAL CONDITIONS
 - 8.1 Measuring site
 - 8.2 Background noise
 - 9. INSTALLATION AND OPERATING CONDITIONS
 - 9.1 General
- 10. MEASUREMENTS AND CALCULATION OF RESULTS
- 10.1 Measurement interval $T(=t_2 t_1)$
- 10.2 Determination of the equivalent continuous A-weighted sound pressure level $(L_{Aeq}:(t_1, t_2))$
- 10.2.1 By integrating $p^{2}(t)$
- 10.2.2 Using the A-weighted sound pressure levels L_{pA}
- 10.3 Measurement of disturbances
- 10.4 Corrections to be made to measurements
- 10.4.1 Disturbances (temperature, humidity, altitude, etc)
- 10.4.2 Background noise
 - 11. DATA TO BE RECORDED Note:

SCHEDULE 4 — TABLE OF PERMISSIBLE SOUND POWER LEVELS

SCHEDULE 5 — MODEL INFORMATION DOCUMENT

Explanatory Note