

## SCHEDULE 1

### PROVISIONS APPLICABLE TO FACTORIES WHICH ARE NOT NEW WORKPLACES, MODIFICATIONS, EXTENSIONS OR CONVERSIONS

#### PART II

##### NUMBER OF SANITARY CONVENIENCES

4. In workplaces where females work, there shall be at least one suitable water closet for use by females only for every 25 females.

.....  
**Commencement Information**

**I1** Sch. 1 para. 4 in force at 1.1.1993 for specified purposes and 1.1.1996 in so far as not already in force, see reg. 1(2)(3)

5. In workplaces where males work, there shall be at least one suitable water closet for use by males only for every 25 males.

.....  
**Commencement Information**

**I2** Sch. 1 para. 5 in force at 1.1.1993 for specified purposes and 1.1.1996 in so far as not already in force, see reg. 1(2)(3)

6. In calculating the number of males or females who work in any workplace for the purposes of this Part of this Schedule, any number not itself divisible by 25 without fraction or remainder shall be treated as the next number higher than it which is so divisible.

.....  
**Commencement Information**

**I3** Sch. 1 para. 6 in force at 1.1.1993 for specified purposes and 1.1.1996 in so far as not already in force, see reg. 1(2)(3)

**Changes to legislation:**

There are currently no known outstanding effects for the The Workplace (Health, Safety and Welfare) Regulations 1992, PART II.