
STATUTORY INSTRUMENTS

1993 No. 69

MERCHANT SHIPPING

SAFETY

**The Merchant Shipping (Navigational
Equipment) Regulations 1993**

Made - - - - 18th January 1993

Laid before Parliament 25th January 1993

Coming into force 15th February 1993

**THE MERCHANT SHIPPING (NAVIGATIONAL
EQUIPMENT) REGULATIONS 1993**

1. Citation
2. Interpretation, revocation and application

PART I

GENERAL

3. Provision of navigational equipment installations
4. Serviceability of installations
5. Interference with other installations
6. Provision of electrical energy
7. Charging of batteries
8. Servicing and operating information
9. Spares and tools
10. Approval of navigational equipment

PART II

MAGNETIC COMPASS INSTALLATION

11. Magnetic compass performance standards
12. The magnetic compass installation
13. Adjustment of magnetic compasses
14. Spare magnetic compass
15. Emergency steering position

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

PART III

GYRO COMPASS INSTALLATION

16. Gyro compass performance standards
17. Siting of gyro compass installation
18. Provision of gyro repeaters

PART IV

RADAR INSTALLATION

19. Radar performance standards and interswitching facilities
20. Provision of plotting facilities
21. Radar watch
22. Performance of radar installations
23. Qualifications of radar observers
24. Siting of radar installation
25. Alignment of heading marker
26. Measurement of shadow sectors
27. Display sizes

PART V

ECHO SOUNDER INSTALLATION

28. Echo sounder performance standards
29. Siting of echo sounder installation

PART VI

SPEED AND DISTANCE MEASURING INSTALLATION

30. Speed and distance measuring equipment performance standards
31. Siting of speed and distance measuring installation

PART VII

DIRECTION-FINDER INSTALLATION

32. Direction-finder performance standard
33. Siting of direction-finder installation
34. Means of communication
35. Calibration
36. Records of calibration and verification

PART VIII

FOR HOMING ON THE RADIOTELEPHONE DISTRESS FREQUENCY (2182 kHz)

37. Homing equipment performance standards
38. Siting of homing installation

PART IX

AUTOMATIC RADAR PLOTTING AID INSTALLATION

39. Automatic radar plotting aid performance standards
40. Siting and other requirements of automatic radar plotting aid installations

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

- 41. Use of an automatic radar plotting aid to assist in the radar watch
- 42. Qualifications of observers using an automatic radar plotting aid to assist in keeping a radar watch

PART X

INSTALLATION OF A RATE OF TURN INDICATOR

- 43. Rate of turn indicator performance standards
- 44. Siting of the rate of turn indicator installation

PART XI

EXEMPTIONS

- 45. Exemptions

PART XII

PENALTIES

- 46. Penalties
- 47. Compensation and enforcement of detention
Signature

SCHEDULE 1 —

SCHEDULE 2 —

Explanatory Note