
STATUTORY INSTRUMENTS

1994 No. 329

**The Road Vehicles (Construction and Use)
(Amendment) (No. 2) Regulations 1994**

Amendments to regulation 76 (maximum permitted laden weight of a vehicle and trailer, other than an articulated vehicle)

7.—(1) Regulation 76 shall be amended as follows.

(2) After paragraph (1), there shall be inserted the following paragraph—

“(1A) This regulation is subject to Schedule 11A (exemptions relating to combined transport operations).”.

(3) For items 1, 1A and 1B in the Table there shall be substituted the following items—

“1	A wheeled trailer which is drawn by a wheeled motor tractor, heavy motor car (not being in any case an agricultural motor vehicle), where— (a) the combination has a total of 4 axles and is being used for international transport; and (b) the drawing vehicle is a vehicle which was first used on or after 1st April 1973 and complies with the relevant braking requirement	35,000
1A	A wheeled trailer which is drawn by a wheeled motor tractor, heavy motor car or motor car (not being in any case an agricultural motor vehicle), where the combination has a total of 4 axles and the following conditions are satisfied in relation to the drawing vehicle, namely— (a) it was first used on or after 1st April 1973;	35,000

	<ul style="list-style-type: none"> (b) it complies with the relevant braking requirement; (c) every driving axle not being a steering axle is fitted with twin tyres; and (d) every driving axle is fitted with road friendly suspension 	
1AA	<p>A wheeled trailer which is drawn by a wheeled motor tractor, heavy motor car or motor car (not being in any case an agricultural motor vehicle), where the combination has a total of 5 or more axles and the following conditions are satisfied in relation to the drawing vehicle, namely—</p> <ul style="list-style-type: none"> (a) it was first used on or after 1st April 1973; (b) it complies with the relevant braking requirement; (c) every driving axle not being a steering axle is fitted with twin tyres; and (d) either every driving axle is fitted with road friendly suspension or no axle has an axle weight exceeding 8,500kg 	38,000
1B	<p>A wheeled trailer, not being part of a combination described in items 1, 1A or 1AA which is drawn by a wheeled motor tractor, heavy motor car or motor car (not being in any case an agricultural motor vehicle), where—</p> <ul style="list-style-type: none"> (a) the trailer is fitted with power-assisted brakes which can be operated by the driver of the drawing vehicle and are not rendered ineffective by the non-rotation of its engine; and (b) the drawing vehicle is equipped with a warning 	32,520"

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

device so placed as
to be readily visible
to the driver of the
vehicle and which is
capable of indicating any
impending failure of, or
deficiency in, the vacuum
or pressure system

(4) In item 3 of the Table, after “1A,” there shall be inserted “1AA,”.