## SCHEDULE 1

Articles 3(a), 5(1) and 10

## SUBSTANCES WHICH IF INCLUDED IN MEDICINAL PRODUCTS MAKE THOSE PRODUCTS PRESCRIPTION ONLY MEDICINES AND EXEMP TIONS FROM RESTRICTIONS ON THE SALE AND SUPPLY OF PRESCRIPTION ONLY MEDICINES

| Exemptions from the restrictions on the sale and supply of prescription only medicines  |
|---|
| Column 1 Column 2 Column 3 Column 4 Column 5  |
| Substance Maximum Route of Treatment Maximum<br>strength administration, limitations quantity<br>use or<br>pharmaceutical<br>form |

Hydrochloride

Acemetacin

Acetarsol

Acetazolamide

Acetazolamide

Sodium

Acetohexamide

Acetylcholine 0.2 per cent

External

Chloride

Acetylcysteine

Acipimox

Aciclovir 5.0 per cent External

For treatment of herpes

simplex virus

infections of the lips and face (Herpes

labialis)

Acitretin

Aclarubicin Hydrochloride

Aconite

1.3 per cent

External

Acrivastine

24 mg (MDD) Container

or package containing not more than 240mg of

Acrivastine

Container

or package

containing not

more than 2g

of medicinal

product

1

|           | Exemptions from the restrictions on the sale and supply of prescription only medicines |   |          |                     |  |
|-----------|--|---|----------|---------------------|--|
| Column 1  | Column 2   | Column 3  | Column 4 | Column 5            |  |
| Substance | Maximum<br>strength  | Route of<br>administration,<br>use or<br>pharmaceutical<br>form |          | Maximum<br>quantity |  |

Acrosoxacin

Actinomycin

C

Actinomycin

D

Adenosine

Adrenaline (1) By inhaler

(2) External

Adrenaline Acid Tartrate (1) By inhaler

(2) External

Adrenaline Hydrochloride (1) By inhaler

(2) External

Adrenocortical

Extract

Albendazole

Alclofenac

Alclometasone Dipropionate

Alcuronium Chloride

Aldesleukin

Aldosterone

Alfacalcidol

Alfuzosin

Hydrochloride

Allergen

Extracts

Allopurinol

Allyloestrenol

Alphadolone

Acetate

Alphaxalone

Exemptions from the restrictions on the sale and supply of prescription only medicines Column 1 Column 2 Column 3 Column 4 Column 5 Substance Maximum Route of **Treatment** Maximum strength administration, limitations quantity use or pharmaceutical form

Alprenolol

Alprenolol Hydrochloride

Alprostadil

Alseroxylon

Amantadine Hydrochloride

Ambenonium Chloride

Ambutonium Bromide

Amcinonide

Ametazole Hydrochloride

Amethocaine

Nonophthalmic

use

Amethocaine Gentisate Nonophthalmic

use

Amethocaine Hydrochloride Nonophthalmic

use

Amikacin Sulphate

Amiloride Hydrochloride

Aminocaproic

Acid

Aminoglutethimide

Aminopterin Sodium

Amiodarone Hydrochloride

| Exemptions from the restrictions on the sale and supply of prescription only medicines |                     |   |          | nd supply of        |
|--|---------------------|---|----------|---------------------|
| Column 1   | Column 2            | Column 3  | Column 4 | Column 5            |
| Substance  | Maximum<br>strength | Route of administration, use or pharmaceutical form |          | Maximum<br>quantity |

Amiphenazole

Hydrochloride

Amitriptyline

Amitriptyline

Embonate

Amitriptyline Hydrochloride

Amlodipine Besylate

Ammonium Bromide

Amodiaquine Hydrochloride

Amorolfine Hydrochloride

Amoxapine

Amoxycillin

Amoxycillin

Sodium

Amoxycillin Trihydrate

Amphomycin Calcium

Amphotericin

Ampicillin

Ampicillin

Sodium

Ampicillin

Trihydrate

Amsacrine

Amygdalin

Amyl Nitrite

|                       | 1 0                             | from the restrictions only medicines                         | s on the sale a | nd supply of                    |  |
|-----------------------|---------------------------------|--|-----------------|---------------------------------|--|
| Column 1<br>Substance | Column 2<br>Maximum<br>strength | Column 3 Route of administration, use or pharmaceutical form |                 | Column 5<br>Maximum<br>quantity |  |
| Amylocaine            |                                 | Non-   |                 |                                 |  |

ophthalmic

use

Ancrod

Androsterone

Hydrochloride

Angiotensin Amide

Anistreplase

Anterior

Pituitary

Extract

Antimony

Barium

Tartrate

Antimony

Dimercaptosuccinate

Antimony

Lithium

Thiomalate

Antimony

Pentasulphide

Antimony

Potassium

Tartrate

Antimony

Sodium

Tartrate

Antimony

Sodium

Thioglycollate

Antimony

Sulphate

Antimony

Trichloride

Antimony

Trioxide

| Exemptions from the restrictions on the sale and supply of prescription only medicines |                     |   |          | nd supply of        |
|--|---------------------|---|----------|---------------------|
| Column 1   | Column 2            | Column 3  | Column 4 | Column 5            |
| Substance  | Maximum<br>strength | Route of administration, use or pharmaceutical form |          | Maximum<br>quantity |

Antimony Trisulphide

Apiol

Apomorphine

Apomorphine Hydrochloride

Aprotinin

Arecoline Hydrobromide

Argipressin

Aristolochia

Aristolochia Clematitis

Aristolochia Contorta

Aristolochia

Debelis

Aristolochia Fang-chi

Aristolochia Manshuriensis

Aristolochia Serpentaria

Arsenic

Arsenic Triiodide

Arsenic Trioxide

Arsphenamine

Astemizole

Oral

For treatment of hayfever in adults and children not

10mg (MDD)

Container or package containing not more than 100mg of Astemizole

|                        |                                 | rom the restriction.   | s on the sale and  | l supply of                     |
|------------------------|---------------------------------|--|--------------------|---------------------------------|
| Column 1<br>Substance  | Column 2<br>Maximum<br>strength | Column 3 Route of administration, use or pharmaceutical form |                    | Column 5<br>Maximum<br>quantity |
|                        |                                 | less than 12<br>years  |                    |                                 |
|                        |                                 | Not a prolonged release preparation                          |                    |                                 |
| Atenolol               |                                 |  |                    |                                 |
| Atracurium<br>Besylate |                                 |  |                    |                                 |
| Atropine               |                                 | (1) Internal   |                    |                                 |
|                        |                                 | (a) by inhaler   |                    |                                 |
|                        |                                 | (b) otherwise than by inhaler                                | (b) 300mcg<br>(MD) |                                 |
|                        |                                 |  | 1mg (MDD)          |                                 |
|                        |                                 | (2) External (except ophthalmic)                             |                    |                                 |
| Atropine               |                                 | (1) Internal   |                    |                                 |
| Methobromide           |                                 | (a) by inhaler   |                    |                                 |
|                        |                                 | (b) otherwise than by inhaler                                | (b) 400mcg<br>(MD) |                                 |
|                        |                                 |  | 1.3mg (MDD)        |                                 |
|                        |                                 | (2) External (except ophthalmic)                             |                    |                                 |
| Atropine               |                                 | Internal   |                    |                                 |
| Methonitrate           |                                 | (a) by inhaler   |                    |                                 |
|                        |                                 | (b) otherwise than by inhaler                                | (b) 400mcg<br>(MD) |                                 |
|                        |                                 |  | 1.3mg (MDD)        |                                 |
| Atropine               |                                 | (1) Internal   |                    |                                 |
| Oxide<br>Hydrochloride |                                 | (a) by inhaler   |                    |                                 |
| •                      |                                 | (b) otherwise than by inhaler                                | (b) 360mcg<br>(MD) |                                 |

|                             |                                 | rom the restriction only medicines                          | s on the sale and           | d supply of   |
|-----------------------------|---------------------------------|---|-----------------------------|---|
| Column 1<br>Substance       | Column 2<br>Maximum<br>strength | Column 3 Route of administration, use or pharmaceutica form |                             | Column 5<br>Maximum<br>quantity                               |
|                             |                                 |   | 1.2mg (MDD)                 |   |
|                             |                                 | (2) External (except ophthalmic)                            |                             |   |
| Atropine                    |                                 | (1) Internal  |                             |   |
| Sulphate                    |                                 | (a) by inhaler  |                             |   |
|                             |                                 | (b) otherwise than by inhaler                               | (b) 360mcg<br>(MD)          |   |
|                             |                                 |   | 1.2mg (MDD)                 |   |
|                             |                                 | (2) External (except ophthalmic)                            |                             |   |
| Auranofin                   |                                 |   |                             |   |
| Azapropazone                |                                 |   |                             |   |
| Azathioprine                |                                 |   |                             |   |
| Azathioprine<br>Sodium      |                                 |   |                             |   |
| Azelaic Acid                |                                 |   |                             |   |
| Azelastine<br>Hydrochloride |                                 | For nasal administration                                    | 140mcg per<br>nostril (MD)  | Container or package  |
|                             |                                 | For the treatment of seasonal allergic rhinitis             | 280mcg per<br>nostril (MDD) | containing not more than 5,040mcg of Azelastine Hydrochloride |
|                             |                                 | For use in adults and children not less than 12 years       |                             |   |
|                             |                                 | As a non-<br>aerosol,<br>aqueous form                       |                             |   |
| Azidocillin<br>Potassium    |                                 | -   |                             |   |

Exemptions from the restrictions on the sale and supply of prescription only medicines Column 1 Column 2 Column 3 Column 4 Column 5 Substance Maximum Route of Treatment Maximum strength administration, limitations quantity use or pharmaceutical form

Azithromycin

Azlocillin

Sodium

Aztreonam

Bacampicillin Hydrochloride

Bacitracin

Bacitracin

Methylene

Disalicylate

Bacitracin

Zinc

Baclofen

Bambuterol

Hydrochloride

Barium

Carbonate

Barium

Chloride

Barium

Sulphide

Beclamide

Beclomethasone

Beclomethasone Dipropionate

For nasal administration nostril (MD) (non-aerosol)

100mcg per

200mcg per nostril (MDD)

For the prevention and treatment of allergic rhinitis

Container or package containing not more than 5,600mcg of Beclomethasone Dipropionate

For use in adults and children not

|                              | Exemptions fro                  | om the restriction which is the properties of the contract of | s on the sale and                    | d supply of                     |
|------------------------------|---------------------------------|---|--------------------------------------|---------------------------------|
| Column 1<br>Substance        | Column 2<br>Maximum<br>strength | Column 3 Route of administration, use or pharmaceutica form   |                                      | Column 5<br>Maximum<br>quantity |
| less than 12<br>years        |                                 |   |                                      |                                 |
| Belladonna<br>Herb           |                                 | (1) Internal  | (1) 1mg of<br>the alkaloids<br>(MDD) |                                 |
|                              |                                 | (2) External  |                                      |                                 |
| Belladonna<br>Root           |                                 | (1) Internal  | (1) 1mg of<br>the alkaloids<br>(MDD) |                                 |
|                              |                                 | (2) External  |                                      |                                 |
| Bemegride                    |                                 |   |                                      |                                 |
| Bemegride<br>Sodium          |                                 |   |                                      |                                 |
| Benapryzine<br>Hydrochloride |                                 |   |                                      |                                 |
| Bendrofluazide               |                                 |   |                                      |                                 |
| Benethamine<br>Penicillin    |                                 |   |                                      |                                 |
| Benoxaprofen                 |                                 |   |                                      |                                 |
| Benperidol                   |                                 |   |                                      |                                 |
| Benserazide<br>Hydrochloride |                                 |   |                                      |                                 |
| Bentiromide                  |                                 |   |                                      |                                 |
| Benzathine<br>Penicillin     |                                 |   |                                      |                                 |
| Benzbromarone                |                                 |   |                                      |                                 |
| Benzhexol<br>Hydrochloride   |                                 |   |                                      |                                 |
| Benzilonium<br>Bromide       |                                 |   |                                      |                                 |
| Benzocaine                   |                                 | Any use except ophthalmic use   |                                      |                                 |

Exemptions from the restrictions on the sale and supply of prescription only medicines Column 1 Column 5 Column 2 Column 3 Column 4 Substance Maximum Route of Treatment Maximum strength administration, limitations quantity use or pharmaceutical form

Benzoctamine Hydrochloride

Benzoyl

10.0 per cent External

Peroxide

N-Benzoyl Sulphanilamide

Benzquinamide

Benzquinamide Hydrochloride

Benzthiazide

Benztropine Mesylate

Benzylpenicillin

Calcium

Benzylpenicillin

Potassium

Benzylpenicillin

Sodium

Beractant

Betahistine

Hydrochloride

Betamethasone

Betamethasone

Adamantoate

Betamethasone

Benzoate

Betamethasone

Dipropionate

Betamethasone

Sodium

Phosphate

Betamethasone

Valerate

Betaxolol

Hydrochloride

Exemptions from the restrictions on the sale and supply of prescription only medicines Column 1 Column 2 Column 3 Column 4 Column 5 Substance Maximum Route of Treatment Maximum strength administration, limitations quantity use or pharmaceutical form

Bethanechol

Chloride

Bethanidine Sulphate

Bezafibrate

Biperiden Hydrochloride

Biperiden

Lactate

Bismuth

Glycollylarsanilate

Bisoprolol Fumarate

Bleomycin

Bleomycin Sulphate

Bretylium

Tosylate

Bromhexine Hydrochloride

Bromocriptine Mesylate

Bromperidol

Bromvaletone

Brotizolam

Budesonide

For nasal 200mcg per administration nostril (MD)

For the 200mcg per prevention nostril (MDD) or treatment

rhinitis

For use in adults and in children not

of seasonal allergic

Container or package containing not more than 10mg of Budesonide

|                               | prescription                    | from the restriction.  |            |                                 |  |
|-------------------------------|---------------------------------|--|------------|---------------------------------|--|
| Column 1<br>Substance         | Column 2<br>Maximum<br>strength | Column 3 Route of administration, use or pharmaceutical form |            | Column 5<br>Maximum<br>quantity |  |
|                               |                                 | less than 12 years   |            |                                 |  |
|                               |                                 | As a non-<br>aerosol,<br>aqueous form                        |            | -                               |  |
| Bufexamac                     |                                 |  |            |                                 |  |
| Bumetanide                    |                                 |  |            |                                 |  |
| Buphenine                     |                                 |  | 6mg (MD)   |                                 |  |
| Hydrochloride                 |                                 |  | 18mg (MDD) |                                 |  |
| Bupivacaine                   |                                 | Any use except ophthalmic use                                |            |                                 |  |
| Bupivacaine<br>Hydrochloride  |                                 | Any use except ophthalmic use                                |            |                                 |  |
| Buserelin<br>Acetate          |                                 |  |            |                                 |  |
| Buspirone<br>Hydrochloride    |                                 |  |            |                                 |  |
| Busulphan                     |                                 |  |            |                                 |  |
| Butacaine<br>Sulphate         |                                 | Any use except ophthalmic use                                |            |                                 |  |
| Butorphanol<br>Tartrate       |                                 |  |            |                                 |  |
| Butriptyline<br>Hydrochloride |                                 |  |            |                                 |  |
| Calcipotriol                  |                                 |  |            |                                 |  |
| Calcitonin                    |                                 |  |            |                                 |  |
| Calcitriol                    |                                 |  |            |                                 |  |
| Calcium<br>Amphomycin         |                                 |  |            |                                 |  |

|                           | Exemptions from prescription or | om the restrictions<br>aly medicines                              | s on the sale and              | d supply of  |
|---------------------------|---------------------------------|---|--------------------------------|--|
| Column 1<br>Substance     | Column 2<br>Maximum<br>strength | Column 3 Route of administration, use or pharmaceutical form      |                                | Column 5<br>Maximum<br>quantity                            |
| Calcium<br>Benzamidosalio | cylate                          |   |                                |  |
| Calcium<br>Bromide        |                                 |   |                                |  |
| Calcium<br>Bromidolactobi | onate                           |   |                                |  |
| Calcium<br>Carbimide      |                                 |   |                                |  |
| Calcium<br>Folinate       |                                 |   |                                |  |
| Calcium<br>Metrizoate     |                                 |   |                                |  |
| Calcium<br>Sulphaloxate   |                                 |   |                                |  |
| Candicidin                |                                 |   |                                |  |
| Canrenoic<br>Acid         |                                 |   |                                |  |
| Cantharidin               | 0.01 per cent                   | External  |                                |  |
| Capreomycin<br>Sulphate   |                                 |   |                                |  |
| Captopril                 |                                 |   |                                |  |
| Carbachol                 |                                 |   |                                |  |
| Carbamazepine             |                                 |   |                                |  |
| Carbaryl                  |                                 |   |                                |  |
| Carbenicillin<br>Sodium   |                                 |   |                                |  |
| Carbenoxolone<br>Sodium   |                                 |   | (1) 5mg (MD)<br>25mg (MDD)     |  |
|                           | (2) 2.0 per cent                | (2) Gel   |                                |  |
|                           | (3) 1.0 per cent                | (3)<br>Granules for<br>mouthwash<br>in adults and<br>children not | (3) 20mg<br>(MD)<br>80mg (MDD) | (3) Container or package containing not more than 506mg of |

|           | 1 0                 | from the restrictions only medicines | s on the sale a          | nd supply of        |  |
|-----------|---------------------|--------------------------------------|--------------------------|---------------------|--|
| Column 1  | Column 2            | Column 3                             | Column 4                 | Column 5            |  |
| Substance | Maximum<br>strength | Route of administration,             | Treatment<br>limitations | Maximum<br>quantity |  |
|           |                     | use or<br>pharmaceutical<br>form     | !                        |                     |  |
|           |                     | less than 12                         |                          | Carbenoxolone       |  |
|           |                     | years                                |                          | Sodium              |  |

Carbidopa

Carbimazole

Carbocisteine

Carbon

Tetrachloride

Carboplatin

Carboprost

Trometamol

Carbuterol Hydrochloride

Carfecillin

Sodium

Carindacillin

Sodium

Carisoprodol

Carmustine

Carperidine

Carteolol

Hydrochloride

Cefaclor

Cefadroxil

Cefazedone

Sodium

Cefixime

Cefodizime

Sodium

Cefotaxime

Sodium

Cefoxitin

Sodium

Cefpodoxime

Proxetil

|           | Exemptions from prescription on | om the restrictions<br>aly medicines                | s on the sale a | nd supply of        |
|-----------|---------------------------------|---|-----------------|---------------------|
| Column 1  | Column 2                        | Column 3  | Column 4        | Column 5            |
| Substance | Maximum<br>strength             | Route of administration, use or pharmaceutical form |                 | Maximum<br>quantity |

Cefsulodin

Sodium

Ceftazidime

Ceftizoxime

Sodium

Ceftriaxone

Sodium

Cefuroxime

Axetil

Cefuroxime

Sodium

Celiprolol

Hydrochloride

Cephalexin

Cephalexin

Sodium

Cephaloridine

Cephalothin

Sodium

Cephamandole

Nafate

Cephazolin

Sodium

Cephradine

Cerium

Oxalate

Cerivastatin

Ceruletide

Diethylamine

Cetirizine

Hydrochloride

10mg (MDD)

Container or package

containing
not more than
100mg of
Cetirizine
Hydrochloride

16

Exemptions from the restrictions on the sale and supply of prescription only medicines Column 1 Column 2 Column 3 Column 4 Column 5 Substance Maximum Route of Treatment Maximum strength administration, limitations quantity use or pharmaceutical form

Chenodeoxycholic

Acid

Chloral External

Hydrate

Chlorambucil

Chloramphenicol

Chloramphenicol

Cinnamate

Chloramphenicol

Palmitate

Chloramphenicol

Sodium Succinate

Chlorhexadol

Chlormadinone

Acetate

Chlormerodrin

Chlormethiazole

Chlormethiazole

Edisylate

Chlormezanone

Chloroform( $\mathbf{1}$ ) (1) 5.0 per

cent

(1) Internal

(2) External

Chloroquine Prophylaxis of

Phosphate malaria

Chloroquine Prophylaxis of Sulphate malaria

Chlorothiazide Chlorotrianisene Chlorphenoxamine Hydrochloride

<sup>(1)</sup> SeeS.I. 1979/382 amended by S.I. 1980/263 and S.I. 1989/1124.

Exemptions from the restrictions on the sale and supply of prescription only medicines Column 1 Column 2 Column 3 Column 4 Column 5 Substance Maximum Route of Treatment Maximum strength administration, limitations quantity use or pharmaceutical form

Chlorpromazine

Chlorpromazine

Embonate

Chlorpromazine Hydrochloride

Chlorpropamide

Chlorprothixene

Chlorprothixene Hydrochloride

Chlortetracycline

Chlortetracycline

Calcium

Chlortetracycline Hydrochloride

Chlorthalidone

Chlorzoxazone

Cholestyramine

Ciclacillin

Ciclobendazole

Cilastatin Sodium

Cilazapril

Cimetidine

(a) For the short-term symptomatic relief of heartburn, dyspepsia, indigestion, acid

acid indigestion and hyperacidity and for the prophylaxis of (a) 200mg (MD)

800mg (MDD)

For a maximum period of 14 days

uays

|                                | Exemptions from the restrictions on the sale and supply of prescription only medicines |  |  |                                 |  |
|--------------------------------|--|--|--|---------------------------------|--|
| Column 1<br>Substance          | Column 2<br>Maximum<br>strength  | Column 3 Route of administration, use or pharmaceutica form meal-induced                             |  | Column 5<br>Maximum<br>quantity |  |
|                                |  | heartburn (b) For the prophylactic management of nocturnal heartburn by a single dose taken at night | (b) 100mg<br>(MD) to be<br>taken as a<br>single dose at<br>night<br>For a<br>maximum<br>period of 14<br>days |                                 |  |
| Cimetidine<br>Hydrochloride    |  |  |  |                                 |  |
| Cinchocaine                    | 3.0 per cent   | Non-<br>ophthalmic<br>use  |  |                                 |  |
| Cinchocaine<br>Hydrochloride   | Equivalent of 3.0 per cent of Cinchocaine  | Non-<br>ophthalmic<br>use  |  |                                 |  |
| Cinchophen                     |  |  |  |                                 |  |
| Cinoxacin                      |  |  |  |                                 |  |
| Ciprofibrate                   |  |  |  |                                 |  |
| Ciprofloxacin                  |  |  |  |                                 |  |
| Ciprofloxacin<br>Hydrochloride |  |  |  |                                 |  |
| Cisapride                      |  |  |  |                                 |  |
| Cisplatin                      |  |  |  |                                 |  |
| Clarithromycin                 |  |  |  |                                 |  |
| Clavulanic<br>Acid             |  |  |  |                                 |  |
| Clidinium<br>Bromide           |  |  |  |                                 |  |
| Clindamycin                    |  |  |  |                                 |  |
| Clindamycin<br>Hydrochloride   |  |  |  |                                 |  |

|                       | Exemptions from the restrictions on the sale and supply of prescription only medicines |  |  |                                 |
|-----------------------|--|--|--|---------------------------------|
| Column 1<br>Substance | Column 2<br>Maximum<br>strength  | Column 3 Route of administration, use or pharmaceutical form |  | Column 5<br>Maximum<br>quantity |

Clindamycin Palmitate Hydrochloride Clindamycin

Phosphate

Clioquinol

(1) External (other than treatment of mouth ulcers)

(2) 35mg

(2) Treatment (2) 350mg of mouth (MDD)

ulcers

Clobetasol Propionate

Clobetasone Butyrate

Clofazimine

Clofibrate

Clomiphene Citrate

Clomipramine

Clomipramine Hydrochloride

Clomocycline

Clomocycline Sodium

Clonidine

Clonidine Hydrochloride

Clopamide

Clopenthixol Decanoate

Clopenthixol Hydrochloride

Clorexolone

|                                     | Exemptions from the restrictions on the sale and supply of prescription only medicines |   |  |                                 |  |
|-------------------------------------|--|---|--|---------------------------------|--|
| Column 1<br>Substance               | Column 2<br>Maximum<br>strength  | Column 3 Route of administration, use or pharmaceutical form  |  | Column 5<br>Maximum<br>quantity |  |
| Clotrimazole                        |  | External but<br>in the case of<br>vaginal use<br>only external<br>use for the<br>treatment<br>of vaginal<br>candidiasis |  |                                 |  |
| Cloxacillin<br>Benzathine           |  |   |  |                                 |  |
| Cloxacillin<br>Sodium               |  |   |  |                                 |  |
| Clozapine                           |  |   |  |                                 |  |
| Cocculus<br>Indicus                 |  |   |  |                                 |  |
| Co-dergocrine<br>Mesylate           |  |   |  |                                 |  |
| Colaspase                           |  |   |  |                                 |  |
| Colchicine                          |  |   |  |                                 |  |
| Colestipol<br>Hydrochloride         |  |   |  |                                 |  |
| Colfosceril<br>Palmitate            |  |   |  |                                 |  |
| Colistin<br>Sulphate                |  |   |  |                                 |  |
| Colistin<br>Sulphomethate           |  |   |  |                                 |  |
| Colistin<br>Sulphomethate<br>Sodium |  |   |  |                                 |  |
| Coniine                             |  |   |  |                                 |  |
| Conium Leaf                         | 7.0 per cent   | External  |  |                                 |  |
| Corticotrophin                      |  |   |  |                                 |  |
| Cortisone                           |  |   |  |                                 |  |
| Cortisone<br>Acetate                |  |   |  |                                 |  |

Exemptions from the restrictions on the sale and supply of prescription only medicines Column 1 Column 5 Column 2 Column 3 Column 4 Substance Maximum Route of **Treatment** Maximum administration, limitations strength quantity use or pharmaceutical form

Co-tetroxazine

Co-

trimoxazole

Cropropamide

Crotethamide

Croton Oil

Croton Seed

Curare

Cyclofenil

Cyclopenthiazide

Cyclopentolate

Hydrochloride

Cyclophosphamide

Cycloserine

Cyclosporin

Cyclothiazide

Cyproterone

Acetate

Cytarabine

Cytarabine

Hydrochloride

Dacarbazine

Dalteparin

Sodium

Danazol

Danthron

Dantrolene

Sodium

Dapsone

Dapsone

Ethane Ortho

Sulphonate

|           | Exemptions from prescription on | m the restrictions<br>ly medicines                              | s on the sale ar | nd supply of        |
|-----------|---------------------------------|---|------------------|---------------------|
| Column 1  | Column 2                        | Column 3  | Column 4         | Column 5            |
| Substance | Maximum<br>strength             | Route of<br>administration,<br>use or<br>pharmaceutical<br>form |                  | Maximum<br>quantity |

Daunorubicin Hydrochloride

Deanol Bitartrate 26mg (MDD)

Debrisoquine Sulphate

Demecarium Bromide

Demeclocycline

Demeclocycline

Calcium

Demeclocycline Hydrochloride

Deoxycortone

Acetate

Deoxycortone Pivalate

Deptropine Citrate

Dequalinium

Chloride

(1) 0.25mg

(1) Internal: throat lozenges or throat pastilles

(2) 1.0 per cent

(2) External: paint

Deserpidine

Desferrioxamine

Mesylate

Desflurane

Desipramine Hydrochloride

Deslanoside

Desmopressin

Desmopressin

Acetate

Exemptions from the restrictions on the sale and supply of prescription only medicines Column 5 Column 1 Column 2 Column 3 Column 4 Substance Maximum Route of Treatment Maximum strength administration, limitations quantity use or pharmaceutical form

Desogestrel

Desonide

Desoxymethasone

Dexamethasone

Dexamethasone

Acetate

Dexamethasone

Isonicotinate

Dexamethasone

Phenylpropionate

Dexamethasone

Pivalate

Dexamethasone

Sodium

Metasulphobenzoate

Dexamethasone

Sodium

Phosphate

Dexamethasone

Troxundate

Dexfenfluramine

Hydrochloride

Dextromethorphan Hydrobromide

Internal

(a) In the case of a prolonged

release preparation: equivalent of 30mg of

Dextromethorphan

(MD)

equivalent of 75mg of

Dextromethorphan

(MDD)

(b) in any other case: equivalent

|                       | 1 0                             | from the restrictions only medicines                         | s on the sale a | nd supply of                    |
|-----------------------|---------------------------------|--|-----------------|---------------------------------|
| Column 1<br>Substance | Column 2<br>Maximum<br>strength | Column 3 Route of administration, use or pharmaceutical form |                 | Column 5<br>Maximum<br>quantity |

of 15mg of
Dextromethorphan
(MD)
equivalent
of 75mg of
Dextromethorphan

(MDD)

Dextrothyroxine Sodium

Diazoxide

Dibenzepin Hydrochloride

Dichloralphenazone

Dichlorphenamide

Diclofenac 1.16 per cent Diethylammonium

For local symptomatic relief of pain and inflammation in trauma of the tendons, ligaments, muscles and joints and in localised forms of soft tissue rheumatism

External

For use in adults and children not less than 12 years

For maximum Container period of 7 or package containing

Container or package containing not more than 30g of medicinal product

Diclofenac Potassium

Diclofenac Sodium

Exemptions from the restrictions on the sale and supply of prescription only medicines Column 1 Column 2 Column 3 Column 4 Column 5 Substance Maximum Route of Treatment Maximum administration, limitations strength quantity use or pharmaceutical form

Dicyclomine 10mg (MD) Hydrochloride 60mg (MDD)

Dienoestrol

Diethanolamine

Fusidate

Diflucortolone

Valerate

Diflunisal

Digitalin

Digitalis Leaf

Digitalis

Prepared

Digitoxin

Digoxin

Dihydralazine

Sulphate

Dihydroergotamine

Mesylate

Dihydrostreptomycin

Dihydrostreptomycin

Sulphate

Diloxanide

Furoate

Diltiazem

Hydrochloride

Dimercaprol

Dimethisoquin Non-Hydrochloride ophthalmic

use

Dimethisterone

Dimethothiazine

Mesylate

Dimethyl

Sulphoxide

Exemptions from the restrictions on the sale and supply of prescription only medicines Column 5 Column 1 Column 2 Column 3 Column 4 Substance Maximum Route of Treatment Maximum strength administration, limitations quantity use or pharmaceutical form

Dimethyltubocurarine

Bromide

Dimethyltubocurarine

Chloride

Dimethyltubocurarine

Iodide

Dinoprost

Dinoprost

Trometamol

Dinoprostone

Dipivefrin

Hydrochloride

Dipyridamole

Disodium

Etidronate

Disodium

Pamidronate

Disopyramide

Disopyramide

Phosphate

Distigmine

Bromide

Disulfiram

Dithranol 1.0 per cent

Dobutamine

Hydrochloride

Domperidone

Domperidone

Maleate

Dopamine

Hydrochloride

Dopexamine

Hydrochloride

Dothiepin

Exemptions from the restrictions on the sale and supply of prescription only medicines Column 5 Column 1 Column 2 Column 3 Column 4 Substance Maximum Route of Treatment Maximum strength administration, limitations quantity use or pharmaceutical form

Dothiepin Hydrochloride

Doxapram Hydrochloride

Doxazosin Mesylate

Doxepin Hydrochloride

Doxorubicin

Doxorubicin Hydrochloride

Doxycycline

Doxycycline Calcium Chelate

Doxycycline Hydrochloride

Droperidol

Dydrogesterone

Dyflos

Econazole External but

in the case of vaginal use only external use for the treatment of vaginal candidiasis

Econazole Nitrate External but in the case of vaginal use only external use for the treatment of vaginal candidiasis

Exemptions from the restrictions on the sale and supply of prescription only medicines Column 1 Column 2 Column 3 Column 4 Column 5 Substance Maximum Route of Treatment Maximum strength administration, limitations quantity use or pharmaceutical form Ecothiopate Iodide Edrophonium Chloride Eflornithine Hydrochloride Embutramide Emepronium Bromide 1.0 per cent Emetine Emetine Bismuth Iodide Emetine Equivalent of 1.0 per cent of Hydrochloride Emetine Enalapril Maleate Encephalitis Virus, Tickborne, Cent Eur Enoxacin Enoxaparin Sodium Enoximone Ephedrine (1) Internal (1) 30mg (other than (MD) nasal sprays or nasal drops) 60mg (MDD) (2) 2.0 per (2) Nasal cent sprays or nasal

drops

(3) External

|                            | Exemptions fro                              | om the restrictionally medicines                               | s on the sale and                                 | supply of                       |
|----------------------------|---|--|---|---------------------------------|
| Column 1<br>Substance      | Column 2<br>Maximum<br>strength             | Column 3 Route of administration use or pharmaceutica form     | •   | Column 5<br>Maximum<br>quantity |
| Ephedrine<br>Hydrochloride |   | (1) Internal<br>(other than<br>nasal sprays or<br>nasal drops) | (1) Equivalent<br>of 30mg of<br>Ephedrine<br>(MD) |                                 |
|                            |   |  | Equivalent of 60mg of Ephedrine (MDD)             |                                 |
|                            | (2) Equivalent of 2.0 per cent of Ephedrine |  |   |                                 |
|                            |   | (3) External   |   |                                 |
| Ephedrine<br>Sulphate      |   | (1) Internal<br>(other than<br>nasal sprays or<br>nasal drops) | (1) Equivalent<br>of 30mg of<br>Ephedrine<br>(MD) |                                 |
|                            |   |  | Equivalent of 60mg of Ephedrine (MDD)             |                                 |
|                            | (2) Equivalent of 2.0 per cent of Ephedrine |  |   |                                 |
|                            |   | (3) External   |   |                                 |
| Epicillin                  |   |  |   |                                 |
| Epirubicin                 |   |  |   |                                 |

Epirubicin Hydrochloride

Epithiazide

Epoetin Alfa

Epoetin Beta

Epoprostenol Sodium

Ergometrine Maleate

Exemptions from the restrictions on the sale and supply of prescription only medicines Column 1 Column 5 Column 2 Column 3 Column 4 Substance Maximum Route of Treatment Maximum administration, limitations strength quantity use or pharmaceutical form

Ergometrine

Tartrate

Ergot,

Prepared

Ergotamine

Tartrate

Erythromycin

Erythromycin

Estolate

Erythromycin

Ethylcarbonate

Erythromycin

Ethyl

Succinate

Erythromycin

Lactobionate

Erythromycin

Phosphate

Erythromycin

Stearate

Erythromycin

Thiocyanate

Esmolol

Hydrochloride

Estramustine

Phosphate

Etafedrine

Hydrochloride

Ethacrynic

Acid

Ethambutol

Hydrochloride

Ethamivan

Ethamsylate

Ethiazide

Exemptions from the restrictions on the sale and supply of prescription only medicines Column 1 Column 2 Column 3 Column 4 Column 5 Substance Maximum Route of Treatment Maximum strength administration, limitations quantity use or pharmaceutical form

Ethinyl

Androstenediol

Ethinyloestradiol

Ethionamide

Ethisterone

Ethoglucid

Ethoheptazine

Citrate

Ethopropazine Hydrochloride

Ethosuximide

Ethotoin

Ethyl

Biscoumacetate

Ethynodiol

Diacetate

Etodolac

Etomidate

Etomidate

Hydrochloride

Etoposide

Etretinate

Famciclovir

Famotidine

For the short-term symptomatic relief of heartburn, dyspepsia, indigestion, acid indigestion and 10mg (MD)

20mg (MDD)

For maximum period of 14 days

hyperacidity, and prevention of these

|                               | Exemptions from the restrictions on the sale and supply of prescription only medicines |  |                              |   |  |
|-------------------------------|--|--|------------------------------|---|--|
| Column 1<br>Substance         | Column 2<br>Maximum<br>strength  | Column 3 Route of administration, use or pharmaceutical form   |                              | Column 5<br>Maximum<br>quantity   |  |
|                               |  | symptoms when associated with food and drink, including nocturnal symptoms   |                              |   |  |
| Fazadinium<br>Bromide         |  |  |                              |   |  |
| Felbinac                      | 3.17 per cent  | External  For the relief of symptoms associated with soft tissue injury such as strains, sprains and contusions  For use in adults and children not less than 12 years | For maximum period of 7 days | Container<br>or package<br>containing not<br>more than 30g<br>of medicinal<br>product |  |
| Felodipine                    |  |  |                              |   |  |
| Felypressin                   |  |  |                              |   |  |
| Fenbufen                      |  |  |                              |   |  |
| Fenclofenac                   |  |  |                              |   |  |
| Fenfluramine<br>Hydrochloride |  |  |                              |   |  |
| Fenofibrate                   |  |  |                              |   |  |
| Fenoprofen                    |  |  |                              |   |  |
| Fenoprofen<br>Calcium         |  |  |                              |   |  |
| Fenoterol<br>Hydrobromide     |  |  |                              |   |  |

Exemptions from the restrictions on the sale and supply of prescription only medicines Column 1 Column 2 Column 3 Column 4 Column 5 Substance Maximum Route of Treatment Maximum strength administration, limitations quantity use or pharmaceutical form

Fenticonazole

Nitrate

Feprazone

Ferrous

Arsenate

Filgrastim

Finasteride

-----

Flavoxate Hydrochloride

Flecainide

Acetate

Flosequinan

Fluanisone

Flubendazole

Fluclorolone

Acetonide

Flucloxacillin

Magnesium

Flucloxacillin

Sodium

Fluconazole

For oral administration for the treatment of vaginal candidiasis in persons aged not less than 16 but less than 60 years

150mg (MD)

Container or package containing not more than 150mg of Fluconazole

Flucytosine

Fludrocortisone

Acetate

Flufenamic

Acid

Flumazenil

|                          | Exemptions from the restrictions on the sale and supply of prescription only medicines |  |  |  |  |  |  |
|--------------------------|--|--|--|--|--|--|--|
| Column I<br>Substance    | prescription of<br>Column 2<br>Maximum<br>strength                                     | Column 3  Route of  administration,  use or  pharmaceutica  form   |  | Column 5<br>Maximum<br>quantity  |  |  |  |
| Flumethasone             |  | ·  |  |  |  |  |  |
| Flumethasone<br>Pivalate |  |  |  |  |  |  |  |
| Flunisolide              | 0.025 per cent   | (a) For the prevention and treatment of seasonal allergic rhinitis, including hay fever  For use in adults and children not less than 16 years | (a) 50mcg per<br>nostril (MD)<br>100mcg per<br>nostril (MDD) | (a) Container or package containing not more than 6,000mcg of Flunisolide                |  |  |  |
|                          |  | In the form<br>of a non-<br>pressurised<br>nasal spray   |  |  |  |  |  |
|                          |  | (b) For the prevention and treatment of seasonal allergic rhinitis including hay fever   | (b) 25mcg per<br>nostril (MD)<br>75mcg per<br>nostril (MDD)  | (b) Container<br>or package<br>containing<br>not more than<br>6,000mcg of<br>Flunisolide |  |  |  |
|                          |  | For use in children not less than 12 years but less than 16 years  |  |  |  |  |  |
| Fluocinolone             |  | In the form<br>of a non-<br>pressurised<br>nasal spray   |  |  |  |  |  |

Fluocinolone Acetonide

Fluocinonide

Exemptions from the restrictions on the sale and supply of prescription only medicines Column 1 Column 5 Column 2 Column 3 Column 4 Substance Maximum Route of Treatment Maximum administration, limitations strength quantity use or pharmaceutical form

Fluocortin

Butyl

Fluocortolone

Fluocortolone

Hexanoate

Fluocortolone

Pivalate

Fluorescein

Dilaurate

Fluorometholone

Fluorouracil

Fluorouracil

Trometamol

Fluoxetine

Hydrochloride

Flupenthixol

Decanoate

Flupenthixol

Hydrochloride

Fluperolone

Acetate

Fluphenazine

Decanoate

Fluphenazine

Enanthate

Fluphenazine

Hydrochloride

Fluprednidene

Acetate

Fluprednisolone

Fluprostenol

Sodium

Flurandrenolone

Flurbiprofen

|                       | Exemptions from the restrictions on the sale and supply of prescription only medicines |  |  |                                 |  |
|-----------------------|--|--|--|---------------------------------|--|
| Column 1<br>Substance | Column 2<br>Maximum<br>strength  | Column 3 Route of administration, use or pharmaceutical form |  | Column 5<br>Maximum<br>quantity |  |

Flurbiprofen

Sodium

Fluspirilene

Flutamide

Fluticasone

Propionate

Fluvastatin

Sodium

Fluvoxamine

Maleate

Folic Acic 500mcg

(MDD)

Formestane

Formocortal

Foscarnet

Sodium

Fosfestrol

Sodium

Fosfomycin

Trometamol

Fosinopril

Sodium

Framycetin

Sulphate

Frusemide

Furazolidone

Fusafungine

Fusidic Acid

Gabapentin

Gadoteridol

Gallamine

Triethiodide

Ganciclovir

Exemptions from the restrictions on the sale and supply of prescription only medicines Column 1 Column 2 Column 3 Column 4 Column 5 Substance Maximum Route of Treatment Maximum strength administration, limitations quantity use or pharmaceutical form Ganciclovir Sodium

Gelsemine 0.1 per cent

Gelsemium 25mg (MD)

75mg (MDD)

Gemeprost

Gemfibrozil

Gentamicin

Gentamicin Sulphate

Gestodene

Gestrinone

Gestronol

Gestronol

Hexanoate

Glibenclamide

Glibornuride

Gliclazide

Glipizide

Gliquidone

Glisoxepide

Glucagon

Glycopyrronium 1mg (MD)
Bromide 2mg (MDD)

Glymidine

Gonadorelin

Goserelin Acetate

Gramicidin 0.2 per cent External

Granisetron Hydrochloride

|           | Exemptions fro prescription on | m the restrictions<br>ly medicines                  | s on the sale ar | nd supply of        |
|-----------|--------------------------------|---|------------------|---------------------|
| Column 1  | Column 2                       | Column 3  | Column 4         | Column 5            |
| Substance | Maximum<br>strength            | Route of administration, use or pharmaceutical form |                  | Maximum<br>quantity |

Griseofulvin

Growth

Hormone

Guanethidine

Monosulphate

Guanfacine

Hydrochloride

Guanoclor

Sulphate

Guanoxan

Sulphate

Halcinonide

Halofantrine

Hydrochloride

Haloperidol

Haloperidol

Decanoate

External Heparin

Heparin Calcium

Heparin

Sodium

Hexachlorophane

External

External

(a) 2.0 per cent

(a) Soaps

(b) 0.1 per

cent

(b) Aerosols

(c) 0.75 per

(c)

cent

preparations other than soaps and

aerosols

Hexamine

Phenylcinchoninate

Hexobarbitone

Exemptions from the restrictions on the sale and supply of prescription only medicines Column 1 Column 2 Column 3 Column 4 Column 5 Substance Maximum Route of Treatment Maximum strength administration, limitations quantity use or pharmaceutical form

Hexobarbitone

Sodium

Hexoestrol

Hexoestrol Dipropionate

L-Histidine Hydrochloride Dietary supplementation

Homatropine

(1) Internal

(1) 0.15mg (MD) 0.45mg (MDD)

(2) External (except ophthalmic)

Homatropine Hydrobromide 0.2mg (MD)

0.6mg (MDD)

Homatropine Methylbromide 2mg (MD) 6mg (MDD)

Hydralazine Hydrochloride

Hydrargaphen

Local

application to

skin

Hydrobromic Acid

Hydrochlorothiazide

Hydrocortisone 1.0 per cent

External

For use either alone or in conjunction with Crotamiton in irritant dermatitis, contact allergic

Container or package containing not more than 15g of medicinal product (cream or ointment) or 30ml (spray)

|                           | Exemptions from the restrictions on the sale and supply of prescription only medicines |  |  |   |  |  |
|---------------------------|--|--|--|---|--|--|
| Column 1<br>Substance     | Column 2<br>Maximum<br>strength  | Column 3 Route of administration, use or pharmaceutical form   |  | Column 5<br>Maximum<br>quantity   |  |  |
|                           |  | dermatitis, insect bite reactions, mild to moderate eczema, and either in combination with Clotrimazole for athlete's foot and candidal intertrigo or in combination with lignocaine for anal and perianal itch associated with haemorrhoids For use in adults and |  |   |  |  |
|                           |  | children not<br>less than 10<br>years<br>Cream   |  |   |  |  |
|                           |  | ointment or<br>spray   |  |   |  |  |
| Hydrocortisone<br>Acetate | Equivalent to 1.0 per cent Hydrocortisone  | External  For use in irritant dermatitis, contact allergic dermatitis, insect bite reactions, mild to moderate eczema, and in combination with one or more of the  |  | Container or package containing not more than 15g of medicinal product  In the case of suppositories, container or package containing no more than 12 |  |  |

|   | Exemptions from the restrictions on the sale and supply of prescription only medicines |   |                                |  |  |  |
|---|--|---|--------------------------------|--|--|--|
| Column 1<br>Substance                   | Column 2 Maximum strength  | Column 3 Route of administration,   | Column 4 Treatment limitations | Column 5<br>Maximum<br>quantity  |  |  |
|   | 2g   | use or pharmaceutical form  |                                | <b>4</b> y   |  |  |
|   |  | following: Benzyl Benzoate, Bismuth Oxide, Bismuth Subgallate, Peru Balsam, Pramoxine Hydrochloride, Zinc Oxide, for haemorrhoids |                                |  |  |  |
|   |  | For use in adults and children not less than 10 years   |                                |  |  |  |
|   |  | Cream, ointment or suppositories  |                                |  |  |  |
| Hydrocortisone<br>Butyrate              |  |   |                                |  |  |  |
| Hydrocortisone<br>Caprylate             |  |   |                                |  |  |  |
| Hydrocortisone<br>Hydrogen<br>Succinate |  |   |                                |  |  |  |
| Hydrocortisone<br>Sodium<br>Phosphate   |  |   |                                |  |  |  |
| Hydrocortisone<br>Sodium<br>Succinate   | Equivalent<br>to 2.5mg<br>Hydrocortisone   | External  For aphthous ulceration of the mouth for adults and children not less than 12 years                                     |                                | Container<br>or package<br>containing<br>not more than<br>equivalent<br>to 50mg of<br>Hydrocortisone |  |  |

|                              |                                 | rom the restrictions   | s on the sale an                | d supply of  |
|------------------------------|---------------------------------|--|---------------------------------|--|
| Column 1<br>Substance        | Column 2<br>Maximum<br>strength | Column 3 Route of administration, use or pharmaceutical form   |                                 | Column 5<br>Maximum<br>quantity  |
|                              |                                 | In the form of pellets   |                                 |  |
| Hydroflumeth                 | iazide                          |  |                                 |  |
| Hydroxychlor<br>Sulphate     | oquine                          | Prophylaxis of malaria   |                                 |  |
| Hydroxyproge                 | esterone                        |  |                                 |  |
| Hydroxyproge<br>Enanthate    | esterone                        |  |                                 |  |
| Hydroxyproge<br>Hexanoate    | esterone                        |  |                                 |  |
| Hydroxyurea                  |                                 |  |                                 |  |
| Hydroxyzine<br>Embonate      |                                 |  |                                 |  |
| Hydroxyzine<br>Hydrochloride |                                 | (a) For the management of pruritis associated with acute or chronic urticaria or atopic dermatitis or contact dermatitis, in adults and in children not less than 12 years | (a) 25mg<br>(MD)<br>75mg (MDD)  | (a) Container or package containing not more than 750mg of Hydroxyzine Hydrochloride |
|                              |                                 | (b) For the management of pruritis associated with acute or chronic urticaria or atopic dermatitis or contact dermatitis, in children not                                  | (b) 25 mg<br>(MD)<br>50mg (MDD) | (b) Container or package containing not more than 750mg of Hydroxyzine Hydrochloride |

|                       | Exemptions fr<br>prescription o | om the restrictions  | s on the sale and  | d supply of   |
|-----------------------|---------------------------------|--|--------------------|---|
| Column 1<br>Substance | Column 2<br>Maximum<br>strength | Column 3 Route of administration, use or pharmaceutical form |                    | Column 5<br>Maximum<br>quantity                       |
|                       |                                 | less than 6<br>years but less<br>than 12 years               |                    |   |
| Hyoscine              | (1) 0.15 per cent               | (1) Internal   |                    |   |
|                       |                                 | (2) External<br>(except<br>ophthalmic)                       |                    |   |
| Hyoscine              |                                 | (1) Internal   |                    |   |
| Butylbromide          |                                 | (a) by inhaler   |                    |   |
|                       |                                 | (b) otherwise  | (b) 20mg           | (b) Container   |
|                       |                                 | than by inhaler  |                    | or package containing                                 |
|                       |                                 |  | 80mg (MDD)         | not more<br>than 240mg<br>of Hyoscine<br>Butylbromide |
|                       |                                 | (2) External   |                    |   |
| Hyoscine              |                                 | (1) Internal   |                    |   |
| Hydrobromide          |                                 | (a) by inhaler   |                    |   |
|                       |                                 | (b) otherwise than by inhaler                                | (b) 300mcg<br>(MD) |   |
|                       |                                 |  | 900mcg<br>(MDD)    |   |
|                       |                                 | (2) External (except ophthalmic)                             |                    |   |
| Hyoscine              |                                 | (1) Internal   |                    |   |
| Methobromide          |                                 | (a) by inhaler   |                    |   |
|                       |                                 | (b) otherwise than by inhaler                                | (b) 2.5mg<br>(MD)  |   |
|                       |                                 |  | 7.5mg (MDD)        |   |
|                       |                                 | (2) External   |                    |   |
| Hyoscine              |                                 | (1) Internal   |                    |   |
| Methonitrate          |                                 | (a) by inhaler   |                    |   |

|                       |                                 | om the restriction.  | s on the sale and                                     | l supply of                     |
|-----------------------|---------------------------------|--|---|---------------------------------|
| Column 1<br>Substance | Column 2<br>Maximum<br>strength | Column 3 Route of administration, use or pharmaceutical form |   | Column 5<br>Maximum<br>quantity |
|                       |                                 | (b) otherwise than by inhaler                                | (b) 2.5mg<br>(MD)                                     |                                 |
|                       |                                 |  | 7.5mg (MDD)   |                                 |
|                       |                                 | (2) External   |   |                                 |
| Hyoscyamine           |                                 | (1) Internal   |   |                                 |
|                       |                                 | (a) by inhaler   |   |                                 |
|                       |                                 | (b) otherwise than by inhaler                                | (b) 300mcg<br>(MD)                                    |                                 |
|                       |                                 |  | 1mg (MDD)   |                                 |
|                       |                                 | (2) External   |   |                                 |
| Hyoscyamine           |                                 | (1) Internal   |   |                                 |
| Hydrobromide          |                                 | (a) by inhaler   |   |                                 |
|                       |                                 | (b) otherwise than by inhaler                                | (b) Equivalent<br>of 300mcg of<br>Hyoscyamine<br>(MD) |                                 |
|                       |                                 |  | Equivalent of 1mg of Hyoscyamine (MDD)                |                                 |
|                       |                                 | (2) External   |   |                                 |
| Hyoscyamine           |                                 | (1) Internal   |   |                                 |
| Sulphate              |                                 | (a) by inhaler   |   |                                 |
|                       |                                 | (b) otherwise than by inhaler                                | (b) Equivalent<br>of 300mcg of<br>Hyoscyamine<br>(MD) |                                 |
|                       |                                 |  | Equivalent of 1mg of Hyoscyamine (MDD)                |                                 |
|                       |                                 | (2) External   |   |                                 |
| Ibuprofen             |                                 | Rheumatic<br>and muscular<br>pain, pain of                   |   |                                 |

|                             |                                 | from the restriction only medicines  | s on the sale an   | d supply of                     |  |
|-----------------------------|---------------------------------|--|--|---------------------------------|--|
| Column 1<br>Substance       | Column 2<br>Maximum<br>strength | Column 3 Route of administration, use or pharmaceutica form  |  | Column 5<br>Maximum<br>quantity |  |
|                             |                                 | non-serious arthritic conditions, backache, neuralgia, migraine, headache, dental pain, dysmenorrhoea, feverishness, symptoms of colds and influenza |  |                                 |  |
|                             |                                 | (1) Internal   | (1)(a) In the case of a prolonged release preparation 600mg (MD) |                                 |  |
|                             |                                 |  | 1,200mg<br>(MDD)   |                                 |  |
|                             |                                 |  | (b) in any<br>other case<br>400mg (MD)                           |                                 |  |
|                             |                                 |  | 1,200mg<br>(MDD)   |                                 |  |
|                             | (2) 5.0 per cent                | (2) External   |  |                                 |  |
| Idarubicin<br>Hydrochloride |                                 |  |  |                                 |  |
| Idoxuridine                 |                                 |  |  |                                 |  |
| Ifosfamide                  |                                 |  |  |                                 |  |
| Ignatius Bean               |                                 |  |  |                                 |  |
| Imipenem<br>Hydrochloride   |                                 |  |  |                                 |  |

Imipramine

Imipramine Hydrochloride

|                       | 1 0                             | from the restrictions only medicines                         | s on the sale a | nd supply of                    |  |
|-----------------------|---------------------------------|--|-----------------|---------------------------------|--|
| Column 1<br>Substance | Column 2<br>Maximum<br>strength | Column 3 Route of administration, use or pharmaceutical form |                 | Column 5<br>Maximum<br>quantity |  |

Imipramine
Ion Exchange
Resin Bound
Salt or
Complex

Indapamide Hemihydrate

Indomethacin

Indomethacin Sodium

Indoprofen

Indoramin Hydrochloride

Inosine Pranobex

Iodamide

Iodamide Meglumine

Iodamide Sodium

Iohexol

Iomeprol

Iopamidol

Iopentol

Iothalamic

Acid

Ioversol

Ioxaglic Acid

Ipratropium Bromide

Iprindole Hydrochloride

Iproniazid Phosphate

Exemptions from the restrictions on the sale and supply of prescription only medicines Column 1 Column 2 Column 3 Column 4 Column 5 Substance Maximum Route of Treatment Maximum strength administration, limitations quantity use or pharmaceutical form

Isoaminile

Isoaminile Citrate

Isocarboxazid

Isoconazole Nitrate External but in the case of vaginal use only external use for the treatment of vaginal candidiasis

Isoetharine

Isoetharine Hydrochloride

Isoetharine Mesylate Isoniazid

Isoprenaline Hydrochloride Isoprenaline

Isopropamide Iodide

Sulphate

Equivalent of 2.5mg of

Isopropamide ion (MD)

Equivalent of 5.0mg of Isopropamide ion (MDD)

Isotretinoin

Isradipine

Itraconazole

Jaborandi External

Kanamycin Acid Sulphate

Latamoxef Disodium

| Column 2            | C - 1 2   |   |   |
|---------------------|---|---|---|
| Maximum<br>strength | Column 3 Route of administration, use or pharmaceutica form   |   | Column 5<br>Maximum<br>quantity   |
|                     |   |   |   |
|                     |   |   |   |
| 2.0 per cent        | For the prevention and treatment of dandruff and seborrhoeic dermatitis of the scalp In the form of a shampoo | Maximum<br>frequency of<br>application of<br>once every 3<br>days   | Container or package containing not more than 120ml of medicinal product and containing not more than 2,400mg of Ketoconazole   |
| 2.5 per cent        | External  |   | Container   |
|                     | For rheumatic<br>and muscular<br>pain in adults<br>and children<br>not less than<br>12                        | period of 7<br>days   | or package<br>containing not<br>more than 30g<br>of medicinal<br>product  |
|                     |   |   |   |
|                     |   |   |   |
|                     |   |   |   |
|                     |   |   |   |
|                     |   |   |   |
|                     |   |   |   |
|                     |   |   |   |
|                     |   |   |   |
|                     | 2.0 per cent  2.5 per cent  | use or pharmaceutica form  2.0 per cent For the prevention and treatment of dandruff and seborrhoeic dermatitis of the scalp In the form of a shampoo  2.5 per cent External For rheumatic and muscular pain in adults and children not less than | 2.0 per cent  For the prevention and treatment of dandruff and seborrhoeic dermatitis of the scalp  In the form of a shampoo  External  For rheumatic and muscular pain in adults and children not less than  Maximum frequency of application of once every 3 days  days  For maximum period of 7 days |

|           | 1 0                 | rom the restrictions only medicines                             | s on the sale a | nd supply of        |
|-----------|---------------------|---|-----------------|---------------------|
| Column 1  | Column 2            | Column 3  | Column 4        | Column 5            |
| Substance | Maximum<br>strength | Route of<br>administration,<br>use or<br>pharmaceutical<br>form |                 | Maximum<br>quantity |

Levallorphan Tartrate

Levobunolol Hydrochloride

Levodopa

Levonorgestrel

Lidoflazine

Lignocaine Non-

ophthalmic

use

Lignocaine Hydrochloride Nonophthalmic

use

Lincomycin

Lincomycin Hydrochloride

Liothyronine Sodium

Lisinopril

Lithium Carbonate

Equivalent of 5mg of

Lithium (MD)

Equivalent of 15mg of Lithium (MDD)

Lithium Citrate

Lithium Succinate

Lithium Equivalent Sulphate of 5mg of

Lithium (MD)

Equivalent of 15mg

|                               | Exemptions from prescription of | om the restriction nly medicines                            | s on the sale and                               | d supply of                     |
|-------------------------------|---------------------------------|---|---|---------------------------------|
| Column 1<br>Substance         | Column 2<br>Maximum<br>strength | Column 3 Route of administration, use or pharmaceutica form |   | Column 5<br>Maximum<br>quantity |
|                               |                                 |   | of Lithium<br>(MDD)                             |                                 |
| Lobeline                      |                                 | (1) Internal  | (1) 3mg (MD)                                    |                                 |
|                               |                                 | (2) E   | 9mg (MDD)                                       |                                 |
| Lobeline<br>Hydrochloride     |                                 | <ul><li>(2) External</li><li>(1) Internal</li></ul>         | (1) Equivalent<br>of 3mg of<br>Lobeline<br>(MD) |                                 |
|                               |                                 |   | Equivalent of 9mg of Lobeline (MDD)             |                                 |
|                               |                                 | (2) External  |   |                                 |
| Lobeline<br>Sulphate          |                                 | (1) Internal  | (1) Equivalent of 3mg of Lobeline (MD)          |                                 |
|                               |                                 |   | Equivalent of 9mg of Lobeline (MDD)             |                                 |
|                               |                                 | (2) External  |   |                                 |
| Lodoxamide<br>Trometamol      |                                 |   |   |                                 |
| Lofepramine                   |                                 |   |   |                                 |
| Lofepramine<br>Hydrochloride  |                                 |   |   |                                 |
| Lofexidine<br>Hydrochloride   |                                 |   |   |                                 |
| Lomefloxacin<br>Hydrochloride |                                 |   |   |                                 |
| Lomustine                     |                                 |   |   |                                 |
| Loperamide<br>Hydrochloride   |                                 | Treatment of acute diarrhoea                                |   |                                 |

|                               | Exemptions from the restrictions on the sale and supply of prescription only medicines |  |            |   |  |  |
|-------------------------------|--|--|------------|---|--|--|
| Column 1<br>Substance         | Column 2<br>Maximum<br>strength  | Column 3 Route of administration, use or pharmaceutical form |            | Column 5<br>Maximum<br>quantity                                   |  |  |
| Loratidine                    |  |  | 10mg (MDD) | Container or package containing not more than 100mg of Loratidine |  |  |
| Loxapine<br>Succinate         |  |  |            |   |  |  |
| Lung<br>Surfactant<br>Porcine |  |  |            |   |  |  |
| Luteinising<br>Hormone        |  |  |            |   |  |  |
| Lymecycline                   |  |  |            |   |  |  |
| Lynoestrenol                  |  |  |            |   |  |  |
| Lypressin                     |  |  |            |   |  |  |
| Lysuride<br>Maleate           |  |  |            |   |  |  |
| Mafenide                      |  |  |            |   |  |  |
| Mafenide<br>Acetate           |  |  |            |   |  |  |
| Mafenide<br>Hydrochloride     |  |  |            |   |  |  |
| Mafenide<br>Propionate        | 5.0 per cent   | Eye drops  |            |   |  |  |
| Magnesium<br>Fluoride         |  |  |            |   |  |  |
| Magnesium<br>Metrizoate       |  |  |            |   |  |  |
| Mandragora<br>Autumnalis      |  |  |            |   |  |  |
| Mannomustine<br>Hydrochloride |  |  |            |   |  |  |
| Maprotiline<br>Hydrochloride  |  |  |            |   |  |  |
|                               |  |  |            |   |  |  |

Mebanazine

Gadopentetate

|                                |                     | from the restriction,   | s on the sale an         | d supply of  |
|--------------------------------|---------------------|---|--------------------------|--|
| Column 1                       | Column 2            | only medicines<br>Column 3  | Column 4                 | Column 5   |
| Substance                      | Maximum<br>strength | Route of administration, use or pharmaceutical form   | Treatment<br>limitations | Maximum<br>quantity  |
| Mebendazole                    |                     | For oral use in<br>the treatment<br>of enterobiasis<br>in adults and<br>in children<br>not less than 2<br>years | 100mg (MD)               | Container or package containing not more than 800mg of Mebendazole |
| Mebeverine                     |                     | For the   | 135mg (MD)               |  |
| Hydrochloride                  |                     | symptomatic<br>relief of<br>irritable bowel<br>syndrome   | 405mg<br>(MDD)           |  |
| Mebeverine<br>Pamoate          |                     |   |                          |  |
| Mebhydrolin                    |                     |   |                          |  |
| Mebhydrolin<br>Napadisylate    |                     |   |                          |  |
| Mecamylamine<br>Hydrochloride  |                     |   |                          |  |
| Mecillinam                     |                     |   |                          |  |
| Meclofenoxate<br>Hydrochloride |                     |   |                          |  |
| Medigoxin                      |                     |   |                          |  |
| Medrogestone                   |                     |   |                          |  |
| Medroxyprogest<br>Acetate      | erone               |   |                          |  |
| Mefenamic<br>Acid              |                     |   |                          |  |
| Mefloquine<br>Hydrochloride    |                     |   |                          |  |
| Mefruside                      |                     |   |                          |  |
| Megestrol                      |                     |   |                          |  |
| Megestrol<br>Acetate           |                     |   |                          |  |
| Meglumine<br>Gadopentetate     |                     |   |                          |  |

|           | 1 0                 | rom the restrictions only medicines                 | s on the sale a | nd supply of        |
|-----------|---------------------|---|-----------------|---------------------|
| Column 1  | Column 2            | Column 3  | Column 4        | Column 5            |
| Substance | Maximum<br>strength | Route of administration, use or pharmaceutical form |                 | Maximum<br>quantity |

Meglumine Iodoxamate

Meglumine

Ioglycamate

Meglumine Iothalamate

Meglumine Iotroxate

Meglumine Ioxaglate Melphalan

Melphalan Hydrochloride

Menotrophin

Mepenzolate Bromide 25mg (MD) 75mg (MDD)

Mephenesin

Mephenesin Carbamate

Mepivacaine Hydrochloride Any use except ophthalmic use

Meptazinol Hydrochloride

Mequitazine

Mercaptopurine

Mersalyl

Mersalyl Acid

Mesalazine

Mesna

Mestranol

Metaraminol

Tartrate

Exemptions from the restrictions on the sale and supply of prescription only medicines Column 1 Column 2 Column 3 Column 4 Column 5 Substance Maximum Route of Treatment Maximum strength administration, limitations quantity use or pharmaceutical form

Metergoline

Metformin

Hydrochloride

Methacycline

Methacycline

Calcium

Methacycline Hydrochloride

Methallenoestril

Methicillin Sodium

Methixene

Methixene

Hydrochloride

Methocarbamol

Methocidin

Throat lozenges and throat pastilles

Methohexitone

Sodium

Methoin

Methoserpidine

Methotrexate

Methotrexate

Sodium

Methotrimeprazine

Methotrimeprazine Hydrochloride

Methotrimeprazine

Maleate

Methoxamine 0.25 per cent

Hydrochloride

Nasal sprays or nasal drops not containing liquid paraffin as a vehicle

Exemptions from the restrictions on the sale and supply of prescription only medicines Column 5 Column 1 Column 2 Column 3 Column 4 Substance Maximum Route of Treatment Maximum strength administration, limitations quantity use or pharmaceutical form

Methsuximide

Methyclothiazide

Methyldopa

Methyldopate Hydrochloride

Methylephedrine 30mg (MD) Hydrochloride 60mg (MDD)

Methylprednisolone

Methylprednisolone

Acetate

Methylprednisolone

Sodium Succinate

Methylthiouracil

Methysergide

Maleate

Metipranolol

Metirosine

Metoclopramide Hydrochloride

Metolazone

Metoprolol

Fumarate

Metoprolol

Succinate

Metoprolol

Tartrate

Metronidazole

Metronidazole

Benzoate

Metyrapone

Mexiletine

Hydrochloride

|           | 1 0                 | rom the restrictions only medicines                 | s on the sale a | nd supply of        |
|-----------|---------------------|---|-----------------|---------------------|
| Column 1  | Column 2            | Column 3  | Column 4        | Column 5            |
| Substance | Maximum<br>strength | Route of administration, use or pharmaceutical form |                 | Maximum<br>quantity |

Mezlocillin Sodium

Mianserin Hydrochloride

Miconazole External but

in the case of vaginal use only external use for the treatment of vaginal candidiasis

Miconazole Nitrate External but in the case of vaginal use only external use for the treatment of vaginal candidiasis

Mifepristone

Miglitol

Milrinone

Milrinone Lactate

Minocycline

Minocycline Hydrochloride

Minoxidil 2.0 per cent External

Misoprostol Mitobronitol Mitomycin Mitozantrone Hydrochloride

Mivacurium Chloride

Exemptions from the restrictions on the sale and supply of prescription only medicines Column 1 Column 5 Column 2 Column 3 Column 4 Substance Maximum Route of **Treatment** Maximum strength administration, limitations quantity use or pharmaceutical form

Moclobemide

Molgramostim

Molindone

Hydrochloride

Mometasone

Furoate

Moracizine

Hydrochloride

Morazone

Hydrochloride

Mupirocin

Mupirocin

Calcium

Mustine

Hydrochloride

Nabilone

Nabumetone

Nadolol

Nafarelin

Acetate

Naftidrofuryl

Oxalate

Naftifine

Hydrochloride

Nalbuphine

Hydrochloride

Nalidixic Acid

Nalorphine

Hydrobromide

Naloxone

Hydrochloride

Naltrexone

Hydrochloride

Methylsulphate

|                               | Exemptions from the restrictions on the sale and supply of prescription only medicines |  |  |                                 |  |
|-------------------------------|--|--|--|---------------------------------|--|
| Column 1<br>Substance         | Column 2<br>Maximum<br>strength  | Column 3 Route of administration, use or pharmaceutical form                               |  | Column 5<br>Maximum<br>quantity |  |
| Naphazoline<br>Hydrochloride  | (1) 0.05 per cent  | (1) Nasal<br>sprays or nasal<br>drops not<br>containing<br>liquid paraffin<br>as a vehicle |  |                                 |  |
|                               | (2) 0.015 per cent   | (2) Eye drops  |  |                                 |  |
| Naphazoline<br>Nitrate        | 0.05 per cent  | Nasal sprays<br>or nasal drops<br>not containing<br>liquid paraffin<br>as a vehicle        |  |                                 |  |
| Naproxen                      |  |  |  |                                 |  |
| Naproxen<br>Sodium            |  |  |  |                                 |  |
| Natamycin                     |  |  |  |                                 |  |
| Nedocromil<br>Sodium          |  |  |  |                                 |  |
| Nefazodone<br>Hydrochloride   |  |  |  |                                 |  |
| Nefopam<br>Hydrochloride      |  |  |  |                                 |  |
| Neomycin                      |  |  |  |                                 |  |
| Neomycin<br>Oleate            |  |  |  |                                 |  |
| Neomycin<br>Palmitate         |  |  |  |                                 |  |
| Neomycin<br>Sulphate          |  |  |  |                                 |  |
| Neomycin<br>Undecanoate       |  |  |  |                                 |  |
| Neostigmine<br>Bromide        |  |  |  |                                 |  |
| Neostigmine<br>Methylsulphate |  |  |  |                                 |  |

| Exemptions from the restrictions on the sale and supply of prescription only medicines |                                 |  |  |                                 |  |
|--|---------------------------------|--|--|---------------------------------|--|
| Column 1<br>Substance  | Column 2<br>Maximum<br>strength | Column 3 Route of administration, use or pharmaceutical form |  | Column 5<br>Maximum<br>quantity |  |

Netilmicin Sulphate

Nicardipine Hydrochloride

Nicergoline

Nicotinic Acid

Any use, 600mg except for the treatment of hyperlipidaemia 600mg

Nicoumalone

Nifedipine

Nifenazone

Nikethamide

Nimodipine

Niridazole

Nitrendipine

Nitrofurantoin

Nitrofurazone

Nizatidine

For the prevention of the symptoms of food-related

Maximum of 4 such doses in

75mg (MD)

heartburn any period of 14 days

For use in adults and children not less than 16 years

Nomifensine Maleate

Noradrenaline

Noradrenaline Acid Tartrate

Norethisterone

| Exemptions from the restrictions on the sale and supply of prescription only medicines |                     |   |          |                     |  |
|--|---------------------|---|----------|---------------------|--|
| Column 1   | Column 2            | Column 3  | Column 4 | Column 5            |  |
| Substance  | Maximum<br>strength | Route of administration, use or pharmaceutical form |          | Maximum<br>quantity |  |

Norethisterone

Acetate

Norethisterone

Enanthate

Norethynodrel

Norfloxacin

Norgestimate

Norgestrel

Nortriptyline

Hydrochloride

Noscapine

Noscapine

Hydrochloride

Novobiocin

Calcium

Novobiocin

Sodium

Nux Vomica

Seed

Nystatin

Octacosactrin

Octreotide

Oestradiol

Oestradiol

Benzoate

Oestradiol

Cypionate

Oestradiol

Dipropionate

Oestradiol

Diundecanoate

Oestradiol

Enanthate

Exemptions from the restrictions on the sale and supply of prescription only medicines Column 1 Column 5 Column 2 Column 3 Column 4 Substance Maximum Route of **Treatment** Maximum strength administration, limitations quantity use or pharmaceutical form

Oestradiol

Phenylpropionate

Oestradiol

Undecanoate

Oestradiol

Valerate

Oestriol

Oestriol

Succinate

Oestrogenic

Substances

Conjugated

Oestrone

Ofloxacin

Olsalazine

Sodium

Omeprazole

Ondansetron

Hydrochloride

Orciprenaline

Sulphate

Orphenadrine

Citrate

Orphenadrine

Hydrochloride

Ouabain

Ovarian Gland

Dried

Oxamniquine

Oxantel

Embonate

Oxaprozin

Oxatomide

|                       | 1 0                             | from the restrictions<br>only medicines                      | s on the sale a | nd supply of                    |
|-----------------------|---------------------------------|--|-----------------|---------------------------------|
| Column 1<br>Substance | Column 2<br>Maximum<br>strength | Column 3 Route of administration, use or pharmaceutical form |                 | Column 5<br>Maximum<br>quantity |

Oxedrine Tartrate

Oxethazaine 10mg (MD) Container

30mg (MDD) or package containing

not more than 400mg of Oxethazaine

Oxitropium Bromide

Oxolinic Acid

Oxpentifylline

Oxprenolol Hydrochloride

Oxybuprocaine Non-Hydrochloride ophthalmic use

Oxybutynin Hydrochloride

Oxypertine

Oxypertine Hydrochloride

Oxyphenbutazone

Oxyphencyclimine Hydrochloride

Oxyphenonium 5mg (MD)
Bromide 15mg (MDD)

Oxytetracycline

Oxytetracycline

Calcium

Oxytetracycline Dihydrate

Oxytetracycline Hydrochloride

|                          | Exemptions fro prescription on  | m the restrictions<br>ly medicines                           | s on the sale and                                  | supply of                       |
|--------------------------|---|--|--|---------------------------------|
| Column 1<br>Substance    | Column 2<br>Maximum<br>strength   | Column 3 Route of administration, use or pharmaceutical form |  | Column 5<br>Maximum<br>quantity |
| Oxytocin, natural        |   |  |  |                                 |
| Oxytocin, synthetic      |   |  |  |                                 |
| Pancreatin               | (1) 21,000<br>European<br>Pharmacopoeia<br>units of lipase<br>per capsule | (1) capsules   |  |                                 |
|                          | (2) 25,000<br>European<br>Pharmacopoeia<br>units of lipase<br>per gram    | (2) powder   |  |                                 |
| Pancuronium<br>Bromide   |   |  |  |                                 |
| Papaverine               |   | (1) By inhaler   |  |                                 |
|                          |   | (2) Otherwise than by inhaler                                | (2) 50mg<br>(MD)                                   |                                 |
|                          |   |  | 150mg<br>(MDD)                                     |                                 |
| Papaverine               |   | (1) By inhaler   |  |                                 |
| Hydrochloride            |   | than by inhaler  | (2) Equivalent<br>of 50mg of<br>Papaverine<br>(MD) |                                 |
|                          |   |  | Equivalent<br>of 150mg of<br>Papaverine<br>(MDD)   |                                 |
| Paraldehyde              |   |  |  |                                 |
| Paramethadione           | <del>)</del>  |  |  |                                 |
| Paramethasone<br>Acetate |   |  |  |                                 |
| Parathyroid<br>Gland     |   |  |  |                                 |

Exemptions from the restrictions on the sale and supply of prescription only medicines Column 1 Column 5 Column 2 Column 3 Column 4 Substance Maximum Route of Treatment Maximum strength administration, limitations quantity use or pharmaceutical form

Pargyline Hydrochloride

Paroxetine Hydrochloride

Pecilocin

Penamecillin

Penbutolol Sulphate

Penicillamine

Penicillamine Hydrochloride

Pentamidine Isethionate

Penthienate 5mg (MD)Bromide 15mg (MDD)

Pentolinium Tartrate

Perfluamine

Pergolide Mesylate

Perhexiline Maleate

Pericyazine

Perindopril Perindopril

Erbumine

Perphenazine

Phenacetin 0.1 per cent

Phenazone External

Phenazone Salicylate

Phenbutrazate Hydrochloride

Exemptions from the restrictions on the sale and supply of prescription only medicines Column 1 Column 2 Column 3 Column 4 Column 5 Substance Maximum Route of Treatment Maximum strength administration, limitations quantity use or pharmaceutical form

Phenelzine Sulphate

Phenethicillin

Potassium

Phenformin Hydrochloride

Phenglutarimide Hydrochloride

Phenindione

Phenoxybenzamine Hydrochloride

Phenoxymethylpenicillin

Phenoxymethylpenicillin

Calcium

Phenoxymethylpenicillin

Potassium

Phenprocoumon

Phensuximide

Phentolamine

Hydrochloride

Phentolamine

Mesylate

Phenylbutazone

Phenylbutazone

Sodium

Phenylpropanolamine Hydrochloride Internal

(1) all (1) 25mg preparations (MD) except prolonged release capsules, nasal sprays and (MDD)

nasal drops

|  | Exemptions from the restrictions on the sale and supply of prescription only medicines |  |                                    |                                 |  |
|--|--|--|------------------------------------|---------------------------------|--|
| Column 1<br>Substance                    | Column 2<br>Maximum<br>strength  | Column 3 Route of administration, use or pharmaceutical form |                                    | Column 5<br>Maximum<br>quantity |  |
|  |  | (2) prolonged release capsules                               | (2) 50mg<br>(MD)<br>100mg<br>(MDD) |                                 |  |
|  | (3) 2.0 per cent   | (3) nasal<br>sprays and<br>nasal drops                       | (22)                               |                                 |  |
| Phenytoin                                |  | •  |                                    |                                 |  |
| Phenytoin<br>Sodium                      |  |  |                                    |                                 |  |
| Phthalylsulphat                          | hiazole  |  |                                    |                                 |  |
| Physostigmine                            |  |  |                                    |                                 |  |
| Physostigmine<br>Aminoxide<br>Salicylate |  |  |                                    |                                 |  |
| Physostigmine<br>Salicylate              |  |  |                                    |                                 |  |
| Physostigmine<br>Sulphate                |  |  |                                    |                                 |  |
| Picrotoxin                               |  |  |                                    |                                 |  |
| Pilocarpine                              |  |  |                                    |                                 |  |
| Pilocarpine<br>Hydrochloride             |  |  |                                    |                                 |  |
| Pilocarpine<br>Nitrate                   |  |  |                                    |                                 |  |
| Pimozide                                 |  |  |                                    |                                 |  |
| Pindolol                                 |  |  |                                    |                                 |  |
| Pipenzolate<br>Bromide                   |  |  | 5mg (MD)<br>15mg (MDD)             |                                 |  |
| Piperacillin<br>Sodium                   |  |  |                                    |                                 |  |
| Piperazine<br>Oestrone<br>Sulphate       |  |  |                                    |                                 |  |

|                                     |                                 | Exemptions from the restrictions on the sale and supply of prescription only medicines   |                              |  |  |  |  |
|-------------------------------------|---------------------------------|--|------------------------------|--|--|--|--|
| Column 1<br>Substance               | Column 2<br>Maximum<br>strength | Column 3 Route of administration, use or pharmaceutica form  |                              | Column 5<br>Maximum<br>quantity  |  |  |  |
| Piperidolate<br>Hydrochloride       |                                 |  | 50mg (MD)<br>150mg<br>(MDD)  |  |  |  |  |
| Pipothiazine<br>Palmitate           |                                 |  | (MDD)                        |  |  |  |  |
| Piracetam                           |                                 |  |                              |  |  |  |  |
| Pirbuterol<br>Acetate               |                                 |  |                              |  |  |  |  |
| Pirbuterol<br>Hydrochloride         |                                 |  |                              |  |  |  |  |
| Pirenzepine<br>Hydrochloride        |                                 |  |                              |  |  |  |  |
| Piretanide                          |                                 |  |                              |  |  |  |  |
| Piroxicam                           | 0.5 per cent                    | External  For the relief of rheumatic pain, pain of non-serious arthritic conditions and muscular aches, pains and swellings such as strains, sprains and sports injuries  For use in adults and children not less than 12 years | For maximum period of 7 days | Container or package containing not more than 30g of medicinal product |  |  |  |
| Pituitary<br>Gland (Whole<br>Dried) |                                 | By inhaler   |                              |  |  |  |  |
| Pituitary<br>Powdered               |                                 | By inhaler   |                              |  |  |  |  |

Exemptions from the restrictions on the sale and supply of prescription only medicines Column 5 Column 1 Column 2 Column 3 Column 4 Substance Maximum Route of Treatment Maximum administration, limitations strength quantity use or pharmaceutical form

(Posterior

Lobe)

Pivampicillin

Pivampicillin Hydrochloride

Pivmecillinam

Pivmecillinam

Hydrochloride

Pizotifen

Pizotifen Malate

Plicamycin

Podophyllotoxin

Podophyllum

Podophyllum

Indian

Podophyllum 20.0 per cent

Resin

External

Ointment or impregnated plaster

Poldine

2mg (MD)

Methylsulphate

6mg (MDD)

Polidexide

Polyestradiol Phosphate

n 1

Polymyxin B Sulphate

Polythiazide

Poppy Capsule

Potassium

0.0127 per

Arsenite cent

Potassium Bromide

Exemptions from the restrictions on the sale and supply of prescription only medicines Column 1 Column 5 Column 2 Column 3 Column 4 Substance Maximum Route of Treatment Maximum strength administration, limitations quantity use or pharmaceutical form

Potassium

Canrenoate

Potassium

Clavulanate

Potassium

Perchlorate

Practolol

Pralidoxime

Chloride

Pralidoxime

Iodide

Pralidoxime

Mesylate

Pravastatin

Sodium

Prazosin

Hydrochloride

Prednisolone

Prednisolone

Acetate

Prednisolone

Butylacetate

Prednisolone

Hexanoate

Prednisolone

Metasulphobenzoate

Prednisolone

Metasulphobenzoate

Sodium

Prednisolone

Pivalate

Prednisolone

Sodium

Phosphate

Prednisolone

Steaglate

Exemptions from the restrictions on the sale and supply of prescription only medicines Column 5 Column 1 Column 2 Column 3 Column 4 Substance Maximum Route of Treatment Maximum strength administration, limitations quantity use or pharmaceutical form

Prednisone

Prednisone

Acetate

Prenalterol Hydrochloride

Prenylamine Lactate

Prilocaine Hydrochloride Nonophthalmic

use

Primidone

Probenecid

Probucol

Procainamide Hydrochloride

Procaine Hydrochloride Nonophthalmic use

Procaine Penicillin

Procarbazine Hydrochloride

Prochlorperazine

Prochlorperazine

Edisylate

Prochlorperazine

Maleate

Prochlorperazine

Mesylate

Procyclidine Hydrochloride

Progesterone

Prolactin

Proligestone

Exemptions from the restrictions on the sale and supply of prescription only medicines Column 1 Column 2 Column 3 Column 4 Column 5 Substance Maximum Route of Treatment Maximum strength administration, limitations quantity use or pharmaceutical form

Prolintane Hydrochloride

Promazine Embonate

Promazine Hydrochloride

Propafenone

Propafenone Hydrochloride

Propanidid

Propantheline Bromide

15mg (MD) 45mg (MDD)

Propofol

Propranolol Hydrochloride

Propylthiouracil

Proquazone

Protamine Sulphate

Prothionamide

Protirelin

Protriptyline Hydrochloride

Proxymetacaine Hydrochloride Nonophthalmic

use

Pseudoephedrine Hydrochloride Internal

(a) In the case of a prolonged

release preparation 120mg (MD)

240mg (MDD)

Quinestradol

|                           |                           | rom the restriction only medicines  | s on the sale ar                       | nd supply of   |
|---------------------------|---------------------------|---|--|--|
| Column 1<br>Substance     | Column 2 Maximum strength | Column 3 Route of administration, use or pharmaceutica form                                     |  | Column 5<br>Maximum<br>quantity  |
|                           |                           |   | (b) in any<br>other case<br>60mg (MD)  |  |
|                           |                           |   | 240mg<br>(MDD)                         |  |
| Pseudoephedrin            | e                         |   | 60mg (MD)                              |  |
| Sulphate                  |                           |   | 180mg<br>(MDD)                         |  |
| Pyrantel<br>Embonate      |                           | (a) For the treatment of enterobiosis, in adults and children not less than 12 years            | (a) 750mg<br>MDD (as a<br>single dose) | (a) Container or package containing not more than 750mg of Pyrantel Embonate |
|                           |                           | (b) For the treatment of enterobiosis, in children less than 12 years but not less than 6 years | (b) 500mg<br>MDD (as a<br>single dose) | (b) Container or package containing not more than 750mg of Pyrantel Embonate |
|                           |                           | (c) For the treatment of enterobiosis in children less than 6 years but not less than 2 years   | (c) 250mg<br>MDD (as a<br>single dose) | (c) Container or package containing not more than 750mg of Pyrantel Embonate |
| Pyrantel<br>Tartrate      |                           |   |  |  |
| Pyrazinamide              |                           |   |  |  |
| Pyridostigmine<br>Bromide |                           |   |  |  |
| Pyrimethamine             |                           |   |  |  |
| Quinapril                 |                           |   |  |  |

Exemptions from the restrictions on the sale and supply of prescription only medicines Column 1 Column 2 Column 3 Column 4 Column 5 Substance Maximum Route of **Treatment** Maximum strength administration, limitations quantity use or pharmaceutical form

Quinestrol

Quinethazone

Quinidine

Quinidine Bisulphate

Quinidine

Polygalacturonate

Quinidine Sulphate

100mg (MD) Quinine

> 300mg (MDD)

Quinine Equivalent Bisulphate of 100mg of

Quinine (MD)

Equivalent of 300mg of Quinine (MDD)

Quinine Equivalent Cinchophen of 100mg of

Quinine (MD)

Equivalent of 300mg of Quinine (MDD)

Quinine

Equivalent Dihydrochloride of 100mg of

Quinine (MD)

Equivalent of 300mg of Quinine (MDD)

Quinine Ethyl Equivalent Carbonate of 100mg of

Quinine (MD)

|                           | Exemptions from prescription or | om the restrictions  | s on the sale and                             | supply of                       |
|---------------------------|---------------------------------|--|---|---------------------------------|
| Column 1<br>Substance     | Column 2 Maximum strength       | Column 3 Route of administration, use or pharmaceutical form |   | Column 5<br>Maximum<br>quantity |
|                           |                                 |  | Equivalent of 300mg of Quinine (MDD)          |                                 |
| Quinine<br>Glycerophospha | nte                             |  | Equivalent of 100mg of Quinine (MD)           |                                 |
|                           |                                 |  | Equivalent<br>of 300mg<br>of Quinine<br>(MDD) |                                 |
| Quinine<br>Hydrobromide   |                                 |  | Equivalent of 100mg of Quinine (MD)           |                                 |
|                           |                                 |  | Equivalent of 300mg of Quinine (MDD)          |                                 |
| Quinine<br>Hydrochloride  |                                 |  | Equivalent of 100mg of Quinine (MD)           |                                 |
|                           |                                 |  | Equivalent of 300mg of Quinine (MDD)          |                                 |
| Quinine<br>Iodobismuthate |                                 |  | Equivalent of 100mg of Quinine (MD)           |                                 |
|                           |                                 |  | Equivalent of 300mg of Quinine (MDD)          |                                 |
| Quinine<br>Phosphate      |                                 |  | Equivalent of 100mg of Quinine (MD)           |                                 |
|                           |                                 |  | Equivalent<br>of 300mg<br>of Quinine<br>(MDD) |                                 |

|   | Exemptions from the restrictions on the sale and supply of prescription only medicines |   |  | l supply of                     |
|---|--|---|--|---------------------------------|
| Column 1<br>Substance                                   | Column 2<br>Maximum<br>strength  | Column 3 Route of administration, use or pharmaceutica form     |  | Column 5<br>Maximum<br>quantity |
| Quinine<br>Salicylate                                   |  |   | Equivalent<br>of 100mg of<br>Quinine (MD)        |                                 |
|   |  |   | Equivalent of 300mg of Quinine (MDD)             |                                 |
| Quinine<br>Sulphate                                     |  |   | Equivalent of 100mg of Quinine (MD)              |                                 |
|   |  |   | Equivalent of 300mg of Quinine (MDD)             |                                 |
| Quinine<br>Tannate                                      |  |   | Equivalent<br>of 100mg of<br>Quinine (MD)        |                                 |
|   |  |   | Equivalent of 300mg of Quinine (MDD)             |                                 |
| Quinine in<br>combination<br>with Urea<br>Hydrochloride |  |   |  |                                 |
| Ramipril  |  |   |  |                                 |
| Ranitidine<br>Hydrochloride                             |  | For the short term symptomatic relief of                        | Equivalent<br>to 75mg of<br>Ranitidine<br>(MD)   |                                 |
|   |  | heartburn,<br>dyspepsia,<br>indigestion,<br>acid<br>indigestion | Equivalent<br>to 300mg of<br>Ranitidine<br>(MDD) |                                 |
|   |  | and<br>hyperacidity   | For a maximum period of 14 days                  |                                 |

|                       | 1 0                             | from the restrictions only medicines                         | s on the sale a | nd supply of                    |  |
|-----------------------|---------------------------------|--|-----------------|---------------------------------|--|
| Column 1<br>Substance | Column 2<br>Maximum<br>strength | Column 3 Route of administration, use or pharmaceutical form |                 | Column 5<br>Maximum<br>quantity |  |

Rauwolfia

Serpentina

Rauwolfia

Vomitoria

Razoxane

Remoxipride

Hydrochloride

Reproterol

Hydrochloride

Rescinnamine

Reserpine

Rifabutin

Rifampicin

Rifampicin

Sodium

Rifamycin

Rimiterol

Hydrobromide

Risperidone

Ritodrine

Hydrochloride

Rolitetracycline

Nitrate

Sabadilla

Salbutamol

Salbutamol

Sulphate

Salcatonin

Salcatonin

Acetate

Salmefamol

Salmeterol

Xinafoate

Exemptions from the restrictions on the sale and supply of prescription only medicines Column 1 Column 5 Column 2 Column 3 Column 4 Substance Maximum Route of Treatment Maximum strength administration, limitations quantity use or pharmaceutical form

Salsalate

Saralasin

Acetate

Selegiline

Hydrochloride

Semisodium

Valproate

Serum

Gonadotrophin

Silver

Sulphadiazine

Simvastatin

Sissomicin

Sissomicin

Sulphate

Snake Venoms

Sodium

Acetrizoate

Sodium

Aminosalicylate

Sodium

Antimonylgluconate

Sodium

Arsanilate

Sodium

Arsenate

Sodium

0.013 per cent

Arsenite

Sodium Bromide

Sodium

Clodronate

Sodium Cromoglycate

(a) For nasal admistration

Sodium Metrizoate

|                       |                                 | rom the restriction.<br>Only medicines                            | s on the sale a     | nd supply of  |  |
|-----------------------|---------------------------------|---|---------------------|---|--|
| Column 1<br>Substance | Column 2<br>Maximum<br>strength | Column 3 Route of administration, use or pharmaceutical form      |                     | Column 5<br>Maximum<br>quantity   |  |
|                       | (b) 2.0 per cent                | (b) For the treatment of acute seasonal allergic conjunctivitis   |                     | (b) Container or package containing not more than 10ml                        |  |
|                       |                                 | In the form of aqueous eye drops                                  |                     | of medicinal – product  |  |
|                       | (c) 4.0 per cent                | (c) For the treatment of acute seasonal allergic conjunctivitis   |                     | (c) Container<br>or package<br>containing not<br>more than 5g<br>of medicinal |  |
|                       |                                 | In the form of an eye ointment                                    |                     | product -   |  |
| Sodium<br>Ethacrynate |                                 |   |                     |   |  |
| Sodium                | (1) 0.33 per                    | (1) Dentifrices   |                     |   |  |
| Fluoride              | cent                            | (2) Other preparations for use in the prevention of dental caries |                     |   |  |
|                       |                                 | In the form of  |                     |   |  |
|                       |                                 | (a) tablets or drops  | (a) 2.2 mg<br>(MDD) |   |  |
|                       | (b) 0.2 per cent                | (b) mouth<br>rinses other<br>than those for<br>daily use          |                     |   |  |
|                       | (c) 0.05 per cent               | (c) mouth rinses for daily use                                    |                     |   |  |
| Sodium<br>Fusidate    |                                 |   |                     |   |  |

Exemptions from the restrictions on the sale and supply of prescription only medicines Column 5 Column 1 Column 2 Column 3 Column 4 Substance Maximum Route of Treatment Maximum administration, limitations strength quantity use or pharmaceutical form Dentrifrice

Sodium 1.14 per cent

Monofluorophosphate

Sodium

Oxidronate

Sodium

Stibogluconate

Sodium

Valproate

Somatorelin

Acetate

Sotalol

Hydrochloride

Spectinomycin

Spectinomycin

Hydrochloride

Spiramycin

Spiramycin

Adipate

Spironolactone

Stannous

0.62 per cent

Dentifrice

Fluoride

Stilboestrol

Stilboestrol

Dipropionate

Streptodornase

External

Streptokinase

External

Streptomycin

Streptomycin

Sulphate

Strychnine

Strychnine

Arsenate

Strychnine

Hydrochloride

Exemptions from the restrictions on the sale and supply of prescription only medicines Column 1 Column 5 Column 2 Column 3 Column 4 Substance Maximum Route of Treatment Maximum administration, limitations strength quantity use or pharmaceutical form

Styramate

Succinylsulphathiazole

Sucralfate

Sulbactam

Sodium

Sulbenicillin

Sulbenicillin

Sodium

Sulconazole Nitrate External (except vaginal)

Sulfacytine

Sulfadoxine

Sulfamerazine

Sulfamerazine

Sodium

Sulfametopyrazine

Sulfamonomethoxine

Sulindac

Sulphacetamide

Sulphacetamide

Sodium

Sulphadiazine

Sulphadiazine

Sodium

Sulphadimethoxine

Sulphadimidine

Sulphadimidine

Sodium

Sulphafurazole

Sulphafurazole

Diethanolamine

Sulphaguanidine

Exemptions from the restrictions on the sale and supply of prescription only medicines Column 1 Column 5 Column 2 Column 3 Column 4 Substance Maximum Route of Treatment Maximum administration, limitations strength quantity use or pharmaceutical form

Sulphaloxic

Acid

Sulphamethizole

Sulphamethoxazole

Sulphamethoxydiazine

Sulphamethoxypyridazine

Sulphamethoxypyridazine

Sodium

Sulphamoxole

Sulphanilamide

Sulphaphenazole

Sulphapyridine

Sulphapyridine

Sodium

Sulphasalazine

Sulphathiazole

Sulphathiazole

Sodium

Sulphaurea

Sulphinpyrazone

Sulpiride

Sultamicillin

Sultamicillin

Tosylate

Sulthiame

Sumatriptan

Succinate

Suprofen

Suxamethonium

Bromide

Suxamethonium

Chloride

Exemptions from the restrictions on the sale and supply of prescription only medicines Column 1 Column 2 Column 3 Column 4 Column 5 Substance Maximum Route of Treatment Maximum strength administration, limitations quantity use or pharmaceutical form

Suxethonium

Bromide

Tacrine

Hydrochloride

Talampicillin

Talampicillin

Hydrochloride

Talampicillin

Napsylate

Tamoxifen

Tamoxifen

Citrate

Tazobactam

Sodium

Teicoplanin

Temocillin

Sodium

Tenoxicam

Terazosin

Hydrochloride

Terbinafine

Terbutaline

Terbutaline

Sulphate

Terfenadine

120mg (MDD) Container or package containing

no more than 1,200mg of Terfenadine

Terlipressin

Terodiline

Hydrochloride

Tetrabenazine

Tetracosactrin

Exemptions from the restrictions on the sale and supply of prescription only medicines Column 1 Column 5 Column 2 Column 3 Column 4 Substance Maximum Route of Treatment Maximum administration, limitations strength quantity use or pharmaceutical form

Tetracosactrin

Acetate

Tetracycline

Tetracycline Hydrochloride

Tetracycline

Phosphate

Complex

Tetroxoprim

Thallium

Acetate

Thallous

Chloride

Thiabendazole

Thiambutosine

Thiethylperazine

Malate

Thiethylperazine

Maleate

Thiocarlide

Thioguanine

Thiopentone

Sodium

Thiopropazate

Hydrochloride

Thioproperazine

Mesylate

Thioridazine

Thioridazine

Hydrochloride

Thiosinamine

Thiotepa

Thiothixene

Thiouracil

Exemptions from the restrictions on the sale and supply of prescription only medicines Column 1 Column 2 Column 3 Column 4 Column 5 Substance Maximum Route of Treatment Maximum strength administration, limitations quantity use or pharmaceutical form

Thymoxamine Hydrochloride

Thyroid

Thyrotrophin

Thyroxine Sodium

Tiamulin Fumarate

Tiaprofenic Acid

Tibolone

Ticarcillin Sodium

Sodium

Tigloidine Hydrobromide

Timolol Maleate

Tinidazole

Tinzaparin

Tioconazole

(1) 2.0 per cent

(1) External (except

vaginal)

(2) Vaginal for treatment of vaginal candidiasis

Tobramycin

Tobramycin Sulphate

Tocainide Hydrochloride

Tofenacin Hydrochloride

Tolazamide

|            | 1 0                 | from the restrictions only medicines                | s on the sale a | nd supply of        |
|------------|---------------------|---|-----------------|---------------------|
| Column 1   | Column 2            | Column 3  | Column 4        | Column 5            |
| Substance  | Maximum<br>strength | Route of administration, use or pharmaceutical form |                 | Maximum<br>quantity |
| Tolazoline |                     | External  |                 |                     |

Hydrochloride

Tolbutamide

Tolbutamide Sodium

Tolfenamic

Acid

Tolmetin

Sodium

Tramadol Hydrochloride

Trandolapril

Tranexamic

Acid

Tranylcypromine

Sulphate

Trazodone

Hydrochloride

Treosulfan

Tretinoin

Triamcinolone

Triamcinolone 0.1 per cent

Acetonide

For the treatment of common mouth ulcers Container or package containing not more than 5g of medicinal product

Triamcinolone

Diacetate

Triamcinolone

Hexacetonide

Triamterene

Tribavirin

Triclofos

Sodium

Exemptions from the restrictions on the sale and supply of prescription only medicines Column 1 Column 5 Column 2 Column 3 Column 4 Substance Maximum Route of Treatment Maximum administration, limitations strength quantity use or pharmaceutical form

Trientine

Dihydrochloride

Trifluoperazine

Trifluoperazine

Hydrochloride

Trifluperidol

Trifluperidol Hydrochloride

Trilostane

Trimeprazine

Trimeprazine

Tartrate

Trimetaphan

Camsylate

Trimetazidine

Trimetazidine

Hydrochloride

Trimethoprim

Trimipramine

Maleate

Trimipramine

Mesylate

Tropicamide

Tropisetron

Hydrochloride

Troxidone

L-Tryptophan

(1) Oral

Dietary

supplementation

(2) External

Tubocurarine Chloride

Tulobuterol

Exemptions from the restrictions on the sale and supply of prescription only medicines Column 1 Column 5 Column 2 Column 3 Column 4 Substance Maximum Route of Treatment Maximum administration, limitations strength quantity use or pharmaceutical form

Tulobuterol Hydrochloride

Tyrothricin

Throat lozenges or throat pastilles

Uramustine

Urea

Stibamine

Urethane

Uridine 5'triphosphate

Urofollitrophin

Urokinase

Ursodeoxychoic

Acid

Vaccine:

Bacillus

Salmonella

Typhi

Vaccine:

Poliomyelitis

(Oral)

Valproic Acid

Vancomycin Hydrochloride

Vasopressin

Vasopressin

Tannate

Vecuronium

Bromide

Verapamil

Hydrochloride

Veratrine

Veratrum,

Green

|                             | Exemptions fro prescription on | m the restrictions   | s on the sale and   | supply of                       |
|-----------------------------|--------------------------------|--|---|---------------------------------|
| Column 1<br>Substance       | Column 2 Maximum strength      | Column 3 Route of administration, use or pharmaceutical form |   | Column 5<br>Maximum<br>quantity |
| Veratrum,<br>White          |                                |  |   |                                 |
| Vidarabine                  |                                |  |   |                                 |
| Vigabatrin                  |                                |  |   |                                 |
| Viloxazine<br>Hydrochloride |                                |  |   |                                 |
| Vinblastine<br>Sulphate     |                                |  |   |                                 |
| Vincristine<br>Sulphate     |                                |  |   |                                 |
| Vindesine<br>Sulphate       |                                |  |   |                                 |
| Viomycin<br>Pantothenate    |                                |  |   |                                 |
| Viomycin<br>Sulphate        |                                |  |   |                                 |
| Vitamin A                   |                                | (1) Internal   | (1) 7,500iu<br>(2,250mcg<br>Retinol<br>equivalent)<br>(MDD)                               |                                 |
|                             |                                | (2) External   |   |                                 |
| Vitamin A<br>Acetate        |                                | (1) Internal   | (1) Equivalent<br>to 7,500iu<br>Vitamin A<br>(2,250mcg<br>Retinol<br>equivalent)<br>(MDD) |                                 |
|                             |                                | (2) External   |   |                                 |
| Vitamin A<br>Palmitate      |                                | (1) Internal   | (1) Equivalent<br>to 7,500iu<br>Vitamin A<br>(2,250mcg<br>Retinol<br>equivalent)<br>(MDD) |                                 |

|                                 |                                 | from the restrictions only medicines                         | s on the sale a | nd supply of                    |  |
|---------------------------------|---------------------------------|--|-----------------|---------------------------------|--|
| Column 1<br>Substance           | Column 2<br>Maximum<br>strength | Column 3 Route of administration, use or pharmaceutical form |                 | Column 5<br>Maximum<br>quantity |  |
|                                 |                                 | (2) External   |                 |                                 |  |
| Warfarin                        |                                 |  |                 |                                 |  |
| Warfarin<br>Sodium              |                                 |  |                 |                                 |  |
| Xamoterol<br>Fumarate           |                                 |  |                 |                                 |  |
| Xipamide                        |                                 |  |                 |                                 |  |
| Yohimbine<br>Hydrochloride      |                                 |  |                 |                                 |  |
| Zidovudine                      |                                 |  |                 |                                 |  |
| Zimeldine<br>Hydrochloride      |                                 |  |                 |                                 |  |
| Zolpidem<br>Tartrate            |                                 |  |                 |                                 |  |
| Zomepirac<br>Sodium             |                                 |  |                 |                                 |  |
| Zopiclone                       |                                 |  |                 |                                 |  |
| Zuclopenthixol<br>Acetate       |                                 |  |                 |                                 |  |
| Zuclopenthixol<br>Decanoate     |                                 |  |                 |                                 |  |
| Zuclopenthixol<br>Hydrochloride |                                 |  |                 |                                 |  |

# SCHEDULE 2 Articles 6(1) and 10

|                       | Circumstances exclude prescription only med       | ling medicinal products<br>licines | from the class of                          |
|-----------------------|---|------------------------------------|--|
| Column 1<br>Substance | Column 2<br>Maximum strength                      | Column 3<br>Pharmaceutical<br>Form | Column 4<br>Maximum Dose                   |
| Codeine and its salts | Equivalent of 1.5 per cent of codeine monohydrate |                                    | Equivalent of 20 mg of codeine monohydrate |

|                              | Circumstances excludi prescription only medi  | ng medicinal products f            | from the class of                             |
|------------------------------|---|------------------------------------|---|
| Column 1<br>Substance        | Column 2 Maximum strength   | Column 3<br>Pharmaceutical<br>Form | Column 4<br>Maximum Dose                      |
| Dihydrocodeine and its salts | Equivalent of 1.5 per cent of dihydrocodeine  |                                    | Equivalent of 10 mg of dihydrocodeine         |
| Ethylmorphine andits salts   | Equivalent of 0.2 per cent of ethylmorphine   |                                    | Equivalent of 7.5 mg of ethylmorphine         |
| Morphine and its salts       | (1) Equivalent of 0.02 per cent anhydrous morphine  | (1) Liquid                         | (1) Equivalent of 3 mg of anhydrous morphine  |
|                              | (2) Equivalent of<br>0.04 per cent of<br>anhydrous morphine;<br>equivalent of 300<br>mcg of anhydrous<br>morphine | (2) Solid                          | (2) Equivalent of 3 mg of anhydrous morphine  |
| Medicinal Opium              | (1) Equivalent of 0.02 per cent of anhydrous morphine   | (1) Liquid                         | (1) Equivalent of 3 mg of anhydrous morphine  |
|                              | (2) Equivalent of 0.04 per cent of anhydrous morphine   | (2) Solid                          | (2) Equivalent of 3 mg of anhydrous morphine  |
| Pholcodine and its salts     | Equivalent of 1.5 per cent of pholoodine monohydrate  |                                    | Equivalent of 20 mg of pholoodine monohydrate |

#### SCHEDULE 3

Article 2(b)

# DESCRIPTIONS AND CLASSES OF PRESCRIPTION ONLY MEDICINES IN RELATION TO WHICH APPROPRIATE NURSE PRACTITIONERS ARE APPROPRIATE PRACTITIONERS

Co-danthramer-Oral Suspension NPF

Co-danthramer-Oral Suspension Strong NPF

Co-danthrusate Capsules

Mebendazole Tablets NPF

Mebendazole Oral Suspension NPF

Miconazole Oral Gel NPF

Nystatin Oral Suspension

Nystatin Pastilles NPF

Streptokinase and Streptodornase Topical Powder NPF

#### SCHEDULE 4

Article 8(4)(c)

# SUBSTANCES NOT TO BE CONTAINED IN A PRESCRIPTION ONLY MEDI CINE SOLD OR SUPPLIED UNDER THE EXEMPTION CONFERRED BY ARTICLE 8(3)

Ammonium Bromide

Calcium Bromide

Calcium Bromidolactobionate

Embutramide

Fencamfamin Hydrochloride

Fluanisone

Hexobarbitone

Hexobarbitone Sodium

Hydrobromic Acid

Meclofenoxate Hydrochloride

Methohexitone Sodium

Pemoline

Piracetam

Potassium Bromide

Prolintane Hydrochloride

Sodium Bromide

Strychnine Hydrochloride

Tacrine Hydrochloride

Thiopentone Sodium

#### SCHEDULE 5

Article 11(1)(a)

## EXEMPTION FOR CERTAIN PERSONS FROM SECTION 58(2) OF THE ACT

# PART I EXEMPTION FROM RESTRICTIONS ON SALE OR SUPPLY

| Column I<br>Persons exempted   | Column 2 Prescription only medicines to which the exemption applies |    | lumn 3<br>nditions   |
|--|---|----|--|
| 1. Persons selling or supplying prescription only medicines to universities, other institutions concerned with higher education or institutions concerned with research. | 1. All prescription only medicines                                  | 1. | The sale or supply shall be—  (a) subject to the presentation of an order signed by the principal of the institution |

| Column 1         | Column 2   | Column 3   |
|------------------|--|------------|
| Persons exempted | Prescription only medicines to which the exemption applies | Conditions |
|                  |  |            |

concerned with education or research or the appropriate head of department in charge of a specified course of research stating—

- (i) the name of the institution for which the prescription only medicine is required,
- (ii) the purpose for which the prescription only medicine is required, and
- (iii) the total quantity required, and
- (b) for the purposes of the education or research with which the institution is concerned.

- Persons selling or supplying prescription only medicines to any of the following
  - a public analyst appointed under section 27 of the Food Safety Act 1990(2) or article 36 of the Food (Northern Ireland) Order 1989(3),
  - (2) an authorized officer within the meaning of section 5(6) of the

- 2. All prescription only medicines.
- 2. The sale or supply shall be subject to the presentation of an order signed by or on behalf of any person listed in column 1 of this paragraph stating the status of the person signing it and the amount of prescription only medicine required, and shall be only in connection with the exercise by those persons of their statutory functions.

<sup>(2) 1990</sup> c. 16.

<sup>(3)</sup> S.I. 1989/846 (N.I. 6).

| Column 1 Persons exempted |  | Column 2   | Column 3<br>Conditions |  |
|---------------------------|--|--|------------------------|--|
|                           |  | Prescription only medicines to which the exemption applies |                        |  |
|                           | Food Safety Act<br>1990,   |  |                        |  |
| (3)                       | a sampling officer<br>within the meaning<br>of article 38(1) of<br>the Food (Northern<br>Ireland) Order<br>1989, |  |                        |  |
| (4)                       | a person duly<br>authorized by<br>an enforcement<br>authority under<br>sections 111 and<br>112,                  |  |                        |  |
| (5)                       | a sampling officer<br>within the meaning<br>of Schedule 3 to the<br>Act.   |  |                        |  |

- 3. Persons selling or supplying prescription only medicines to any person employed or engaged in connection with a scheme for testing the quality and checking the amount of the drugs and appliances supplied under the National Health Service Act 1977(4), the National Health Service (Scotland) Act 1978(5) and the Health and Personal Social Services (Northern Ireland) Order 1972(6), or under any subordinate legislation made under those Acts or that Order.
- 3. All prescription only medicines.
- - 4. Prescription only medicines containing any of the following substances-

Chloral hydrate Ergometrine maleate

- 3. The sale or supply shall be-
  - (a) subject to the presentation of an order signed by or on behalf of the person so employed or engaged stating the status of the person signing it and the amount of prescription only medicine required, and
  - (b) for the purposes of a scheme referred to in column 1 in this paragraph.
- 4. The sale or supply shall be only in the course of their professional practice and in the case of Ergometrine maleate only when contained in a medicinal product which is not for parenteral administration.

4. Registered midwives.

<sup>(4) 1977</sup> c. 49.

<sup>(5) 1978</sup> c. 29.

<sup>(6)</sup> S.I. 1972/1265 (N.I. 14).

| Column 1  | Column           | 2  | Column 3   |
|---|------------------|--|------------|
| Persons exempted  | Prescrip         | otion only medicines<br>the exemption  | Conditions |
|   |                  | Pentazocine<br>hydrochloride<br>Triclofos sodium.  |            |
| 5. Persons lawfully conducting a retail pharmacy business within the meaning of section 69. | me<br>not<br>adr | scription only dicines which are for parenteral ninistration and ich— are eyes drops and are prescription only medicines by reason only that they contain not more than 0.5 per cent Chloramphenicol, or are eye ointments and are prescription only medicines by reason only that they contain not more than 1.0 per cent Chloramphenicol, or are prescription only medicines by reason only that they contain not more than 1.0 per cent Chloramphenicol, or are prescription only medicines by reason only that they contain any of the following substances: Atropine sulphate Bethanecol chloride Carbachol Cyclopentolate hydrochloride Homatropine hydrochloride Naphazoline hydrochloride Naphazoline nitrate Physostigmine salicylate | e          |

| Column 1  | Column 2  | Column 3  |
|---|---|---|
| Persons exempted  | Prescription only medicines to which the exemption applies                                  | Conditions  |
|   | Physostigmine sulphate Pilocarpine hydrochloride Pilocarpine nitrate Tropicamide.           |   |
| 6. Registered ophthalmic opticians.   | <ul><li>6. Prescription only medicines listed in column 2 of paragraph</li><li>5.</li></ul> | <ul> <li>6. The sale or supply shall be only–</li> <li>(a) in the course of their professional practice and</li> <li>(b) in an emergency.</li> </ul>  |
| 7. Persons selling or supplying prescription only medicines to the British Standards Institution. | 7. All prescription only medicines.   | 7. The sale or supply shall be—  (a) subject to the presentation of an order signed on behalf of the British Standards Institution stating the status of the person signing it and the amount of the prescription only medicine required, and  (b) only for the purpose of testing containers of medicinal products or determining the standards for such containers. |
| 8. Holders of marketing authorizations, product licences or manufacturer's licences.              | 8. Prescription only medicines referred to in the authorizations or licences.               | 8. The sale or supply shall be only—  (a) to a pharmacist, (b) so as to enable that pharmacist to prepare an entry relating to the prescription only medicine in question in a tablet or capsule identification   |

| Column 1   | Column 2   | Column .                | 3   |
|--|--|-------------------------|---|
| Persons exempted   | Prescription only medicines to which the exemption applies | Condition               | ns  |
|  |  | (c)                     | guide or similar<br>publication, and<br>of no greater<br>quantity than<br>is reasonably<br>necessary for that<br>purpose. |
| 9. Pharmacists selling or supplying to persons to whom cyanide salts may be sold by virtue of section 3 (regulation of poisons) or section 4 (exclusion of sales by wholesale and certain other sales) of the Poisons Act 1972(7) or by virtue of article 5 (prohibitions and regulations with respect to sale of poisons) or article 6 (exemption with respect to certain sales) of the Poisons (Northern Ireland) Order 1976(8). | 9. Amyl nitrite.   | only be so<br>to enable | e or supply shall of far as is necessary an antidote to be to persons at risk of oisoning.                                |

Article 11(1)(b)

PART II EXEMPTIONS FROM THE RESTRICTION ON SUPPLY

| Column 1<br>Persons exempted   | Column 2 Prescription only medicines to which the exemption applies | Column 3<br>Conditions   |
|--|---|--|
| 1. Royal National Lifeboat Institution and certified first aiders of the Institution.                  | 1. All prescription only medicines.                                 | 1. The supply shall be only so far as is necessary for the the treatment of sick or injured persons in the exercise of the functions of the Institution. |
| 2. The owner or the master of a ship which does not carry a doctor on board as part of her complement. | 2. All prescription only medicines.                                 | 2. The supply shall be only so far as is necessary for the treatment of persons on the ship.   |

<sup>(7) 1972</sup> c. 66. (8) S.I. 1976/1214 (N.I. 23).

| Column I<br>Persons exempted  | Column 2 Prescription only medicines to which the exemption applies  | Column 3<br>Conditions  |  |  |
|---|--|---|--|--|
| 3. Persons authorized by licences granted under regulation 5 of the Misuse of Drugs Regulations to supply a controlled drug.  | 3. Such prescription only medicines, being controlled drugs, as are specified in the licence.  | 3. The supply shall be subject to such conditions and in such circumstances and to such an extent as may be specified in the licence.   |  |  |
| 4. Persons requiring prescription only medicines for the purpose of enabling them, in the course of any business carried on by them, to comply with any requirements made by or in pursuance of any enactment with respect to the medical treatment of their employees. | 4. Such prescription only medicines as may be specified in the relevant enactment.   | <ul> <li>4. The supply shall be— <ul> <li>(a) for the purpose of enabling them to comply with any requirements made by or in pursuance of any such enactment, and</li> <li>(b) subject to such conditions and in such circumstances as may be specified in the relevant enactment.</li> </ul> </li> </ul>   |  |  |
| 5. Persons operating an occupational health scheme.   | 5. Prescription only medicines sold or supplied to a person operating an occupational health scheme in response to an order in writing signed by a doctor or a registered nurse. | 5. —  (1) The supply shall be in the course of an occupational health scheme.  (2) The individual supplying the prescription only medicine, if not a doctor, shall be a registered nurse acting in accordance with the written instructions of a doctor as to the circumstances in which prescription only medicines of the description in question are to be used in the course of the occupational health scheme. |  |  |
| 6. The operator or commander  | 6. Prescription only medicines   | 6. The supply shall be only   |  |  |

administration and which have

which are not for parenteral

been sold or supplied to the

so far as is necessary for the

immediate treatment of sick or

injured persons on the aircraft

of an aircraft.

| Column 1  | Column 2   | Column 3   |
|---|--|--|
| Persons exempted  | Prescription only medicines to which the exemption applies                                   | Conditions   |
|   | operator or commander of the aircraft in response to an order in writing signed by a doctor. | and shall be in accordance with<br>the written instructions of a<br>doctor as to the circumstances<br>in which prescription only<br>medicines of the description in<br>question are to be used on the<br>aircraft. |
| 7. Persons employed as qualified first-aid personnel on offshore installations. | 7. All prescription only medicines.  | 7. The supply shall be only so far as is necessary for the treatment of persons on the installation.   |

Article 11(2)

PART III
EXEMPTIONS FROM RESTRICTION ON ADMINISTRATION Column 1

| Column 1   | Col | umn 2   | Column 3   |
|--|-----|---|--|
| Persons exempted   |     | scription only medicines<br>phich the exemption<br>lies   | Conditions   |
| 1. State registered chiropodists who hold a certificate of competence in the use of analgesics issued by or with the approval of the Chiropodists Board. | 1.  | Prescription only medicines for parenteral administration that contain,as the sole active ingredient, not more than one of the following substances— Bupivacaine hydrochloride Lignocaine hydrochloride Prilocaine hydrochloride. | 1. The administration shall<br>be only in the course of their<br>professional practice.  |
| 2. Registered midwives.  | 2.  | Prescription only medicines for parenteral administration containing any of the following substances but no other substance specified in column 1 of Schedule 1 to this Order— Ergometrine maleate Lignocaine 99                  | 2. The administration shall be only in the course of their professional practice and in the case of Promazine hydrochloride, Lignocaine and Lignocaine hydrochloride shall be only while attending on a woman in childbirth. |

| Column 1                      | Column 2   | Column 3                    |
|-------------------------------|--|-----------------------------|
| Persons exempted              | Prescription only medicines to which the exemption applies   | Conditions                  |
|                               | Lignocaine hydrochloride Naloxone hydrochloride Oxytocins, natural and synthetic Pentazocine lactate Pethidine hydrochloride Phytomenadione Promazine hydrochloride. |                             |
| 3. Persons who are authorized | 3. Prescription only medicines   | 3. The administration shall |

- 3. Persons who are authorized as members of a group by a group authority granted under regulations 8(3) or 9(3) of the Misuse of Drugs Regulations to supply a controlled drug by way of administration only.
- 4. The owner or master of a ship which does not carry a doctor on board as part of her complement.
- 5. Persons operating an occupational health scheme.

- 3. Prescription only medicines that are specified in the group authority.
- 4. All prescription only medicines that are for parenteral administration.
- 5. Prescription only medicines for parenteral administration sold or supplied to the person operating an occupational health scheme in response to an order in writing signed by a doctor or a registered nurse.
- 3. The administration shall be subject to such conditions and in such circumstances and to such extent as may be specified in the group authority.
- 4. The administration shall be only so far as is necessary for the treatment of persons on the ship.
- 5.
  - (1) The administration shall be in the course of an occupational health scheme.
  - (2) The individual administering the prescription only medicine, if neither a doctor nor acting in accordance with the directions of a doctor, shall be a registered nurse acting in accordance with the written instructions of a doctor as to the circumstances in which prescription only medicines of the description in question are to be

| Column 1  | Column 2   |  | Column 3   |  |
|---|--|--|--|--|
| Persons exempted  | Prescription only medicines to which the exemption applies   |  | Conditions   |  |
|   |  |  | used in the course of the occupational health scheme.  |  |
| 6. The operator or commander of an aircraft.  | 6. Prescription only medicin for parenteral administration which have been sold or supplied to the operator or commander of the aircraft ir response to an order in writisigned by a doctor. |  | 6. The administration shall be only so far as is necessary for the immediate treatment of sick or injured persons on the aircraft and shall be in accordance with the written instructions of a doctor as to the circumstances in which prescription only medicines of the description in question are to be used on the aircraft. |  |
| 7. Persons who are, and at 11th February 1982 were, persons customarily administering medicinal products to human beings by parenteral administration in the course of a business in the field of osteopathy, naturopathy, acupuncture or other similar field except chiropody. | 7. Medicinal products that are prescription only medicines by reason only that they fall within the class specified in article 3(c) (products for parenteral administration).                |  | 7. The person administering the prescription only medicine shall have been requested by or on behalf of the person to whom it is administered and in that person's presence to use his own judgement as to the treatment required.   |  |
| 8. Persons employed as qualified first-aid personnel on offshore installations.   | 8. All prescription only medicines that are for parenteral administration.   |  | 8. The administration shall be only so far as is necessary for the treatment of persons on the installation.   |  |
| 9. Persons who hold a certificate of proficiency in ambulance paramedic skills issued by, or with the approval of, the Secretary of State.  | ficiency in prescription only medic skills medicines for parente administration—   |  | 9. The administration shall be only for the immediate, necessary treatment of sick or injured persons and in the case of a prescription only medicine containing Heparin Sodium shall be only for the purpose of cannula flushing.   |  |

| Column 2   | Column 3  |
|--|---|
| Prescription only medicines to which the exemption applies   | Conditions  |
| Adrenaline Acid Tartrate Anhydrous Glucose Compound Sodium Lactate Intravenous Infusion (Hartmann's                            |   |
| Ergometrine Maleate Glucose Heparin Sodium Lignocaine Hydrochloride Nalbuphine Hydrochloride Naloxone Hydrochloride Polygeline |   |
|  | Prescription only medicines to which the exemption applies  Adrenaline Acid Tartrate Anhydrous Glucose Compound Sodium Lactate Intravenous Infusion (Hartmann's Solution) Ergometrine Maleate Glucose Heparin Sodium Lignocaine Hydrochloride Nalbuphine Hydrochloride Naloxone Hydrochloride |

# SCHEDULE 6

Article 16(1)

### ORDERS REVOKED

| Column 1  | Column 2       |
|---|----------------|
| Orders  | References     |
| The Medicines (Products other than Veterinary Drugs) (Prescription Only) Order 1983           | S.I. 1983/1212 |
| The Medicines (Products other than Veterinary Drugs) (Prescription Only) Amendment Order 1984 | S.I. 1984/756  |
| The Medicines (Products other than Veterinary Drugs) (Prescription Only) Amendment Order 1986 | S.I. 1986/586  |

| Column 1<br>Orders  | Column 2<br>References |
|---|------------------------|
| The Medicines (Products other than Veterinary Drugs) (Prescription Only) Amendment Order 1987         | S.I. 1987/674          |
| The Medicines (Products other than Veterinary Drugs) (Prescription Only) Amendment (No. 2) Order 1987 | S.I. 1987/1250         |
| The Medicines (Products other than Veterinary<br>Drugs) (Prescription Only) Amendment Order<br>1988   | S.I. 1988/2017         |
| The Medicines (Products other than Veterinary Drugs) (Prescription Only) Amendment Order 1991         | S.I. 1991/962          |
| The Medicines (Products other than Veterinary Drugs) (Prescription Only) Amendment Order 1992         | S.I. 1992/1534         |
| The Medicines (Products other than Veterinary Drugs) (Prescription Only) Amendment (No. 2) Order 1992 | S.I. 1992/2937         |
| The Medicines (Products other than Veterinary Drugs) (Prescription Only) Amendment Order 1993         | S.I. 1993/1890         |
| The Medicines (Products other than Veterinary Drugs) (Prescription Only) Amendment (No. 2) Order 1993 | S.I. 1993/3256         |
| The Medicines (Products other than Veterinary Drugs) (Prescription Only) Amendment Order 1994         | S.I. 1994/558          |
| The Medicines (Products other than Veterinary Drugs) (Prescription Only) Amendment (No. 2) Order 1994 | S.I. 1994/3016         |
| The Medicines (Products other than Veterinary Drugs) (Prescription Only) Amendment (No. 3) Order 1994 | S.I. 1994/3050         |
| The Medicines (Products other than Veterinary Drugs) (Prescription Only) Amendment Order 1995         | S.I. 1995/1384         |
| The Medicines (Products other than Veterinary Drugs) (Prescription Only) Amendment (No. 2) Order 1995 | S.I. 1995/3174         |
| The Medicines (Products other than Veterinary Drugs) (Prescription Only) Amendment Order 1996         | S.I. 1996/1514         |

| Column 1  | Column 2   |
|---|------------|
| Orders  | References |
| The Medicines (Products other than Veterinary Drugs) (Prescription Only) Amendment (No. 2) Order 1996 |            |