Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 3

(Annex III to Directive 97/68/EC) **TEST PROCEDURE**

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Appendix 2

Test set-up

1.7.1. Using the test set-up as shown in Figure 1 (see also Appendix 1, section 1.4.3.5) and the procedure below, the efficiency of converters can be tested by means of an ozonator.

Schematic of NO₂ converter efficiency device

Figure 1Schematic of NO2 converter efficiency device

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

3.2.4.1.	Make(s):
3.2.4.2.	Type(s):
3.2.4.3.	Speed at which cut-off starts under full load(1): rpm
3.2.4.4.	Maximum no-load speed(1): rpm
3.2.4.5.	Idling speed(1): rpm
	Cold Start System
3.3.1.	Make(s):
3.3.2.	Type(s):
3.3.3.	Description:
-	VALVE TIMING Maximum lift and angles of opening and closing in relation to dead centres or equivalent data:
7.1.	Prantitum in and anges of opening and closing in relation to dead centres of equivalent data.
4.2.	Reference and/or setting ranges:(2)

⁽¹⁾ Specify the tolerance.
(2) Strike out what does not apply.