

[^{F1}SCHEDULE 2

Regulations 4 and 6A

Organisms and diseases

Textual Amendments

F1 Sch. 2 substituted (S.) (1.7.2020) by The Seed and Plant Material (Miscellaneous Amendments) (Scotland) Regulations 2020 (S.S.I. 2020/165), regs. 1(1), 4(4)

Bacteria		
<i>Column 1</i>	<i>Column 2</i>	<i>Column 3</i>
RNQPs or symptoms caused by RNQPs	Genus or species of propagating material of ornamental plants	Threshold for the presence of RNQPs on the propagating material of the ornamental plant
<i>Erwinia amylovora</i> (Burrill) Winslow <i>et al.</i> [ERWIAM]	Propagating material of ornamental plants other than seeds <i>Amelanchier</i> Medik., <i>Chaenomeles</i> Lindl., <i>Cotoneaster</i> Medik., <i>Crataegus</i> Tourn. ex L., <i>Cydonia</i> Mill., <i>Eriobotrya</i> Lindl., <i>Malus</i> Mill., <i>Mespilus</i> Bosc ex Spach, <i>Photinia davidiana</i> Decne., <i>Pyracantha</i> M. Roem., <i>Pyrus</i> L., <i>Sorbus</i> L.	0%
<i>Pseudomonas syringae</i> pv. <i>persicae</i> (Prunier, Luisetti & Gardan) Young, Dye & Wilkie [PSDMPE]	Propagating material of ornamental plants other than seeds <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindl.	0%
<i>Spiroplasma citri</i> Saglio <i>et al.</i> [SPIRCI]	Propagating material of ornamental plants other than seeds <i>Citrus</i> L., <i>Citrus</i> L. hybrids, <i>Fortunella</i> Swingle., <i>Fortunella</i> Swingle. hybrids, <i>Poncirus</i> Raf., <i>Poncirus</i> Raf. hybrids	0%
<i>Xanthomonas arboricola</i> pv. <i>pruni</i> (Smith) Vauterin <i>et al.</i> [XANTPR]	Propagating material of ornamental plants other than seeds <i>Prunus</i> L.	0%

Status: Point in time view as at 15/04/2021.

Changes to legislation: There are currently no known outstanding effects for the The Marketing of Ornamental Plant Propagating Material Regulations 1999, SCHEDULE2. (See end of Document for details)

Bacteria		
<i>Column 1</i>	<i>Column 2</i>	<i>Column 3</i>
RNQPs or symptoms caused by RNQPs	Genus or species of propagating material of ornamental plants	Threshold for the presence of RNQPs on the propagating material of the ornamental plant
<i>Xanthomonas euvesicatoria</i> Jones <i>et al.</i> [XANTEU]	<i>Capsicum annuum</i> L.	0%
<i>Xanthomonas gardneri</i> (ex Šutić) Jones <i>et al.</i> [XANTGA]	<i>Capsicum annuum</i> L.	0%
<i>Xanthomonas perforans</i> Jones <i>et al.</i> [XANTPF]	<i>Capsicum annuum</i> L.	0%
<i>Xanthomonas vesicatoria</i> (ex Doidge) Vauterin <i>et al.</i> [XANTVE]	<i>Capsicum annuum</i> L.	0%
Fungi and oomycetes		
<i>Column 1</i>	<i>Column 1</i>	<i>Column 1</i>
RNQPs or symptoms caused by RNQPs	Genus or species of propagating material of ornamental plants	Threshold for the presence of RNQPs on the propagating material of ornamental plants
<i>Cryphonectria parasitica</i> (Murrill) Barr [ENDOPA]	Propagating material of ornamental plants other than seeds	0%
	<i>Castanea</i> L.	
<i>Dothistroma pini</i> Hulbary [DOTSPI]	Propagating material of ornamental plants other than seeds	0%
	<i>Pinus</i> L.	
<i>Dothistroma septosporum</i> (Dorogin) Morelet [SCIRPI]	Propagating material of ornamental plants other than seeds	0%
	<i>Pinus</i> L.	
<i>Lecanosticta acicola</i> (von Thümen) Sydow [SCIRAC]	Propagating material of ornamental plants other than seeds	0%
	<i>Pinus</i> L.	
<i>Plasmopara halstedii</i> (Farlow) Berlese & de Toni [PLASHA]	Seeds	0%
	<i>Helianthus annuus</i> L.	

Bacteria		
<i>Column 1</i>	<i>Column 2</i>	<i>Column 3</i>
RNQPs or symptoms caused by RNQPs	Genus or species of propagating material of ornamental plants	Threshold for the presence of RNQPs on the propagating material of the ornamental plant
<i>Plenodomus tracheiphilus</i> (Petri) Gruyter, Aveskamp & Verkley [DEUTTR]	Propagating material of ornamental plants other than seeds	0%
	<i>Citrus</i> L., <i>Citrus</i> L. hybrids, <i>Fortunella</i> Swingle, <i>Fortunella</i> Swingle hybrids, <i>Poncirus</i> Raf., <i>Poncirus</i> Raf. hybrids	
<i>Puccinia horiana</i> P. Hennings [PUCCHN]	Propagating material of ornamental plants other than seeds	0%
	<i>Chrysanthemum</i> L.	
Insects and mites		
<i>Column 1</i>	<i>Column 1</i>	<i>Column 1</i>
RNQPs or symptoms caused by RNQPs	Genus or species of propagating material of ornamental plants	Threshold for the presence of RNQPs on the propagating material of ornamental plants
<i>Aculops fuchsiae</i> [ACUPFU]	Keifer Propagating material of ornamental plants other than seeds	0%
	<i>Fuchsia</i> L.	
<i>Opogona sacchari</i> [OPOGSC]	Bojer Propagating material of ornamental plants other than seeds	0%
	<i>Beaucarnea</i> Lem., <i>Bougainvillea</i> Comm. ex Juss., <i>Crassula</i> L., <i>Crinum</i> L., <i>Dracaena</i> Vand. ex L., <i>Ficus</i> L., <i>Musa</i> L., <i>Pachira</i> Aubl., <i>Palmae</i> , <i>Sansevieria</i> Thunb., <i>Yucca</i> L.	
<i>Rhynchophorus ferrugineus</i> (Olivier) [RHYCFE]	Propagating material of ornamental plants other than seeds <i>Palmae</i> , as regards the following genera and species	0%
	<i>Areca catechu</i> L., <i>Arenga pinnata</i> (Wurmb) Merr.,	

Status: Point in time view as at 15/04/2021.

Changes to legislation: There are currently no known outstanding effects for the The Marketing of Ornamental Plant Propagating Material Regulations 1999, SCHEDULE2. (See end of Document for details)

Bacteria		
<i>Column 1</i>	<i>Column 2</i>	<i>Column 3</i>
RNQPs or symptoms caused by RNQPs	Genus or species of propagating material of ornamental plants	Threshold for the presence of RNQPs on the propagating material of the ornamental plant
	<i>Bismarckia</i> Hildebr. & H. Wendl., <i>Borassus flabellifer</i> L., <i>Brahea armata</i> S. Watson, <i>Brahea edulis</i> H. Wendl., <i>Butia capitata</i> (Mart.) Becc., <i>Calamus merrillii</i> Becc., <i>Caryota maxima</i> Blume, <i>Caryota cumingii</i> Lodd. ex Mart., <i>Chamaerops humilis</i> L., <i>Cocos nucifera</i> L., <i>Corypha utan</i> Lam., <i>Copernicia</i> Mart., <i>Elaeis guineensis</i> Jacq., <i>Howea forsteriana</i> Becc., <i>Jubaea chilensis</i> (Molina) Baill., <i>Livistona australis</i> C. Martius, <i>Livistona decora</i> (W. Bull) Dowe, <i>Livistona rotundifolia</i> (Lam.) Mart., <i>Metroxylon sagu</i> Rottb., <i>Phoenix canariensis</i> Chabaud, <i>Phoenix dactylifera</i> L., <i>Phoenix reclinata</i> Jacq., <i>Phoenix roebelenii</i> O'Brien, <i>Phoenix sylvestris</i> (L.) Roxb., <i>Phoenix theophrasti</i> Greuter, <i>Pritchardia</i> Seem. & H. Wendl., <i>Ravenea rivularis</i> Jum. & H. Perrier, <i>Roystonea regia</i> (Kunth) O.F. Cook, <i>Sabal palmetto</i> (Walter) Lodd. ex Schult. & Schult.f., <i>Syagrus romanzoffiana</i> (Cham.) Glassman, <i>Trachycarpus fortunei</i> (Hook.) H. Wendl., <i>Washingtonia</i> H. Wendl.	
Nematodes		
<i>Column 1</i>	<i>Column 1</i>	<i>Column 1</i>
RNQPs or symptoms caused by RNQPs	Genus or species of propagating material of ornamental plants	Threshold for the presence of RNQPs on the propagating material of ornamental plants
	<i>Ditylenchus dipsaci</i> (Kuehn) Filipjev [DITYDI]	0%

Status: Point in time view as at 15/04/2021.**Changes to legislation:** There are currently no known outstanding effects for the The Marketing of Ornamental Plant Propagating Material Regulations 1999, SCHEDULE2. (See end of Document for details)

Bacteria		
<i>Column 1</i>	<i>Column 2</i>	<i>Column 3</i>
RNQPs or symptoms caused by RNQPs	Genus or species of propagating material of ornamental plants	Threshold for the presence of RNQPs on the propagating material of the ornamental plant
<i>Ditylenchus dipsaci</i> (Kuehn) Filipjev [DITYDI]	Propagating material of ornamental plants other than seeds <i>Camassia</i> Lindl., <i>Chionodoxa</i> Boiss., <i>Crocus flavus</i> Weston, <i>Galanthus</i> L., <i>Hyacinthus</i> Tourn. ex L, <i>Hymenocallis</i> Salisb., <i>Muscari</i> Mill., <i>Narcissus</i> L., <i>Ornithogalum</i> L., <i>Puschkinia</i> Adams, <i>Scilla</i> L., <i>Sternbergia</i> Waldst. & Kit., <i>Tulipa</i> L.	0%
Viruses, viroids, virus-like diseases and phytoplasmas		
<i>Column 1</i>	<i>Column 1</i>	<i>Column 1</i>
RNQPs or symptoms caused by RNQPs	Genus or species of propagating material of ornamental plants	Threshold for the presence of RNQPs on the propagating material of ornamental plants
<i>Candidatus</i> Phytoplasma mali Seemüller & Schneider [PHYPPMA]	Propagating material of ornamental plants other than seeds <i>Malus</i> Mill.	0%
<i>Candidatus</i> Phytoplasma prunorum Seemüller & Schneider [PHYPPR]	Propagating material of ornamental plants other than seeds <i>Prunus</i> L.	0%
<i>Candidatus</i> Phytoplasma pyri Seemüller & Schneider [PHYPPY]	Propagating material of ornamental plants other than seeds <i>Pyrus</i> L.	0%
<i>Candidatus</i> Phytoplasma solani Quaglinoet al. [PHYPSO]	Propagating material of ornamental plants other than seeds <i>Lavandula</i> L.	0%

Status: Point in time view as at 15/04/2021.

Changes to legislation: There are currently no known outstanding effects for the The Marketing of Ornamental Plant Propagating Material Regulations 1999, SCHEDULE2. (See end of Document for details)

			Bacteria	
<i>Column 1</i>			<i>Column 2</i>	<i>Column 3</i>
RNQPs or symptoms caused by RNQPs			Genus or species of propagating material of ornamental plants	Threshold for the presence of RNQPs on the propagating material of the ornamental plant
Chrysanthemum stunt viroid [CSVD00]			Propagating material of ornamental plants other than seeds <i>Argyranthemum</i> Webb ex Sch.Bip., <i>Chrysanthemum</i> L.	0%
<i>Citrus</i> exocortis [CEVD00]		viroid	Propagating material of ornamental plants other than seeds <i>Citrus</i> L.	0%
<i>Citrus tristeza</i> virus [CTV000] (EU isolates)			Propagating material of ornamental plants other than seeds <i>Citrus</i> L., <i>Citrus</i> L. hybrids, <i>Fortunella</i> Swingle, <i>Fortunella</i> Swingle hybrids, <i>Poncirus</i> Raf., <i>Poncirus</i> Raf. Hybrids	0%
<i>Impatiens</i> necrotic tospovirus [INSV00]		spot	Propagating material of ornamental plants other than seeds <i>Begonia x hiemalis</i> Fotsch, <i>Impatiens</i> L. New Guinea Hybrids	0%
Potato spindle tuber viroid [PSTVD0]		viroid	<i>Capsicum annuum</i> L.,	0%
Plum pox virus [PPV000]			Propagating material of ornamental plants other than seeds <i>Prunus armeniaca</i> L., <i>Prunus blireana</i> Andre, <i>Prunus brigantina</i> Vill., <i>Prunus cerasifera</i> Ehrh., <i>Prunus cistena</i> Hansen, <i>Prunus curdica</i> Fenzl and Fritsch., <i>Prunus domestica</i> L., <i>Prunus domestica</i> ssp. <i>insititia</i> (L.) C.K. Schneid, <i>Prunus domestica</i> ssp. <i>italica</i> (Borkh.)	0%

Status: Point in time view as at 15/04/2021.

Changes to legislation: There are currently no known outstanding effects for the The Marketing of Ornamental Plant Propagating Material Regulations 1999, SCHEDULE2. (See end of Document for details)

Bacteria		
<i>Column 1</i>	<i>Column 2</i>	<i>Column 3</i>
RNQPs or symptoms caused by RNQPs	Genus or species of propagating material of ornamental plants	Threshold for the presence of RNQPs on the propagating material of the ornamental plant
	Hegi., <i>Prunus dulcis</i> (Miller) Webb, <i>Prunus glandulosa</i> Thunb., <i>Prunus holosericea</i> Batal., <i>Prunus hortulana</i> Bailey, <i>Prunus japonica</i> Thunb., <i>Prunus mandshurica</i> (Maxim.) Koehne, <i>Prunus maritima</i> Marsh., <i>Prunus mume</i> Sieb. and Zucc., <i>Prunus nigra</i> Ait., <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> L., <i>Prunus sibirica</i> L., <i>Prunus simonii</i> Carr., <i>Prunus spinosa</i> L., <i>Prunus tomentosa</i> Thunb., <i>Prunus triloba</i> Lindl. Other species of <i>Prunus</i> L. susceptible to Plum pox virus	
Tomato spotted wilt tospovirus [TSWV00]	Propagating material of ornamental plants other than seeds <i>Begonia x hiemalis</i> Fotsch, <i>Capsicum annuum</i> L., <i>Chrysanthemum</i> L., <i>Gerbera</i> L., <i>Impatiens</i> L. New Guinea Hybrids, <i>Pelargonium</i> L.	0%]

Status:

Point in time view as at 15/04/2021.

Changes to legislation:

There are currently no known outstanding effects for the The Marketing of Ornamental Plant Propagating Material Regulations 1999, SCHEDULE2.