

[^{F1}SCHEDULE][^{F1}SCHEDULE
1]

Regulation 9

INFORMATION TO APPEAR ON A SUPPLIER'S LABEL OR OTHER DOCUMENT

Textual Amendments

F1 Sch. renumbered as sch. 1 (S.) (17.11.2018) by [The Marketing of Ornamental Plant Propagating Material Amendment \(Scotland\) Regulations 2018 \(S.S.I. 2018/284\)](#), regs. 1, **3(9)**

- (1) Indication that the material is of "[^{F2}UK][^{F3}GB] quality".
- ^{F4}(2)
- (3) Indication of responsible official body or its distinguishing code [^{F5}and its abbreviated country code] .
- (4) Supplier's registration number.
- (5) Individual serial, week or batch number.
- (6) Botanical name.
- (7) Where appropriate, denomination of the variety or, in the case of rootstock, denomination of the variety or its designation.
- (8) Where appropriate, denomination of the group of plants.
- (9) Quantity.
- (10) In the case of propagating material imported [^{F6}into the United Kingdom] the name of the country of production.

Textual Amendments

- F2** Word in Sch. 1 para. 1 substituted (S.) (31.12.2020) by [The Seed and Propagating Material \(EU Exit\) \(Scotland\) \(Amendment\) Regulations 2019 \(S.S.I. 2019/59\)](#), regs. 1(1)(b), **11(8)(a)**; 2020 c. 1, **Sch. 5 para. 1(1)**
- F3** Word in Sch. para. 1. substituted (E.W.) (15.4.2021) by [The Vegetable and Ornamental Plant Propagating Material and Fodder Plant Seed \(Amendment\) Regulations 2021 \(S.I. 2021/393\)](#), regs. 1(1), **3(3)**
- F4** Sch. para. 2. omitted (E.W.) (31.12.2020) by virtue of [The Marketing of Seeds and Plant Propagating Material \(Amendment\) \(England and Wales\) \(EU Exit\) Regulations 2019 \(S.I. 2019/131\)](#), regs. 1, **5(8)(b)**; 2020 c. 1, Sch. 5 para. 1(1) and Sch. 1 para. 2 omitted (S.) (31.12.2020) by virtue of [The Seed and Propagating Material \(EU Exit\) \(Scotland\) \(Amendment\) Regulations 2019 \(S.S.I. 2019/59\)](#), regs. 1(1)(b), **11(8)(b)**; 2020 c. 1, Sch. 5 para. 1(1)
- F5** Words in Sch. para. 3. inserted (E.W.) (31.12.2020) by [The Marketing of Seeds and Plant Propagating Material \(Amendment\) \(England and Wales\) \(EU Exit\) Regulations 2019 \(S.I. 2019/131\)](#), regs. 1, **5(8)(c)**; 2020 c. 1, Sch. 5 para. 1(1) and words in Sch. 1 para. 3 inserted (S.) (31.12.2020) by [The Seed and Propagating Material \(EU Exit\) \(Scotland\) \(Amendment\) Regulations 2019 \(S.S.I. 2019/59\)](#), regs. 1(1)(b), **11(8)(c)**; 2020 c. 1, Sch. 5 para. 1(1)
- F6** Words in Sch. para. 10. substituted (E.W.) (31.12.2020) by [The Marketing of Seeds and Plant Propagating Material \(Amendment\) \(England and Wales\) \(EU Exit\) Regulations 2019 \(S.I. 2019/131\)](#), regs. 1, **5(8)(d)**; 2020 c. 1, Sch. 5 para. 1(1) and words in Sch. 1 para. 10 substituted (S.) (31.12.2020) by [The Seed and Propagating Material \(EU Exit\) \(Scotland\) \(Amendment\) Regulations 2019 \(S.S.I. 2019/59\)](#), regs. 1(1)(b), **11(8)(d)**; 2020 c. 1, Sch. 5 para. 1(1)

Changes to legislation: There are currently no known outstanding effects for the The Marketing of Ornamental Plant Propagating Material Regulations 1999. (See end of Document for details)

| Textual Amendments | |
|---------------------------|---|
| F2 | Word in Sch. 1 para. 1 substituted (S.) (31.12.2020) by The Seed and Propagating Material (EU Exit) (Scotland) (Amendment) Regulations 2019 (S.S.I. 2019/59) , regs. 1(1)(b), 11(8)(a) ; 2020 c. 1, Sch. 5 para. 1(1) |
| F3 | Word in Sch. para. 1. substituted (E.W.) (15.4.2021) by The Vegetable and Ornamental Plant Propagating Material and Fodder Plant Seed (Amendment) Regulations 2021 (S.I. 2021/393) , regs. 1(1), 3(3) |
| F4 | Sch. para. 2. omitted (E.W.) (31.12.2020) by virtue of The Marketing of Seeds and Plant Propagating Material (Amendment) (England and Wales) (EU Exit) Regulations 2019 (S.I. 2019/131) , regs. 1, 5(8)(b) ; 2020 c. 1, Sch. 5 para. 1(1) and Sch. 1 para. 2 omitted (S.) (31.12.2020) by virtue of The Seed and Propagating Material (EU Exit) (Scotland) (Amendment) Regulations 2019 (S.S.I. 2019/59) , regs. 1(1)(b), 11(8)(b) ; 2020 c. 1, Sch. 5 para. 1(1) |
| F5 | Words in Sch. para. 3. inserted (E.W.) (31.12.2020) by The Marketing of Seeds and Plant Propagating Material (Amendment) (England and Wales) (EU Exit) Regulations 2019 (S.I. 2019/131) , regs. 1, 5(8)(c) ; 2020 c. 1, Sch. 5 para. 1(1) and words in Sch. 1 para. 3 inserted (S.) (31.12.2020) by The Seed and Propagating Material (EU Exit) (Scotland) (Amendment) Regulations 2019 (S.S.I. 2019/59) , regs. 1(1)(b), 11(8)(c) ; 2020 c. 1, Sch. 5 para. 1(1) |
| F6 | Words in Sch. para. 10. substituted (E.W.) (31.12.2020) by The Marketing of Seeds and Plant Propagating Material (Amendment) (England and Wales) (EU Exit) Regulations 2019 (S.I. 2019/131) , regs. 1, 5(8)(d) ; 2020 c. 1, Sch. 5 para. 1(1) and words in Sch. 1 para. 10 substituted (S.) (31.12.2020) by The Seed and Propagating Material (EU Exit) (Scotland) (Amendment) Regulations 2019 (S.S.I. 2019/59) , regs. 1(1)(b), 11(8)(d) ; 2020 c. 1, Sch. 5 para. 1(1) |

[^{F7}SCHEDULE 2

Regulations 4 and 6A

Organisms and diseases

| Textual Amendments | |
|---------------------------|--|
| F7 | Sch. 2 substituted (S.) (1.7.2020) by The Seed and Plant Material (Miscellaneous Amendments) (Scotland) Regulations 2020 (S.S.I. 2020/165) , regs. 1(1), 4(4) |

| Bacteria | | |
|--|---|--|
| <i>Column 1</i> | <i>Column 2</i> | <i>Column 3</i> |
| RNQPs or symptoms caused by RNQPs | Genus or species of propagating material of ornamental plants | Threshold for the presence of RNQPs on the propagating material of the ornamental plant |
| <i>Erwinia amylovora</i> (Burrill) Winslow <i>et al.</i> [ERWIAM] | Propagating material of ornamental plants other than seeds <i>Amelanchier</i> Medik., <i>Chaenomeles</i> Lindl., <i>Cotoneaster</i> Medik., <i>Crataegus</i> Tourn. ex L., <i>Cydonia</i> Mill., <i>Eriobotrya</i> | 0% |

| Bacteria | | |
|---|--|---|
| <i>Column 1</i> | <i>Column 2</i> | <i>Column 3</i> |
| RNQPs or symptoms caused by RNQPs | Genus or species of propagating material of ornamental plants | Threshold for the presence of RNQPs on the propagating material of the ornamental plant |
| | Lindl., <i>Malus</i> Mill., <i>Mespilus</i> Bosc ex Spach, <i>Photinia</i> <i>daurica</i> Decne., <i>Pyracantha</i> M. Roem., <i>Pyrus</i> L., <i>Sorbus</i> L. | |
| <i>Pseudomonas syringae</i> pv. <i>persicae</i> (Prunier, Luisetti & Gardan) Young, Dye & Wilkie [PSDMPE] | Propagating material of ornamental plants other than seeds | 0% |
| | <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindl. | |
| <i>Spiroplasma citri</i> Saglio <i>et al.</i> [SPIRCI] | Propagating material of ornamental plants other than seeds | 0% |
| | <i>Citrus</i> L., <i>Citrus</i> L. hybrids, <i>Fortunella</i> Swingle., <i>Fortunella</i> Swingle. hybrids, <i>Poncirus</i> Raf., <i>Poncirus</i> Raf. hybrids | |
| <i>Xanthomonas arboricola</i> pv. <i>pruni</i> (Smith) Vauterin <i>et al.</i> [XANTPR] | Propagating material of ornamental plants other than seeds | 0% |
| | <i>Prunus</i> L. | |
| <i>Xanthomonas euvesicatoria</i> Jones <i>et al.</i> [XANTEU] | <i>Capsicum annuum</i> L. | 0% |
| <i>Xanthomonas gardneri</i> (ex Šutić) Jones <i>et al.</i> [XANTGA] | <i>Capsicum annuum</i> L. | 0% |
| <i>Xanthomonas perforans</i> Jones <i>et al.</i> [XANTPF] | <i>Capsicum annuum</i> L. | 0% |
| <i>Xanthomonas vesicatoria</i> (ex Doidge) Vauterin <i>et al.</i> [XANTVE] | <i>Capsicum annuum</i> L. | 0% |
| Fungi and oomycetes | | |
| <i>Column 1</i> | <i>Column 1</i> | <i>Column 1</i> |
| RNQPs or symptoms caused by RNQPs | Genus or species of propagating material of ornamental plants | Threshold for the presence of RNQPs on the propagating material of ornamental plants |

Changes to legislation: There are currently no known outstanding effects for the The Marketing of Ornamental Plant Propagating Material Regulations 1999. (See end of Document for details)

| Bacteria | | |
|--|---|---|
| <i>Column 1</i> | <i>Column 2</i> | <i>Column 3</i> |
| RNQPs or symptoms caused by RNQPs | Genus or species of propagating material of ornamental plants | Threshold for the presence of RNQPs on the propagating material of the ornamental plant |
| <i>Cryphonectria parasitica</i> (Murrill) Barr [ENDOPA] | Propagating material of ornamental plants other than seeds <i>Castanea</i> L. | 0% |
| <i>Dothistroma pini</i> Hulbary [DOTSPI] | Propagating material of ornamental plants other than seeds <i>Pinus</i> L. | 0% |
| <i>Dothistroma septosporum</i> (Dorogin) Morelet [SCIRPI] | Propagating material of ornamental plants other than seeds <i>Pinus</i> L. | 0% |
| <i>Lecanosticta acicola</i> (von Thümen) Sydow [SCIRAC] | Propagating material of ornamental plants other than seeds <i>Pinus</i> L. | 0% |
| <i>Plasmopara halstedii</i> (Farlow) Berlese & de Toni [PLASHA] | Seeds <i>Helianthus annuus</i> L. | 0% |
| <i>Plenodomus tracheiphilus</i> (Petri) Gruyter, Aveskamp & Verkley [DEUTTR] | Propagating material of ornamental plants other than seeds <i>Citrus</i> L. <i>Citrus</i> L. hybrids, <i>Fortunella</i> Swingle, <i>Fortunella</i> Swingle hybrids, <i>Poncirus</i> Raf., <i>Poncirus</i> Raf. hybrids | 0% |
| <i>Puccinia horiana</i> P. Hennings [PUCCHN] | Propagating material of ornamental plants other than seeds <i>Chrysanthemum</i> L. | 0% |

| Insects and mites | | |
|-----------------------------------|---|--|
| <i>Column 1</i> | <i>Column 1</i> | <i>Column 1</i> |
| RNQPs or symptoms caused by RNQPs | Genus or species of propagating material of ornamental plants | Threshold for the presence of RNQPs on the propagating |

| Bacteria | | |
|--|--|---|
| <i>Column 1</i> | <i>Column 2</i> | <i>Column 3</i> |
| RNQPs or symptoms caused by RNQPs | Genus or species of propagating material of ornamental plants | Threshold for the presence of RNQPs on the propagating material of the ornamental plant material of ornamental plants |
| <i>Aculops fuchsiae</i> [ACUPFU] | Keifer <i>Fuchsia</i> L. | Propagating material of ornamental plants other than seeds 0% |
| <i>Opogona sacchari</i> [OPOGSC] | Bojer <i>Beaucarnea</i> Lem., <i>Bougainvillea</i> Comm. ex Juss., <i>Crassula</i> L., <i>Crinum</i> L., <i>Dracaena</i> Vand. ex L., <i>Ficus</i> L., <i>Musa</i> L., <i>Pachira</i> Aubl., <i>Palmae</i> , <i>Sansevieria</i> Thunb., <i>Yucca</i> L. | Propagating material of ornamental plants other than seeds 0% |
| <i>Rhynchophorus ferrugineus</i> (Olivier) [RHYCFE] | Propagating material of ornamental plants other than seeds <i>Palmae</i> , as regards the following genera and species <i>Areca catechu</i> L., <i>Arenga pinnata</i> (Wurmb) Merr., <i>Bismarckia</i> Hildebr. & H. Wendl., <i>Borassus flabellifer</i> L., <i>Brahea armata</i> S. Watson, <i>Brahea edulis</i> H. Wendl., <i>Butia capitata</i> (Mart.) Becc., <i>Calamus merrillii</i> Becc., <i>Caryota maxima</i> Blume, <i>Caryota cumingii</i> Lodd. ex Mart., <i>Chamaerops humilis</i> L., <i>Cocos nucifera</i> L., <i>Corypha utan</i> Lam., <i>Copernicia</i> Mart., <i>Elaeis guineensis</i> Jacq., <i>Howea forsteriana</i> Becc., <i>Jubaea chilensis</i> (Molina) Baill., <i>Livistona australis</i> C. Martius, <i>Livistona decora</i> (W. Bull) Dowe, <i>Livistona rotundifolia</i> (Lam.) Mart., <i>Metroxylon sagu</i> Rottb., <i>Phoenix canariensis</i> | 0% |

Changes to legislation: There are currently no known outstanding effects for the The Marketing of Ornamental Plant Propagating Material Regulations 1999. (See end of Document for details)

| Bacteria | | |
|-----------------------------------|--|---|
| <i>Column 1</i> | <i>Column 2</i> | <i>Column 3</i> |
| RNQPs or symptoms caused by RNQPs | Genus or species of propagating material of ornamental plants | Threshold for the presence of RNQPs on the propagating material of the ornamental plant |
| | Chabaud, <i>Phoenix dactylifera</i> L., <i>Phoenix reclinata</i> Jacq., <i>Phoenix roebelenii</i> O'Brien, <i>Phoenix sylvestris</i> (L.) Roxb., <i>Phoenix theophrasti</i> Greuter, <i>Pritchardia</i> Seem. & H. Wendl., <i>Ravenea rivularis</i> Jum. & H. Perrier, <i>Roystonea regia</i> (Kunth) O.F. Cook, <i>Sabal palmetto</i> (Walter) Lodd. ex Schult. & Schult.f., <i>Syagrus romanzoffiana</i> (Cham.) Glassman, <i>Trachycarpus fortunei</i> (Hook.) H. Wendl., <i>Washingtonia</i> H. Wendl. | |

| Nematodes | | |
|--|---|--|
| <i>Column 1</i> | <i>Column 1</i> | <i>Column 1</i> |
| RNQPs or symptoms caused by RNQPs | Genus or species of propagating material of ornamental plants | Threshold for the presence of RNQPs on the propagating material of ornamental plants |
| <i>Ditylenchus dipsaci</i> (Kuehn) Filipjev [DITYDI] | <i>Allium</i> L. | 0% |
| <i>Ditylenchus dipsaci</i> (Kuehn) Filipjev [DITYDI] | Propagating material of ornamental plants other than seeds | 0% |
| | <i>Camassia</i> Lindl., <i>Chionodoxa</i> Boiss., <i>Crocus flavus</i> Weston, <i>Galanthus</i> L., <i>Hyacinthus</i> Tourn. ex L, <i>Hymenocallis</i> Salisb., <i>Muscari</i> Mill., <i>Narcissus</i> L., <i>Ornithogalum</i> L., <i>Puschkinia</i> Adams, <i>Scilla</i> L., <i>Sternbergia</i> Waldst. & Kit., <i>Tulipa</i> L. | |

| Viruses, viroids, virus-like diseases and phytoplasmas | | |
|--|---|--|
| <i>Column 1</i> | <i>Column 1</i> | <i>Column 1</i> |
| RNQPs or symptoms caused by RNQPs | Genus or species of propagating material of ornamental plants | Threshold for the presence of RNQPs on the propagating |
| | | |

Changes to legislation: There are currently no known outstanding effects for the The Marketing of Ornamental Plant Propagating Material Regulations 1999. (See end of Document for details)

| Bacteria | | |
|---|--|---|
| <i>Column 1</i> | <i>Column 2</i> | <i>Column 3</i> |
| RNQPs or symptoms caused by RNQPs | Genus or species of propagating material of ornamental plants | Threshold for the presence of RNQPs on the propagating material of the ornamental plant material of ornamental plants |
| <i>Candidatus</i> Phytoplasma mali Seemüller & Schneider [PHYPMA] | Propagating material of ornamental plants other than seeds <i>Malus</i> Mill. | 0% |
| <i>Candidatus</i> Phytoplasma prunorum Seemüller & Schneider [PHYPPR] | Propagating material of ornamental plants other than seeds <i>Prunus</i> L. | 0% |
| <i>Candidatus</i> Phytoplasma pyri Seemüller & Schneider [PHYPPY] | Propagating material of ornamental plants other than seeds <i>Pyrus</i> L. | 0% |
| <i>Candidatus</i> Phytoplasma solani Quaglinoet al. [PHYPSO] | Propagating material of ornamental plants other than seeds <i>Lavandula</i> L. | 0% |
| Chrysanthemum stunt viroid [CSVD00] | Propagating material of ornamental plants other than seeds <i>Argyranthemum</i> Webb ex Sch.Bip., <i>Chrysanthemum</i> L. | 0% |
| <i>Citrus</i> exocortis viroid [CEVD00] | Propagating material of ornamental plants other than seeds <i>Citrus</i> L. | 0% |
| <i>Citrus tristeza</i> virus [CTV000] (EU isolates) | Propagating material of ornamental plants other than seeds <i>Citrus</i> L., <i>Citrus</i> L. hybrids, <i>Fortunella</i> Swingle, <i>Fortunella</i> Swingle hybrids, <i>Poncirus</i> Raf., <i>Poncirus</i> Raf. Hybrids | 0% |

Changes to legislation: There are currently no known outstanding effects for the The Marketing of Ornamental Plant Propagating Material Regulations 1999. (See end of Document for details)

| Bacteria | | |
|--|--|--|
| <i>Column 1</i> | <i>Column 2</i> | <i>Column 3</i> |
| RNQPs or symptoms caused by RNQPs | Genus or species of propagating material of ornamental plants | Threshold for the presence of RNQPs on the propagating material of the ornamental plant |
| <i>Impatiens</i> necrotic spot tospovirus [INSV00] | Propagating material of ornamental plants other than seeds <i>Begonia x hiemalis</i> Fotsch, <i>Impatiens</i> L. New Guinea Hybrids | 0% |
| Potato spindle tuber viroid [PSTVD0] | <i>Capsicum annuum</i> L., | 0% |
| Plum pox virus [PPV000] | Propagating material of ornamental plants other than seeds <i>Prunus armeniaca</i> L., <i>Prunus blireana</i> Andre, <i>Prunus brigantina</i> Vill., <i>Prunus cerasifera</i> Ehrh., <i>Prunus cistena</i> Hansen, <i>Prunus curdica</i> Fenzl and Fritsch., <i>Prunus domestica</i> L., <i>Prunus domestica</i> ssp. <i>insititia</i> (L.) C.K. Schneid, <i>Prunus domestica</i> ssp. <i>italica</i> (Borkh.) Hegi., <i>Prunus dulcis</i> (Miller) Webb, <i>Prunus glandulosa</i> Thunb., <i>Prunus holosericea</i> Batal., <i>Prunus hortulana</i> Bailey, <i>Prunus japonica</i> Thunb., <i>Prunus mandshurica</i> (Maxim.) Koehne, <i>Prunus maritima</i> Marsh., <i>Prunus mume</i> Sieb. and Zucc., <i>Prunus nigra</i> Ait., <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> L., <i>Prunus sibirica</i> L., <i>Prunus simonii</i> Carr., <i>Prunus spinosa</i> L., <i>Prunus tomentosa</i> Thunb., <i>Prunus triloba</i> Lindl. Other species of <i>Prunus</i> L. susceptible to Plum pox virus | 0% |

Changes to legislation: There are currently no known outstanding effects for the The Marketing of Ornamental Plant Propagating Material Regulations 1999. (See end of Document for details)

| Bacteria | | |
|--|---|--|
| <i>Column 1</i> | <i>Column 2</i> | <i>Column 3</i> |
| RNQPs or symptoms caused by RNQPs | Genus or species of propagating material of ornamental plants | Threshold for the presence of RNQPs on the propagating material of the ornamental plant |
| Tomato spotted wilt tospovirus [TSWV00] | Propagating material of ornamental plants other than seeds <i>Begonia x hiemalis</i> Fotsch, <i>Capsicum annuum</i> L., <i>Chrysanthemum</i> L., <i>Gerbera</i> L., <i>Impatiens</i> L. New Guinea Hybrids, <i>Pelargonium</i> L. | 0%] |

Changes to legislation:

There are currently no known outstanding effects for the The Marketing of Ornamental Plant Propagating Material Regulations 1999.