## SCHEDULE 3

Regulation 12

## (Annex II to the Pressure Equipment Directive) CONFORMITY ASSESSMENT TABLES

1. The references in the tables to categories of modules are the following:

- I = Module A
- II = Modules A1, D1, E1

III = Modules B1+D, B1+F, B+E, B+C1, H

IV = Modules B+D, B+F, G, H1

**2.** The safety accessories defined in Article 1, Section 2.1.3, and referred to in Article 3, Section 1.4, are classified in category IV. However, by way of exception, safety accessories manufactured for specific equipment may be classified in the same category as the equipment they protect.

**3.** The pressure accessories defined in Article 1, Section 2.1.4, and referred to in Article 3, Section 1.4, are classified on the basis of:

- their maximum allowable pressure PS, and
- their volume V or their nominal size DN, as appropriate, and
- the group of fluids for which they are intended,


and the appropriate table for vessels or piping is to be used to determine the conformity assessment category.

Where both the volume and the nominal size are considered appropriate in the second indent, the pressure accessory must be classified in the highest category.


**4.** The demarcation lines in the following conformity assessment tables indicate the upper limit for each category.

Vessels referred to in Article 3, Section 1.1(a), first indent


Table 1Vessels referred to in Article 3, Section 1.1(a), first indentExceptionally, vessels intended to contain an unstable gas and falling within categories I or II on the basis of Table 1 must be classified in category III.




Vessels referred to in Article 3, Section 1.1(a), second indent Table 2Vessels referred to in Article 3, Section 1.1(a), second indentExceptionally, portable extinguishers and bottles for breathing equipment must be classified at least in category III



Vessels referred to in Article 3, Section 1.1(b), first indent Table 3Vessels referred to in Article 3, Section 1.1(b), first indent





Vessels referred to in Article 3, Section 1.1(b), second indent Table 4Vessels referred to in Article 3, Section 1.1(b), second indentExceptionally, assemblies intended for generating warm water as referred to in Article 3, Section 2.3, must be subject either to an EC design examination (Module B1) with respect to their conformity with the essential requirements referred to in Sections 2.10, 2.11, 3.4, 5(a) and 5(d) of Annex I, or to full quality assurance (Module H).



Pressure equipment referred to in Article 3, Section 1.2


Table 5Pressure equipment referred to in Article 3, Section 1.2Exceptionally, the design of pressurecookers must be subject to a conformity assessment procedure equivalent to at least one of the category III modules.






Piping referred to in Article 3, Section 1.3(a), first indent

Table 6Piping referred to in Article 3, Section 1.3(a), first indentExceptionally, piping intended for unstable gases and falling within categories I or II on the basis of Table 6 must be classified in category III.




Piping referred to in Article 3, Section 1.3(a), second indent

Table 7Piping referred to in Article 3, Section 1.3(a), second indentExceptionally, all piping containing fluids at a temperature greater than 350°C and falling within category II on the basis of Table 7 must be classified in category III.



Piping referred to in Article 3, Section 1.3(b), first indent Table 8Piping referred to in Article 3, Section 1.3(b), first indent



Piping referred to in Article 3, Section 1.3(b), second indent Table 9Piping referred to in Article 3, Section 1.3(b), second indent




Table 9

a)

÷

3

ć

۸.,