
Status: Point in time view as at 15/04/2001.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

STATUTORY INSTRUMENTS

2001 No. 1113

**AGRICULTURE, ENGLAND AND WALES
PESTICIDES**

**The Pesticides (Maximum Residue Levels in
Crops, Food and Feeding Stuff) (England
and Wales) (Amendment) Regulations 2001**

| | | |
|-------------------------------|---------|------------------------|
| <i>Made</i> | - - - - | <i>21st March 2001</i> |
| <i>Laid before Parliament</i> | | <i>22nd March 2001</i> |
| <i>Coming into force</i> | - - | <i>15th April 2001</i> |

The Minister of Agriculture, Fisheries and Food and the National Assembly for Wales, acting jointly (the National Assembly for Wales acting in relation to Wales only), being designated^{M1} for the purposes of section 2(2) of the European Communities Act 1972^{M2} in relation to the Common Agricultural Policy of the European Community, in exercise of the powers conferred on them by that section, and of all other powers enabling them in that behalf, make the following Regulations:

Marginal Citations

M1 [S.I. 1972/1811](#) in the case of the Minister and [S.I. 1999/2788](#) in the case of the National Assembly for Wales.

M2 [1972 c.68](#).

Title, commencement and extent **E+W**

1. These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) Regulations 2001; they extend to England and Wales only, and shall come into force on 15th April 2001.

Amendment to the Pesticides (Maximum Residue Levels in Crops, Food and Feedingstuff) (England and Wales) Regulations 1999 **E+W**

2.—(1) The Pesticides (Maximum Residue Levels in Crops, Food and Feedingstuff) (England and Wales) Regulations 1999^{M3} shall be amended in accordance with this regulation.

(2) After paragraph (2) of regulation 4 there shall be inserted—

Status: Point in time view as at 15/04/2001.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

“(2A) Where there is a changing date at the top of a column in Part 2 of Schedule 2, and an entry is shown in both italic and non-italic type, the figure in italic type is the level until the changing date, and the figure in non-italic type is the level on and after that date.”.

(3) In Schedule 1 there shall be inserted at the appropriate place in columns 1 and 2 the following:

| Column 1 <i>Pesticide</i> | Column 2 <i>Residues</i> |
|---|---|
| Aldicarb | sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb |
| Aminotriazole (Amitrole) | aminotriazole |
| Amitraz | amitraz plus its metabolites containing 2,4-dimethylaniline, expressed as amitraz |
| Aramite | aramite |
| Azoxystrobin | azoxystrobin |
| Barban | barban |
| Bromopropylate | bromopropylate |
| Chlorbenside | chlorbenside |
| Chlorbufam | chlorbufam |
| Chlorfenson | chlorfenson |
| Chloroxuron | chloroxuron |
| Diallate | diallate |
| 1,1-dichloro-2,2-bis (4-ethyl-phenyl-) ethane | 1,1-dichloro-2,2-bis (4-ethyl-phenyl-) ethane |
| Fenvalerate and esfenvalerate | fenvalerate and esfenvalerate (sum of isomers) |
| Flucythrinate | sum of isomers |
| Folpet | folpet |
| Kresoxim-methyl | kresoxim-methyl (for plants) 2-methoxyimino-2[2-(O-tolyloxymethyl) phenyl] acetic acid (for meat, liver, fat and 2-[2-(4-hydroxy-2-methylphenoxy)methyl) phenyl]-2-methoxy-iminoacetic acid (for milk) |
| Methidathion | methidathion |
| Methomyl thiodicarb | sum of methomyl and thiodicarb expressed as methomyl |
| Methoxychlor | methoxychlor |
| Phoxim | phoxim |
| Profenophos | profenophos |

(4) In Part I of Schedule 2 to those Regulations, the entry for the pesticide in column 1 of the following table shall be deleted in relation to the crop opposite in column 2 on the date specified in column 3:

Status: Point in time view as at 15/04/2001.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

| Column 1 Pesticide | Column 2 Crop | Column 3 Date of deletion |
|-------------------------------|---|--------------------------------------|
| Carbendazim | strawberries (other than wild) | 1 July 2001 |
| | raspberries (other than wild) | 1 April 2001 |
| Chlorobenzilate | Citrus fruit (the whole group) | 1 April 2001 |
| Diazinon | early and ware potatoes | 1 July 2001 |
| Dicofol | apricots | 1 July 2001 |
| | peaches (incl nectarines and similar hybrids) | |
| | plums | |
| | currants (other than wild) (red, black and white) | |
| | garlic | |
| | cultivated mushrooms | |
| Endosulfan | strawberries (other than wild) | 1 July 2001 |
| | blackberries (other than wild) | |
| | currants (other than wild) (red, black and white) | |
| | gooseberries (other than wild) | |
| | early and ware potatoes | |
| Metalaxyl | citrus (whole group) | 1 July 2001 |
| Thiabendazole | early potatoes | 1 July 2001 |
| Triazophos | garlic/onions and shallots | 1 July 2001 |
| | brussels sprouts | |
| | head cabbage | |
| | early and ware potatoes | |
| Vinclozolin | celery | 1 April 2001 |

(5) For Part 2 of Schedule 2 there shall be substituted the Schedule to these Regulations.

(6) In Schedule 3—

- (a) in paragraph 1(vi) opposite the Group of products “Miscellaneous fruit” there shall be inserted “Papaya” in the appropriate place in column 2;
- (b) in paragraph 2(iii) opposite the Group of products “Fruiting vegetables” in “(a) Solanacea” there shall be inserted “Chilli peppers” between Peppers and Aubergines in column 2.

Marginal Citations

M3 [S.I. 1999/3483](#).

Status: Point in time view as at 15/04/2001.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to *The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) Regulations 2001*. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

21st March 2001

Helen Hayman
Minister of State, Ministry of Agriculture,
Fisheries and Food

15th March 2001

Elis Thomas
The Presiding Officer of the National Assembly
for Wales

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

SCHEDULE E+W

Regulation 2(5)



SCHEDULE 2 PART 2 Regulation 4(1)

Table with 10 columns: Group to which food belongs, Groups include the following products, Acephale, Aldicarb, Aldrin & dieldrin, Ambush/azela, Azinphos, Azoxystrobin, Atrazine, Acequinolac. Rows include various fruit and vegetable categories like Citrus fruit, Free nuts, Berries and small fruit, and Root and tuber vegetables.

Status: Point in time view as at 15/04/2001.
Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

| Group to which food belongs | Groups include the following products | Acephate (changing 1 July 2001) | Aldicarb (changing 1 July 2001) | Azinphos methyl (changing 1 July 2001) | Benflumetoprol (Amendments) | Carbofenthiol (changing 1 July 2001) | Carbofenthiol (Amendments) | Chlorpyrifos (changing 1 July 2001) | Chlorpyrifos (Amendments) | |
|-----------------------------|---------------------------------------|------------------------------------|------------------------------------|---|--------------------------------|---|-------------------------------|--|------------------------------|-------|
| I) BRASSICA VEGETABLES | Others | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | |
| | b) Cauliflower-rodlike part | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | |
| | Cauliflower | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | |
| | Broccoli | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | |
| | Brussels sprouts | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | |
| | Others | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | |
| | c) Cauliflower-rodlike part | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | |
| | Brussels sprouts | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | |
| | Watercress | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | |
| | Others | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | |
| | d) Sweet corn | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | |
| | II) LEGUME VEGETABLES | Others | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* |
| | III) LEAF VEGETABLES AND FRESH HERBS | Others | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* |
| | IV) STEM VEGETABLES | Others | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* |
| | V) FRUITING | Others | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* |
| VI) PULSES | Others | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | |
| VII) OILSEEDS | Others | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | |
| VIII) POTATOES | Others | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | |
| IX) TEA | Others | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | |
| X) HOPS | Others | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | |
| XI) CITRUS FRUIT | Others | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | |
| XII) TREE NUTS | Others | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | |
| XIII) POME FRUIT | Others | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | |

Status: Point in time view as at 15/04/2001.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

| Crop to which food belongs | Crops include the following products | Barban | Bendazyl (changing 1 July 2001) | Benforanb (changing 1 July 2001) | Bimapanol | Biphenole | Bromophosb1 | Bromoproprate | Cyfluthrin (Tetraphen) | | |
|---|---|------------------------------|---------------------------------|----------------------------------|-----------|-----------|-------------|---------------|------------------------|------|------|
| ii) STONE FRUIT | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | |
| | Apples | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | |
| | Cherries | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | |
| | Peaches (incl. nectarines & similar hybrids) | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | |
| | Pistach | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | |
| | iii) BERRIES AND SMALL FRUIT | iv) Table & wine grapes | | | | | | | | | |
| | | Table grapes | 0.05* | 0.2 | 0.05* | 0.05* | | 0.05* | | 0.1* | |
| | | Wine grapes | 0.05* | 0.2 | 0.05* | 0.05* | | 0.05* | | 0.1* | |
| v) Strawberries (other than wild) | | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | |
| vi) Other fruit (other than wild) | | | | | | | | | | | |
| Blackberries | | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | |
| Cherries | | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | |
| Loganberries | | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | |
| Raspberries | | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | |
| Others | | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | |
| iv) Other small fruit & berries (other than wild) | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | |
| | Cranberries | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | |
| | Campari (incl. black & white) | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | |
| | Cougarberries | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | |
| | v) Wild berries & wild fruit | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | |
| | vi) MISCELLANEOUS FRUIT | Avocado | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | |
| | | Bananas | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | |
| | 2. Vegetables, fresh or secondarily frozen or dry | i) ROOT AND TUBER VEGETABLES | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | | | Carrots | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| Celery | | | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | |
| Cauliflow | | | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | |
| Jerusalem artichokes | | | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | |
| Parsnips | | | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | |
| Potatoes (incl. sweet) | | | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | |
| Others | | | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | |
| Sweet potatoes | | | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | |
| Yams | | | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | |
| ii) BULB VEGETABLES | | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | |
| | | Garlic | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | |
| | | Onions | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | |
| | | Spring onions | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | |
| | | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | |
| | | iii) FRUITING VEGETABLES | iv) Cucurbits | | | | | | | | |
| | | | Tomatoes | 0.05* | 0.2 | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | | | Pumpkins | 0.05* | 0.2 | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | | | Chilli peppers | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | | | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| v) Cucurbits (edible part) | | | | | | | | | | | |
| Cucumbers | 0.05* | | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | |
| Courgettes | 0.05* | | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | |
| Others | 0.05* | | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | |
| vi) Cucurbits (inedible part) | | | | | | | | | | | |
| Melons | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | | |
| Squashes | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | | |
| Watermelons | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | | |
| Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | | |
| vii) BRASSICA VEGETABLES | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | |
| Flowering Brassicas | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | | |
| iv) LEAF VEGETABLES AND FRESH HERBS | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | |
| | v) Leafy Brassicas | | | | | | | | | | |
| | Broccoli | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | |
| | Cauliflow | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | |
| | vi) Leafy Greens | | | | | | | | | | |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | |
| v) HERB VEGETABLES AND FRESH HERBS | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | | |

Status: Point in time view as at 15/04/2001.
Changes to Legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

| Group to which food belongs | Crops include the following products | Barban | Bromoxynil (including 1 July 2001) | Bifenox | Bromoxynil (including 1 July 2001) | Bifluorfen | Bromoxynil (including 1 July 2001) | Bromoxynil (including 1 July 2001) | Chlorproprate (except where specified) | |
|-----------------------------|--------------------------------------|-------------------------|------------------------------------|---------|------------------------------------|------------|------------------------------------|------------------------------------|--|------|
| 4) LEGUME VEGETABLES (dry) | Beans | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Chick peas | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Beans (with pods) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Beans (without pods) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Peas (with pods) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Peas (without pods) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | 4) STEM VEGETABLES | Asparagus | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| | | Cauliflower | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| Celery | | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| Fennel | | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| Glazed artichokes | | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| Leek | | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| Onion | | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| Others | | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| 4) FUNGI | | a) Cultivated mushrooms | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| | | b) Wild mushrooms | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| 1. PULSES | Beans | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Lentils | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Peas | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| 4. OILSEEDS | Linseed | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Rapeseed | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Peanut seed | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |

| Group to which food belongs | Crops include the following products | Barban | Bromoxynil (including 1 July 2001) | Bifenox | Bromoxynil (including 1 July 2001) | Bifluorfen | Bromoxynil (including 1 July 2001) | Bromoxynil (including 1 July 2001) | Chlorproprate (except where specified) | |
|-----------------------------|--------------------------------------|---|------------------------------------|---------|------------------------------------|------------|------------------------------------|------------------------------------|--|------|
| 5. POTATOES | Sauvignon seed | 0.10* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Southwest seed | 0.10* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Ridge seed | 0.10* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Soybean | 0.05* | no MRL | no MRL | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | 6. TEA | Earl Grey | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| | | Other teas | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| | 7. HOPS (dried) | Standard hop pellets & mixed conventional powder | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* |
| | | Specialty hop pellets & mixed conventional powder | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* |

| Group to which food belongs | Crops include the following products | Captafol | Carbendazim (including 1 July 2001) | Carbendazim (including 1 July 2001) | Carbendazim (including 1 July 2001) | Carip | Chlorobutol | Chlorobutol | | | |
|--|--------------------------------------|------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|--------|-------------|-------------|-------|-------|-------|
| 1. FRUIT, fresh, dried or uncooked, preserved by freezing not containing added sugar | i) CITRUS FRUIT | Grapefruit | 0.02* | 5 | no MRL | no MRL | 0.01* | 0.01* | 0.01* | | |
| | | Lemon | 0.02* | 5 | no MRL | no MRL | 0.01* | 0.01* | 0.01* | | |
| | | Lime | 0.02* | 5 | no MRL | no MRL | 0.01* | 0.01* | 0.01* | | |
| | | Others | 0.02* | 5 | no MRL | no MRL | 0.01* | 0.01* | 0.01* | | |
| | | ii) TREE NUTS (shell or unshelled) | Almonds | 0.02* | 0.1* | 0.1* | 0.02* | 0.01* | 0.01* | 0.01* | |
| | | | Walnuts | 0.02* | 0.1* | 0.1* | 0.02* | 0.01* | 0.01* | 0.01* | |
| | | | Others | 0.02* | 0.1* | 0.1* | 0.02* | 0.01* | 0.01* | 0.01* | |
| | | | iii) POME FRUIT | Apples | 0.02* | 2 | no MRL | no MRL | 0.01* | 0.01* | 0.01* |

| Group to which food belongs | Crops include the following products | Captafol | Carbendazim (including 1 July 2001) | Carbendazim (including 1 July 2001) | Carbendazim (including 1 July 2001) | Carip | Chlorobutol | Chlorobutol | | |
|---|--------------------------------------|-------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------|-------------|-------------|-------|-------|
| 2. VEGETABLES, fresh or uncooked, dried or dy | i) ROOT AND TUBER VEGETABLES | Beetroot | 0.02* | 0.1* | 0.1* | 0.02* | 0.01* | 0.01* | 0.01* | |
| | | Carrots | 0.02* | 0.1* | 0.1* | 0.02* | 0.01* | 0.01* | 0.01* | |
| | | Celery | 0.02* | 0.1* | 0.1* | 0.02* | 0.01* | 0.01* | 0.01* | |
| | | Others | 0.02* | 0.1* | 0.1* | 0.02* | 0.01* | 0.01* | 0.01* | |
| | | ii) MISCELLANEOUS FRUIT | Avocado | 0.02* | 0.1* | 0.1* | 0.02* | 0.01* | 0.01* | 0.01* |
| | | | Apricots | 0.02* | 0.1* | 0.1* | 0.02* | 0.01* | 0.01* | 0.01* |
| | | | Cherries | 0.02* | 0.1* | 0.1* | 0.02* | 0.01* | 0.01* | 0.01* |
| | | | Others | 0.02* | 0.1* | 0.1* | 0.02* | 0.01* | 0.01* | 0.01* |

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

| Group to which food belongs | Groups include the following products | Caprol | Carbendazim (changing 1 July 2001) | Carbendazim (changing 1 July 2001) | Carbendazim (changing 1 July 2001) | Carip | Chlorbenzole | Chlorbutan | | |
|------------------------------------|---------------------------------------|-----------------------|------------------------------------|------------------------------------|------------------------------------|--------|--------------|------------|-------|--|
| ii) BULB VEGETABLES | Swedes | 0.02* | 0.1* | no MRL | no MRL | 0.02* | 0.02* | 0.05* | | |
| | Turnips | 0.02* | 0.1* | 0.2 | 0.05* | 0.02* | 0.02* | 0.05* | | |
| | Yams | 0.02* | 0.1* | 0.2 | 0.05* | 0.02* | 0.02* | 0.05* | | |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| | Gauls | 0.02* | 0.1* | 0.3 | 0.05* | 0.02* | 0.02* | 0.05* | | |
| | Onions | 0.02* | 0.1* | 0.3 | 0.05* | 0.02* | 0.02* | 0.05* | | |
| | Shallots | 0.02* | 0.1* | 0.3 | 0.05* | 0.02* | 0.02* | 0.05* | | |
| | Spring onions | 0.02* | 0.1* | 0.4 | 0.05* | 0.02* | 0.02* | 0.05* | | |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| | iii) FRUITING VEGETABLES | a) Solanaceae | | | | | | | | |
| Tomatoes | | 0.02* | 0.3 | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| Peppers | | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| Chilli peppers | | 0.02* | 0.5 | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| Aubergines | | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| Others | | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| b) Cucurbitaceae | | | | | | | | | | |
| Cucumbers | | 0.02* | 0.3 | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| Courgettes | | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| Courgettes | | 0.02* | 0.3 | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| Others | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | | |
| c) Cucurbitaceae | | | | | | | | | | |
| Melons | 0.02* | 0.5 | no MRL | no MRL | 0.02* | 0.02* | 0.05* | | | |
| Squashes | 0.02* | 0.5 | 0.2 | 0.05* | 0.02* | 0.02* | 0.05* | | | |
| Watermelons | 0.02* | 0.1* | 0.2 | 0.05* | 0.02* | 0.02* | 0.05* | | | |
| iv) BRASSICA VEGETABLES | a) Flowering Brassicas | | | | | | | | | |
| | Broccoli | 0.02* | 0.1* | 0.2 | no MRL | 0.02* | 0.02* | 0.05* | | |
| | Chalkbloss | 0.02* | 0.1* | 0.2 | 0.05* | 0.02* | 0.02* | 0.05* | | |
| | Others | 0.02* | 0.1* | 0.2 | 0.05* | 0.02* | 0.02* | 0.05* | | |
| | b) Head Brassicas | | | | | | | | | |
| | Brussels sprouts | 0.02* | 0.3 | no MRL | no MRL | 0.02* | 0.02* | 0.05* | | |
| | Head cabbage | 0.02* | 3 | no MRL | no MRL | 0.02* | 0.02* | 0.05* | | |
| | Others | 0.02* | 3 | no MRL | no MRL | 0.02* | 0.02* | 0.05* | | |
| | c) Leafy Brassicas | | | | | | | | | |
| | Chinese cabbage | 0.02* | 1 | 0.1* | no MRL | no MRL | 0.02* | 0.02* | | |
| Kale | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | | |
| Others | 0.02* | 0.1* | no MRL | no MRL | 0.02* | 0.02* | 0.05* | | | |
| v) LEAF VEGETABLES AND FRESH HERBS | a) Lettuce & similar | | | | | | | | | |
| | Crisp | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| | Leafy lettuce | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| | Lettsuce | 0.02* | 3 | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| | Spinach | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| | b) Other leafy vegetables | | | | | | | | | |
| | Spinach & similar | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| | Spinach | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| vi) LEGUME VEGETABLES | a) Beans (with pods) | | | | | | | | | |
| | Beans (with pods) | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| | Peas (with pods) | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| | Peas (without pods) | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| | b) Lentils | | | | | | | | | |
| | Lentils | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| | c) Chickpeas | | | | | | | | | |
| | Chickpeas | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| Others | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | | |
| vii) STEM VEGETABLES | a) Asparagus | | | | | | | | | |
| | Asparagus | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| | Cauliflow | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| | Celery | 0.02* | 2 | no MRL | no MRL | 0.02* | 0.02* | 0.05* | | |
| | Endive | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| | Celery sticks | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| | Leeks | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| | Rubarb | 0.02* | 2 | no MRL | no MRL | 0.02* | 0.02* | 0.05* | | |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| | viii) FENNEL | a) Cultivated fennels | | | | | | | | |
| Fennel | | 0.02* | 1 | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| Others | | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| b) Wild fennels | | | | | | | | | | |
| Fennel | | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| Others | | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| ix) PULSES | | a) Beans | | | | | | | | |
| | | Beans | 0.02* | 2 | no MRL | no MRL | 0.02* | 0.02* | 0.05* | |
| | | Lentils | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | |
| | | Peas | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| | b) Chickpeas | | | | | | | | | |
| | Chickpeas | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| | x) OIL SEEDS | a) Linseed | | | | | | | | |
| | | Linseed | 0.02* | 0.1* | no MRL | no MRL | 0.02* | 0.02* | 0.05* | |
| Others | | 0.02* | 0.1* | no MRL | no MRL | 0.02* | 0.02* | 0.05* | | |
| b) Rape seed | | | | | | | | | | |
| Rape seed | | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| Others | | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| c) Sunflower seed | | | | | | | | | | |
| Sunflower seed | | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| Others | | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| xi) POTATOES | | a) Early potatoes | | | | | | | | |
| | Early potatoes | 0.02* | 3 | no MRL | no MRL | 0.02* | 0.02* | 0.05* | | |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| | b) Main crop potatoes | | | | | | | | | |
| | Main crop potatoes | 0.02* | 3 | no MRL | no MRL | 0.02* | 0.02* | 0.05* | | |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| | xii) OTHERS | a) Onions | | | | | | | | |
| | | Onions | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | |
| | | Others | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | |
| | | b) Garlic | | | | | | | | |
| Garlic | | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| Others | | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| c) Shallots | | | | | | | | | | |
| Shallots | | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| Others | | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| d) Spring onions | | | | | | | | | | |
| Spring onions | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | | |
| Others | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | | |
| xiii) OTHERS | a) Onions | | | | | | | | | |
| | Onions | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| | b) Shallots | | | | | | | | | |
| | Shallots | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| | c) Spring onions | | | | | | | | | |
| | Spring onions | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | |
| | d) Garlic | | | | | | | | | |
| Garlic | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | | |
| Others | 0.02* | 0.1* | 0.1* | 0.05* | 0.02* | 0.02* | 0.05* | | | |

Status: Point in time view as at 15/04/2001.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

| Group to which food belongs | Groups include the following products | Chloridate | Chlorfenvinphos | Chlorpyrifos (changing 1 July 2001) | Chlorobutiride | Chlorothaloxim (changing 1 July 2001) | Chlorpyrifos | Chlorpyrifos | |
|--|---|--|-----------------|-------------------------------------|----------------|---------------------------------------|--------------|--------------|--------------|
| | | | | | | | | | Chlorpyrifos |
| (i) LEAF VEGETABLES AND FRESH HERBS | b) Broad beans Broad beans sprouts Broad cabbage Others | 0.01* | 0.01* | 0.02* | 0.5 | 0.02* | 0.01* | 0.01* | |
| | | 0.01* | 0.01* | 0.02* | 0.02* | 0.01* | 0.01* | 0.01* | |
| | | 0.01* | 0.01* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | |
| | c) Leafy brassicas Chlorophyll Kale Others | 0.01* | 0.01* | 0.02* | 0.01* | 0.01* | 0.01* | 0.5 | |
| | | 0.01* | 0.01* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | |
| | | 0.01* | 0.01* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | |
| | (ii) LEGUME VEGETABLES AND FRESH HERBS | a) Lettuce & similar Lettuce Lamb-leaves Lettuce Spinach Others | 0.01* | 0.01* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* |
| | | | 0.01* | 0.01* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* |
| | | | 0.01* | 0.01* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* |
| | | b) Spinach & similar Spinach Bitter melon (kudzu) Others | 0.01* | 0.01* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* |
| | | | 0.01* | 0.01* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* |
| | | | 0.01* | 0.01* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* |
| c) Watercress d) Fennel e) Fava Cherry Cherry Fava Cherry Others | | 0.01* | 0.01* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | |
| | | 0.01* | 0.01* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | |
| | | 0.01* | 0.01* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | |
| (iii) LEGUME VEGETABLES (dried) | | Beans (with pods) | 0.01* | no MRL | 0.02* | 0.01* | 0.01* | 0.01* | |
| | | Beans (without pods) | 0.01* | no MRL | 0.02* | 0.01* | 0.01* | 0.01* | |
| (iv) STEM VEGETABLES | | a) Potatoes Potatoes (with pods) Others | 0.01* | no MRL | 0.02* | 0.01* | 0.01* | 0.01* | |
| | 0.01* | | no MRL | 0.02* | 0.01* | 0.01* | 0.01* | | |
| | 0.01* | | 0.02* | 0.02* | 0.01* | 0.01* | 0.01* | | |
| | b) Asparagus Cauliflower Cauliflower Fennel Others Leeks Rutabaga Others | 0.01* | 0.02* | 0.02* | 0.01* | 0.01* | 0.01* | | |
| | | 0.01* | 0.02* | 0.02* | 0.01* | 0.01* | 0.01* | | |
| | | 0.01* | 0.02* | 0.02* | 0.01* | 0.01* | 0.01* | | |
| | (v) FLINGS | a) Celeriac and rootstocks | 0.01* | no MRL | 0.02* | 0.01* | 0.01* | 0.01* | |
| | | b) Wild radish roots | 0.01* | 0.02* | 0.02* | 0.01* | 0.01* | 0.01* | |
| | 3. PULSES | Beans | 0.01* | 0.02* | 0.02* | 0.01* | 0.01* | 0.01* | |
| | | Lentils | 0.01* | 0.02* | 0.02* | 0.01* | 0.01* | 0.01* | |
| | | Peas | 0.01* | 0.02* | 0.02* | 0.01* | 0.01* | 0.01* | |
| | | Others | 0.01* | 0.02* | 0.02* | 0.01* | 0.01* | 0.01* | |
| 4. OILSEEDS | Lentils | 0.01* | no MRL | 0.02* | 0.01* | 0.01* | 0.01* | | |
| | Peas | 0.01* | 0.1* | 0.02* | 0.01* | 0.01* | 0.01* | | |
| | Papaya seed | 0.01* | 0.1* | 0.02* | 0.01* | 0.01* | 0.01* | | |
| | Sunflower seed | 0.01* | 0.1* | 0.02* | 0.01* | 0.01* | 0.01* | | |
| (v) FRUIT, DRIED OR UNDRYED, PRESERVED BY HEATING NOT CONTAINING ADDED SUGAR | a) Citrus fruit Rape seed Soya beans Shelled seed Citrus seed Others | 0.01* | no MRL | 0.02* | 0.01* | 0.01* | 0.01* | | |
| | | 0.01* | 0.1* | 0.02* | 0.01* | 0.01* | 0.01* | | |
| | | 0.01* | 0.1* | 0.02* | 0.01* | 0.01* | 0.01* | | |
| | b) Potatoes Wax potatoes | 0.01* | no MRL | 0.02* | 0.01* | 0.01* | 0.01* | | |
| | | 0.01* | 0.02* | 0.02* | 0.01* | 0.01* | 0.01* | | |
| | | 0.01* | 0.02* | 0.02* | 0.01* | 0.01* | 0.01* | | |
| | c) Tea 7. HOPS (dried) | 0.01* | 0.1* | 0.02* | 0.01* | 0.01* | 0.01* | | |
| | | 0.01* | 0.1* | 0.02* | 0.01* | 0.01* | 0.01* | | |
| | | 0.01* | 0.1* | 0.02* | 0.01* | 0.01* | 0.01* | | |
| | 1. Fruit, fresh, dried or unadorned, preserved by freezing not containing added sugar | (i) CITRUS FRUIT Grapefruit Lemons Limes Mandarin (i.e. Satsumas & similar hybrids) Oranges Pineapples Others | 0.01* | 0.02* | 2 | 0.02* | 0.01* | 0.01* | 0.1 |
| | | | 0.1 | 0.02* | 2 | 0.02* | 0.01* | 0.01* | 0.1 |
| | | | 0.01* | 0.02* | 2 | 0.02* | 0.01* | 0.01* | 0.1 |
| (ii) TREE NUTS (shell or unshelled) Almonds Brazil nuts Cashew nuts Coconuts Hazelnuts Macadamia nuts Peanuts Pine nuts Pistachios Walnuts Others | | 0.01* | 0.02* | 0.02* | 0.02* | 0.01* | 0.01* | 0.01* | |
| | | 0.01* | 0.02* | 0.02* | 0.02* | 0.01* | 0.01* | 0.01* | |
| | | 0.01* | 0.02* | 0.02* | 0.02* | 0.01* | 0.01* | 0.01* | |
| (iii) POME FRUIT Apples | | 0.1 | 0.2 | 1 | 0.02* | 0.01* | 0.1 | 0.01* | 0.1 |
| | | 0.1 | 0.2 | 1 | 0.02* | 0.01* | 0.1 | 0.01* | 0.1 |
| 2. Fruit, fresh, dried or unadorned, preserved by freezing not containing added sugar | | (i) STONE FRUIT Apricots Cherries Peaches (incl. nectarines & similar hybrids) Plums Others | 0.01* | no MRL | 2 | 0.02* | 0.01* | 0.1 | 0.01* |
| | | | 0.01* | 0.2 | 1 | 0.02* | 0.01* | 0.1 | 0.01* |
| | | | 0.01* | 0.2 | 1 | 0.02* | 0.01* | 0.1 | 0.01* |
| | | (ii) BERRIES AND SMALL FRUIT a) Table & wine grapes Table grapes Wine grapes b) Strawberries (other than wild) c) Raspberries Dewberries Lagartberries Raspberries | 0.1 | 0.3 | 0.5 | 0.02* | 0.01* | 0.1 | 0.01* |
| | 0.2 | | 0.3 | 0.5 | 0.02* | 0.01* | 0.1 | 0.01* | |
| | 0.5 | | no MRL | 0.02* | 0.02* | 0.01* | 0.01* | 0.01* | |
| | 0.01* | 0.02* | 0.5 | 0.02* | 0.01* | 0.5 | 0.01* | 0.1 | |
| | 0.01* | 0.02* | 0.5 | 0.02* | 0.01* | 0.01* | 0.01* | 0.1 | |
| | 0.01* | 0.02* | 0.5 | 0.02* | 0.01* | 0.01* | 0.01* | 0.1 | |
| | 0.01* | 0.02* | 0.5 | 0.02* | 0.01* | 0.5 | 0.01* | 0.1 | |

Status: Point in time view as at 15/04/2001.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

| Group to which food belongs | Crops include the following products | Chlorpyrifos-methyl | Cyfluthrin | Cypermethrin | Deltamethrin | DDT | Deltamethrin | Diazinon | Diazinon |
|-----------------------------|--|------------------------|------------|--------------|--------------|-------|--------------|----------|----------|
| | | (changing 1 July 2001) | | | | | | | |
| 1. VEGETABLES | Asparagus | 0.01* | 0.02* | 0.05* | 0.02* | 0.01* | 0.01* | 0.01* | 0.1 |
| | Cardoon | 0.01* | 0.02* | 0.05* | 0.02* | 0.01* | 0.01* | 0.01* | 0.02* |
| | Cherry | 0.01* | 0.02* | 0.05* | 0.02* | 0.01* | 0.01* | 0.01* | 0.1 |
| | Fennel | 0.01* | 0.02* | 0.05* | 0.02* | 0.01* | 0.01* | 0.01* | 0.02* |
| | Edible artichokes | 0.01* | 0.02* | 2 | 0.02* | 0.01* | 0.1 | 0.01* | 0.02* |
| | Leeks | 0.01* | no MRL | 0.5 | 0.02* | 0.01* | 0.1 | 0.01* | 0.1 |
| | Endives | 0.01* | 0.02* | 0.05* | 0.02* | 0.01* | 0.01* | 0.01* | 0.02* |
| | Others | 0.01* | 0.02* | 0.05* | 0.02* | 0.01* | 0.01* | 0.01* | 0.02* |
| | a) Cultivated mushrooms | 0.01* | 0.02* | 0.05* | 0.02* | 0.01* | 0.01* | 0.01* | 0.1 |
| | b) Wild mushrooms | 0.01* | 0.02* | 1 | 0.02* | 0.01* | 0.01* | 0.01* | 0.02* |
| 2. FRUITS | Apples | 0.01* | 0.02* | 0.05* | 0.02* | 0.01* | 1 | 0.01* | no MRL |
| | Avocado | 0.01* | 0.02* | 0.05* | 0.02* | 0.01* | 1 | 0.01* | no MRL |
| | Pears | 0.01* | 0.02* | 0.05* | 0.02* | 0.01* | 1 | 0.01* | no MRL |
| | Others | 0.01* | 0.02* | 0.05* | 0.02* | 0.01* | 1 | 0.01* | no MRL |
| 3. OILSEEDS | Linseed | 0.01* | 0.02* | 0.2 | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Rapeseed | 0.01* | 0.02* | 0.2 | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Sunflower seed | 0.01* | 0.02* | 0.2 | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* |
| 4. POTATIVES | Sweet potato | 0.01* | 0.02* | 0.2 | 0.01* | 0.01* | 0.01* | 0.01* | no MRL |
| | Yam | 0.01* | 0.02* | 0.2 | 0.01* | 0.01* | 0.01* | 0.01* | no MRL |
| | Other roots | 0.01* | 0.02* | 0.2 | 0.01* | 0.01* | 0.01* | 0.01* | no MRL |
| | Others | 0.01* | 0.02* | 0.2 | 0.01* | 0.01* | 0.01* | 0.01* | no MRL |
| | Early potatoes | 0.01* | 0.02* | 0.05* | 0.02* | 0.01* | 0.01* | 0.01* | no MRL |
| | Wart potatoes | 0.01* | 0.02* | 0.05* | 0.02* | 0.01* | 0.1 | 0.01* | no MRL |
| | Others (other roots and tubers, fermented or otherwise, Cassia, sweetpotato) | 0.1* | no MRL | 0.5 | 0.1* | 0.2 | 1 | 0.1* | 0.01* |
| | Others (including top potato & non-commercial produce) | 0.1* | 20 | 30 | 0.1* | 0.01* | 1 | 0.1* | no MRL |
| | Others | 0.01* | 0.02* | 0.05* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* |
| | 5. OTHER CROPS | Soyabean | 0.01* | 0.02* | 0.2 | 0.01* | 0.01* | 0.01* | 0.01* |
| Maize | | 0.01* | 0.02* | 0.2 | 0.01* | 0.01* | 0.01* | 0.01* | no MRL |
| Wheat | | 0.01* | 0.02* | 0.2 | 0.01* | 0.01* | 0.01* | 0.01* | no MRL |
| Barley | | 0.01* | 0.02* | 0.2 | 0.01* | 0.01* | 0.01* | 0.01* | no MRL |
| Oats | | 0.01* | 0.02* | 0.2 | 0.01* | 0.01* | 0.01* | 0.01* | no MRL |
| Rice | | 0.01* | 0.02* | 0.2 | 0.01* | 0.01* | 0.01* | 0.01* | no MRL |
| Others | | 0.01* | 0.02* | 0.2 | 0.01* | 0.01* | 0.01* | 0.01* | no MRL |
| Others | | 0.01* | 0.02* | 0.2 | 0.01* | 0.01* | 0.01* | 0.01* | no MRL |
| Others | | 0.01* | 0.02* | 0.2 | 0.01* | 0.01* | 0.01* | 0.01* | no MRL |
| Others | | 0.01* | 0.02* | 0.2 | 0.01* | 0.01* | 0.01* | 0.01* | no MRL |
| 6. OTHER CROPS | Almonds | 0.01* | 0.02* | 0.05* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Brazil nuts | 0.01* | 0.02* | 0.05* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Cashew nuts | 0.01* | 0.02* | 0.05* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Coconuts | 0.01* | 0.02* | 0.05* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Walnuts | 0.01* | 0.02* | 0.05* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Others | 0.01* | 0.02* | 0.05* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Others | 0.01* | 0.02* | 0.05* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Others | 0.01* | 0.02* | 0.05* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Others | 0.01* | 0.02* | 0.05* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Others | 0.01* | 0.02* | 0.05* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* |
| 7. OTHER CROPS | Apples | 0.01* | 0.02* | 0.05* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Pears | 0.01* | 0.02* | 0.05* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Cherries | 0.01* | 0.02* | 0.05* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Others | 0.01* | 0.02* | 0.05* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Others | 0.01* | 0.02* | 0.05* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Others | 0.01* | 0.02* | 0.05* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Others | 0.01* | 0.02* | 0.05* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Others | 0.01* | 0.02* | 0.05* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Others | 0.01* | 0.02* | 0.05* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Others | 0.01* | 0.02* | 0.05* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* |
| 8. OTHER CROPS | Almonds | 0.01* | 0.02* | 0.05* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Brazil nuts | 0.01* | 0.02* | 0.05* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Cashew nuts | 0.01* | 0.02* | 0.05* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Coconuts | 0.01* | 0.02* | 0.05* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Walnuts | 0.01* | 0.02* | 0.05* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Others | 0.01* | 0.02* | 0.05* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Others | 0.01* | 0.02* | 0.05* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Others | 0.01* | 0.02* | 0.05* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Others | 0.01* | 0.02* | 0.05* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Others | 0.01* | 0.02* | 0.05* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* |

Status: Point in time view as at 15/04/2001.
Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

| Group to which food belongs | Groups include the following products | L.S. Dithionite | Dichlorprop | Dichlorvon | Disulfid | L.S. Dithionite-2,2-bis-(4-ethyl-phenyl) ethane | Disulfoton | Disenb |
|-------------------------------------|---------------------------------------|-----------------|-------------|------------|----------|---|------------|--------|
| Inchanging 1 July 2001 | | | | | | | | |
| i) BULB VEGETABLES | Swet potatoes | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Onions | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Garlic | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Yams | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Others | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| ii) FRUITING VEGETABLES | Tomatoes | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Peppers | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Chilli peppers | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Others | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Others | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| iii) BRASSICA VEGETABLES | Broccoli | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Brussels sprouts | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Head cabbage | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Others | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Others | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| iv) LEAF VEGETABLES AND FRESH HERBS | Spinach | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Other leafy greens | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Others | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Others | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Others | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| v) LEGUME VEGETABLES (fresh) | Beans (with pods) | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Beans (without pods) | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Peas (with pods) | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Peas (without pods) | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Others | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| vi) STEM VEGETABLES | Asparagus | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Cauliflower | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Carrots | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Others | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Others | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| vii) FILING | Cultivated mushrooms | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Wild mushrooms | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Others | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Others | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Others | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| 3. PULSES | Beans | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Lentils | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Peas | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Others | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Others | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| 4. CEREALS | Wheat | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Rice | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Others | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Others | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Others | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| 5. POTATOES | Early potatoes | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Waxy potatoes | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Others | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Others | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Others | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| 6. TEA | Other leaves and stalks, fermented | 0.1* | 0.1* | | 0.2* | 0.1* | 0.2 | 0.1* |
| | Others | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Others | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Others | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Others | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| 7. HOPS (dried) | Others | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Others | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Others | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Others | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Others | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| 8. OTHERS | Others | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Others | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Others | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Others | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |
| | Others | 0.01* | 0.01* | | 0.02* | 0.01* | | 0.01* |

Status: Point in time view as at 15/04/2001.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

Table with 8 columns: Group to which food belongs, Groups include the following products, Deltamethrin, Diphosgene, Diazinon, Endosulfan, Etofenprox, Ethion, and Etkinon. The table is divided into sections: (v) STONE FRUIT, (vi) BERRIES AND SMALL FRUIT, (vii) MISCELLANEOUS FRUIT, (viii) ROOT AND TUBER VEGETABLES, (ix) BULB VEGETABLES, and (x) BRASSICA VEGETABLES.

Status: Point in time view as at 15/04/2001.
Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

| Group to which food belongs | Crops include the following products | Disothione | Diphosfamide | Disulfoton | Endosulfan | Exzinb | Ethionon | Etion | | |
|--|--------------------------------------|--|-------------------|------------------------|------------------------|--------|------------------------|-------|-------|-------|
| | | | | (changing 1 July 2001) | (changing 1 July 2001) | | (changing 1 July 2001) | | | |
| ii) Leafy vegetables | Head lettuce | 0.05* | 0.05* | no MRL | 0.05* | 0.01* | 0.05* | | | |
| | Head cabbage | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | | |
| | iii) Leafy Brassicas | Kale | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| | | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| | | Others | 0.05* | 0.05* | no MRL | 0.05* | 0.01* | 0.05* | | |
| | iv) LEAF VEGETABLES AND FRESH HERBS | a) Lettuce & similar | Cress | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | | | Lamb's lettuce | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | | b) Spinach & similar | Spinach | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | | | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | | | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | | c) Watercress | Watercress | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| Others | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| Others | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| v) LEGUME VEGETABLES (fresh) | | a) Beans (with pods) | Beans (with pods) | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | | | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | | | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | | b) Peas (with pods) | Peas (with pods) | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Others | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| | Others | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| | c) Fava beans (without pods) | Fava beans (without pods) | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| | | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| | | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| | vi) STEM VEGETABLES | a) Asparagus | Asparagus | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | | | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | | | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| b) Celery | | Celery | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| | | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| | | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| c) Fennel | | Fennel | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| | | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| | | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| vii) FUNGI | | a) Cultivated mushrooms | Mushrooms | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | | | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | | b) Wild mushrooms | Wild mushrooms | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Others | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| | Others | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| | 3. PULSES | a) Beans | Beans | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | | | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | | | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | | b) Peas | Peas | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | | | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | | | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | | c) Fava beans | Fava beans | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| Others | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| Others | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| 4. OILSEEDS | | a) Linseed | Linseed | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | | | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | | | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | b) Rapeseed | Rapeseed | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| | | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| | | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| | c) Sunflower seed | Sunflower seed | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| | | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| | | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| | 5. POTATOES | a) Early potatoes | Early potatoes | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | | | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | | | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| b) Late potatoes | | Late potatoes | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| | | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| | | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| 6. TEA | | a) Tea | Tea | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | | | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | | | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | | b) Others | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | | | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | | | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | 7. HOPS (dried) | a) Hops | Hops | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | | | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | | | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | | b) Others | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | | | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | | | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| 8. FRUIT, BIRD OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR | | a) CITRUS FRUIT | Citrus fruit | Oranges | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | | | | Lemons | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | | | b) Others | Limes | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | | Mandarin (or Clementine & similar hybrids) | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | | Others | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | | 9. TREE NUTS (shelled or unshelled) | a) Almonds | Almonds | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Others | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Others | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | b) Walnuts | | Walnuts | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | | | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | | | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | c) Pistachios | | Pistachios | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| Others | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| Others | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |

Status: Point in time view as at 15/04/2001.
Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

| Group to which food belongs | Groups include the following products | Fenitrothion | Fenobutatin Oxide | Fenchlorphos | Fenitrothion | Fenitrothion | Fenitrothion and Fenobutatin Oxide | |
|-------------------------------------|---------------------------------------|------------------------|------------------------|--------------|--------------|--------------|---|---|
| | | (changing 1 July 2001) | (changing 1 July 2001) | | | | Sum of RR and SS isomers (changing 1 July 2001) | Sum of RR and SS isomers (changing 1 July 2001) |
| | Others | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.02* |
| iii) FRUITING VEGETABLES | | | | | | | | |
| | a) Solanaceae | | | | | | | |
| | Tomatatoes | no MRL | no MRL | 0.01* | 0.01* | | | |
| | Peppers | 0.1 | 1 | no MRL | 0.01* | 0.01* | 0.01 | 0.2 |
| | Chilli peppers | 0.1 | 0.01* | no MRL | 0.01* | 0.01* | 0.01* | 0.02* |
| | Adzuki beans | no MRL | no MRL | 0.01* | 0.01* | 0.01* | 0.01* | 0.02* |
| | Others | 0.02* | 1 | no MRL | 0.01* | 0.01* | 0.01* | 0.02* |
| | b) Cucurbitaceae - fruit | | | | | | | |
| | Cucumbers | no MRL | 0.5* | 0.01* | 0.01* | 0.01* | 0.2 | 0.02* |
| | Gourds | 0.2 | no MRL | no MRL | 0.01* | 0.01* | 0.01* | 0.02* |
| | Cauliflowers | 0.3 | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.02* |
| | Courgettes | no MRL | no MRL | 0.01* | 0.01* | 0.01* | 0.01* | 0.02* |
| | Others | 0.2 | 0.5 | no MRL | 0.01* | 0.01* | 0.01* | 0.02* |
| | | 0.2 | 0.01* | | | | 0.01* | 0.02* |
| Group to which food belongs | Groups include the following products | Fenitrothion | Fenobutatin Oxide | Fenchlorphos | Fenitrothion | Fenitrothion | Fenitrothion and Fenobutatin Oxide | |
| | | (changing 1 July 2001) | (changing 1 July 2001) | | | | Sum of RR and SS isomers (changing 1 July 2001) | Sum of RR and SS isomers (changing 1 July 2001) |
| | i) Cucurbitaceae - inedible part | | | | | | | |
| | Melons | no MRL | no MRL | 0.01* | 0.01* | | 0.2 | |
| | Squashes | 0.01 | 0.01* | no MRL | 0.01* | 0.01* | 0.01 | 0.02* |
| | Watermelons | 0.2 | 0.01* | no MRL | 0.01* | 0.01* | 0.01 | 0.02* |
| | Others | 0.01 | 0.01* | no MRL | 0.01* | 0.01* | 0.01* | 0.02* |
| | ii) Sweet corn | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.02* |
| iii) BRASSICA VEGETABLES | | | | | | | | |
| | a) Flowering Brassicas | | | | | | | |
| | Broccoli | 0.02* | 0.01* | 0.01* | 0.01* | | | |
| | Cauliflowers | 0.02* | 0.01* | 0.01* | 0.01* | | | |
| | Others | 0.02* | 0.01* | 0.01* | 0.01* | | | |
| | b) Head Brassicas | | | | | | | |
| | Brussels sprouts | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01 | 0.02* |
| | Head cabbages | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01 | 0.02* |
| | Others | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.02* |
| Group to which food belongs | Groups include the following products | Fenitrothion | Fenobutatin Oxide | Fenchlorphos | Fenitrothion | Fenitrothion | Fenitrothion and Fenobutatin Oxide | |
| | | (changing 1 July 2001) | (changing 1 July 2001) | | | | Sum of RR and SS isomers (changing 1 July 2001) | Sum of RR and SS isomers (changing 1 July 2001) |
| | i) Leafy Brassicas | | | | | | | |
| | Chinese cabbages | 0.02* | 0.01* | 0.01* | 0.01* | | | |
| | Kale | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.02* |
| | Others | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.02* |
| | ii) Leafy greens | | | | | | | |
| | Others | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.02* |
| iv) LEAF VEGETABLES AND FRUIT HERBS | | | | | | | | |
| | a) Lettuce & similar | | | | | | | |
| | Cress | 0.02* | 0.01* | 0.01* | 0.01* | | | |
| | Leafy lettuce | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.02* |
| | Lettuces | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.02* |
| | Spinach | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.02* |
| | Others | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.02* |
| | b) Spinach & similar | | | | | | | |
| | Spinach | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.02* |
| | Beet leaves (chard) | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.02* |
| | Others | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.02* |
| | i) Watercress | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.02* |
| Group to which food belongs | Groups include the following products | Fenitrothion | Fenobutatin Oxide | Fenchlorphos | Fenitrothion | Fenitrothion | Fenitrothion and Fenobutatin Oxide | |
| | | (changing 1 July 2001) | (changing 1 July 2001) | | | | Sum of RR and SS isomers (changing 1 July 2001) | Sum of RR and SS isomers (changing 1 July 2001) |
| | d) Wildroot | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.02* |
| | e) Herbs | | | | | | | |
| | Chives | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.02* |
| | Chives | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.02* |
| | Parsley | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.02* |
| | Cilantro leaves | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.02* |
| | Others | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.02* |
| vi) LEGUME VEGETABLES (beans) | | | | | | | | |
| | Beans (with pods) | 0.02* | no MRL | 0.01* | 0.01* | | | |
| | Beans (without pods) | 0.02* | no MRL | 0.01* | 0.01* | 0.01* | 0.01* | 0.02* |
| | Peanut (with pods) | no MRL | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.02* |
| | Peanut (without pods) | no MRL | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.02* |
| | Others | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.02* |
| vii) STEM VEGETABLES | | | | | | | | |
| | Asparagus | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.02* |
| Group to which food belongs | Groups include the following products | Fenitrothion | Fenobutatin Oxide | Fenchlorphos | Fenitrothion | Fenitrothion | Fenitrothion and Fenobutatin Oxide | |
| | | (changing 1 July 2001) | (changing 1 July 2001) | | | | Sum of RR and SS isomers (changing 1 July 2001) | Sum of RR and SS isomers (changing 1 July 2001) |
| | Cardoons | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.02* |
| | Celery | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.02* |
| | Fennel | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.02* |
| | Clubroot vegetables | no MRL | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.02* |
| | Leeks | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.02* |
| | Rhubarb | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.02* |
| | Others | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.02* |
| viii) FENUGREEK | | | | | | | | |
| | a) Cultivated fenugreek | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.02* |
| | b) Wild fenugreek | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.02* |
| 3. PULSES | | | | | | | | |
| | Beans | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.02* |
| | Lentils | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.02* |
| | Peanut | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.02* |
| | Others | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.02* |

Status: Point in time view as at 15/04/2001.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

| Group to which food belongs | Groups include the following products | Fenitrothion | Fenprophate | Fenprophos | Fenprothion | Fenpro | Fenprothion and Ethionchlor | | | |
|---|---|--------------------------------------|------------------------|------------|-------------|--------|-----------------------------|--|-----------------------------|--|
| | | (changing 1 July 2001) | (changing 1 July 2001) | | | | Sum of ER and SR Sumers | Sum of ER and SR Sumers (changing 1 July 2001) | | |
| 4. OILSEEDS | Linseed | 0.02* | 0.02* | 0.01* | | 0.02* | 0.2 | 0.05* | | |
| | Flaxseed | 0.02* | 0.02* | 0.01* | | 0.02* | 0.2 | 0.05* | | |
| | Peanut seed | 0.02* | 0.02* | 0.01* | | 0.02* | 0.2 | 0.05* | | |
| | Sesame seed | 0.02* | 0.02* | 0.01* | | 0.02* | 0.2 | 0.05* | | |
| | Sunflower seed | 0.02* | 0.02* | 0.01* | | 0.02* | 0.2 | 0.05* | | |
| | Rape seed | 0.02* | 0.02* | 0.01* | | 0.02* | 0.2 | 0.05* | | |
| | Soya bean | 0.02* | 0.02* | 0.01* | | 0.02* | 0.2 | 0.05* | | |
| | Mustard seed | 0.02* | 0.02* | 0.01* | | 0.02* | 0.2 | 0.05* | | |
| | Cotton seed | 0.02* | 0.02* | 0.01* | | 0.02* | 0.2 | 0.05* | | |
| | Others | 0.02* | 0.02* | 0.01* | | 0.02* | 0.2 | 0.05* | | |
| 5. POTATOES | Early potatoes | 0.02* | 0.02* | 0.01* | | 0.1 | 0.02* | 0.02* | | |
| | Wart potatoes | 0.02* | 0.02* | 0.01* | | 0.1 | 0.02* | 0.02* | | |
| 6. YEA | (dried leaves and stalks, fermented or otherwise. Cereals (except)) | 0.05* | 0.1* | 0.1* | 0.5 | 0.1* | 10 | 0.05* | | |
| | | | | | | | | 0.05* | | |
| 7. HOPS (dried) | including hop pellets & unprocessed powder | 5 | no MRL 0.1* | 0.1* | | 0.5 | 5 | 0.05* | | |
| Group to which food belongs | Groups include the following products | Fenitrothion | Fenprophate | Fenprophos | Fenprothion | Fenpro | Hexachloro-benzene (HCB) | Hexachloro-cyclopentadiene (HCH) | Hexachlorocyclohexane (HCH) | |
| | | (changing 1 July 2001) | (changing 1 July 2001) | | | | = | = | = | |
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar acid | | | | | | | | | | |
| (i) CITRUS FRUIT | Orange | | 0.05* | 0.1* | 0.01* | | | | | |
| | Lemon | | 0.05* | 0.1* | 0.01* | | | | | |
| | Lime | | 0.05* | 0.1* | 0.01* | | | | | |
| | Seville orange (other than hybrid) | | 0.05* | 0.1* | 0.01* | | | | | |
| | Others | | 0.05* | 0.1* | 0.01* | | | | | |
| | (ii) TREE NUTS (shelled or unshelled) | Almonds | | 0.05* | 0.1* | 0.01* | | | | |
| | | Brazil nuts | | 0.05* | 0.1* | 0.01* | | | | |
| | | Cashew nuts | | 0.05* | 0.1* | 0.01* | | | | |
| | | Cocconuts | | 0.05* | 0.1* | 0.01* | | | | |
| | | Hazelnuts | | 0.05* | 0.1* | 0.01* | | | | |
| Macadamia nuts | | | 0.05* | 0.1* | 0.01* | | | | | |
| Peanuts | | | 0.05* | 0.1* | 0.01* | | | | | |
| Pine nuts | | | 0.05* | 0.1* | 0.01* | | | | | |
| Walnuts | | | 0.05* | 0.1* | 0.01* | | | | | |
| Others | | | 0.05* | 0.1* | 0.01* | | | | | |
| (iii) POME FRUIT | Apples | | 0.05* | 0.1* | 0.01* | | | | | |
| | Pears | | 0.05* | 0.1* | 0.01* | | | | | |
| | Others | | 0.05* | 0.1* | 0.01* | | | | | |
| (iv) STONE FRUIT | Apricots | | 0.05* | 0.1* | 0.01* | | | | | |
| Group to which food belongs | Groups include the following products | Fenitrothion | Fenprophate | Fenprophos | Fenprothion | Fenpro | Hexachloro-benzene (HCB) | Hexachloro-cyclopentadiene (HCH) | Hexachlorocyclohexane (HCH) | |
| | | (changing 1 July 2001) | (changing 1 July 2001) | | | | = | = | = | |
| (i) BERRIES AND SMALL FRUIT | Cherries | | 0.05* | 0.1* | 0.01* | | | | | |
| | Strawberries (incl. acetoside & variety) | | 0.05* | 0.1* | 0.01* | | | | | |
| | Raspberries | | 0.05* | 0.1* | 0.01* | | | | | |
| | Blackberries | | 0.05* | 0.1* | 0.01* | | | | | |
| | Others | | 0.05* | 0.1* | 0.01* | | | | | |
| | (ii) MISCCELLANEOUS FRUIT | Avocado | | 0.05* | 0.1* | 0.01* | | | | |
| | | Bananas | | 0.05* | 0.1* | 0.01* | | | | |
| | | Cherries (incl. acetoside & variety) | | 0.05* | 0.1* | 0.01* | | | | |
| | | Guavas | | 0.05* | 0.1* | 0.01* | | | | |
| | | Others | | 0.05* | 0.1* | 0.01* | | | | |
| (iii) VEGETABLES, fresh or uncooked, frozen or dry | | Asparagus | | 0.05* | 0.1* | 0.01* | | | | |
| | | Broccoli | | 0.05* | 0.1* | 0.01* | | | | |
| | | Brussels sprouts | | 0.05* | 0.1* | 0.01* | | | | |
| | | Cauliflower | | 0.05* | 0.1* | 0.01* | | | | |
| | | Others | | 0.05* | 0.1* | 0.01* | | | | |
| | (iv) ROOT AND TUBER VEGETABLES | Beetroot | | 0.05* | 0.1* | 0.01* | | | | |
| | | Carrots | | 0.05* | 0.1* | 0.01* | | | | |
| | | Celery | | 0.05* | 0.1* | 0.01* | | | | |
| | | Horseradish | | 0.05* | 0.1* | 0.01* | | | | |
| | | Jerusalem artichokes | | 0.05* | 0.1* | 0.01* | | | | |
| Parsnips | | | 0.05* | 0.1* | 0.01* | | | | | |
| Potatoes | | | 0.05* | 0.1* | 0.01* | | | | | |
| Rubies | | | 0.05* | 0.1* | 0.01* | | | | | |
| Sweet potatoes | | | 0.05* | 0.1* | 0.01* | | | | | |
| Others | | | 0.05* | 0.1* | 0.01* | | | | | |
| (v) MISCCELLANEOUS VEGETABLES | Garlic | | 0.05* | 0.1* | 0.01* | | | | | |
| | Onions | | 0.05* | 0.1* | 0.01* | | | | | |
| | Shallots | | 0.05* | 0.1* | 0.01* | | | | | |
| | Others | | 0.05* | 0.1* | 0.01* | | | | | |

Status: Point in time view as at 15/04/2001.
Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

| Group to which food belongs | Groups include the following products | Fluorfenacet | Folpet | Fenitrothion | Chlorpyrifos | Hexachloro-cyclopentadiene (HCCP) | Hexachloro-cyclohexane (HCH) | Hexachlorocyclopentadiene (HCCP) | |
|--|---------------------------------------|--------------|--------|--------------|--------------|-----------------------------------|------------------------------|----------------------------------|---------|
| | | | | | | | | α | β |
| i) FRESHING VEGETABLES (changing 1 July 2003) | | | | | | | | | |
| Spring onions | | | | | | | | | |
| Onions | | | | | | | | | |
| ii) FRUITING VEGETABLES | | | | | | | | | |
| a) Solanaceae | | | | | | | | | |
| Lettuces | | | | | | | | | |
| Peppers | | | | | | | | | |
| Chilli peppers | | | | | | | | | |
| Aubergines | | | | | | | | | |
| Others | | | | | | | | | |
| b) Cucurbitaceae/pep. | | | | | | | | | |
| Cucumbers | | | | | | | | | |
| Courgettes | | | | | | | | | |
| Others | | | | | | | | | |
| c) Cucurbitaceae/mel/pep | | | | | | | | | |
| Melons | | | | | | | | | |
| Squashes | | | | | | | | | |
| Watermelons | | | | | | | | | |
| Others | | | | | | | | | |
| d) Sweet corn | | | | | | | | | |
| iii) BRASSICA VEGETABLES | | | | | | | | | |
| a) Flowering Brassicae | | | | | | | | | |
| Broccoli | | | | | | | | | |
| Cauliflowers | | | | | | | | | |
| Others | | | | | | | | | |
| b) Head Brassicae | | | | | | | | | |
| Brussels sprouts | | | | | | | | | |
| Head cabbage | | | | | | | | | |
| Others | | | | | | | | | |
| c) Leafy Brassicae | | | | | | | | | |
| Chinese cabbage | | | | | | | | | |
| iv) STEM VEGETABLES AND FRESH HERBS (changing 1 July 2003) | | | | | | | | | |
| Kale | | | | | | | | | |
| Others | | | | | | | | | |
| v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | | |
| a) Lettuce & similar | | | | | | | | | |
| Crisp | | | | | | | | | |
| Lettuce | | | | | | | | | |
| Spinach | | | | | | | | | |
| Others | | | | | | | | | |
| b) Spinach & similar | | | | | | | | | |
| Spinach | | | | | | | | | |
| Romaine (cristata) | | | | | | | | | |
| Others | | | | | | | | | |
| c) Watercress | | | | | | | | | |
| d) Mustard | | | | | | | | | |
| e) Herbs | | | | | | | | | |
| Chervil | | | | | | | | | |
| Chives | | | | | | | | | |
| Parsley | | | | | | | | | |
| Culinary herbs | | | | | | | | | |
| Others | | | | | | | | | |
| vi) LEGUME VEGETABLES (peas) | | | | | | | | | |
| Beans (with pods) | | | | | | | | | |
| Others | | | | | | | | | |
| Beans (without pods) | | | | | | | | | |
| Peas (with pods) | | | | | | | | | |
| Peas (without pods) | | | | | | | | | |
| Others | | | | | | | | | |
| vii) STEM VEGETABLES (changing 1 July 2003) | | | | | | | | | |
| Asparagus | | | | | | | | | |
| Cardoons | | | | | | | | | |
| Chestnut | | | | | | | | | |
| Fennel | | | | | | | | | |
| Cauli artichokes | | | | | | | | | |
| Leeks | | | | | | | | | |
| Rhubarb | | | | | | | | | |
| Others | | | | | | | | | |
| viii) FRUITS | | | | | | | | | |
| a) Citrus and melons | | | | | | | | | |
| b) Wild fruitstones | | | | | | | | | |
| ix) PULSES | | | | | | | | | |
| Beans | | | | | | | | | |
| Lentils | | | | | | | | | |
| Fava | | | | | | | | | |
| Others | | | | | | | | | |
| x) OLIVEEDS | | | | | | | | | |
| Lined | | | | | | | | | |
| Peanut | | | | | | | | | |
| Peanut seed | | | | | | | | | |
| Soybean seed | | | | | | | | | |
| Soybean meal | | | | | | | | | |
| Soy seed | | | | | | | | | |
| Soybean | | | | | | | | | |
| Matured seed | | | | | | | | | |
| xi) POTATOES | | | | | | | | | |
| Early potatoes | | | | | | | | | |
| Waxy potatoes | | | | | | | | | |
| Old-fashioned and soft, fermented or otherwise (Candela potato) | | | | | | | | | |
| including top yields & uncommercial produce | | | | | | | | | |
| xii) TEA | | | | | | | | | |
| xiii) HOPS (dry) | | | | | | | | | |
| iv) FRUIT, other than or unclassified, preserved by freezing not containing added sugar: non | | | | | | | | | |
| i) CITRUS FRUIT | | | | | | | | | |
| Citrus fruit | | | | | | | | | |
| Limes | | | | | | | | | |
| Lemons | | | | | | | | | |
| Mandarin (or clementine & similar hybrids) | | | | | | | | | |
| Cherries | | | | | | | | | |
| Fruitnuts | | | | | | | | | |
| Others | | | | | | | | | |
| ii) TREE NUTS (shell or unshell) | | | | | | | | | |
| Almonds | | | | | | | | | |
| Brazil nuts | | | | | | | | | |
| Cachou nuts | | | | | | | | | |
| Cashew | | | | | | | | | |
| Chestnuts | | | | | | | | | |
| Coconuts | | | | | | | | | |
| Macadamia | | | | | | | | | |
| Macadamia nuts | | | | | | | | | |
| Peanuts | | | | | | | | | |
| Pistachio | | | | | | | | | |
| Walnuts | | | | | | | | | |
| Others | | | | | | | | | |
| iii) POME FRUIT | | | | | | | | | |
| Apples | | | | | | | | | |

Status: Point in time view as at 15/04/2001.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

| Group to which food belongs | Groups include the following products | Hexachloro-cyclopentadiene (HCX) | Imazalil | Iprodione | Kresoxim-methyl | Lambdacyhalothrin | Malathion | Malicly/Draclole | Methidathion | Metiram |
|------------------------------|--|----------------------------------|----------|-----------|-----------------|-------------------|-----------|------------------|--------------|---------|
| 7 | | | | | | | | | | |
| [Changing 1 July 2001] | | | | | | | | | | |
| | Pears | 5 | 10 | 0.2 | 0.1 | | | 1* | | 1 |
| | Oranges | 5 | 10 | 0.2 | 0.1 | | | 1* | | 3 |
| | Others | 5 | 10 | 0.2 | 0.1 | | | 1* | | 3 |
| ii) STONE FRUIT | | | | | | | | | | |
| | Apples | 0.02* | 5 | 0.05* | 0.2 | | | 1* | | 2 |
| | Cherries | 0.02* | 5 | 0.05* | 0.1 | | | 1* | | 1 |
| | Peaches/nectarines & similar hybrids | 0.02* | 5 | 0.05* | 0.2 | | | 1* | | 2 |
| | Pears | 0.02* | 5 | 0.05* | 0.1 | | | 1* | | 1 |
| | Others | 0.02* | 5 | 0.05* | 0.1 | | | 1* | | 0.05* |
| iii) BERRIES AND SMALL FRUIT | | | | | | | | | | |
| | a) Table & wine grapes | | | | | | | | | |
| | Table grapes | 0.02* | 10 | 1 | 0.2 | | | 1* | | 2 |
| | Wine grapes | 0.02* | 10 | 1 | 0.2 | | | 1* | | 2 |
| | b) Strawberries (other than wild) | 0.02* | 10 | 0.05* | as ABE | | | 1* | | 2 |
| | | | | | | | | | | 0.5 |
| | c) Currant (other than wild) | 0.02* | 5 | 0.05* | 0.02* | | | 1* | | 0.01* |
| | Dochberries | 0.02* | 5 | 0.05* | 0.02* | | | 1* | | 0.01* |
| | Loganberries | 0.02* | 5 | 0.05* | 0.02* | | | 1* | | 0.01* |
| | Raspberries | 0.02* | 5 | 0.05* | 0.02* | | | 1* | | 0.01* |
| | Others | 0.02* | 5 | 0.05* | 0.02* | | | 1* | | 0.01* |
| | d) Other small fruit & berries (other than wild) | | | | | | | | | |
| | Bilberries | 0.02* | 10 | 0.05* | 0.02* | | | 1* | | 0.01* |
| | Cranberries | 0.02* | 10 | 0.05* | 0.02* | | | 1* | | 0.01* |
| | Currants (red, black & white) | 0.02* | 10 | 0.05* | 0.1 | | | 1* | | 1 |
| | Dochberries | 0.02* | 10 | 0.05* | 0.1 | | | 1* | | 1 |
| | Others | 0.02* | 0.02* | 0.05* | 0.02* | | | 1* | | 0.05* |
| | e) Wildberries & wild fruit | 0.02* | 0.02* | 0.05* | 0.02* | | | 1* | | 0.05* |

| Group to which food belongs | Groups include the following products | Hexachloro-cyclopentadiene (HCX) | Imazalil | Iprodione | Kresoxim-methyl | Lambdacyhalothrin | Malathion | Malicly/Draclole | Methidathion | Metiram |
|--|---------------------------------------|----------------------------------|----------|-----------|-----------------|-------------------|-----------|------------------|--------------|---------|
| 7 | | | | | | | | | | |
| [Changing 1 July 2001] | | | | | | | | | | |
| ii) MISCELLANEOUS FRUIT | | | | | | | | | | |
| | Avocado | 0.02* | 0.02* | 0.05* | 0.02* | | | 1* | | 0.01* |
| | Bananas | 2 | 1 | 0.05* | 0.02* | | | 1* | | 0.01* |
| | Dates | 0.02* | 0.02* | 0.05* | 0.02* | | | 1* | | 0.01* |
| | Figs | 0.02* | 0.02* | 0.05* | 0.02* | | | 1* | | 0.01* |
| | Kiwi fruit | 0.02* | 5 | 0.05* | 0.02* | | | 1* | | 0.01* |
| | Kiwifruit | 0.02* | 0.02* | 0.05* | 0.02* | | | 1* | | 0.01* |
| | Lemons | 0.02* | 0.02* | 0.05* | 0.02* | | | 1* | | 0.01* |
| | Mangoes | 0.02* | 0.02* | 0.05* | 0.02* | | | 1* | | 0.01* |
| | Olives (table consumption) | 0.02* | 0.02* | 0.2 | 0.02* | | | 1* | | 1 |
| | Olives (oil extract) | 0.02* | 0.02* | 0.2 | 0.02* | | | 1* | | 1 |
| | Papaya | | | | | | | | | |
| | | | | | | | | | | as ABE |
| | Pawpaw fruit | 0.02* | 0.02* | 0.05* | 0.02* | | | 1* | | 0.01* |
| | Pineapples | 0.02* | 0.02* | 0.05* | 0.02* | | | 1* | | 0.01* |
| | Pomegranates | 0.02* | 0.02* | 0.05* | 0.02* | | | 1* | | 0.01* |
| | Others | 0.02* | 0.02* | 0.05* | 0.02* | | | 1* | | 0.01* |
| 2. Vegetables, fresh or processed, frozen or dry | | | | | | | | | | |
| ii) ROOT AND TUBER VEGETABLES | | | | | | | | | | |
| | Bananas | 0.02* | 0.5 | 0.05* | 0.02* | | | 1* | | 0.01* |
| | Carrots | 0.02* | 0.3 | 0.05* | 0.02* | | | 30 | | 0.2 |
| | Celery | 0.02* | 0.02* | 0.05* | 0.02* | | | 1* | | 0.2 |
| | | | | | | | | | | 0.1 |
| | Harrowditch | 0.02* | 0.1 | 0.05* | 0.02* | | | 1* | | 0.01* |
| | Jerusalem artichokes | 0.02* | 0.02* | 0.05* | 0.02* | | | 1* | | 0.01* |
| | Pumpkin | 0.02* | 0.1 | 0.05* | 0.02* | | | 30 | | 0.05* |
| | Potatoes | 0.02* | 0.02* | 0.05* | 0.02* | | | 1* | | 0.01* |
| | Rubies | 0.02* | 0.3 | 0.05* | 0.02* | | | 1* | | 0.2 |
| | | | | | | | | | | 0.1 |

| Group to which food belongs | Groups include the following products | Hexachloro-cyclopentadiene (HCX) | Imazalil | Iprodione | Kresoxim-methyl | Lambdacyhalothrin | Malathion | Malicly/Draclole | Methidathion | Metiram |
|-----------------------------|---------------------------------------|----------------------------------|----------|-----------|-----------------|-------------------|-----------|------------------|--------------|---------|
| 7 | | | | | | | | | | |
| [Changing 1 July 2001] | | | | | | | | | | |
| | Sauces | 0.02* | 0.02* | 0.05* | 0.02* | | | 1* | | 0.2 |
| | Sweet potatoes | 0.02* | 0.02* | 0.05* | 0.02* | | | 1* | | 0.01* |
| | Sauces | 0.02* | 0.02* | 0.05* | 0.02* | | | 1* | | 0.01* |
| | Tomatoes | 0.02* | 0.02* | 0.05* | 0.02* | | | 1* | | 0.01* |
| | Yams | 0.02* | 0.02* | 0.05* | 0.02* | | | 1* | | 0.01* |
| | Others | 0.02* | 0.02* | 0.05* | 0.02* | | | 1* | | 0.01* |
| ii) BEAN VEGETABLES | | | | | | | | | | |
| | Garlic | 0.02* | 5 | 0.05* | 0.02* | | | 10 | | 0.5 |
| | Onions | 0.02* | 5 | 0.05* | 0.02* | | | 10 | | 0.5 |
| | Shallots | 0.02* | 5 | 0.05* | 0.02* | | | 10 | | 0.5 |
| | Spring onions | 0.02* | 5 | 0.05* | as ABE | | | 1* | | 0.01* |
| | Others | 0.02* | 0.02* | 0.05* | 0.02* | | | 10 | | 0.05* |
| iii) FRUITING VEGETABLES | | | | | | | | | | |
| | a) Solanaceae | | | | | | | | | |
| | Tomatoes | 0.5 | 5 | 0.5 | as ABE | | | 1* | | 3 |
| | | | | | | | | | | 0.1 |
| | Peppers | 0.02* | 5 | 1 | as ABE | | | 1* | | 2 |
| | | | | | | | | | | 0.1 |
| | Chili peppers | 0.02* | 5 | 0.5 | as ABE | | | 1* | | 2 |
| | Adzuki beans | 0.02* | 5 | 0.05* | as ABE | | | 1* | | 2 |
| | Others | 0.02* | 5 | 0.05* | as ABE | | | 1* | | 2 |
| | b) Cucurbitaceae | | | | | | | | | |
| | Cucumbers | 0.2 | 2 | 0.05* | 0.1 | | | 1* | | 0.5 |
| | Cherries | 0.2 | 2 | 0.05* | 0.1 | | | 1* | | 2 |
| | Courgettes | 0.2 | 2 | 0.05* | 0.1 | | | 1* | | 2 |
| | Others | 0.2 | 2 | 0.05* | 0.1 | | | 1* | | 0.05* |

| Group to which food belongs | Groups include the following products | Hexachloro-cyclopentadiene (HCX) | Imazalil | Iprodione | Kresoxim-methyl | Lambdacyhalothrin | Malathion | Malicly/Draclole | Methidathion | Metiram |
|-----------------------------|---------------------------------------|----------------------------------|----------|-----------|-----------------|-------------------|-----------|------------------|--------------|---------|
| 7 | | | | | | | | | | |
| [Changing 1 July 2001] | | | | | | | | | | |
| ii) BRASSICA VEGETABLES | | | | | | | | | | |
| | a) Flowering Brassica | | | | | | | | | |
| | Broccoli | 0.02* | 0.05 | 0.05* | as ABE | | | 1* | | 1 |
| | Caiflower | 0.02* | 0.05 | 0.05* | 0.1 | | | 1* | | 1 |
| | Others | 0.02* | 0.05 | 0.05* | as ABE | | | 1* | | 1 |
| | | | | | | | | | | as ABE |
| | b) Head Brassica | | | | | | | | | |
| | Brussels sprouts | 0.02* | 0.5 | 0.05* | 0.05 | | | 1* | | 1 |
| | Head cabbage | 0.02* | 5 | 0.05* | 0.2 | | | 1* | | 1 |
| | Others | 0.02* | 0.02* | 0.05* | 0.02* | | | 1* | | 1 |
| | c) Leafy Brassica | | | | | | | | | |
| | Chinese cabbage | 0.02* | 5 | 0.05* | as ABE | | | 1* | | 0.5 |
| | Kale | 0.02* | 0.02* | 0.05* | 0.02* | | | 1* | | 0.5 |
| | Others | 0.02* | 0.02* | 0.05* | as ABE | | | 1* | | 0.5 |
| | | | | | | | | | | 0.02* |
| | d) Kebab | 0.02* | 0.1 | 0.05* | 0.02* | | | 1* | | 0.1* |

Status: Point in time view as at 15/04/2001.
Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

| Group to which food belongs | Crops include the following products | Hexachloro-cyclohexane (HCH) | Insectall | Ignition | Kresatinomethyl | Lambdacyhalothrin | Malathion | Methidathion | Methyl bromide |
|--|---|------------------------------|--------------|----------|-----------------|-------------------|--------------|--------------|----------------|
| (Changing 1 July 2001) | | | | | | | | | |
| VI LEAF VEGETABLES AND FRESH HERBS | | | | | | | | | |
| | a) Lettuce & similar | | | | | | | | |
| | Cress | 0.02* | 10 | 0.01* | 1 | 1* | 5 | | |
| | Lamb's lettuce | 0.02* | 10 | 0.01* | 1 | 1* | 5 | | |
| | Lettuce | 0.02* | 10 | 0.01* | 1 | 1* | 5 | | |
| | Spinach | 0.02* | 10 | 0.01* | 1 | 1* | 5 | | |
| | Others | 0.02* | 10 | 0.01* | 1 | 1* | 5 | | |
| | b) Spinach & similar | | | | | | | | |
| | Spinach | 0.02* | 0.02* | 0.01* | av MRL | 0.02* | 1* | 0.05* | |
| | Beta leaves (chard) | 0.02* | 0.02* | 0.01* | av MRL | 0.02* | 1* | 0.05* | |
| | Others | 0.02* | 0.02* | 0.01* | av MRL | 0.02* | 1* | 0.05* | |
| | c) Watercress | 0.02* | 0.02* | 0.01* | 0.01* | 0.02* | 1* | 0.3 | |
| | d) Watercress | 0.02* | 2 | 0.01* | 0.02* | 0.02* | 1* | 0.2 | |
| | e) Herbs | | | | | | | | |
| | Chervil | 0.02* | 10 | 0.01* | 1 | 1* | 5 | | |
| | Cilantro | 0.02* | 10 | 0.01* | 1 | 1* | 5 | | |
| | Parsley | 0.02* | 10 | 0.01* | 1 | 1* | 5 | | |
| | Celery leaves | 0.02* | 10 | 0.01* | 1 | 1* | 5 | | |
| | Others | 0.02* | 10 | 0.01* | 1 | 1* | 5 | | |
| | VI (1) LEGUME VEGETABLES (beans) | | | | | | | | |
| | Beans (with pods) | 0.02* | 5 | 0.01* | 0.2 | 1* | 1 | | |
| | Beans (without pods) | 0.02* | 1 | 0.01* | 0.2 | 1* | 1 | | |
| | Peas (with pods) | 0.02* | 0.2 | 0.01* | 0.02* | 1* | 0.1 | | |
| | Peas (without pods) | 0.02* | 0.02* | 0.01* | 0.02* | 1* | 0.05* | | |
| | Others | 0.02* | 0.02* | 0.01* | 0.02* | 1* | 0.05* | | |
| | VI (2) STEM VEGETABLES | | | | | | | | |
| | Asparagus | 0.02* | 0.02* | 0.01* | 0.02* | 1* | 0.05* | | |
| | Cardoons | 0.02* | 0.02* | 0.01* | av MRL | 0.02* | 1* | 0.05* | |
| (Changing 1 July 2001) | | | | | | | | | |
| Group to which food belongs | Crops include the following products | Hexachloro-cyclohexane (HCH) | Insectall | Ignition | Kresatinomethyl | Lambdacyhalothrin | Malathion | Methidathion | Methyl bromide |
| (Changing 1 July 2001) | | | | | | | | | |
| | Calary | 0.02* | 0.02* | 0.01* | av MRL | 0.3 | 1* | 0.5 | |
| | Fennel | 0.02* | 0.02* | 0.01* | av MRL | 0.02* | 1* | 0.05* | |
| | Celery-antiseptic | 0.02* | 0.02* | 0.01* | 0.02* | 0.02* | 1* | 0.05* | |
| | Lentils | 0.02* | 0.02* | 0.01* | av MRL | 0.02* | 1* | 3 | |
| | Rhubarb | 0.02* | 0.2 | 0.01* | 0.02* | 0.02* | 1* | 0.05* | |
| | Others | 0.02* | 0.02* | 0.01* | av MRL | 0.02* | 1* | 0.05* | |
| | VI (3) FENNEL | | | | | | | | |
| | a) Cultivated macerons | 0.02* | 0.02* | 0.01* | av MRL | 0.02* | 1* | 0.05* | |
| | b) Wild macerons | 0.02* | 0.02* | 0.01* | 0.02* | 0.02* | 1* | 0.05* | |
| | 3. PULSES | | | | | | | | |
| | Beans | 0.02* | 0.2 | 0.01* | 0.02* | 0.02* | 1* | 0.05* | |
| | Lentils | 0.02* | 0.2 | 0.01* | 0.02* | 0.02* | 1* | 0.05* | |
| | Peas | 0.02* | 0.2 | 0.01* | 0.02* | 0.02* | 1* | 0.05* | |
| | Others | 0.02* | 0.2 | 0.01* | 0.02* | 0.02* | 1* | 0.05* | |
| | 4. OILSEEDS | | | | | | | | |
| | Linseed | 0.02* | 0.1 | 0.1* | 0.02* | 1* | 0.1* | | |
| | Mustard | 0.02* | 0.02* | 0.1* | 0.02* | 1* | 0.1* | | |
| | Peanut | 0.02* | 0.02* | 0.1* | 0.02* | 1* | 0.1* | | |
| | Peanut seed | 0.02* | 0.02* | 0.1* | 0.02* | 1* | 0.1* | | |
| | Safflower seed | 0.02* | 0.02* | 0.1* | 0.02* | 1* | 0.1* | | |
| | Sunflower seed | 0.02* | 0.1 | 0.1* | 0.02* | 1* | 0.1 | | |
| | Soybean | 0.02* | 0.02* | 0.1* | 0.02* | 1* | 0.1* | | |
| | Mustard seed | 0.02* | 0.02* | 0.1* | 0.02* | 1* | 0.1* | | |
| | Cottonseed | 0.02* | 0.02* | 0.1* | 0.02* | 1* | 0.1* | | |
| | Others | 0.02* | 0.02* | 0.1* | 0.02* | 1* | 0.1* | | |
| Group to which food belongs | Crops include the following products | Hexachloro-cyclohexane (HCH) | Insectall | Ignition | Kresatinomethyl | Lambdacyhalothrin | Malathion | Methidathion | Methyl bromide |
| (Changing 1 July 2001) | | | | | | | | | |
| | 5. POTATOES | | | | | | | | |
| | Early potatoes | 0.02* | 0.02* | 0.01* | 0.02* | 0.02* | 1* | 0.05* | |
| | Wax potatoes (both forms and tubers, fermented or otherwise, Canadian types) | 0.2 | 0.1* | 0.1* | 0.1* | 1 | 0.5 | 1* | 0.1* |
| | 7. HOPS (seed) | 0.1* | 0.1* | 0.1* | 0.1* | 10 | 1* | 25 | |
| (Changing 1 July 2001) | | | | | | | | | |
| Group to which food belongs | Crops include the following products | Mevinphos | Methidathion | Methomyl | Methidathion | Methidathion | Methidathion | Methidathion | Methyl bromide |
| (Changing 1 July 2001) | | | | | | | | | |
| | 1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar: none | | | | | | | | |
| VI (4) CITRUS FRUIT | | | | | | | | | |
| | Grapefruit | av MRL | 0.2 | 3 | av MRL | 0.01* | 0.05* | | |
| | Lemon | av MRL | 0.2 | 3 | av MRL | 0.01* | 0.05* | | |
| | Lime | av MRL | 0.2 | 3 | av MRL | 0.01* | 0.05* | | |
| | Mandarin (inc. Clementine & similar hybrids) | av MRL | 0.2 | 3 | av MRL | 0.01* | 0.05* | | |
| | Oranges | av MRL | 0.2 | 3 | av MRL | 0.01* | 0.05* | | |
| | Pineapple | av MRL | 0.2 | 3 | av MRL | 0.01* | 0.05* | | |
| | Others | av MRL | 0.2 | 3 | av MRL | 0.01* | 0.05* | | |
| VI (5) TREE NUTS (shell or unshelled) | | | | | | | | | |
| | Almonds | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | | |
| | Brazil nuts | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | | |
| | Cashew nuts | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | | |
| | Coconuts | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | | |
| | Hazelnuts | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | | |
| | Macadamia nuts | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | | |
| | Peanuts | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | | |
| | Pistachios | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | | |
| | Walnuts | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | | |
| | Others | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | | |
| VI (6) POME FRUIT | | | | | | | | | |
| | Apples | 0.01* | 1 | 0.05 | 0.3 | 1 | 0.01* | 0.05* | |
| Group to which food belongs | Crops include the following products | Mevinphos | Methidathion | Methomyl | Methidathion | Methidathion | Methidathion | Methidathion | Methyl bromide |
| (Changing 1 July 2001) | | | | | | | | | |
| | Pears | 0.05* | 1 | 0.05 | 0.3 | 0.2 | 0.01* | 0.05* | |
| | Quinces | 0.05* | 1 | 0.05 | 0.3 | 0.2 | 0.01* | 0.05* | |
| | Others | 0.05* | 1 | 0.05 | 0.3 | 0.2 | 0.01* | 0.05* | |
| VI (7) STONE FRUIT | | | | | | | | | |
| | Apricots | 0.05* | 0.05* | 0.1 | 0.2 | av MRL | 0.01* | | |
| | Cherries | av MRL | 0.01* | 0.02* | av MRL | 0.01* | 0.01* | | |
| | Plum (inc. nectarines & similar hybrids) | av MRL | 0.05* | 0.05* | av MRL | 0.01* | 0.01* | | |
| | Peach | 0.05* | 0.05* | 0.1 | 0.2 | av MRL | 0.01* | | |
| | Others | 0.05* | 0.05* | 0.1* | 0.2 | av MRL | 0.01* | | |
| VI (8) BERRIES AND SMALL FRUIT | | | | | | | | | |
| | a) Table & wine grapes | | | | | | | | |
| | Table grapes | 0.05* | 2 | 0.01* | 0.5 | 1 | 0.01* | | |
| | Wine grapes | 0.05* | 1 | 0.01* | 0.5 | 1 | 0.01* | | |
| | b) Strawberries (other than wild) | 0.05* | 0.5 | 0.01* | 0.02* | 0.01* | 0.01* | 0.05* | |
| | c) Other fruit (other than wild) | | | | | | | | |
| | Blackberries | 0.05* | av MRL | 0.01* | 0.02* | 0.01* | 0.01* | 0.05* | |
| | Dewberries | 0.05* | av MRL | 0.01* | 0.02* | 0.01* | 0.01* | 0.05* | |
| | Loganberries | 0.05* | av MRL | 0.01* | 0.02* | 0.01* | 0.01* | 0.05* | |
| | Raspberries | 0.05* | av MRL | 0.01* | 0.02* | 0.01* | 0.01* | 0.05* | |
| | Others | 0.05* | av MRL | 0.01* | 0.02* | 0.01* | 0.01* | 0.05* | |

Status: Point in time view as at 15/04/2001.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

| Group to which food belongs | Crops include the following products | Mecorfenox | Menthoxyflor | Methamidophos | Methidathion | Methidathion (thioethers) | Methoxychlor | Methyl bromide |
|--|---|------------------------|------------------------|------------------------|------------------------|---------------------------|------------------------|------------------------|
| | | (changing 1 July 2001) | (changing 1 July 2001) | (changing 1 July 2001) | (changing 1 July 2001) | (changing 1 July 2001) | (changing 1 July 2001) | (changing 1 July 2001) |
| | Other small fruit & berries (other than wild) | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Bilberries | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Cherries | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Currant (red, black & white) | 0.05* | 0.05* | 0.05* | 0.02* | no MRL | 0.05* | 0.05* |
| | Gooseberries | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Wild berries & wild fruit | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| iv) MISCELLANEOUS FRUIT | | | | | | | | |
| | Avocado | 0.05* | no MRL | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Guava | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Dates | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Figs | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Kiwi fruit | 0.05* | no MRL | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Kumquats | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Lichis | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Mangoes | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Olives (table consumption) | 0.05* | 0.05* | 0.05* | 1 | no MRL | 0.05* | 0.05* |
| | Olives (oil extract) | 0.05* | 0.05* | 0.05* | 1 | 0.05* | 0.05* | 0.05* |
| | Papaya | no MRL | no MRL | no MRL | no MRL | 0.05* | 0.05* | 0.05* |
| | Peaches | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Pineapples | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Pomegranates | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| Group to which food belongs | Crops include the following products | Mecorfenox | Menthoxyflor | Methamidophos | Methidathion | Methidathion (thioethers) | Methoxychlor | Methyl bromide |
| | | (changing 1 July 2001) | (changing 1 July 2001) | (changing 1 July 2001) | (changing 1 July 2001) | (changing 1 July 2001) | (changing 1 July 2001) | (changing 1 July 2001) |
| 2. Vegetables, fresh or processed, frozen or dry | | | | | | | | |
| ii) ROOT AND TUBER VEGETABLES | | | | | | | | |
| | Betroot | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Carrots | 0.05* | 0.1 | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Celery | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Horseradish | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Jerusalem artichokes | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Parsnips | 0.05* | 0.1 | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Potatoes | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Pumpkin | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Radishes | 0.05* | 0.05* | 0.05* | 0.02* | 0.1 | 0.05* | 0.05* |
| | Salsify | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Sweet potatoes | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Sweet peas | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Turnips | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Yams | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| iii) LEAF VEGETABLES | | | | | | | | |
| | Carrots | 0.05* | no MRL | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | no MRL | 0.02* | 0.05* | 0.05* | 0.05* |
| | Spinach | 0.05* | 0.1 | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Spring onions | 0.05* | 0.1 | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Others | 0.05* | no MRL | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| iii) FRUITING VEGETABLES | | | | | | | | |
| | Tomatoes | 0.05* | no MRL | 0.5 | 0.02* | no MRL | 0.05* | 0.05* |
| | Pumpkins | 0.05* | 0.05* | 0.05* | 0.02* | no MRL | 0.05* | 0.05* |
| | Chilli peppers | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| Group to which food belongs | Crops include the following products | Mecorfenox | Menthoxyflor | Methamidophos | Methidathion | Methidathion (thioethers) | Methoxychlor | Methyl bromide |
| | | (changing 1 July 2001) | (changing 1 July 2001) | (changing 1 July 2001) | (changing 1 July 2001) | (changing 1 July 2001) | (changing 1 July 2001) | (changing 1 July 2001) |
| | Aubergines | 0.05* | 0.05* | 0.2 | 0.02* | no MRL | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.05* | 0.02* | no MRL | 0.05* | 0.05* |
| b) Cauliflowers and other cruciferous vegetables | | | | | | | | |
| | Cauliflowers | 0.05* | no MRL | 1 | 0.02* | no MRL | 0.05* | 0.05* |
| | Chicories | 0.05* | no MRL | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Courgettes | 0.05* | no MRL | 0.05* | 0.02* | no MRL | 0.05* | 0.05* |
| | Others | 0.05* | no MRL | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| c) Cucurbits (edible part) | | | | | | | | |
| | Melons | 0.05* | no MRL | 0.05* | 0.02* | 0.2 | 0.05* | 0.05* |
| | Squashes | 0.05* | 0.2 | 0.05* | 0.02* | 0.2 | 0.05* | 0.05* |
| | Watermelons | 0.05* | no MRL | 0.05* | 0.02* | 0.2 | 0.05* | 0.05* |
| | Others | 0.05* | 0.2 | 0.05* | 0.02* | 0.2 | 0.05* | 0.05* |
| d) Sweet corn | | | | | | | | |
| | Sweet corn | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| iv) BRASSICA VEGETABLES | | | | | | | | |
| a) Flowering Brassicas | | | | | | | | |
| | Broccoli | 0.05* | no MRL | 0.5 | 0.02* | no MRL | 0.05* | 0.05* |
| | Caiflower | 0.05* | no MRL | 0.5 | 0.02* | 0.05* | 0.05* | 0.05* |
| | Others | 0.05* | 0.1 | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| b) Head Brassicas | | | | | | | | |
| | Broccoli sprouts | 0.05* | 0.05* | 0.5 | 0.02* | no MRL | 0.05* | 0.05* |
| Group to which food belongs | Crops include the following products | Mecorfenox | Menthoxyflor | Methamidophos | Methidathion | Methidathion (thioethers) | Methoxychlor | Methyl bromide |
| | | (changing 1 July 2001) | (changing 1 July 2001) | (changing 1 July 2001) | (changing 1 July 2001) | (changing 1 July 2001) | (changing 1 July 2001) | (changing 1 July 2001) |
| | Head cabbage | 0.05* | 1 | 0.5 | 0.02* | no MRL | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.5 | 0.02* | 0.05* | 0.05* | 0.05* |
| c) Leafy Brassicas | | | | | | | | |
| | Chinese cabbage | 0.05* | no MRL | 0.05* | 0.02* | no MRL | 0.05* | 0.05* |
| | Kale | 0.05* | no MRL | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.05* | 0.02* | no MRL | 0.05* | 0.05* |
| d) Kohlrabi | | | | | | | | |
| | Kohlrabi | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | |
| a) Tender & similar | | | | | | | | |
| | Cress | 0.05* | no MRL | 0.05* | 0.02* | no MRL | 0.05* | 0.05* |
| | Lamb's lettuce | 0.05* | no MRL | 0.05* | 0.02* | no MRL | 0.05* | 0.05* |
| | Lettuces | 0.05* | no MRL | 0.2 | 0.02* | no MRL | 0.05* | 0.05* |
| | Scallop | 0.05* | no MRL | 0.05* | 0.02* | no MRL | 0.05* | 0.05* |
| | Others | 0.05* | no MRL | 0.05* | 0.02* | no MRL | 0.05* | 0.05* |
| b) Spinach & similar | | | | | | | | |
| | Spinach | 0.05* | no MRL | 0.05* | 0.02* | 2 | 0.05* | 0.05* |
| | Beet leaves (chard) | 0.05* | no MRL | 0.05* | 0.02* | 2 | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.05* | 0.02* | 2 | 0.05* | 0.05* |
| c) Watercress | | | | | | | | |
| | Watercress | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| d) Watercress | | | | | | | | |
| | Watercress | 0.05* | no MRL | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |

Status: Point in time view as at 15/04/2001.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

| Group to which food belongs | Groups include the following products | Neorbuten (changing 1 July 2001) | Metolachl (changing 1 July 2001) | Metkankinophos | Metklothion (changing 1 July 2001) | Metkumol chlorobenz (changing 1 July 2001) | Metkacychlor | Metkyl bromide | |
|-----------------------------|---------------------------------------|----------------------------------|----------------------------------|----------------|------------------------------------|--|--------------|----------------|-------|
| i) Herbs | Chervil | 0.05* | no MRL | 0.01* | 0.02* | no MRL | 0.01* | 0.01* | |
| | Chives | 0.05* | no MRL | 0.01* | 0.02* | no MRL | 0.01* | 0.01* | |
| | Parsley | 0.05* | no MRL | 0.01* | 0.02* | no MRL | 0.01* | 0.01* | |
| | Colony herbs | 0.05* | no MRL | 0.01* | 0.02* | no MRL | 0.01* | 0.01* | |
| | Others | 0.05* | no MRL | 0.01* | 0.02* | no MRL | 0.01* | 0.01* | |
| | ii) LEGUME VEGETABLES (fresh) | Broad (with pods) | 0.01* | 0.02* | 0.5 | 0.02* | no MRL | 0.01* | 0.05* |
| | | Broad (without pods) | 0.01* | 0.02* | 0.01* | 0.02* | 0.02* | 0.01* | 0.05* |
| | | Pean (with pods) | 0.01* | 0.02* | 0.5 | 0.02* | no MRL | 0.01* | 0.05* |
| | | Pean (without pods) | 0.01* | 0.02* | 0.01* | 0.02* | 0.02* | 0.01* | 0.05* |
| | | Others | 0.01* | 0.02* | 0.02* | 0.02* | 0.02* | 0.01* | 0.05* |
| iii) STEM VEGETABLES | Asparagus | 0.01* | 0.02* | 0.01* | 0.02* | 0.02* | 0.01* | 0.01* | |
| | Cardoons | 0.01* | 0.02* | 0.01* | 0.02* | 0.02* | 0.01* | 0.01* | |
| | Celery | 0.01* | 0.02* | 0.01* | 0.02* | no MRL | 0.01* | 0.01* | |
| | Fennel | 0.01* | 0.02* | 0.01* | 0.02* | 0.02* | 0.01* | 0.01* | |
| | Club artichokes | 0.05* | no MRL | 0.1 | 0.02* | no MRL | 0.01* | 0.05* | |
| | Leeks | 0.05* | no MRL | 0.01* | no MRL | 0.02* | 0.01* | 0.05* | |
| | Rhubarb | 0.05* | 0.05* | 0.01* | 0.02* | 0.01* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.01* | 0.01* | 0.05* | |
| | iv) FENNEL | a) Cultivated mushrooms | 0.05* | 0.05* | 0.01* | 0.02* | 0.02* | 0.01* | 0.01* |

| Group to which food belongs | Groups include the following products | Neorbuten (changing 1 July 2001) | Metolachl (changing 1 July 2001) | Metkankinophos | Metklothion (changing 1 July 2001) | Metkumol chlorobenz (changing 1 July 2001) | Metkacychlor | Metkyl bromide | |
|-----------------------------|---------------------------------------|---|----------------------------------|----------------|------------------------------------|--|--------------|----------------|-------|
| 3. PULSES | Broad | 0.01* | 0.02* | 0.01* | 0.02* | 0.02* | 0.01* | 0.01* | |
| | Lentils | 0.01* | 0.02* | 0.01* | 0.02* | 0.02* | 0.01* | 0.01* | |
| | Pean | 0.01* | 0.02* | 0.01* | 0.02* | 0.02* | 0.01* | 0.01* | |
| | Others | 0.01* | 0.02* | 0.01* | 0.02* | 0.02* | 0.01* | 0.01* | |
| | 4. CEREALS | Livest | 0.05* | no MRL | 0.01* | 0.02* | 0.02* | 0.01* | 0.1* |
| Peas | | 0.05* | 0.05* | 0.01* | 0.02* | 0.02* | 0.01* | 0.1* | |
| Potato | | 0.01* | 0.02* | 0.01* | 0.02* | 0.02* | 0.01* | 0.1* | |
| Barley | | 0.01* | 0.02* | 0.01* | 0.02* | 0.02* | 0.01* | 0.1* | |
| Rye | | 0.01* | 0.02* | 0.01* | 0.02* | 0.02* | 0.01* | 0.1* | |
| Wheat | | 0.01* | 0.02* | 0.01* | 0.02* | 0.02* | 0.01* | 0.1* | |
| Oats | | 0.01* | 0.02* | 0.01* | 0.02* | 0.02* | 0.01* | 0.1* | |
| Others | | 0.01* | 0.02* | 0.01* | 0.02* | 0.02* | 0.01* | 0.1* | |
| 5. POTATOES | | Early potatoes | 0.01* | 0.02* | 0.01* | 0.02* | 0.02* | 0.01* | 0.05* |
| | | Waxy potatoes (skin brown and white, freckled or otherwise, Cassia variety) | 0.01* | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* | 0.05* |
| 6. TEA | Tea leaves | 0.1* | 10 | 2 | 3 | 10 | 0.1* | 0.05* | |

| Group to which food belongs | Groups include the following products | Monocrotophos | Omethoate | Parquat | Permethrin | Phorate | Phosmet | Phosin | Pirimiphos-methyl (changing 1 July 2001) | Proxymate | | |
|---|---------------------------------------|----------------------------|--------------|---------|------------|---------|---------|--------|--|-----------|-------|-------|
| i) Citrus fruit | Apple | 0.01* | 0.5 | 0.01* | 0.02* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | | |
| | Cherries | 0.01* | 0.5 | 0.01* | 0.02* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | | |
| | Plums | 0.01* | 0.5 | 0.01* | 0.02* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | | |
| | Others | 0.01* | 0.5 | 0.01* | 0.02* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | | |
| | ii) Stone fruit | Apples | 0.01* | 0.01* | 0.01* | 0.02* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | |
| | | Cherries | 0.01* | 0.01* | 0.01* | 0.02* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | |
| | | Plums | 0.01* | 0.01* | 0.01* | 0.02* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | |
| | | Others | 0.01* | 0.01* | 0.01* | 0.02* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | |
| | | iii) Berry and small fruit | Blackberries | 0.01* | 0.01* | 0.01* | 0.02* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* |
| | | | Cherries | 0.01* | 0.01* | 0.01* | 0.02* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* |
| Plums | | | 0.01* | 0.01* | 0.01* | 0.02* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | |
| Others | | | 0.01* | 0.01* | 0.01* | 0.02* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | |
| iv) Other small fruit & berries (other than wild) | | | Blackberries | 0.01* | 0.01* | 0.01* | 0.02* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* |
| | | | Cherries | 0.01* | 0.01* | 0.01* | 0.02* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Plums | | 0.01* | 0.01* | 0.01* | 0.02* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | |
| | Others | | 0.01* | 0.01* | 0.01* | 0.02* | 0.02* | 0.01* | 0.01* | 0.01* | 0.01* | |

Status: Point in time view as at 15/04/2001.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

| Group to which food belongs | Groups include the following products | Monocrotophos | Quinacrine | Parquat | Permethrin | Phorate | Phosmet | Phosin | Permethrin methyl (shading 1 July 2001) | Procydione |
|-----------------------------|---------------------------------------|---------------|------------|---------|------------|---------|---------|--------|---|------------|
| 1) MISCELLANEOUS FRUIT | Avocado | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Banana | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Date | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Figs | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Kiwifruit | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Lemon | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Lemon (skin consumption) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Lime (not eaten) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Orange | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Peach | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Pineapple | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Plum | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Prune | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Quince | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Other | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |

| Group to which food belongs | Groups include the following products | Monocrotophos | Quinacrine | Parquat | Permethrin | Phorate | Phosmet | Phosin | Permethrin methyl (shading 1 July 2001) | Procydione |
|--|---------------------------------------|----------------------|------------|---------|------------|---------|---------|--------|---|------------|
| 2. Vegetables, fresh or processed, frozen or dry | a) ROOT AND TUBER VEGETABLES | Bornet | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Canna | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Celery | 0.05* | 0.1 | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Carrot | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Chicory | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Chicory (with roots) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Garlic | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Onion | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Shallot | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Spring onion | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Other | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Radish | 0.05* | 0.1 | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Swede | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Turnip | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |

| Group to which food belongs | Groups include the following products | Monocrotophos | Quinacrine | Parquat | Permethrin | Phorate | Phosmet | Phosin | Permethrin methyl (shading 1 July 2001) | Procydione |
|-----------------------------|---------------------------------------|---------------------|------------|---------|------------|---------|---------|--------|---|------------|
| 3) BULB VEGETABLES | a) Fruiting vegetables | Asparagus | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Bean | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Bean (with pods) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Bean (without pods) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Bean (with pods) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Bean (without pods) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Bean (with pods) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Bean (without pods) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Bean (with pods) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Bean (without pods) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Bean (with pods) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Bean (without pods) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Bean (with pods) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Bean (without pods) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |

| Group to which food belongs | Groups include the following products | Monocrotophos | Quinacrine | Parquat | Permethrin | Phorate | Phosmet | Phosin | Permethrin methyl (shading 1 July 2001) | Procydione |
|-----------------------------|---------------------------------------|-------------------------|------------|---------|------------|---------|---------|--------|---|------------|
| 4) BRASSICA VEGETABLES | a) Fruiting Brassica | Broccoli | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Brussels sprout | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Chicory | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Chicory (with roots) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Chicory (without roots) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Chicory (with roots) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Chicory (without roots) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Chicory (with roots) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Chicory (without roots) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Chicory (with roots) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Chicory (without roots) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Chicory (with roots) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Chicory (without roots) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Chicory (with roots) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |

| Group to which food belongs | Groups include the following products | Monocrotophos | Quinacrine | Parquat | Permethrin | Phorate | Phosmet | Phosin | Permethrin methyl (shading 1 July 2001) | Procydione |
|------------------------------------|---------------------------------------|------------------------|------------|---------|------------|---------|---------|--------|---|------------|
| 5) LEAF VEGETABLES AND FRESH HERBS | a) Lettuce & similar | Cress | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Endive | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Endive (with roots) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Endive (without roots) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Endive (with roots) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Endive (without roots) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Endive (with roots) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Endive (without roots) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Endive (with roots) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Endive (without roots) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Endive (with roots) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Endive (without roots) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Endive (with roots) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | | Endive (without roots) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |

Status: Point in time view as at 15/04/2001.
Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

| Group to which food belongs | Groups include the following products | Monocrotophos | Oxamethozon | Parathion | Permethrin | Phorate | Phosalone | Phosmet | Phosmet | Phosmet | Picloram-amido | Procymidone |
|-----------------------------|---------------------------------------|---------------|-------------|-----------|------------|---------|-----------|---------|---------|---------|----------------|-------------|
| | Bacon (without pork) | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Pork (with pork) | 0.05* | 0.1 | no MRL | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 1 |
| | Pork (without pork) | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.3 |
| | Others | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| 140 STEAM VEGETABLES | Asparagus | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Carrots | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Celery | 0.05* | 2 | no MRL | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Fennel | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Celery articles | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Leeks | 0.05* | 0.1 | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Endives | 0.05* | 2 | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| 140 FUNGI | a) Cultured mushrooms | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | b) Wild mushrooms | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| 3. PULSES | Beans | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Lentils | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Pean | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.2 |

| Group to which food belongs | Groups include the following products | Monocrotophos | Oxamethozon | Parathion | Permethrin | Phorate | Phosalone | Phosmet | Phosmet | Picloram-amido | Procymidone |
|-----------------------------|--|---------------|-------------|-----------|------------|---------|-----------|---------|---------|----------------|-------------|
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| 4. OILSEEDS | Linseed | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Peanut | 0.05* | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.05* |
| | Peanut seed | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Soya seed | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Soya bean | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Mustard seed | 0.05* | 0.1 | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Cotton seed | 0.05* | 0.2 | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| 5. POTATOES | Early potatoes | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Ware potatoes | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| 6. TEA | (dried leaves and stalks, fermented or otherwise, Camellia sinensis) | 0.1* | 0.1 | 2 | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* | 0.05* | 0.1* |
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* | 0.05* | 0.1* |

| Group to which food belongs | Groups include the following products | Profluthion | Propargite | Propiconazole | Proprazine | Propyral | Quinclorim | TEPP | Thiabendazole |
|--|---|-------------|------------|---------------|------------|----------|------------|-------|---------------|
| 1. Fresh fruit, dried or uncooked preserved by freezing not containing added sugar: nuts | | | | | | | | | |
| 100 CITRUS FRUIT | Grapefruit | 0.05* | 2 | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.05* |
| | Lemons | 0.05* | 2 | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.05* |
| | Limes | 0.05* | 0.3 | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.05* |
| | Mandarin (no Clementines & similar hybrids) | 0.05* | 2 | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.05* |
| | Oranges | 0.05* | 0.05* | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.05* |
| | Pineapples | 0.05* | 2 | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.05* |
| | Others | 0.05* | 2 | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.05* |
| 110 TREE NUTS (dried or unacidified) | Almonds | 0.05* | 0.05* | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.1* |
| | Brazil nuts | 0.05* | 0.05* | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.1* |
| | Cashew nuts | 0.05* | 0.05* | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.1* |
| | Chestnuts | 0.05* | 0.05* | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.1* |
| | Cocconuts | 0.05* | 0.05* | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.1* |
| | Hazelnuts | 0.05* | 0.05* | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.1* |
| | Macadamia nuts | 0.05* | 0.05* | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.1* |
| | Peanuts | 0.05* | 0.05* | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.1* |
| | Pine nuts | 0.05* | 0.05* | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.1* |

| Group to which food belongs | Groups include the following products | Profluthion | Propargite | Propiconazole | Proprazine | Propyral | Quinclorim | TEPP | Thiabendazole |
|-----------------------------|---|-------------|------------|---------------|------------|----------|------------|-------|---------------|
| | Fenestrol | 0.05* | 0.05* | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.1* |
| | Waxolins | 0.05* | 0.05* | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.1* |
| 120 POME FRUIT | Apples | 0.05* | 2 | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.05* |
| | Pears | 0.05* | 2 | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.05* |
| | Quinces | 0.05* | 2 | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.05* |
| | Others | 0.05* | 2 | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.05* |
| 130 STONE FRUIT | Apricots | 0.2 | 2 | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.05* |
| | Cherries | 0.05* | 0.05* | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.05* |
| | Plum (incl. nectarines & similar hybrids) | 0.2 | 2 | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.05* |
| | Peaches | 0.05* | 2 | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.05* |
| | Others | 0.05* | 2 | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.05* |
| 140 BERRIES AND SMALL FRUIT | a) Table & wine grapes | | | | | | | | |
| | Table grapes | 0.1 | 0.05* | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.05* |
| | Wine grapes | 0.1 | 0.05* | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.05* |
| | b) Strawberries (other than wild) | 0.05* | 0.05* | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.05* |

| Group to which food belongs | Groups include the following products | Profluthion | Propargite | Propiconazole | Proprazine | Propyral | Quinclorim | TEPP | Thiabendazole |
|---|---------------------------------------|-------------|------------|---------------|------------|----------|------------|-------|---------------|
| 150 OTHER FRUIT (other than wild) | Blackberries | 0.05* | 2 | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.05* |
| | Dewberries | 0.05* | 0.05* | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.05* |
| | Loganberries | 0.05* | 0.05* | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.05* |
| | Raspberries | 0.05* | 2 | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.05* |
| 160 OTHER SMALL FRUIT & BERRIES (other than wild) | Blackberries | 0.05* | 0.05* | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.05* |
| | Cranberries | 0.05* | 0.05* | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.05* |
| | Currents (incl. black & white) | 0.05* | 0.2 | no MRL | 0.05* | no MRL | 0.05* | 0.05* | no MRL |
| | Cranberries | 0.05* | 0.2 | no MRL | 0.05* | no MRL | 0.05* | 0.05* | no MRL |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.05* |
| | c) Wild berries & wild fruit | 0.05* | 0.05* | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.05* |
| 170 MISCELLANEOUS FRUIT | Avocado | 0.05* | 0.05* | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.05* |
| | Bananas | 0.1 | 0.05* | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.05* |
| | Dates | 0.05* | 0.05* | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.05* |
| | Figs | 0.05* | 0.05* | 0.05* | 0.05* | no MRL | 0.05* | 0.05* | 0.05* |

Status: Point in time view as at 15/04/2001.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

| Group to which food belongs | Groups include the following products | Profluphos | Propargite | Propiconazole (changing 1 July 2001) | Propoxur (changing 1 July 2001) | Proxymetris (changing 1 July 2001) | Quinolphos (changing 1 July 2001) | TEPP | Thiabendazole (changing 1 July 2001) | |
|---|---------------------------------------|------------------------|------------------------|--------------------------------------|---------------------------------|------------------------------------|-----------------------------------|--------|--------------------------------------|-------|
| 1. Vegetables, fresh or uncooked, frozen or dry | Kiwi fruit | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | | |
| | Kiwifruit | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | | |
| | Lichu | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| | Mangoes | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | | |
| | Olives (table consumption) | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| | Olives (oil extract) | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| | Papaya | | no MRL | 0.05* | no MRL | 0.05* | 0.01* | no MRL | | |
| | Pawpaw fruit | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | | |
| | Pineapple | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | | |
| | Pomegranate | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | | |
| | Others | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | | |
| | ii) ROOT AND TUBER VEGETABLES | Beetroot | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | no MRL | |
| | | Carrot | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | |
| | | Celery | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | |
| Hamamulak | | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | | |
| Jarusalem artichokes | | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | | |
| iii) BULB VEGETABLES | | Garlic | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | no MRL | |
| | | Onion | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | | Shallots | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | | Spring onion | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | |
| | | Others | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | |
| | iv) FRUITING VEGETABLES | a) Cucumber | | 0.05* | no MRL | 0.02* | no MRL | 0.01* | no MRL | |
| | | Tomatoes | | no MRL | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | |
| | | Peppers | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | | v) BRASSICA VEGETABLES | a) Flowering Brassicas | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* |
| | | | Broccoli | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* |
| Cauliflower | | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| Others | | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| vi) LEAF VEGETABLES AND HERB | | | a) Lettuce | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* |
| | | | Cress | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* |
| | | | Leafy lettuce | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* |
| | Lettuce | | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | |
| | Spinach | | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | |
| | Others | | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | |
| | b) Spinach & similar | Spinach | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | |
| | | Beet leaves (chard) | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | | Others | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | | c) Watercress | Watercress | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |

Status: Point in time view as at 15/04/2001.
Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

| Group to which food belongs | Groups include the following products | Proflupofen | Propargite | Propiconazole (changing 1 July 2001) | Propoxur (changing 1 July 2001) | Prothiofos (changing 1 July 2001) | Quintothion (changing 1 July 2001) | TEPP | Thiabendazole (changing 1 July 2001) | | | |
|-----------------------------|---------------------------------------|----------------------|---------------------|--------------------------------------|---------------------------------|-----------------------------------|------------------------------------|--------|--------------------------------------|-------|-------|-------|
| (i) Wilded | Wheat | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | | |
| | Barley | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | | |
| | Oats | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | | |
| | Rye | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | | |
| | Maize | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | | |
| | Speltz | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | | |
| | Other cereals | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | | |
| | Others | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | | |
| | (ii) LEGUME VEGETABLES (leaf) | Beans (with pods) | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | |
| | | Beans (without pods) | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | |
| Peas (with pods) | | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | | |
| Peas (without pods) | | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | | |
| Others | | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | | |
| (iii) STEM VEGETABLES | | Asparagus | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | |
| | | Cardoons | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | |
| | | Celery | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | |
| | | Fennel | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | |
| | | Other stalked | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | |
| | Other stalked | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | | |
| | Other stalked | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | | |
| | Other stalked | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | | |
| | Other stalked | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | | |
| | Other stalked | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | | |
| (iv) FRONTS | Wheat | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | | |
| | Barley | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | | |
| | Oats | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | | |
| | Maize | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | | |
| | Speltz | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | | |
| | Other cereals | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | | |
| | Others | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | | |
| | 3. PULSES | Beans | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | |
| | | Lentils | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | |
| | | Peas | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | |
| Others | | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | | |
| 4. OILSEEDS | | Linseed | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | |
| | | Peas | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | |
| | | Pigeon seed | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | |
| | | Sesame seed | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | |
| | | Sunflower seed | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | |
| | | Rape seed | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | |
| | Others | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | | |
| | 5. POTATOES | Early potatoes | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | |
| | | Others | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | |
| | | 6. TEA | Tea | 0.1* | 0.1* | 0.02* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | |
| Others | | | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | |
| 7. ROOTS (other) | | | Carrots | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | |
| | | | Others | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | |
| | | | 8. OTHER VEGETABLES | Asparagus | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* |
| | | | | Cardoons | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* |
| | | | | Celery | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* |
| | | | | Fennel | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* |
| | Other stalked | | | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | |
| | Other stalked | | | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | |
| | Other stalked | | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | |
| | Other stalked | | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | |
| Other stalked | | 0.05* | | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | | |
| Other stalked | | 0.05* | | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | | |
| 9. OTHER FRUITS | Apples | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | | |
| | Pears | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | | |
| | Quinces | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | | |
| | Others | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | | |
| | 10. OTHER FRUITS (other than wild) | Blackberries | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | |
| | | Blueberries | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | |
| | | Cherries | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | |
| | | raspberries | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | |
| | | Strawberries | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | |
| | | Others | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | |
| Others | | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | | |
| Others | | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | | |
| Others | | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | | |
| Others | | | 0.05* | 0.05* | 0.02* | no MRL | 0.01* | 0.05* | 0.05* | | | |

Status: Point in time view as at 15/04/2001.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

| Group to which food belongs | Crops include the following products | Triumph (changing 1 July 2001) | Tribute (changing 1 July 2001) | 2,4,5-T | Vinorelbine | | | | | | | | | | | | | | | |
|---|--------------------------------------|----------------------------------|--------------------------------|-------------------------------------|--------------------------------------|--------------------------------|--------------------------------|---------|-------------|--------|--------------------|-----------------|--------|----------------------|--------|----------------|---------|-------|-------|-------|
| 1. Miscellaneous fruits | Cranberries | 0.02* | 0.05* | 0.05* | 0.05* | | | | | | | | | | | | | | | |
| | Custards (incl. thick & white) | 0.02* | 2 | 0.05* | 10 | | | | | | | | | | | | | | | |
| | Cauldrons | 0.02* | 2 | 0.05* | 0.05* | | | | | | | | | | | | | | | |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* | | | | | | | | | | | | | | | |
| | c) Wild berries & wild fruit | 0.02* | 0.05* | 0.05* | 0.05* | | | | | | | | | | | | | | | |
| | ii) MISCELLANEOUS FRUIT | Avocado | 0.02* | 0.05* | 0.05* | 0.05* | | | | | | | | | | | | | | |
| | | Bananas | 0.02* | 0.05* | 0.05* | 0.05* | | | | | | | | | | | | | | |
| | | Cherries | 0.02* | 0.05* | 0.05* | 0.05* | | | | | | | | | | | | | | |
| | | Figs | 0.02* | 0.05* | 0.05* | 10 | | | | | | | | | | | | | | |
| | | Guava fruit | 0.02* | 0.05* | 0.05* | 0.05* | | | | | | | | | | | | | | |
| Kiwifruit | | 0.02* | 0.05* | 0.05* | 0.05* | | | | | | | | | | | | | | | |
| Lemons | | 0.02* | 0.05* | 0.05* | 0.05* | | | | | | | | | | | | | | | |
| Limes | | 0.02* | 0.05* | 0.05* | 0.05* | | | | | | | | | | | | | | | |
| Mangoes | | 0.02* | 0.05* | 0.05* | 0.05* | | | | | | | | | | | | | | | |
| Others (incl. raspberries) | | 0.02* | 0.05* | 0.05* | 0.05* | | | | | | | | | | | | | | | |
| 2. Vegetables, fresh or uncooked, frozen or dry | i) ROOT AND TUBER VEGETABLES | Beetroot | no MRL | 0.02* | 0.05* | 0.05* | | | | | | | | | | | | | | |
| | | Carrots | 0.02* | 0.05* | 0.05* | 0.5 | | | | | | | | | | | | | | |
| | | Celery | no MRL | 0.02* | 0.05* | 0.05* | | | | | | | | | | | | | | |
| | | ii) BULB VEGETABLES | Garlic | no MRL | 0.02* | 0.05* | 1 | | | | | | | | | | | | | |
| | | | Onions | 0.02* | 0.05* | 0.05* | 1 | | | | | | | | | | | | | |
| | | | Shallots | no MRL | 0.02* | 0.05* | 1 | | | | | | | | | | | | | |
| | | | Spring onions | 0.02* | 0.05* | 0.05* | 1 | | | | | | | | | | | | | |
| | | | Others | 0.02* | 0.05* | 0.05* | 1 | | | | | | | | | | | | | |
| | | | iii) FRUITING VEGETABLES | a) Solanaceae | Tomatoes | 0.02* | no MRL | 0.05* | 0.05* | | | | | | | | | | | |
| | | | | | Peppers | 0.02* | no MRL | 0.05* | 3 | | | | | | | | | | | |
| Chilli peppers | 0.02* | | | | no MRL | 0.05* | 3 | | | | | | | | | | | | | |
| Aubergines | 0.02* | | | | no MRL | 0.05* | 3 | | | | | | | | | | | | | |
| b) Cucurbitaceae | Others | | | | 0.02* | no MRL | 0.05* | 3 | | | | | | | | | | | | |
| | c) Cucurbitaceae - edible part | Cucumbers | | | no MRL | 0.5 | 0.05* | 1 | | | | | | | | | | | | |
| | | Chickpeas | | | no MRL | 0.5 | 0.05* | 1 | | | | | | | | | | | | |
| | | Chickpeas | | | no MRL | 0.5 | 0.05* | 1 | | | | | | | | | | | | |
| | | Others | | | no MRL | 0.5 | 0.05* | 1 | | | | | | | | | | | | |
| | | d) Cucurbitaceae - inedible part | | | Melons | no MRL | no MRL | 0.05* | 1 | | | | | | | | | | | |
| | | | Squashes | no MRL | no MRL | 0.05* | 1 | | | | | | | | | | | | | |
| | | | Watermelons | no MRL | no MRL | 0.05* | 1 | | | | | | | | | | | | | |
| | | | Others | no MRL | no MRL | 0.05* | 1 | | | | | | | | | | | | | |
| | | | e) Sweet corn | Sweet corn | 0.02* | 0.05* | 0.05* | 0.05* | | | | | | | | | | | | |
| iii) BRASSICA VEGETABLES | | | | a) Flowering Brassicae | Broccoli | no MRL | no MRL | 0.05* | 0.05* | | | | | | | | | | | |
| | Cauliflower | | | | no MRL | no MRL | 0.05* | 0.05* | | | | | | | | | | | | |
| | Others | | | | no MRL | no MRL | 0.05* | 0.05* | | | | | | | | | | | | |
| | b) Head Brassicae | | | | Brussels sprouts | no MRL | no MRL | 0.05* | 0.05* | | | | | | | | | | | |
| | | | | | Head cabbage | no MRL | no MRL | 0.05* | 0.05* | | | | | | | | | | | |
| | | Group to which food belongs | | | Crops include the following products | Triumph (changing 1 July 2001) | Tribute (changing 1 July 2001) | 2,4,5-T | Vinorelbine | | | | | | | | | | | |
| | | | | | | | | | | Others | no MRL | no MRL | 0.02* | 0.05* | | | | | | |
| | | | | | | | | | | | c) Leafy Brassicae | Chinese cabbage | no MRL | no MRL | 0.05* | 2 | | | | |
| | | | | | | | | | | | | | Kale | no MRL | no MRL | 0.05* | 0.05* | | | |
| | | | Others | | | | | | | | | | | no MRL | no MRL | 0.05* | 0.05* | | | |
| d) Kohlrabi | | | | Kohlrabi | | | | | | | | | | 0.02* | no MRL | 0.05* | 0.05* | | | |
| | | | | iv) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | | | a) Lettuce & similar | Cress | 0.02* | no MRL | 0.05* | 5 | |
| | | | | | | | | | | | | | | | | Lamb's lettuce | 0.02* | 0.02* | 0.05* | 5 |
| | Lettuce | | | | | | | | | | | | | | | | 0.02* | 0.02* | 0.05* | 5 |
| | | | | | | | | | | | | | | | | | Spinach | 0.02* | 0.02* | 0.05* |
| | | Others | | | 0.02* | 0.02* | 0.05* | 5 | | | | | | | | | | | | |
| | | | | | b) Spinach & similar | Spinach | 0.02* | 0.02* | 0.05* | 0.05* | | | | | | | | | | |
| | | | | | | | Burr lettuce (chard) | 0.02* | 0.02* | 0.05* | 0.05* | | | | | | | | | |
| | | | | | | | | Others | 0.02* | 0.02* | 0.05* | 0.05* | | | | | | | | |
| | | | c) Watercress | | | | | | Watercress | 0.02* | 0.02* | 0.05* | 0.05* | | | | | | | |
| d) Wildfennel | | | | | | | | | Wildfennel | 0.02* | 0.02* | 0.05* | 2 | | | | | | | |
| | | | | e) Other | | | | | Chervil | 0.02* | 0.02* | 0.05* | 0.05* | | | | | | | |
| | | | | | | | | | | Chives | 0.02* | 0.02* | 0.05* | 0.05* | | | | | | |
| | Fenugreek | | | | | | | | | | 0.02* | no MRL | 0.05* | 0.05* | | | | | | |
| | | | | | | | | | | | Culinary herbs | 0.02* | 0.02* | 0.05* | 0.05* | | | | | |
| | | Others | | | | | | | | | | 0.02* | 0.02* | 0.05* | 0.05* | | | | | |

Status: Point in time view as at 15/04/2001.
Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

| Group to which food belongs | Groups include the following products | Triazolophos (changing 1 July 2001) | Triketolone (changing 1 July 2001) | IAA-T | Viscokoline | |
|------------------------------|---------------------------------------|-------------------------------------|------------------------------------|--------|-------------|-------|
| 4. LEGUME VEGETABLES (beans) | Beans (with pods) | no MRL | no MRL | 0.05* | 1 | |
| | Beans (without pods) | no MRL | no MRL | 0.05* | 0.1 | |
| | Peas (with pods) | no MRL | no MRL | 0.05* | 2 | |
| | Peas (without pods) | no MRL | no MRL | 0.05* | 0.3 | |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* | |
| | 4. STEM VEGETABLES | Asparagus | no MRL | no MRL | 0.05* | 0.05* |
| | | Carrots | 0.02* | 0.05* | 0.05* | 0.05* |
| | | Celery | no MRL | no MRL | 0.05* | 0.05* |
| | | Fennel | no MRL | 0.02* | 0.05* | 0.05* |
| | | Other vegetables | 0.02* | no MRL | 0.05* | 0.05* |
| Leeks | | no MRL | no MRL | 0.05* | 0.05* | |
| Spinach | | 0.02* | no MRL | 0.05* | 0.05* | |
| Others | | 0.02* | 0.05* | 0.05* | 0.05* | |
| 4. FUNGI | | a) Cultivated mushrooms | 0.02* | 0.05* | 0.05* | 0.05* |
| | | b) Wild mushrooms | 0.02* | 0.05* | 0.05* | 0.05* |
| 3. PULSES | Beans | 0.02* | 0.05* | 0.05* | 0.1 | |
| | Lentils | 0.02* | 0.05* | 0.05* | 0.1 | |
| | Peas | 0.02* | 0.05* | 0.05* | 0.1 | |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* | |

| Group to which food belongs | Groups include the following products | Triazolophos (changing 1 July 2001) | Triketolone (changing 1 July 2001) | IAA-T | Viscokoline |
|-----------------------------|--|-------------------------------------|------------------------------------|-------|-------------|
| 4. OILSEEDS | Almond | no MRL | 0.05* | 0.05* | 0.05* |
| | Flaxseed | 0.02* | 0.05* | 0.05* | 0.05* |
| | Peanut seed | 0.02* | 0.05* | 0.05* | 0.05* |
| | Sesame seed | 0.02* | 0.05* | 0.05* | 0.05* |
| | Sunflower seed | 0.02* | 0.05* | 0.05* | 0.05* |
| | Soyabean seed | no MRL | 0.05* | 0.05* | 1 |
| | Soyabean | 0.02* | 0.05* | 0.05* | 0.05* |
| | Mustard seed | no MRL | 0.05* | 0.05* | 0.05* |
| | Others | 0.1 | 0.05* | 0.05* | 0.05* |
| | 1. POTATOES | Early potatoes | no MRL | 0.05* | 0.05* |
| Wart potatoes | | no MRL | 0.05* | 0.05* | 0.05* |
| 4. TEA | Black leaves and stalks, fermented or otherwise, Camellia sinensis | 0.05* | 0.1* | 0.05* | 0.1* |
| 7. HOPS (bitter) | | 0.05* | 30 | 0.05* | 40 |

| Group to which food belongs | Groups include the following products | Acyphate | Aldicarb | Alfite & Dithiote | Azinphos | Azinphos | Azinphos | Azinphos | Azinphos | Azinphos | Azinphos | Azinphos | |
|------------------------------|---------------------------------------|--------------------|----------|-------------------|----------|----------|----------|----------|----------|----------|----------|----------|-----|
| 8. CEREALS | Wheat | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.1 | 0.05* | | | | | |
| | Rye | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.1 | 0.3 | 0.05* | | | | |
| | Barley | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.1 | 0.3 | 0.05* | | | | |
| | Oats | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.1 | 0.3 | 0.05* | | | | |
| | Maize | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.1 | 0.3 | 0.05* | | | | |
| | Other cereals ¹⁾ | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.1 | 0.3 | 0.05* | | | | |
| | 9. PRODUCTS OF ANIMAL ORIGIN | Milk | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.1 | 0.3 | 0.05* | | | |
| | | Milk ²⁾ | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.1 | 0.3 | 0.05* | | | |
| | | Eggs ³⁾ | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.1 | 0.3 | 0.05* | | | |
| | | 8. CEREALS | Wheat | 0.05* | 0.05* | 0.05* | 0.1 | 0.1* | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| Rye | | | 0.05* | 0.05* | 0.05* | 0.1 | 0.1* | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| Barley | | | 0.05* | 0.05* | 0.05* | 0.1 | 0.1* | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| Oats | | | 0.05* | 0.05* | 0.05* | 0.1 | 0.1* | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| Maize | | | 0.05* | 0.05* | 0.05* | 0.1 | 0.1* | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| Other cereals ¹⁾ | | | 0.05* | 0.05* | 0.05* | 0.1 | 0.1* | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | Milk | 0.05* | 0.05* | 0.05* | 0.1 | 0.1* | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| | Milk ²⁾ | | 0.05* | 0.05* | 0.05* | 0.1 | 0.1* | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| | Eggs ³⁾ | | 0.05* | 0.05* | 0.05* | 0.1 | 0.1* | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |

| Group to which food belongs | Groups include the following products | Resmethal | Bifenthrin | Cyfluthrin | Cyfluthrin | Carbendazim | Carbendazim | Carbendazim | Carbendazim | Carbendazim | Carbendazim | Carbendazim | |
|-----------------------------|---------------------------------------|--------------------|------------|------------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-----|
| 8. CEREALS | Wheat | 0.05* | 0.05* | 0.05* | 0.1 | 0.1* | 0.1* | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | |
| | Rye | 0.05* | 0.05* | 0.05* | 0.1 | 0.1* | 0.1* | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | |
| | Barley | 0.05* | 0.05* | 0.05* | 0.1 | 0.1* | 0.1* | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | |
| | Oats | 0.05* | 0.05* | 0.05* | 0.1 | 0.1* | 0.1* | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | |
| | Maize | 0.05* | 0.05* | 0.05* | 0.1 | 0.1* | 0.1* | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | |
| | Other cereals ¹⁾ | 0.05* | 0.05* | 0.05* | 0.1 | 0.1* | 0.1* | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | |
| | 9. PRODUCTS OF ANIMAL ORIGIN | Milk | 0.05* | 0.05* | 0.05* | 0.1 | 0.1* | 0.1* | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| | | Milk ²⁾ | 0.05* | 0.05* | 0.05* | 0.1 | 0.1* | 0.1* | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| | | Eggs ³⁾ | 0.05* | 0.05* | 0.05* | 0.1 | 0.1* | 0.1* | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |

| Group to which food belongs | Groups include the following products | Chlorpyrifos | Chlorpyrifos | Chlorpyrifos | Chlorpyrifos | Chlorpyrifos | Chlorpyrifos | Chlorpyrifos | Chlorpyrifos | |
|-----------------------------|---------------------------------------|--------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|------|
| 8. CEREALS | Wheat | 2 | 0.1 | 0.05* | 3 | 0.02* | 0.05* | 0.02* | 0.05 | |
| | Rye | 2 | 0.1 | 0.05* | 3 | 0.02* | 0.05* | 0.02* | 0.05 | |
| | Barley | 2 | 0.1 | 0.05* | 3 | 0.02* | 0.05* | 0.02* | 0.05 | |
| | Oats | 2 | 0.1 | 0.05* | 3 | 0.02* | 0.05* | 0.02* | 0.05 | |
| | Maize | 2 | 0.1 | 0.05* | 3 | 0.02* | 0.05* | 0.02* | 0.05 | |
| | Other cereals ¹⁾ | 2 | 0.1 | 0.05* | 3 | 0.02* | 0.05* | 0.02* | 0.05 | |
| | 9. PRODUCTS OF ANIMAL ORIGIN | Milk | 0.05* | 0.05* | 0.05* | 3 | 0.02* | 0.05* | 0.02* | 0.05 |
| | | Milk ²⁾ | 0.05* | 0.05* | 0.05* | 3 | 0.02* | 0.05* | 0.02* | 0.05 |
| | | Eggs ³⁾ | 0.05* | 0.05* | 0.05* | 3 | 0.02* | 0.05* | 0.02* | 0.05 |

| Group to which food belongs | Groups include the following products | Chlorpyrifos | Chlorpyrifos | Chlorpyrifos | Chlorpyrifos | Chlorpyrifos | Chlorpyrifos | Chlorpyrifos | Chlorpyrifos | |
|-----------------------------|---------------------------------------|--------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|------|
| 8. CEREALS | Wheat | 2 | 0.1 | 0.05* | 3 | 0.02* | 0.05* | 0.02* | 0.05 | |
| | Rye | 2 | 0.1 | 0.05* | 3 | 0.02* | 0.05* | 0.02* | 0.05 | |
| | Barley | 2 | 0.1 | 0.05* | 3 | 0.02* | 0.05* | 0.02* | 0.05 | |
| | Oats | 2 | 0.1 | 0.05* | 3 | 0.02* | 0.05* | 0.02* | 0.05 | |
| | Maize | 2 | 0.1 | 0.05* | 3 | 0.02* | 0.05* | 0.02* | 0.05 | |
| | Other cereals ¹⁾ | 2 | 0.1 | 0.05* | 3 | 0.02* | 0.05* | 0.02* | 0.05 | |
| | 9. PRODUCTS OF ANIMAL ORIGIN | Milk | 0.05* | 0.05* | 0.05* | 3 | 0.02* | 0.05* | 0.02* | 0.05 |
| | | Milk ²⁾ | 0.05* | 0.05* | 0.05* | 3 | 0.02* | 0.05* | 0.02* | 0.05 |
| | | Eggs ³⁾ | 0.05* | 0.05* | 0.05* | 3 | 0.02* | 0.05* | 0.02* | 0.05 |

Status: Point in time view as at 15/04/2001.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

| Group to which food belongs | Groups include the following products | Endosulfate | 1,1-dichloro-2,2-dichloro-4,4-difluoroethane | Fluorfen | 1,2-Dichloro-ethane | Dithiopyr | Disulfoton | Disulfoton | |
|----------------------------------|---------------------------------------|-------------|--|----------|---------------------|-----------|------------|------------|-------|
| (changing 1 July 2001) | | | | | | | | | |
| 8. CEREALS | Wheat | 1 | 0.01* | 0.05* | 0.05 | 0.01* | 2 | 0.02* | 0.1 |
| | Rye | 1 | 0.01* | 0.05* | 0.05 | 0.01* | 2 | 0.02* | 0.02* |
| | Barley | 1 | 0.01* | 0.05* | 0.05 | 0.01* | 2 | 0.02* | 0.2 |
| | Scotchm | 1 | 0.01* | 0.05* | 0.05 | 0.01* | 2 | 0.02* | 0.2 |
| | Oats | 1 | 0.01* | 0.05* | 0.05 | 0.01* | 2 | 0.02* | 0.02* |
| | Triticale | 1 | 0.01* | 0.05* | 0.05 | 0.01* | 2 | 0.02* | 0.02* |
| | Maise | 1 | 0.01* | 0.05* | 0.05 | 0.01* | 2 | 0.02* | 0.02* |
| | Blackwheat | 1 | 0.01* | 0.05* | 0.05 | 0.01* | 2 | 0.02* | 0.02* |
| | Millets | 1 | 0.01* | 0.05* | 0.05 | 0.01* | 2 | 0.02* | 0.02* |
| | Rice* | 1 | 0.01* | 0.05* | 0.05 | 0.01* | 2 | 0.02* | 0.02* |
| | Other cereals** | 1 | 0.01* | 0.05* | 0.05 | 0.01* | 2 | 0.02* | 0.02* |
| Maise, for preparation of meal** | | 0.01* | 0.01* | 0.2* | | | | 0.01* | 0.02* |
| Milk* & Dairy products* | | | 0.01* | 0.2* | no MRL | | | 0.02 | 0.02 |
| Eggs** | | 0.05* | 0.01** | 0.2** | 0.01* | | | 0.02* | 0.02* |

| Group to which food belongs | Groups include the following products | Endosulfate | Endrin | Ethionon | Fenitrothion | Fenitrothion | Fenitrothion | Fenitrothion and Endosulfate |
|----------------------------------|---------------------------------------|------------------------|--------|------------------------|------------------------|--------------|--------------|--|
| | | (changing 1 July 2001) | | (changing 1 July 2001) | (changing 1 July 2001) | acid | | Sum of RR and SR levels (changing 1 July 2001) |
| 8. CEREALS | Wheat | 0.1 | 0.01 | 0.2 | no MRL | 0.05* | 0.05* | 0.05** |
| | Rye | 0.1 | 0.01 | 0.5 | 0.02* | 0.05* | 0.05* | 0.05 |
| | Barley | 0.1 | 0.01 | 0.5 | no MRL | 0.05* | 0.05* | 0.05 |
| | Scotchm | 0.01* | 0.01 | 0.05* | 0.02* | 0.05* | 0.05* | 0.2 |
| | Oats | 0.1 | 0.01 | 0.05* | 0.02* | 0.05* | 0.05* | 0.2 |
| | Triticale | 0.1 | 0.01 | 0.2 | 0.02* | 0.05* | 0.05* | 0.2 |
| | Maise | 0.1 | 0.01 | no MRL | 0.02* | 0.05* | 0.05* | 0.05 |
| | Blackwheat | 0.05* | 0.01 | 0.05* | 0.02* | 0.05* | 0.05* | 0.05 |
| | Millets | 0.05* | 0.01 | 0.05* | 0.02* | 0.05* | 0.05* | 0.05 |
| | Rice** | 0.05* | 0.01 | 0.05* | 0.02* | 0.05* | 0.05* | 0.05 |
| | Other cereals** | 0.05* | 0.01 | 0.05* | 0.02* | 0.05* | 0.05* | 0.05 |
| Maise, for preparation of meal** | | 0.1* | 0.05 | 0.05* | 0.02** | 0.05* | 0.05* | 0.2* |
| Milk* & Dairy products* | | | | | | | | 0.02** |
| Eggs** | | | | | | | | 0.02** |

| Group to which food belongs | Groups include the following products | Endosulfate | Endrin | Ethionon | Fenitrothion | Fenitrothion | Fenitrothion | Fenitrothion and Endosulfate |
|-----------------------------|---------------------------------------|------------------------|--------|------------------------|------------------------|--------------|--------------|--|
| | | (changing 1 July 2001) | | (changing 1 July 2001) | (changing 1 July 2001) | acid | | Sum of RR and SR levels (changing 1 July 2001) |
| Milk* & Dairy products* | | 0.04 | 0.008 | 0.05* | 0.02* | 0.05* | 0.05* | 0.02* |
| Eggs** | | no MRL | 0.005 | 0.05* | 0.02* | 0.05* | 0.05* | 0.02** |
| | | 0.1** | | | | | | 0.02** |

| Group to which food belongs | Groups include the following products | Fenitrothion | Chlorthal | Heptachlor | Hexachlorocyclohexane (HCH) | Hexachlorocyclohexane (HCH) | Hexachlorocyclohexane (HCH) |
|----------------------------------|---------------------------------------|--------------|-----------|------------|-----------------------------|-----------------------------|-----------------------------|
| (changing 1 July 2001) | | | | | | | |
| 8. CEREALS | Wheat | 0.05* | 5 | 0.01 | 0.01 | 0.01 | 0.021 |
| | Rye | 0.05* | 5 | 0.01 | 0.01 | 0.01 | 0.021 |
| | Barley | 0.05* | 20 | 0.01 | 0.01 | 0.01 | 0.021 |
| | Scotchm | 0.05* | 20 | 0.01 | 0.01 | 0.01 | 0.021 |
| | Oats | 0.05* | 5 | 0.01 | 0.01 | 0.01 | 0.021 |
| | Triticale | 0.05* | 5 | 0.01 | 0.01 | 0.01 | 0.021 |
| | Maise | 0.05* | 0.1* | 0.01 | 0.01 | 0.01 | 0.021 |
| | Blackwheat | 0.05* | 0.1* | 0.01 | 0.01 | 0.01 | 0.021 |
| | Millets | 0.05* | 0.1* | 0.01 | 0.01 | 0.01 | 0.021 |
| | Rice** | 0.05* | 0.1* | 0.01 | 0.01 | 0.01 | 0.021 |
| | Other cereals** | 0.05* | 0.1* | 0.01 | 0.01 | 0.01 | 0.021 |
| Maise, for preparation of meal** | | 0.05* | 0.1** | 0.2 | 0.2 | 0.2 | 0.1 |
| Milk* & Dairy products* | | 0.05* | 0.1* | 0.004 | 0.01 | 0.004 | 0.003 |
| Eggs** | | 0.05* | 0.1* | 0.02 | 0.02 | 0.02 | 0.01 |

EXPLANATORY NOTE

(This note is not part of the Regulations)

These Regulations, which extend to England and Wales only, are made under section 2(2) of the European Communities Act 1972 and amend the provisions of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) Regulations 1999 S.I. 1999/3483. The Regulations specify maximum levels of pesticide residues which crops, food and feeding stuffs may contain in implementation of Commission Directives 2000/24/EC (OJ No. L107, 4.5.00), 2000/42/EC (OJ No. L158, 30.6.00), 2000/48/EC (OJ No. L197, 3.8.00), 2000/57/EC (OJ No. L244, 29.9.00) and 2000/58/EC (OJ No. L244, 29.9.00) and amend Community maximum residue levels which have been set previously (regulations 2(1), 2(2) and 5). Further residue definitions are also introduced (regulation 2(3)). Additionally, the Regulations remove certain maximum levels which were included in Part 1 of Schedule 2 to the Consolidated Regulations 1999 (S.I. 1999/3483) by virtue of powers contained in the Food and Environment Protection Act 1985 and which have been replaced by the Community maximum residue levels now included in Part 2 of that Schedule (regulation 2(4)).

Status: Point in time view as at 15/04/2001.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

The Regulations also amend Schedule 3 to the Consolidated Regulations 1999 by introducing the new products 'papaya' and 'chilli peppers' to reflect the categories specified in Directives [2000/42/EC](#) and [2000/24/EC](#) respectively (regulation 2(6)).

A regulatory impact assessment has been prepared in respect of these Regulations. Copies of this assessment can be obtained from the Pesticides Safety Directorate of the Ministry of Agriculture, Fisheries and Food, Room 313, Mallard House, Kings Pool, 3 Peasholme Green, York YO1 7PX.

Status:

Point in time view as at 15/04/2001.

Changes to legislation:

There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations.