

2002 No. 2723

AGRICULTURE, ENGLAND AND WALES

PESTICIDES, ENGLAND AND WALES

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

Made - - - - - *31st October 2002*
Laid before Parliament *1st November 2002*
Coming into force - - *30th November 2002*

The Secretary of State for Environment, Food and Rural Affairs and the National Assembly for Wales, acting jointly (the National Assembly for Wales acting in relation to Wales only), being designated(a) for the purposes of section 2(2) of the European Communities Act 1972(b) in relation to the common agricultural policy of the European Community, in exercise of the powers conferred on them by that section, make the following Regulations:

Title, commencement and extent

1. These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002; they extend to England and Wales only, and shall come into force on 30th November 2002.

Amendment to the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) Regulations 1999

2.—(1) The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) Regulations 1999(c) shall be amended in accordance with this regulation.

(2) In regulation 2(1), for the definition of the Residues Directives there shall be substituted the following definition:

“the Residues Directives’ means Council Directive 86/362/EEC(d), Council Directive 86/363/EEC(e) and Council Directive 90/642/EEC(f), in each case amended as at the date of the making of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002.”.

(3) For paragraph (b) of regulation 6 there shall be substituted the following paragraph—

“(b) the procedure to be followed for sampling for the determination of pesticide residues shall—

(a) S.I. 1972/1811 in the case of the Secretary of State and S.I. 1999/2788 in the case of the National Assembly for Wales.
(b) 1972 c. 68.
(c) S.I. 1999/3483, amended by S.I. 2001/1113, S.I. 2001/2420, S.I. 2001/3834 and S.I. 2002/1767.
(d) OJ No. L221, 7.8.86, p. 37. The last amending instrument is Commission Directive 2002/76/EC (OJ No. L240, 7.9.2002, p. 45).
(e) OJ No. L221, 7.8.86, p. 43. The last amending instrument is Commission Directive 2002/71/EC (OJ No. L275, 22.8.2002, p. 21).
(f) OJ No. L350, 14.12.90, p. 71. The last amending instrument is Commission Directive 2002/76/EC.

- (i) be that set out in the Annex to Commission Directive 2002/63/EC(a) for the residues covered by Part 2 of Schedule 2; and
- (ii) so far as is practicable, be that set out in the Codex Alimentarius Commission 'Recommended Method of Sampling for the Determination of Pesticide Residues for compliance with MRLs; CAC/GL 33-1999' for the residues not covered by Part 2 of Schedule 2;”.

(4) In Schedule 1 there shall be inserted at the appropriate places in columns 1 and 2 the following entries (the entries for Dimethoate and Quintozene being substituted for the existing ones):

| Column 1 <i>Pesticide</i> | Column 2 <i>Residues</i> |
|-------------------------------------|--|
| Bentazone | Bentazone (sum of bentazone and conjugates 6-OH- and 8-OH-bentazone expressed as bentazone) |
| Dimethoate | Dimethoate (sum of dimethoate and omethoate expressed as dimethoate) |
| Formothion | Formothion |
| Lindane | Lindane (Hexachloro-cyclohexane γ) |
| Metsulfuron methyl | Metsulfuron methyl |
| Oxydemeton methyl | Oxydemeton methyl (sum of oxydemeton methyl and demeton-S-methylsulfone expressed as oxydemeton methyl) |
| Pyridate | Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate) |
| Quintozene | Quintozene (sum of quintozene, and pentachloroaniline expressed as quintozene) |

(5) In Part I of Schedule 2 the following pesticide columns together with any residue level inserted under the respective columns shall be deleted—

- (a) Hexachlorocyclohexane (HCH γ) and Quintozene as at 1st December 2002;
- (b) Dimethoate as at 1st January 2003;
- (c) Parathion as at 1st May 2003.

(6) For Part 2 of Schedule 2 there shall be substituted the Schedule to these Regulations.

Signed on behalf of the National Assembly for Wales.

24th October 2002

D. Elis-Thomas
Presiding Officer
National Assembly for Wales

31st October 2002

Whitty
Parliamentary Under Secretary of State
Department for Environment, Food and Rural Affairs

(a) OJ No. L187, 16.7.2002, p. 30.

Regulation 2(6)

SCHEDULE

| Group to which food belongs | Groups include the following products | Acephate | Aldicarb | Aldrin & dieldrin | Amitriazole (Amitrole) | Amitraz | Aramite | Atrazine | Azinphos-methyl | Azinphos-ethyl | Azoxystrobin |
|--|--|----------|----------|-------------------|------------------------|---------|---------|----------|-----------------|----------------|--------------|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar, nuts | | | | | | | | | | | |
| j) CITRUS FRUIT | | | | | | | | | | | |
| | Grapefruit | 1 | 0.2 | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 1 |
| | Lemons | 1 | 0.2 | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 1 |
| | Limes | 1 | 0.2 | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 1 |
| | Mandarins (incl clementines & similar hybrids) | 1 | 0.2 | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 1 |
| | Oranges | 1 | 0.2 | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 1 |
| | Pomeelos | 1 | 0.2 | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 1 |
| | Others | 1 | 0.2 | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 1 |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | | | | |
| | Almonds | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.1* |
| | Brazil nuts | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.1* |
| | Cashew nuts | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.1* |
| | Chestnuts | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.1* |
| | Coconuts | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.1* |
| | Hazelnuts | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.1* |
| | Macadamia nuts | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.1* |
| | Pecans | 0.02* | 0.2 | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.1* |
| | Pine nuts | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.1* |
| | Pistachios | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.1* |
| | Walnuts | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.1* |
| | Others | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.1* |
| iii) POME FRUIT | | | | | | | | | | | |
| | Apples | 1 | 0.05* | | 0.05* | 0.5 | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Pears | 1 | 0.05* | | 0.05* | 0.5 | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Quinces | 1 | 0.05* | | 0.05* | 0.5 | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Others | 1 | 0.05* | | 1, 0.05* | 0.5 | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| iv) STONE FRUIT | | | | | | | | | | | |
| | Apricots | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Cherries | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Peaches (incl nectarines & similar hybrids) | 0.2 | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |

| Group to which Food belongs | Groups include the following products | Acetophate | Aldicarb | Aldrin & dieldrin | Aminotriazole | Amitraz | Aramite | Artrazine | Azinphosulfuron | Azinphos-ethyl | Azoxystrobin |
|--|---------------------------------------|------------|----------|-------------------|---------------|---------|---------|-----------|-----------------|----------------|--------------|
| | Plums | 2 | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| y) BERRIES AND SMALL FRUIT | | | | | | | | | | | |
| a) Table & wine grapes | | | | | | | | | | | |
| | Table grapes | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 2 |
| | Wine grapes | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 2 |
| b) Strawberries (other than wild) | | | | | | | | | | | |
| | Strawberries (other than wild) | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 2 |
| c) Cane Fruit (other than wild) | | | | | | | | | | | |
| | Blackberries | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Dewberries | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Loganberries | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Raspberries | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| d) Other small fruit & berries (other than wild) | | | | | | | | | | | |
| | Bilberries | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Cranberries | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Currants (red, black & white) | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Gooseberries | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| e) Wild berries & wild fruit | | | | | | | | | | | |
| | Wild berries & wild fruit | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| v) MISCELLANEOUS FRUIT | | | | | | | | | | | |
| | Avocados | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Bananas | 0.02* | 0.1 | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 2 |
| | Dates | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Figs | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Kiwi fruit | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Kumquats | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Lichis | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Mangoes | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Olives (table consumption) | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |

| Group to which food belongs | Groups include the following products | Acophate | Aldicarb | Aldrin & dieldrin | Aminotriazole (Amitrole) | Amitraz | Aramite | Avazine | Azinphos-ethyl | Azinphos-kuron | Azinphos-ethyl | Azoxystrobin |
|---|---------------------------------------|----------|----------|-------------------|--------------------------|---------|---------|---------|----------------|----------------|----------------|--------------|
| | Olives (oil extract) | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.02* | 0.05* | 0.05* |
| | Papaya | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.02* | 0.05* | 0.05* |
| | Passion fruit | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.02* | 0.05* | 0.05* |
| | Pineapples | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.02* | 0.05* | 0.05* |
| | Pomegranates | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.02* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.02* | 0.05* | 0.05* |
| 2. Vegetables, fresh or uncooked, frozen or dry | | | | | | | | | | | | |
| 1) ROOT AND TUBER VEGETABLES | | | | | | | | | | | | |
| | Beetroot | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.02* | 0.05* | 0.05* |
| | Carrots | 0.02* | 0.1 | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.02* | 0.05* | 0.2 |
| | Celerae | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.02* | 0.05* | 0.05* |
| | Horseradish | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.02* | 0.05* | 0.2 |
| | Jerusalem artichokes | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.02* | 0.05* | 0.05* |
| | Parsnips | 0.02* | 0.1 | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.02* | 0.05* | 0.2 |
| | Parsley root | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.02* | 0.05* | 0.2 |
| | Radishes | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.02* | 0.05* | 0.05* |
| | Salsify | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.02* | 0.05* | 0.2 |
| | Sweet potatoes | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.02* | 0.05* | 0.05* |
| | Sweedes | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.02* | 0.05* | 0.05* |
| | Turnips | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.02* | 0.05* | 0.05* |
| | Yams | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.02* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.02* | 0.05* | 0.05* |
| ii) BULB VEGETABLES | | | | | | | | | | | | |
| | Garlic | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.02* | 0.05* | 0.05* |
| | Onions | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.02* | 0.05* | 0.05* |
| | Shallots | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.02* | 0.05* | 0.05* |
| | Spring onions | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.02* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.02* | 0.05* | 0.05* |
| iii) FRUITING VEGETABLES | | | | | | | | | | | | |
| | a) Solanacea Tomatoes | 0.5 | 0.05* | | 0.05* | 0.5 | 0.01* | 0.1* | 0.02* | 0.02* | 0.05* | 2 |

| Group to which food belongs | Groups include the following products | Acetoph | Alkylcarb | Aldrin & dieldrin | Aminotriazole | Amitraz | Aramite | Atrazine | Azinphos-methyl | Azinphos-ethyl | Azoxystrobin |
|-----------------------------|---------------------------------------|---------|-----------|-------------------|---------------|---------|---------|----------|-----------------|----------------|--------------|
| | Peppers | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 2 |
| | Chilli peppers | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 2 |
| | Aubergines | 0.5 | 0.05* | 0.05* | 0.5 | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* | 2 |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* | 0.05* |
| | b) Cucurbitis-edible peel | | | | | | | | | | |
| | Cucumbers | 0.02* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* | 1 |
| | Gherkins | 0.02* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* | 1 |
| | Courgettes | 0.02* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* | 1 |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* | 1 |
| | c) Cucurbitis-edible peel | | | | | | | | | | |
| | Melons | 0.02* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* | 0.5 |
| | Squashes | 0.02* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* | 0.5 |
| | Watermelons | 0.02* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* | 0.5 |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* | 0.5 |
| | d) Sweet corn | 0.02* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* | 0.05* |
| | (v) BRASSICA VEGETABLES | | | | | | | | | | |
| | a) Flowering Brassicas | | | | | | | | | | |
| | Broccoli | 2 | 0.05* | 0.05* | 0.05*(37) | 0.01* | 0.1* | 0.02* | 0.05*(37) | 0.05* | 0.05* |
| | Cauliflower | 2 | 0.2 | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Others | 2 | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* | 0.05* |
| | b) Head Brassicas | | | | | | | | | | |
| | Brussels sprouts | 2 | 0.2 | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Head cabbage | 2 | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Others | 2 | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* | 0.05* |
| | c) Leafy Brassicas | | | | | | | | | | |
| | Chinese cabbage | 0.02* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Kale | 0.02* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* | 0.05* |
| | d) Kohlrabi | 0.02* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* | 0.05* |
| | (v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | | | |
| | a) Lettuce & similar | | | | | | | | | | |
| | Cress | 0.02* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* | 3 |
| | Lamb's lettuce | 0.02* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* | 3 |

| Group to which food belongs | Groups include the following products | Acetophate | Aldicarb | Aldrin & dieldrin | Aminotriazole (Amitrole) | Amtiazac | Aramite | Atrazine | Azinphos-methyl | Azinphos-ethyl | Azoxystrobin |
|-----------------------------|--|------------|----------|-------------------|--------------------------|-----------|-----------|----------|-----------------|----------------|--------------|
| | Lettuce | 1 | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 3 |
| | Scarole | 0.02* | 0.05* | 0.05* | 0.05* | 0.05*(35) | 0.01*(35) | 0.1* | 0.02* | 0.05*(35) | 3 |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 3 |
| | b) Spinach & similar Spinach | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Beet leaves (chard) | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | c) Watercress | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | d) Witloof | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.2 |
| | e) Herbs Chervil | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Chives | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Parsley | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Calary leaves | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | v) LEGUME VEGETABLES (fresh) Beans (with pods) | 3 | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 1 |
| | Beans (without pods) | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Peas (with pods) | 3 | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.5 |
| | Peas (without pods) | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.2 |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | viii) STEM VEGETABLES Asparagus | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Cardoons | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Calary | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 5 |
| | Fennel | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Globe artichokes | 0.2 | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 1 |
| | Leeks | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.1 |
| | Rhubarb | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |

| Group to which food belongs | Groups include the following products | Acephate | Aldicarb | Aldrin & dieldrin | Azinphos-methyl (Azinphos) | Azinphos-ethyl | Azinphos-ethyl | Azinphos-ethyl | Azinphos-ethyl | |
|-----------------------------|--|----------|----------|-------------------|----------------------------|----------------|----------------|----------------|----------------|-------|
| viii) FUNGI | a) Cultivated mushrooms | 0.02* | 0.05* | | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | b) Wild mushrooms | 0.02* | 0.05* | | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| 3. PULSES | Beans | 0.02* | 0.05* | | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.1 |
| | Lentils | 0.02* | 0.05* | | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.1 |
| | Peanut | 0.02* | 0.05* | | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.1 |
| | Peas | 0.02* | 0.05* | | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.1 |
| | Others | 0.02* | 0.05* | | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.1 |
| | | | | | | | | | | |
| 4. OILSEEDS | Linseed | 0.02* | 0.05* | | 0.05* | 0.01* | 0.1* | 0.1* | 0.05* | 0.05* |
| | Peanut | 0.02* | 0.05* | | 0.05* | 0.01* | 0.1* | 0.1* | 0.05* | 0.05* |
| | Poppy seed | 0.02* | 0.05* | | 0.05* | 0.01* | 0.1* | 0.1* | 0.05* | 0.05* |
| | Sesame seed | 0.02* | 0.05* | | 0.05* | 0.01* | 0.1* | 0.1* | 0.05* | 0.05* |
| | Sunflower seed | 0.02* | 0.05* | | 0.05* | 0.01* | 0.1* | 0.1* | 0.05* | 0.05* |
| | Rape seed | 0.02* | 0.05* | | 0.05* | 0.01* | 0.1* | 0.1* | 0.05* | 0.05* |
| | Soya bean | 0.02* | 0.05* | | 0.05* | 0.01* | 0.1* | 0.1* | 0.05* | 0.05* |
| | Mustard seed | 0.02* | 0.05* | | 0.05* | 0.01* | 0.1* | 0.1* | 0.05* | 0.05* |
| | Cotton seed | 0.02* | 0.05* | | 0.05* | 1 | 0.01* | 0.1* | 0.1* | 0.05* |
| | Others | 0.02* | 0.05* | | 0.05* | 0.01* | 0.1* | 0.1* | 0.05* | 0.05* |
| | | | | | | | | | | |
| 5. POTATOES | Early potatoes | 0.02* | 0.5 | | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Ware potatoes | 0.02* | 0.5 | | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| 6. TEA | (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>) | 0.1* | 0.05* | 0.02 | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* |
| | | | | | | | | | | |
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | 0.1* | 0.05* | | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* |
| | | | | | | | | | | |

| Group to which food belongs | Groups include the following products | Barban | Benalaxyl | Benfurcarb | Benazone | Binapacryl | Biphentrin | Bromophos-ethyl | Bromopro-pylate (Tozaphene) | Camphedor | |
|--|--|--------|-----------|------------|----------|------------|------------|-----------------|-----------------------------|-----------|--|
| 1) Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar, nuts | | | | | | | | | | | |
| Applying from 1 Jan 2003 | | | | | | | | | | | |
| j) CITRUS FRUIT | | | | | | | | | | | |
| | Grapefruit | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* | |
| | Lemons | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* | |
| | Limes | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* | |
| | Mandarins (incl clementines & similar hybrids) | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* | |
| | Oranges | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* | |
| | Pomeles | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* | |
| | Others | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* | |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | | | | |
| | Almonds | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* | |
| | Brazil nuts | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* | |
| | Cashew nuts | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* | |
| | Chestnuts | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* | |
| | Coconuts | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* | |
| | Hazelnuts | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* | |
| | Macadamia nuts | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* | |
| | Pecans | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* | |
| | Pine nuts | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* | |
| | Pistachios | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* | |
| | Walnuts | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* | |
| | Others | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* | |
| iii) POME FRUIT | | | | | | | | | | | |
| | Apples | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* | |
| | Pears | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* | |
| | Quinces | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* | |
| | Others | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* | |
| iv) STONE FRUIT | | | | | | | | | | | |
| | Apricots | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* | |
| | Cherries | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* | |
| | Peaches (incl nectarines & similar hybrids) | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* | |

| Group to which food belongs | Groups include the following products | Barban | Benzalyl | Benzofurcarb | Benzazone | Bisacryl | Biphenhria | Bromophos-ethyl | Bromopro-pylate | Camphor (Toxaphene) |
|-------------------------------|--|--------|----------|--------------|-----------|----------|------------|-----------------|-----------------|---------------------|
| Applying from 1 Jan 2003 | | | | | | | | | | |
| v) BERRIES AND SMALL FRUIT | Plums | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* |
| | a) Table & wine grapes | | | | | | | | | |
| | Table grapes | 0.05* | 0.2 | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* |
| | Wine grapes | 0.05* | 0.2 | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* |
| | b) Strawberries (other than wild) | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* |
| | c) Cane fruit (other than wild) | | | | | | | | | |
| | Blackberries | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* |
| | Dewberries | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* |
| | Loganberries | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* |
| | Raspberries | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* |
| | d) Other small fruit & berries (other than wild) | | | | | | | | | |
| | Bilberries | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* |
| | Cranberries | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* |
| Currants (red, black & white) | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* | |
| Gooseberries | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* | |
| Others | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* | |
| e) Wild berries & wild fruit | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* | |
| v) MISCELLANEOUS FRUIT | | | | | | | | | | |
| Avocados | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* | |
| Bananas | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* | |
| Dates | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* | |
| Figs | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* | |
| Kiwi fruit | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* | |
| Kumquats | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* | |
| Litchis | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* | |
| Mangoes | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* | |
| Olives (table consumption) | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* | |

| Group to which food belongs | Groups include the following products | Barban | Benalyal | Benfurcarth | Applying from 1 Jan 2003 | | | | Bromophos-ethyl | Bromopro-pylate | Camphector (Toxaphene) |
|---|---------------------------------------|--------|----------|-------------|--------------------------|------------|-------------|-------|-----------------|-----------------|------------------------|
| | | | | | Bentzone | Binapacryl | Biphenthrin | | | | |
| 2. Vegetables, fresh or uncooked, frozen or dry i) ROOT AND TUBER VEGETABLES | Olives (oil extract) | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Papaya | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Passion fruit | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Pineapples | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Pomegranates | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Others | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Carrots | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Calenac | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Horsradish | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Jerusalem artichokes | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Parsnips | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Parsley root | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Radishes | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Salsify | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Sweet potatoes | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Swedes | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Turnips | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Yams | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Others | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| ii) BULB VEGETABLES | Garlic | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Onions | 0.05* | 0.2 | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Shallots | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Spring onions | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Others | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| iii) FRUITING VEGETABLES | a) Solanacea | 0.05* | 0.2 | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Tomatoes | 0.05* | | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |

| Group to which food belongs | Groups include the following products | Barban | Benzalyl | Benzfurcarb | Benzazone | Applying from 1 Jan 2003 | | | | | |
|-----------------------------|---------------------------------------|--------|----------|-------------|-----------|--------------------------|-------------|-----------------|-----------------|------------------------|--|
| | | | | | | Binapacryl | Biphenbrian | Bromophos ethyl | Bromopro-pylate | Camphencor (Toxaphene) | |
| | Peppers | 0.05* | 0.2 | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Chilli peppers | 0.05* | 0.2 | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Aubergines | 0.05* | 0.2 | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Others | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | b) Cucurbitis-edible peel | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Cucumbers | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Cherkins | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Courgettes | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Others | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | c) Cucurbitis-inedible peel | 0.05* | 0.1 | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Melons | 0.05* | 0.1 | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Squashes | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Watermelons | 0.05* | 0.1 | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Others | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | d) Sweet corn | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | iv) BRASSICA VEGETABLES | | | | | | | | | | |
| | a) Flowering Brassicas | | | | | | | | | | |
| | Broccoli | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Cauliflower | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Others | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | b) Head Brassicas | | | | | | | | | | |
| | Brussels sprouts | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Head cabbage | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Others | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | c) Leafy Brassicas | | | | | | | | | | |
| | Chinese cabbage | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Kale | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Others | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | d) Kohlrabi | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | | | |
| | a) Lettuce & similar | | | | | | | | | | |
| | Cress | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |
| | Lamb's lettuce | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | |

| Group to which food belongs | Groups include the following products | Barban | Benaxyl | Benturcarb | Benzozone | Binapacryl | Biphenthrin | Bromophos-ethyl | Bromopro-pylate (Toxaphene) | Applying from | |
|-----------------------------|---------------------------------------|-----------|---------|------------|-----------|------------|-------------|-----------------|-----------------------------|---------------|--|
| | | | | | | | | | | 1 Jan 2003 | |
| | Lettuce | 0.05* | 0.05 | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | | |
| | Scarole | 0.05*(35) | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | | |
| | Others | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | | |
| | b) Spinach & similar Spinach | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | | |
| | Beet leaves (chard) | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | | |
| | Others | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | | |
| | c) Watercress | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | | |
| | d) Wildloaf | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | | |
| | e) Herbs Chervil | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | | |
| | Chives | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | | |
| | Parsley | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | | |
| | Celery leaves | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | | |
| | Others | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | | |
| | vi) LEGUME VEGETABLES (fresh) | | | | | | | | | | |
| | Beans (with pods) | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | | |
| | Beans (without pods) | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | | |
| | Peas (with pods) | 0.05* | 0.05* | 0.05* | 0.5 | 0.05* | 0.05* | 0.05* | 0.1* | | |
| | Peas (without pods) | 0.05* | 0.05* | 0.05* | 0.2 | 0.05* | 0.05* | 0.05* | 0.1* | | |
| | Others | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | | |
| | vii) STEM VEGETABLES | | | | | | | | | | |
| | Asparagus | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | | |
| | Cardoons | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | | |
| | Celery | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | | |
| | Fennel | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | | |
| | Globe artichokes | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | | |
| | Leeks | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | | |
| | Rhubarb | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | | |
| | Others | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* | | |

| Group to which food belongs | Groups include the following products | Applying from 1 Jan 2005 | | | | | | | |
|-----------------------------|---|--------------------------|-----------|-------------|-----------|------------|-------------|--|------|
| | | Barban | Benalaxyl | Benfuracarb | Bentazone | Binapacryl | Biphenethin | Bromophos-ethyl Bromopro-pylate Camphefor (Toxaphene) | |
| viii) FUNGI | a) Cultivated mushrooms | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* |
| | b) Wild mushrooms | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* |
| 3. PULSES | Beans | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* |
| | Lentils | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* |
| | Peas | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* |
| | Linseed | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* |
| | Peanuts | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* |
| 4. OIL SEEDS | Poppy seed | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* |
| | Sesame seed | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* |
| | Sunflower seed | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* |
| | Rape seed | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* |
| | Soya bean | 0.05* | 0.05* | 0.05* | 0.1 | 0.05* | 0.05* | 0.05* | 0.1* |
| | Mustard seed | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* |
| | Cotton seed | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* |
| | Early potatoes | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* |
| | Ware potatoes | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* |
| 5. POTATOES | Early potatoes | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* |
| | Ware potatoes | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* |
| 6. TEA | (dried leaves and stalks, fermented or otherwise) | 0.1* | 0.1* | 0.1* | 0.1 | 0.1* | 0.1* | 0.1* | 0.1* |
| | <i>Camellia sinensis</i>) | 0.1* | 0.1* | 0.1* | 0.1 | 0.1* | 0.1* | 0.1* | 0.1* |
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | 0.1* | 0.1* | 5 | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* |

| Group to which food belongs | Groups include the following products | Capratiol | Carbendaxim | Carbifuran | Carbosulfan | Cartap | Chlorbenside | Chlorbutam |
|--|--|-----------|-------------|------------|-------------|--------|--------------|------------|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | |
| j) CITRUS FRUIT | | | | | | | | |
| | Grapefruit | 0.02* | 5 | 0.3 | 0.05* | | 0.01* | 0.05* |
| | Lemons | 0.02* | 5 | 0.3 | 0.05* | | 0.01* | 0.05* |
| | Limes | 0.02* | 5 | 0.3 | 0.05* | | 0.01* | 0.05* |
| | Mandarins (incl clementines & similar hybrids) | 0.02* | 5 | 0.3 | 0.05* | | 0.01* | 0.05* |
| | Oranges | 0.02* | 5 | 0.3 | 0.05* | | 0.01* | 0.05* |
| | Pomeelos | 0.02* | 5 | 0.3 | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 5 | 0.3 | 0.05* | | 0.01* | 0.05* |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | |
| | Almonds | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Brazil nuts | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Cashew nuts | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Chestnuts | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Coconuts | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Hazelnuts | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Macadamia nuts | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Pecans | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Pine nuts | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Pistachios | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Walnuts | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| iii) POME FRUIT | | | | | | | | |
| | Apples | 0.02* | 2 | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Pears | 0.02* | 2 | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Quinces | 0.02* | 2 | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 2 | 0.1* | 0.05* | | 0.01* | 0.05* |
| iv) STONE FRUIT | | | | | | | | |
| | Apricots | 0.02* | 1 | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Cherries | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Peaches (incl nectarines & similar hybrids) | 0.02* | 1 | 0.1* | 0.05* | | 0.01* | 0.05* |

| Group to which food belongs | Groups include the following products | Groups include the following | | | | | | |
|---|---------------------------------------|------------------------------|-------------|------------|-------------|--------|--------------|-------------|
| | | Caprol | Carbendazim | Carbofuran | Carbosulfan | Carrap | Chlorbenside | Chlorbutram |
| Plums | 0.02* | 0.02* | 0.5 | 0.1* | 0.05* | 0.01* | 0.05* | |
| | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* | | |
| Others | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* | | |
| v) BERRIES AND SMALL FRUIT | | | | | | | | |
| a) Table & wine grapes | | | | | | | | |
| Table grapes | 0.02* | 2 | 0.1* | 0.05* | 0.01* | 0.05* | | |
| Wine grapes | 0.02* | 2 | 0.1* | 0.05* | 0.01* | 0.05* | | |
| b) Strawberries (other than wild) | | | | | | | | |
| Strawberries (other than wild) | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* | | |
| c) Cane Fruit (other than wild) | | | | | | | | |
| Blackberries | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* | | |
| Dewberries | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* | | |
| Loganberries | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* | | |
| Raspberries | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* | | |
| Others | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* | | |
| d) Other small fruit & berries (other than wild) | | | | | | | | |
| Bilberries | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* | | |
| Cranberries | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* | | |
| Currants (red black & white) | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* | | |
| Gooseberries | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* | | |
| Others | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* | | |
| e) Wild berries & wild fruit | | | | | | | | |
| Wild berries & wild fruit | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* | | |
| v) MISCELLANEOUS FRUIT | | | | | | | | |
| Avocados | | | | | | | | |
| Avocados | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* | | |
| Bananas | 0.02* | 1 | 0.1* | 0.05* | 0.01* | 0.05* | | |
| Dates | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* | | |
| Figs | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* | | |
| Kiwi fruit | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* | | |
| Kumquats | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* | | |
| Litchis | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* | | |
| Mangoes | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* | | |
| Olives (table consumption) | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* | | |

| Group to which food belongs | Groups include the following products | Caprifol | Carbazin | Carbifuran | Carboulfan | Carrap | Chlorbenzide | Chlorbutan |
|---|---------------------------------------|----------|----------|------------|------------|--------|--------------|------------|
| | Olives (oil extract) | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Papaya | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Passion fruit | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Pineapples | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Pomegranates | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| 2. Vegetables, fresh or uncooked, frozen or dry | | | | | | | | |
| j) ROOT AND TUBER VEGETABLES | | | | | | | | |
| | Beetroot | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Carrots | 0.02* | 0.1* | 0.3 | 0.1 | | 0.01* | 0.05* |
| | Celery | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Horseradish | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Jerusalem artichokes | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Parsnips | 0.02* | 0.1* | 0.3 | 0.1 | | 0.01* | 0.05* |
| | Parsley root | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Radishes | 0.02* | 0.1* | 0.5 | 0.05* | | 0.01* | 0.05* |
| | Salsify | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Sweet potatoes | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Sweedes | 0.02* | 0.1* | 0.2 | 0.05* | | 0.01* | 0.05* |
| | Turnips | 0.02* | 0.1* | 0.2 | 0.05* | | 0.01* | 0.05* |
| | Yams | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| i) BULB VEGETABLES | | | | | | | | |
| | Garlic | 0.02* | 0.1* | 0.3 | 0.05* | | 0.01* | 0.05* |
| | Onions | 0.02* | 0.1* | 0.3 | 0.05* | | 0.01* | 0.05* |
| | Shallots | 0.02* | 0.1* | 0.3 | 0.05* | | 0.01* | 0.05* |
| | Spring onions | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| iii) FRUITING VEGETABLES | | | | | | | | |
| a) Solanacea | | | | | | | | |
| | Tomatoes | 0.02* | 0.5 | 0.1* | 0.05* | | 0.01* | 0.05* |

| Group to which food belongs | Groups include the following products | Captafol | Carbendazim | Carbofuran | Carbosulfan | Cartap | Chlorbenside | Chlorbutan |
|------------------------------------|---------------------------------------|----------|-------------|------------|-------------|--------|--------------|------------|
| | Peppers | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Chilli peppers | 0.02* | 0.1* | 0.1* | | | 0.01* | 0.05* |
| | Aubergines | 0.02* | 0.5 | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | b) Cucurbits-edible peel | | | | | | | |
| | Cucumbers | 0.02* | 1 | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Gherkins | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Courgettes | 0.02* | 0.3 | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | c) Cucurbits-inedible peel | | | | | | | |
| | Melons | 0.02* | 0.5 | 0.2 | 0.05* | | 0.01* | 0.05* |
| | Squashes | 0.02* | 0.5 | 0.2 | 0.05* | | 0.01* | 0.05* |
| | Watermelons | 0.02* | 0.1* | 0.2 | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.2 | 0.05* | | 0.01* | 0.05* |
| | d) Sweet corn | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| (v) BRASSICA VEGETABLES | | | | | | | | |
| | a) Flowering Brassicas | | | | | | | |
| | Broccoli | 0.02* | 0.1* | 0.2 | 0.05* | | 0.01* | 0.05* |
| | Cauliflower | 0.02* | 0.1* | 0.2 | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.2 | 0.05* | | 0.01* | 0.05* |
| | b) Head Brassicas | | | | | | | |
| | Brussels sprouts | 0.02* | 0.5 | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Head cabbage | 0.02* | 3 | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 3 | 0.1* | 0.05* | | 0.01* | 0.05* |
| | c) Leafy Brassicas | | | | | | | |
| | Chinese cabbage | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Kale | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | d) Kohlrabi | 0.02* | 0.1* | 0.2 | 0.05* | | 0.01* | 0.05* |
| v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | |
| | a) Lettuce & similar | | | | | | | |
| | Cress | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Lamb's lettuce | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |

| Group to which food belongs | Groups include the following products | Caprotol | Carbendazim | Carbوتران | Carbوسلفان | Cartap | Chlorbenside | Chlorbutam |
|-----------------------------|--|----------|-------------|-----------|------------|--------|--------------|------------|
| | Lettuce | 0.02* | 5 | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Scarfle | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01*(35) | 0.05*(35) |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | b) Spinach & similar Spinach | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Beet leaves (chard) | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | c) Watercress | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | d) Witloof | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | e) Herbs Chervil | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Chives | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Parsley | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Celery leaves | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | vii) LEGUME VEGETABLES (fresh) Beans (with pods) | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Beans (without pods) | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Peas (with pods) | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Peas (without pods) | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | viii) STEM VEGETABLES Asparagus | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Cardous | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Celery | 0.02* | 2 | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Fennel | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Globe artichokes | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Leeks | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Rhubarb | 0.02* | 2 | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |

| Group to which food belongs | Groups include the following products | Captafol | Carbendazim | Carbofuran | Carbosulfan | Cartap | Chlorbenside | Chlorfuran | |
|-----------------------------|---|--|-------------|------------|-------------|--------|--------------|------------|-------|
| viii) FUNGI | a) Cultivated mushrooms | 0.02* | 1 | 0.1* | 0.05* | | 0.01* | 0.05* | |
| | b) Wild mushrooms | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* | |
| 3. PULSES | Beans | 0.02* | 2 | 0.1* | 0.05* | | 0.01* | 0.05* | |
| | Lentils | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* | |
| | Peas | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* | |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* | |
| | Linseed | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* | |
| | Peanuts | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* | |
| 4. OILSEEDS | Poppy seed | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* | |
| | Sesame seed | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* | |
| | Sunflower seed | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* | |
| | Rape seed | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* | |
| | Soya bean | 0.02* | 0.2 | 0.1* | 0.05* | | 0.01* | 0.05* | |
| | Mustard seed | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* | |
| | Cotton seed | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* | |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* | |
| | 5. POTATOES | Early potatoes | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | | Ware potatoes | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | 6. TEA | (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>) | 0.1* | 0.1* | 0.2* | 0.1* | | 0.1* | 0.1* |
| Others | | 0.1* | 0.1* | 0.2* | 0.1* | | 0.1* | 0.1* | |
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | 0.1* | 0.1* | 10 | 1 | | 0.1* | 0.1* | |
| | Others | 0.1* | 0.1* | 10 | 1 | | 0.1* | 0.1* | |

| Group to which food belongs | Groups include the following products | Chlordane | Chlorfenson | Chlorfluquat | Chlorobenzilate | Chloroethalonil | Chloroxuron | Chlorpyrifos |
|--|--|-----------|-------------|--------------|-----------------|-----------------|-------------|--------------|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | |
| i) CITRUS FRUIT | | | | | | | | |
| | Grapefruit | 0.01* | 0.05* | 0.02* | 0.02* | 0.01* | 0.05* | 0.3 |
| | Lemons | 0.01* | 0.05* | 0.02* | 0.02* | 0.01* | 0.05* | 0.2 |
| | Limes | 0.01* | 0.05* | 0.02* | 0.02* | 0.01* | 0.05* | 0.3 |
| | Mandarins (incl clementines & similar hybrids) | 0.01* | 0.05* | 0.02* | 0.02* | 0.01* | 0.05* | 2 |
| | Oranges | 0.01* | 0.05* | 0.02* | 0.02* | 0.01* | 0.05* | 0.3 |
| | Pomeles | 0.01* | 0.05* | 0.02* | 0.02* | 0.01* | 0.05* | 0.3 |
| | Others | 0.01* | 0.05* | 0.02* | 0.02* | 0.01* | 0.05* | 0.3 |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | |
| | Almonds | 0.01* | 0.1* | 0.02* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Brazil nuts | 0.01* | 0.1* | 0.02* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Cashew nuts | 0.01* | 0.1* | 0.02* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Chestnuts | 0.01* | 0.1* | 0.02* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Coconuts | 0.01* | 0.1* | 0.02* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Hazelnuts | 0.01* | 0.1* | 0.02* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Macadamia nuts | 0.01* | 0.1* | 0.02* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Pecans | 0.01* | 0.1* | 0.02* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Pine nuts | 0.01* | 0.1* | 0.02* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Pistachios | 0.01* | 0.1* | 0.02* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Walnuts | 0.01* | 0.1* | 0.02* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Others | 0.01* | 0.1* | 0.02* | 0.02* | 0.01* | 0.05* | 0.05* |
| iii) POME FRUIT | | | | | | | | |
| | Apples | 0.01* | 0.05* | 0.02* | 0.02* | 1 | 0.05* | 0.5 |
| | Pears | 0.01* | 0.5 | 0.02* | 0.02* | 1 | 0.05* | 0.5 |
| | Quinces | 0.01* | 0.05* | 0.02* | 0.02* | 1 | 0.05* | 0.5 |
| | Others | 0.01* | 0.05* | 0.02* | 0.02* | 1 | 0.05* | 0.5 |
| iv) STONE FRUIT | | | | | | | | |
| | Apricots | 0.01* | 0.05* | 0.02* | 0.02* | 1 | 0.05* | 0.05* |
| | Cherries | 0.01* | 0.05* | 0.02* | 0.02* | 0.01* | 0.05* | 0.3 |
| | Peaches (incl nectarines & similar hybrids) | 0.01* | 0.05* | 0.02* | 0.02* | 1 | 0.05* | 0.2 |

| Group to which food belongs | Groups include the following products | Chlorane | Chlorfenson | Chlormequat | Chlorobenzilate | Chlorofthaloni | Chloroxuora | Chlorpyrifos |
|-----------------------------|--|----------|-------------|-------------|-----------------|----------------|-------------|--------------|
| | Plums | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.2 | |
| | Others | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | |
| v) BERRIES AND SMALL FRUIT | | | | | | | | |
| | a) Table & wine grapes | | | | | | | |
| | Table grapes | 0.01* | 0.05* | 0.02* | 1 | 0.05* | 0.5 | |
| | Wine grapes | 0.01* | 0.05* | 0.02* | 3 | 0.05* | 0.5 | |
| | b) Strawberries (other than wild) | 0.01* | 0.05* | 0.02* | 3 | 0.05* | 0.2 | |
| | c) Cane Fruit (other than wild) | | | | | | | |
| | Blackberries | 0.01* | 0.05* | 0.02* | 10 | 0.05* | 0.5 | |
| | Dewberries | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | |
| | Loganberries | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | |
| | Raspberries | 0.01* | 0.05* | 0.02* | 10 | 0.05* | 0.5 | |
| | Others | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | |
| | d) Other small fruit & berries (other than wild) | | | | | | | |
| | Bilberries | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | |
| | Cranberries | 0.01* | 0.05* | 0.02* | 2 | 0.05* | 0.05* | |
| | Currants (red, black & white) | 0.01* | 0.05* | 0.02* | 10 | 0.05* | 1 | |
| | Gooseberries | 0.01* | 0.05* | 0.02* | 10 | 0.05* | 1 | |
| | Others | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | |
| | e) Wild berries & wild fruit | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | |
| v) MISCELLANEOUS FRUIT | | | | | | | | |
| | Avocados | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | |
| | Bananas | 0.01* | 0.05* | 0.02* | 0.2 | 0.05* | 3 | |
| | Dates | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | |
| | Figs | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | |
| | Kiwi fruit | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 2 | |
| | Kumquats | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | |
| | Litchis | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | |
| | Mangoes | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | |
| | Olives (table consumption) | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* | |

| Group to which food belongs | Groups include the following products | Chloroform | Chloroform | Chloroform | Chloroform | Chloroform | Chloroform | Chloroform | Chloroform | |
|---|---------------------------------------|------------|------------|------------|------------|------------|------------|------------|------------|--|
| | Olives (oil extract) | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* | 0.05* | 0.05* | |
| | Papaya | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | 0.05* | 0.05* | |
| | Passion fruit | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | 0.05* | 0.05* | |
| | Pineapples | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | 0.05* | 0.05* | |
| | Pomegranates | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | 0.05* | 0.05* | |
| | Others | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | 0.05* | 0.05* | |
| 2. Vegetables, fresh or uncooked, frozen or dry | | | | | | | | | | |
| i) ROOT AND TUBER VEGETABLES | | | | | | | | | | |
| | Beetroot | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | 0.05* | 0.05* | |
| | Carrots | 0.01* | 0.05* | 0.02* | 1 | 0.05* | 0.05* | 0.05* | 0.1 | |
| | Chicoric | 0.01* | 0.05* | 0.02* | 1 | 0.05* | 0.05* | 0.05* | 0.05* | |
| | Horseradish | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | 0.05* | 0.05* | |
| | Jerusalem artichokes | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | 0.05* | 0.05* | |
| | Parsnips | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | 0.05* | 0.05* | |
| | Parley root | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | 0.05* | 0.05* | |
| | Radishes | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | 0.05* | 0.2 | |
| | Salsify | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | 0.05* | 0.05* | |
| | Sweet potatoes | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | 0.05* | 0.05* | |
| | Swedes | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | 0.05* | 0.05* | |
| | Turnips | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | 0.05* | 0.05* | |
| | Yams | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | 0.05* | 0.05* | |
| | Others | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | 0.05* | 0.05* | |
| ii) BULB VEGETABLES | | | | | | | | | | |
| | Garlic | 0.01* | 0.05* | 0.02* | 0.5 | 0.05* | 0.05* | 0.05* | 0.05* | |
| | Onions | 0.01* | 0.05* | 0.02* | 0.5 | 0.05* | 0.05* | 0.05* | 0.2 | |
| | Shallots | 0.01* | 0.05* | 0.02* | 0.5 | 0.05* | 0.05* | 0.05* | 0.05* | |
| | Spring onions | 0.01* | 0.05* | 0.02* | 5 | 0.05* | 0.05* | 0.05* | 0.05* | |
| | Others | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | 0.05* | 0.05* | |
| iii) FRUITING VEGETABLES | | | | | | | | | | |
| a) Solanacea | | | | | | | | | | |
| | Tomatoes | 0.01* | 0.05* | 0.02* | 2 | 0.05* | 0.05* | 0.05* | 0.5 | |

| Group to which food belongs | Groups include the following products | Chlorfane | Chlorfenson | Chloromequat | Chlorobenzilate | Chlorofalonil | Chloroxuron | Chlorpyrifos |
|-----------------------------|---------------------------------------|-----------|-------------|--------------|-----------------|---------------|-------------|--------------|
| | Peppers | 0.01* | 0.05* | 0.02* | 2 | 0.05* | 0.5 | |
| | Chilli peppers | 0.01* | 0.05* | 0.02* | 2 | 0.05* | 0.5 | |
| | Aubergines | 0.01* | 0.05* | 0.02* | 2 | 0.05* | 0.5 | |
| | Others | 0.01* | 0.05* | 0.02* | 2 | 0.05* | 0.5 | |
| | b) Cucurbits-edible peel | | | | | | | |
| | Cucumbers | 0.01* | 0.05* | 0.02* | 1 | 0.05* | 0.05* | |
| | Gherkins | 0.01* | 0.05* | 0.02* | 5 | 0.05* | 0.05* | |
| | Courgettes | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | |
| | Others | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | |
| | c) Cucurbits-inedible peel | | | | | | | |
| | Melons | 0.01* | 0.05* | 0.02* | 1 | 0.05* | 0.05* | |
| | Squashes | 0.01* | 0.05* | 0.02* | 1 | 0.05* | 0.05* | |
| | Watermelons | 0.01* | 0.05* | 0.02* | 1 | 0.05* | 0.05* | |
| | Others | 0.01* | 0.05* | 0.02* | 1 | 0.05* | 0.05* | |
| | d) Sweet corn | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | |
| | iv) BRASSICA VEGETABLES | | | | | | | |
| | a) Flowering Brassicas | | | | | | | |
| | Broccoli | 0.01* | 0.05* | 0.02* | 3 | 0.05* | 0.05* | |
| | Cauliflower | 0.01* | 0.05* | 0.02* | 3 | 0.05* | 0.05* | |
| | Others | 0.01* | 0.05* | 0.02* | 3 | 0.05* | 0.05* | |
| | b) Head Brassicas | | | | | | | |
| | Brussels sprouts | 0.01* | 0.05* | 0.02* | 0.5 | 0.05* | 0.05* | |
| | Head cabbage | 0.01* | 0.05* | 0.02* | 3 | 0.05* | 1 | |
| | Others | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | |
| | c) Leafy Brassicas | | | | | | | |
| | Chinese cabbage | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.5 | |
| | Kale | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | |
| | Others | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | |
| | d) Kohlrabi | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | |
| | v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | |
| | a) Lettuce & similar | | | | | | | |
| | Cress | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | |
| | Lamb's lettuce | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | |

| Group to which food belongs | Groups include the following products | Chlorfane | Chlorfenson | Chlornequat | Chlorbenzilate | Chlorothalonil | Chloroxuron | Chlorpyrifos |
|-----------------------------|---|-----------|-------------|-------------|----------------|----------------|-------------|--------------|
| | Lettuce | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Scarole | 0.01*(35) | 0.05* | 0.02*(35) | 0.01* | 0.05*(35) | 0.05* | 0.05* |
| | Others | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | 0.05* |
| | b) Spinach & similar Spinach | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Beet leaves (chard) | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Others | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | 0.05* |
| | c) Watercress | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | 0.05* |
| | d) Witloof | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | 0.05* |
| | e) Herbs Chervil | 0.01* | 0.05* | 0.02* | 5 | 0.05* | 0.05* | 0.05* |
| | Chives | 0.01* | 0.05* | 0.02* | 5 | 0.05* | 0.05* | 0.05* |
| | Parsley | 0.01* | 0.05* | 0.02* | 5 | 0.05* | 0.05* | 0.05* |
| | Celery leaves | 0.01* | 0.05* | 0.02* | 5 | 0.05* | 0.05* | 0.05* |
| | Others | 0.01* | 0.05* | 0.02* | 5 | 0.05* | 0.05* | 0.05* |
| | v) LEGUME VEGETABLES (fresh) Beans (with pods) | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Beans (without pods) | 0.01* | 0.05* | 0.02* | 0.05 | 0.05* | 0.05* | 0.05* |
| | Peas (with pods) | 0.01* | 0.05* | 0.02* | 2 | 0.05* | 0.05* | 0.05* |
| | Peas (without pods) | 0.01* | 0.05* | 0.02* | 0.3 | 0.05* | 0.05* | 0.05* |
| | Others | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | 0.05* |
| | vii) STEM VEGETABLES Asparagus | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Cardoons | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Celery | 0.01* | 0.05* | 0.02* | 10 | 0.05* | 0.05* | 0.05* |
| | Fennel | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Globe artichokes | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 1 | 0.05* |
| | Leeks | 0.01* | 0.05* | 0.02* | 10 | 0.05* | 0.05* | 0.05* |
| | Rhubarb | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Others | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | 0.05* |

| Group to which food belongs | Groups include the following products | Chlordane | Chlorfenson | Chlormequat | Chlorobenzilate | Chlorothalonil | Chloroxuron | Chlorpyrifos |
|-----------------------------|--|-----------|-------------|-------------|-----------------|----------------|-------------|--------------|
| viii) FUNGI | | | | | | | | |
| | a) Cultivated mushrooms | 0.01* | 10 | 0.02* | 0.02* | 2 | 0.05* | 0.05* |
| | b) Wild mushrooms | 0.01* | 0.05* | 0.02* | 0.02* | 0.01* | 0.05* | 0.05* |
| 3. PULSES | | | | | | | | |
| | Beans | 0.01* | 0.05* | 0.02* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Lentils | 0.01* | 0.05* | 0.02* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Peas | 0.01* | 0.05* | 0.02* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Others | 0.01* | 0.05* | 0.02* | 0.02* | 0.01* | 0.05* | 0.05* |
| 4. OILSEEDS | | | | | | | | |
| | Linseed | 0.01* | 0.1* | 0.02* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Peanuts | 0.01* | 0.1* | 0.02* | 0.02* | 0.05 | 0.05* | 0.05* |
| | Poppy seed | 0.01* | 0.1* | 0.02* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Sesame seed | 0.01* | 0.1* | 0.02* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Sunflower seed | 0.01* | 0.1* | 0.02* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Rape seed | 0.01* | 0.1* | 0.02* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Soya bean | 0.01* | 0.1* | 0.02* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Mustard seed | 0.01* | 0.1* | 0.02* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Cotton seed | 0.01* | 0.1* | 0.02* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Others | 0.01* | 0.1* | 0.02* | 0.02* | 0.01* | 0.05* | 0.05* |
| 5. POTATOES | | | | | | | | |
| | Early potatoes | 0.01* | 0.05* | 0.02* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Ware potatoes | 0.01* | 0.05* | 0.02* | 0.02* | 0.01* | 0.05* | 0.05* |
| 6. TEA | | | | | | | | |
| | (dried leaves and stalks, fermented or otherwise, Camellia sinensis) | 0.02* | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* |
| 7. HOPS (dried) | | | | | | | | |
| | including hop pellets & unconcentrated powder | 0.1* | 0.1* | 0.1* | 0.1* | 50 | 0.1* | 0.1* |

| Group to which food belongs | Groups include the following products | Chlorpyrifos-methyl | Chlorzoxatone | Cyfluthrin | Cypermethrin | Daminozide | DDT | Deltamethrin | Diallate | Diazinon |
|--|---|---------------------|---------------|------------|--------------|------------|-------|--------------|----------|----------|
| Applying from 1 Jan 2003 | | | | | | | | | | |
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar- nuts | | | | | | | | | | |
| i) CITRUS FRUIT | | | | | | | | | | |
| | Grapefruit | 0.05* | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.05* | 0.05* | 1 |
| | Lemons | 0.3 | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Limes | 0.05* | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Mandarin (incl clementines & similar hybrids) | 1 | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Oranges | 0.5 | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.05* | 0.05* | 1 |
| | Pomeles | 0.05* | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.05* | 0.05* | 1 |
| | Others | 0.05* | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | | | |
| | Almonds | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Brazil nuts | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Cashew nuts | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Chestnuts | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Coconuts | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Hazelnuts | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Macadamia nuts | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Pecans | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Pine nuts | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Pistachios | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Walnuts | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| iii) POME FRUIT | | | | | | | | | | |
| | Apples | 0.5 | 0.05* | 0.2 | 1 | 0.02* | 0.05* | 0.1 | 0.05* | 0.3 |
| | Pears | 0.5 | 0.05* | 0.2 | 1 | 0.02* | 0.05* | 0.1 | 0.05* | 0.3 |
| | Quinces | 0.5 | 0.05* | 0.2 | 1 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| | Others | 0.5 | 0.05* | 0.2 | 1 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| iv) STONE FRUIT | | | | | | | | | | |
| | Apricots | 0.05* | 0.05* | 0.5 | 2 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| | Cherries | 0.05* | 0.05* | 0.2 | 1 | 0.02* | 0.05* | 0.1 | 0.05* | 0.3 |
| | Peaches (incl nectarines & similar hybrids) | 0.5 | 0.05* | 0.5 | 2 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |

| Group to which food belongs | Groups include the following products | Chlorpyrifos-methyl | Chlorzoxiprone | Cyfluthrin | Cypermethrin | Daminozide | DDT | Deltamethrin | Diallate | Diazinon | | |
|-----------------------------|--|------------------------------|-------------------------------|------------|--------------|------------|-------|--------------|----------|----------|-------|-------|
| Applying from 1 Jan 2003 | | | | | | | | | | | | |
| v) BERRIES AND SMALL FRUIT | a) Table & wine grapes | Plums | 0.05* | 0.05* | 0.2 | 1 | 0.02* | 0.05* | 0.1 | 0.05* | 0.1 | |
| | | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* | |
| | b) Strawberries (other than wild) | Table grapes | 0.2 | 0.05* | 0.3 | 0.5 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* | |
| | | Wine grapes | 0.2 | 0.05* | 0.3 | 0.5 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* | |
| | c) Cane Fruit (other than wild) | Blackberries | 0.5 | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | |
| | | Loganberries | 0.05* | 0.05* | 0.02* | 0.5 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* | |
| | | Dewberries | 0.05* | 0.05* | 0.02* | 0.5 | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | |
| | d) Other small fruit & berries (other than wild) | Loganberries | 0.05* | 0.05* | 0.02* | 0.5 | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | |
| | | Raspberries | 0.05* | 0.05* | 0.02* | 0.5 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* | |
| | | Others | 0.05* | 0.05* | 0.02* | 0.5 | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | |
| | vii) MISCELLANEOUS FRUIT | e) Wild berries & wild fruit | Blackberries | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.2 |
| | | | Bilberries | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | | f) Wild berries & wild fruit | Cranberries | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | | | Currants (red, black & white) | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.2 | 0.05* | 0.2 |
| | | g) Wild berries & wild fruit | Gooseberries | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.2 | 0.05* | 0.2 |
| Others | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | |
| vii) MISCELLANEOUS FRUIT | | h) Wild berries & wild fruit | Others | 0.05* | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | | | Avocados | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | | i) Wild berries & wild fruit | Bananas | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | | | Dates | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | j) Wild berries & wild fruit | Figs | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | |
| | | Kiwi fruit | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.2 | |
| | k) Wild berries & wild fruit | Kumquats | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | |
| | | Litchis | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | |
| | l) Wild berries & wild fruit | Mangoes | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | |
| | | Olives (table consumption) | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.05* | 0.02* | |

| Group to which food belongs | Groups include the following products | Chlorpyrifos-methyl | Applying from 1 Jan 2003 | | | | | | | |
|---|---------------------------------------|---------------------|--------------------------|------------|--------------|------------|-------|--------------|----------|----------|
| | | | Chlorzoxalate | Cyfluthrin | Cypermethrin | Daminozide | DDT | Deltamethrin | Diallate | Diazinon |
| 2. Vegetables, fresh or uncooked, frozen or dry i) ROOT AND TUBER VEGETABLES | Olives (oil extract) | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.05* | 0.02* |
| | Papaya | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Passion fruit | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Pineapples | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Pomegranates | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Beetroot | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Carrots | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.2 |
| | Celeriac | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Horseradish | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Jerusalem artichokes | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Parsnips | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Parsley root | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Radishes | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Salsify | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| ii) BULB VEGETABLES | Sweet potatoes | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Sweet potatoes | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Turnips | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Yams | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Garlic | 0.05* | 0.05* | 0.02* | 0.1 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| | Onions | 0.05* | 0.05* | 0.02* | 0.1 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| | Shallots | 0.05* | 0.05* | 0.02* | 0.1 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| | Spring onions | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| iii) FRUITING VEGETABLES | Solanacea | 0.5 | 0.05* | 0.05 | 0.5 | 0.02* | 0.05* | 0.2 | 0.05* | 0.5 |
| | Tomatoes | 0.5 | 0.05* | 0.05 | 0.5 | 0.02* | 0.05* | 0.2 | 0.05* | 0.5 |

| Group to which food belongs | Groups include the following products | Chlorpyrifos-methyl | Chloranilate | Cyfluthrin | Cypermethrin | Dinoseb | DDT | Deltamethrin | Diallate | Diazinon | Applying from | |
|------------------------------------|---------------------------------------|---------------------|--------------|------------|--------------|---------|-------|--------------|----------|----------|---------------|------------|
| | | | | | | | | | | | 1 Jan 2003 | 1 Jan 2003 |
| | Peppers | 0.5 | 0.05* | 0.3 | 0.5 | 0.02* | 0.05* | 0.2 | 0.05* | 0.5 | | |
| | Chilli peppers | 0.5 | 0.05* | 0.3 | 0.5 | 0.02* | 0.05* | 0.2 | 0.05* | 0.5 | | |
| | Aubergines | 0.5 | 0.05* | 0.02* | 0.5 | 0.02* | 0.05* | 0.2 | 0.05* | 0.5 | | |
| | Others | 0.5 | 0.05* | 0.02* | 0.5 | 0.02* | 0.05* | 0.2 | 0.05* | 0.5 | | |
| | b) Cucurbit- edible peel | | | | | | | | | | | |
| | Cucumbers | 0.05* | 0.05* | 0.1 | 0.2 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* | | |
| | Gherkins | 0.05* | 0.05* | 0.02* | 0.2 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* | | |
| | Courgettes | 0.05* | 0.05* | 0.02* | 0.2 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* | | |
| | Others | 0.05* | 0.05* | 0.02* | 0.2 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* | | |
| | c) Cucurbit- inedible peel | | | | | | | | | | | |
| | Melons | 0.05* | 0.05* | 0.02* | 0.2 | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | | |
| | Squashes | 0.05* | 0.05* | 0.02* | 0.2 | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | | |
| | Watermelons | 0.05* | 0.05* | 0.02* | 0.2 | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | | |
| | Others | 0.05* | 0.05* | 0.02* | 0.2 | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | | |
| | d) Sweet corn | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | | |
| (iv) BRASSICA VEGETABLES | | | | | | | | | | | | |
| | a) Flowering Brassicas | | | | | | | | | | | |
| | Broccoli | 0.05* | 0.05*(37) | 0.05 | 0.5 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* | | |
| | Cauliflower | 0.05* | 0.05* | 0.05 | 0.5 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* | | |
| | Others | 0.05* | 0.05* | 0.05 | 0.5 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* | | |
| | b) Head Brassicas | | | | | | | | | | | |
| | Brussels sprouts | 0.05* | 0.05* | 0.2 | 0.5 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* | | |
| | Head cabbage | 0.05* | 0.05* | 0.2 | 0.5 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* | | |
| | Others | 0.05* | 0.05* | 0.2 | 0.5 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* | | |
| | c) Leafy Brassicas | | | | | | | | | | | |
| | Chinese cabbage | 0.05* | 0.05* | 0.3 | 1 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* | | |
| | Kale | 0.05* | 0.05* | 0.3 | 1 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* | | |
| | Others | 0.05* | 0.05* | 0.3 | 1 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* | | |
| | d) Kohlrabi | 0.05* | 0.05* | 0.02* | 0.2 | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | | |
| v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | | | | | |
| | a) Lettuce & similar | | | | | | | | | | | |
| | Cress | 0.05* | 0.05* | 0.5 | 2 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* | | |
| | Lamb's lettuce | 0.05* | 0.05* | 0.5 | 2 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* | | |

| Group to which food belongs | Groups include the following products | Chlorpyrifos-methyl | Chlorzoxiprone | Cyfluthrin | Cypermethrin | Daminozide | DDT | Deltamethrin | Diallate | Diazinon |
|-----------------------------|---------------------------------------|---------------------|----------------|------------|--------------|------------|-------|--------------|-----------|----------|
| Applying from 1 Jan 2003 | | | | | | | | | | |
| | Lettuce | 0.05* | 0.05* | 0.5 | 2 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* |
| | Scarole | 0.05* | 0.05*(35) | 0.5 | 2 | 0.02* | 0.05* | 0.5 | 0.05*(35) | 0.02* |
| | Others | 0.05* | 0.05* | 0.5 | 2 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* |
| | b) Spinach & similar Spinach | 0.05* | 0.05* | 0.02* | 0.5 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* |
| | Beet leaves (chard) | 0.05* | 0.05* | 0.02* | 0.5 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* |
| | Others | 0.05* | 0.05* | 0.02* | 0.5 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* |
| | c) Watercress | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | d) Witloof | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | e) Herbs Chervil | 0.05* | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* |
| | Chives | 0.05* | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* |
| | Parsley | 0.05* | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* |
| | Celery leaves | 0.05* | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* |
| | Others | 0.05* | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* |
| | v) LEGUME VEGETABLES (fresh) | | | | | | | | | |
| | Beans (with pods) | 0.05* | 0.05* | 0.05 | 0.5 | 0.02* | 0.05* | 0.2 | 0.05* | 0.02* |
| | Beans (without pods) | 0.05* | 0.05* | 0.05 | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Peas (with pods) | 0.05* | 0.05* | 0.05 | 0.5 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| | Peas (without pods) | 0.05* | 0.05* | 0.05 | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Others | 0.05* | 0.05* | 0.05 | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | vii) STEM VEGETABLES | | | | | | | | | |
| | Asparagus | 0.05* | 0.05* | 0.02* | 0.1 | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Cardoons | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Celery | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Fennel | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Globe artichokes | 0.05* | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| | Leeks | 0.05* | 0.05* | 0.02* | 0.5 | 0.02* | 0.05* | 0.2 | 0.05* | 0.02* |
| | Rhubarb | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |

| Group to which food belongs | Groups include the following products | Chlorpyrifos-methyl | Chlorzoxate | Cyfluthrin | Cypermethrin | Daminozide | DDT | Deltamethrin | Diallate | Diazinon | Applying from | |
|-----------------------------|--|---------------------|-------------|------------|--------------|------------|-------|--------------|----------|----------|---------------|----------|
| | | | | | | | | | | | 1 | Jan 2003 |
| viii) FUNGI | a) Cultivated mushrooms | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | |
| | b) Wild mushrooms | 0.05* | 0.05* | 0.02* | 1 | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | | |
| 3. PULSES | Beans | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 1 | 0.05* | 0.02* | | |
| | Lentils | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 1 | 0.05* | 0.02* | | |
| | Peas | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 1 | 0.05* | 0.02* | | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 1 | 0.05* | 0.02* | | |
| | Linseed | 0.05* | 0.05* | 0.02* | 0.2 | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | |
| 4. OILSEEDS | Peanuts | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | | |
| | Poppy seed | 0.05* | 0.05* | 0.02* | 0.2 | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | | |
| | Sesame seed | 0.05* | 0.05* | 0.02* | 0.2 | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | | |
| | Sunflower seed | 0.05* | 0.05* | 0.02* | 0.2 | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | | |
| | Rape seed | 0.05* | 0.05* | 0.05 | 0.2 | 0.05* | 0.05* | 0.1 | 0.05* | 0.05* | | |
| | Soy bean | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | | |
| | Mustard seed | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | | |
| | Cotton seed | 0.05* | 0.05* | 0.02* | 0.2 | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | | |
| | Early potatoes | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | |
| 5. POTATOES | Ware potatoes | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* | | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | | |
| 6. TEA | (dried leaves and stalks, fermented or otherwise, Camellia sinensis) | 0.1* | 0.1* | 0.1* | 0.5 | 0.1* | 0.2 | 5 | 0.1* | 0.05* | | |
| | Others | 0.1* | 0.1* | 0.1* | 0.5 | 0.1* | 0.2 | 5 | 0.1* | 0.05* | | |
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | 0.1* | 0.1* | 20 | 30 | 0.1* | 0.05* | 5 | 0.1* | 0.05* | | |
| | Others | 0.1* | 0.1* | 20 | 30 | 0.1* | 0.05* | 5 | 0.1* | 0.05* | | |

| Group to which food belongs | Groups include the following products | 1,2 - Dibromoethane | Dichlorprop | Dichlorvos | Dicofol | 1,1-Dichloro-2,2-bis-(4 ethyl-phenyl) ethane | Dimethoate | Dinoseb | Dinoterb |
|--|--|---------------------|-------------|------------|---------|--|------------|---------|----------|
| Applying from 1 Jan 2003 | | | | | | | | | |
| 1) Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | | |
| i) CITRUS FRUIT | | | | | | | | | |
| | Grapefruit | 0.01* | 0.05* | | 2 | 0.01* | 0.02* | 0.05* | 0.05* |
| | Lemons | 0.01* | 0.05* | | 2 | 0.01* | 0.02* | 0.05* | 0.05* |
| | Limes | 0.01* | 0.05* | | 2 | 0.01* | 0.02* | 0.05* | 0.05* |
| | Mandarins (incl clementines & similar hybrids) | 0.01* | 0.05* | | 2 | 0.01* | 0.02* | 0.05* | 0.05* |
| | Oranges | 0.01* | 0.05* | | 2 | 0.01* | 0.02* | 0.05* | 0.05* |
| | Pomelos | 0.01* | 0.05* | | 2 | 0.01* | 0.02* | 0.05* | 0.05* |
| | Others | 0.01* | 0.05* | | 2 | 0.01* | 0.02* | 0.05* | 0.05* |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | | |
| | Almonds | 0.01* | 0.05* | | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Brazil nuts | 0.01* | 0.05* | | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Cashew nuts | 0.01* | 0.05* | | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Chestnuts | 0.01* | 0.05* | | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Coconuts | 0.01* | 0.05* | | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Hazelnuts | 0.01* | 0.05* | | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Macadamia nuts | 0.01* | 0.05* | | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Pecans | 0.01* | 0.05* | | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Pine nuts | 0.01* | 0.05* | | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Pistachios | 0.01* | 0.05* | | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Walnuts | 0.01* | 0.05* | | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Others | 0.01* | 0.05* | | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| iii) POME FRUIT | | | | | | | | | |
| | Apples | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Pears | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Quinces | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Others | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| iv) STONE FRUIT | | | | | | | | | |
| | Apricots | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Cherries | 0.01* | 0.05* | | 0.02* | 0.01* | 1 | 0.05* | 0.05* |
| | Peaches (incl nectarines & similar hybrids) | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |

| Group to which food belongs | Groups include the following products | 1,1-Dichloro-2,2-bis-(4-Dihydroethane Dichloroprop Dichloroacetyl Dicyclo ethyl-phenyl)-ethane | | | | | | |
|--|---|--|--------------|----------------|-----------------------|--------|------------|---------|
| | | 1,2-Dihydroethane | Dichloroprop | Dichloroacetyl | Dicyclo ethyl-phenyl) | ethane | Dimethoate | Dinoseb |
| v) BERRIES AND SMALL FRUIT | Plums | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Others | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| a) Table & wine grapes | Table grapes | 0.01* | 0.05* | 2 | 0.01* | 0.02* | 0.05* | 0.05* |
| | Wine grapes | 0.01* | 0.05* | 2 | 0.01* | 0.02* | 0.05* | 0.05* |
| b) Strawberries (other than wild) | Strawberries (other than wild) | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Blackberries | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| c) Cane Fruit (other than wild) | Cane Fruit (other than wild) | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Blackberries | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| Dewberries | Dewberries | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Loganberries | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| Raspberries | Raspberries | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Others | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| d) Other small fruit & berries (other than wild) | Other small fruit & berries (other than wild) | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Bilberries | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| Cranberries | Cranberries | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Currants (red, black & white) | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| Gooseberries | Gooseberries | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Others | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| e) Wild berries & wild fruit | Wild berries & wild fruit | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Avocados | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| v) MISCELLANEOUS FRUIT | Miscellaneous fruit | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Bananas | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| Dates | Dates | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Figs | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| Kiwi fruit | Kiwi fruit | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Kumquats | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| Litchis | Litchis | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Mangoes | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| Olives (table consumption) | Olives (table consumption) | 0.01* | 0.05* | 0.02* | 0.01* | 2 | 0.05* | 0.05* |

Applying from 1 Jan 2003

| Group to which food belongs | Groups include the following products | 1.2 - | | | | | 1,1-Dichloro-2,2-bis-(4-ethyl-phenyl)-ethane | | Dinoseb | Dinoterb |
|---|---------------------------------------|--------------|-------------|------------|---------|---------|--|--------------------------|---------|----------|
| | | Dibromochane | Dichlorprop | Dichlorvos | Dicofol | Dicofol | Dimethoate | Applying from 1 Jan 2003 | | |
| | Olives (oil extract) | 0.01* | 0.05* | 0.02* | 0.01* | 2 | 0.05* | 0.05* | | |
| | Papaya | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* | | |
| | Passion fruit | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* | | |
| | Pineapples | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* | | |
| | Pomegranates | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* | | |
| | Others | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* | | |
| 2. Vegetables, fresh or uncooked, frozen or dry | | | | | | | | | | |
| i) ROOT AND TUBER VEGETABLES | | | | | | | | | | |
| | Beetroot | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* | | |
| | Carrots | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* | | |
| | Celeriac | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* | | |
| | Horseradish | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* | | |
| | Jerusalem artichokes | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* | | |
| | Parsnips | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* | | |
| | Parsley root | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* | | |
| | Radishes | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* | | |
| | Salsify | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* | | |
| | Sweet potatoes | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* | | |
| | Swedes | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* | | |
| | Turnips | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* | | |
| | Yams | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* | | |
| | Others | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* | | |
| ii) BULB VEGETABLES | | | | | | | | | | |
| | Garlic | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* | | |
| | Onions | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* | | |
| | Shallots | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* | | |
| | Spring onions | 0.01* | 0.05* | 0.02* | 0.01* | 2 | 0.05* | 0.05* | | |
| | Others | 0.01* | 0.05* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* | | |
| iii) FRUITING VEGETABLES | | | | | | | | | | |
| a) Solanaceae | | | | | | | | | | |
| | Tomatoes | 0.01* | 0.05* | 1 | 0.01* | 0.02* | 0.05* | 0.05* | | |

| Group to which food belongs | Groups include the following products | 1,1-Dichloro-2,2-bis-(4-ethyl-phenyl)-ethane | | | | | | | |
|------------------------------------|---------------------------------------|--|-------------|------------|---------|------------|---------|----------|-----------|
| | | Dibromethane | Dichlorprop | Dichlorvos | Dicofol | Dimethoate | Dinoseb | Dinoterb | |
| Applying from 1 Jan 2005 | | | | | | | | | |
| | Peppers | 0.01* | 0.05* | 0.02* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Chilli peppers | 0.01* | 0.05* | 0.02* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Aubergines | 0.01* | 0.05* | 0.02* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Others | 0.01* | 0.05* | 0.02* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | b) Cucurbits-edible peel | | | | | | | | |
| | Cucumbers | 0.01* | 0.05* | 0.2 | 0.2 | 0.01* | 0.02* | 0.05* | 0.05* |
| | Gherkins | 0.01* | 0.05* | 0.2 | 0.2 | 0.01* | 0.02* | 0.05* | 0.05* |
| | Courgettes | 0.01* | 0.05* | 0.2 | 0.2 | 0.01* | 0.02* | 0.05* | 0.05* |
| | Others | 0.01* | 0.05* | 0.2 | 0.2 | 0.01* | 0.02* | 0.05* | 0.05* |
| | c) Cucurbits-inedible peel | | | | | | | | |
| | Melons | 0.01* | 0.05* | 0.5 | 0.5 | 0.01* | 0.02* | 0.05* | 0.05* |
| | Squashes | 0.01* | 0.05* | 0.5 | 0.5 | 0.01* | 0.02* | 0.05* | 0.05* |
| | Watermelons | 0.01* | 0.05* | 0.5 | 0.5 | 0.01* | 0.02* | 0.05* | 0.05* |
| | Others | 0.01* | 0.05* | 0.5 | 0.5 | 0.01* | 0.02* | 0.05* | 0.05* |
| | d) Sweet corn | 0.01* | 0.05* | 0.02* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| iv) BRASSICA VEGETABLES | | | | | | | | | |
| | a) Flowering Brassicas | | | | | | | | |
| | Broccoli | 0.01* | 0.05* | 0.02* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05*(37) |
| | Cauliflower | 0.01* | 0.05* | 0.02* | 0.02* | 0.01* | 0.2 | 0.05* | 0.05* |
| | Others | 0.01* | 0.05* | 0.02* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | b) Head Brassicas | | | | | | | | |
| | Brussels sprouts | 0.01* | 0.05* | 0.02* | 0.02* | 0.01* | 0.3 | 0.05* | 0.05* |
| | Head cabbage | 0.01* | 0.05* | 0.02* | 0.02* | 0.01* | 1 | 0.05* | 0.05* |
| | Others | 0.01* | 0.05* | 0.02* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | c) Leafy Brassicas | | | | | | | | |
| | Chinese cabbage | 0.01* | 0.05* | 0.02* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Kale | 0.01* | 0.05* | 0.02* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Others | 0.01* | 0.05* | 0.02* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | d) Kohlrabi | 0.01* | 0.05* | 0.02* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | | |
| | a) Lettuce & similar | | | | | | | | |
| | Cress | 0.01* | 0.05* | 0.02* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Lamb's lettuce | 0.01* | 0.05* | 0.02* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |

| Group to which food belongs | Groups include the following products | Applying from 1 Jan 2003 | | | | | | | |
|-----------------------------|---------------------------------------|--------------------------|-------------|------------|---------|-------------------------|------------|---------|-----------|
| | | 1,2 - Dithioneoethane | Dichlorprop | Dichlorvos | Dicofol | (4-ethyl-phenyl)-ethane | Dinethoate | Dinoseb | Dinoterb |
| | Lettuce | 0.01* | 0.05* | | 0.02* | 0.01* | 0.5 | 0.05* | 0.05* |
| | Scarole | 0.01* | 0.05* | | 0.02* | 0.01*(35) | 0.02*(35) | 0.05* | 0.05*(35) |
| | Others | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | b) Spinach & similar Spinach | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Beet leaves (chard) | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Others | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | c) Watercress | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | d) Willowf | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | e) Herbs Chervil | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Chives | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Parsley | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Celery leaves | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Others | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | vi) LEGUME VEGETABLES (fresh) | | | | | | | | |
| | Beans (with pods) | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Beans (without pods) | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Peas (with pods) | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Peas (without pods) | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Others | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | vii) STEM VEGETABLES | | | | | | | | |
| | Asparagus | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Cardoons | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Celery | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Fennel | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Globe artichokes | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Leeks | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Rhubarb | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Others | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |

| Group to which food belongs | Groups include the following products | 1.2. | | | | | | | Applying from 1 Jan 2003 |
|-----------------------------|--|---------------|-------------|------------|---------|--|------------------|---------|-----------------------------|
| | | Dibromoethane | Dichlorprop | Dichlorvos | Dicofol | 1,1-Dichloro-2,2-bis-(4-ethyl-phenyl)-ethane | Dimethoate | Dinoseb | |
| vii) FUNGI | a) Cultivated mushrooms | 0.01* | 0.05* | 0.02* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | b) Wild mushrooms | 0.01* | 0.05* | 0.02* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| 3. PULSES | Beans | 0.01* | 0.05* | 0.02* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Lentils | 0.01* | 0.05* | 0.02* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Peas | 0.01* | 0.05* | 0.02* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Others | 0.01* | 0.05* | 0.02* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | | | | | | | | | |
| 4. OILSEEDS | Linseed | 0.01* | 0.05* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Peanuts | 0.01* | 0.05* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Poppy seed | 0.01* | 0.05* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Sesame seed | 0.01* | 0.05* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Sunflower seed | 0.01* | 0.05* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Rape seed | 0.01* | 0.05* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Soya bean | 0.01* | 0.05* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Mustard seed | 0.01* | 0.05* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Cotton seed | 0.01* | 0.05* | 0.1 | 0.1 | 0.01* | 0.05* | 0.05* | 0.05* |
| | Others | 0.01* | 0.05* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | | | | | | | | | |
| 5. POTATOES | Early potatoes | 0.01* | 0.05* | 0.02* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Ware potatoes | 0.01* | 0.05* | 0.02* | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| 6. TEA | (dried leaves and stalks, fermented or otherwise, Camellia sinensis) | 0.1* | 0.1* | 0.1* | 20 | 0.1* | 0.2 0.05*(39) | 0.1* | 0.1* |
| | | | | | | | | | |
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | 0.01* | 0.1* | 50 | 0.1* | 0.05* | 0.1* | 0.1* | |
| | | | | | | | | | |

| Group to which food belongs | Groups include the following products | Diazathion | Dibutylamine | Disulfoton | DNOC | Endosulfan | Ethion | Ethion | |
|--|---|------------|--------------|------------|-------|------------|--------|--------|--|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar, nuts | | | | | | | | | |
| j) CITRUS FRUIT | | | | | | | | | |
| | Grapefruit | 0.05* | 0.05* | 0.02* | 0.05* | 0.5 | 0.01* | 0.05* | |
| | Lemons | 0.05* | 0.05* | 0.02* | 0.05* | 0.5 | 0.01* | 0.05* | |
| | Limes | 0.05* | 0.05* | 0.02* | 0.05* | 0.5 | 0.01* | 0.05* | |
| | Mandarins (and clementines & similar hybrids) | 0.05* | 0.05* | 0.02* | 0.05* | 0.5 | 0.01* | 0.05* | |
| | Oranges | 0.05* | 0.05* | 0.02* | 0.05* | 0.5 | 0.01* | 0.05* | |
| | Pomeelos | 0.05* | 0.05* | 0.02* | 0.05* | 0.5 | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.5 | 0.01* | 0.05* | |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | | |
| | Almonds | 0.05* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | 0.1* | |
| | Brazil nuts | 0.05* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | 0.1* | |
| | Cashew nuts | 0.05* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | 0.1* | |
| | Chestnuts | 0.05* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | 0.1* | |
| | Cocanuts | 0.05* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | 0.1* | |
| | Hazelnuts | 0.05* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | 0.1* | |
| | Macadamia nuts | 0.05* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | 0.1* | |
| | Pecans | 0.05* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | 0.1* | |
| | Pine nuts | 0.05* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | 0.1* | |
| | Pistachios | 0.05* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | 0.1* | |
| | Walnuts | 0.05* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | 0.1* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | 0.1* | |
| iii) POME FRUIT | | | | | | | | | |
| | Apples | 0.05* | 5 | 0.02* | 0.05* | 0.3 | 0.01* | 3 | |
| | Pears | 0.05* | 10 | 0.02* | 0.05* | 0.3 | 0.01* | 3 | |
| | Quinces | 0.05* | 0.05* | 0.02* | 0.05* | 0.3 | 0.01* | 3 | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.3 | 0.01* | 3 | |
| iv) STONE FRUIT | | | | | | | | | |
| | Apricots | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Cherries | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 3 | |
| | Peaches (and nectarines & similar hybrids) | 0.05* | 0.05* | 0.02* | 0.05* | 0.5 | 0.01* | 0.05* | |

Changing
from 31
Dec 2002

Group to which food belongs Groups include the following products Disathion Diphenylamine Disulfoton DNOC Endosulfan Endrin Ethion Ethion

Changing
from 31
Dec 2002

| Group to which food belongs | Groups include the following products | Disathion | Diphenylamine | Disulfoton | DNOC | Endosulfan | Endrin | Ethion | Ethion |
|-----------------------------------|--|-----------|---------------|------------|-------|------------|--------|--------|--------|
| y) BERRIES AND SMALL FRUIT | Plums | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* |
| a) Table & wine grapes | Table grapes | 0.05* | 0.05* | 0.02* | 0.05* | 0.5 | 0.01* | 0.05* | 0.05* |
| | Wine grapes | 0.05* | 0.05* | 0.02* | 0.05* | 0.5 | 0.01* | 0.05* | 0.05* |
| b) Strawberries (other than wild) | Strawberries (other than wild) | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Blackberries | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* |
| c) Cane Fruit (other than wild) | Cane Fruit (other than wild) | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Dewberries | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* |
| Loganberries | Loganberries | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Raspberries | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* |
| Others | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* |
| | d) Other small fruit & berries (other than wild) | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* |
| Bilberries | Bilberries | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Cranberries | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* |
| Currants (red, black & white) | Currants (red, black & white) | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 5 | 0.05* |
| | Gooseberries | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* |
| Others | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* |
| | e) Wild berries & wild fruit | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* |
| y) MISCELLANEOUS FRUIT | Avocados | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Bananas | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* |
| Dates | Dates | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Figs | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* |
| Kiwi fruit | Kiwi fruit | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Kumquats | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* |
| Litchis | Litchis | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Mangoes | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* |
| Olives (table consumption) | Olives (table consumption) | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* |

| Group to which food belongs | Groups include the following products | Dioxathion | Diphenylamine | Disulfoton | DNOC | Endosulfan | Eradin | Ethephon | Ethion | |
|---|---------------------------------------|------------|---------------|------------|-------|------------|--------|----------|--------|--|
| | Olives (oil extract) | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | | |
| | Papaya | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | | |
| | Passion fruit | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | | |
| | Pineapples | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 2 | | |
| | Pomegranates | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | | |
| 2. Vegetables, fresh or uncooked, frozen or dry | | | | | | | | | | |
| i) ROOT AND TUBER VEGETABLES | | | | | | | | | | |
| | Beetroot | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | | |
| | Carrots | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | | |
| | Celerae | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | | |
| | Horseradish | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | | |
| | Jerusalem artichokes | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | | |
| | Parsnips | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | | |
| | Parsley root | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | | |
| | Radishes | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | | |
| | Salsify | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | | |
| | Sweet potatoes | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | | |
| | Sweedes | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | | |
| | Turnips | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | | |
| | Yams | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | | |
| ii) BULB VEGETABLES | | | | | | | | | | |
| | Garlic | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | | |
| | Onions | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | | |
| | Shallots | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | | |
| | Spring onions | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | | |
| iii) FRUITING VEGETABLES | | | | | | | | | | |
| a) Solanacea | | | | | | | | | | |
| | Tomatoes | 0.05* | 0.05* | 0.02* | 0.05* | 0.5 | 0.01* | 3 | | |

Changing from 31 Dec 2002

| Group to which food belongs | Groups include the following products | Dioxathion | Diphenylamine | Disulfoton | DNOC | Endosulfan | Endrin | Ethephon | Ethion |
|-----------------------------|---------------------------------------|------------|---------------|------------|-----------|------------|--------|----------|--------|
| | Peppers | 0.05* | 0.05* | 0.02* | 0.05* | 1 | 0.01* | 3 | |
| | Chilli peppers | 0.05* | 0.05* | 0.02* | 0.05* | 1 | 0.01* | 3 | |
| | Aubergines | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | b) Cucurbitis-edible peel | | | | | | | | |
| | Cucumbers | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Gherkins | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Courgettes | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | c) Cucurbitis-inedible peel | | | | | | | | |
| | Melons | 0.05* | 0.05* | 0.02* | 0.05* | 0.3 | 0.01* | 0.05* | |
| | Squashes | 0.05* | 0.05* | 0.02* | 0.05* | 0.3 | 0.01* | 0.05* | |
| | Watermelons | 0.05* | 0.05* | 0.02* | 0.05* | 0.3 | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.3 | 0.01* | 0.05* | |
| | d) Sweet corn | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | iv) BRASSICA VEGETABLES | | | | | | | | |
| | a) Flowering Brassicas | | | | | | | | |
| | Broccoli | 0.05* | 0.05* | 0.02* | 0.05*(17) | 0.05* | 0.01* | 0.05* | |
| | Cauliflower | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | b) Head Brassicas | | | | | | | | |
| | Brussels sprouts | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Head cabbage | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | c) Leafy Brassicas | | | | | | | | |
| | Chinese cabbage | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Kale | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | d) Kohlrabi | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | |
| | a) Lettuce & similar | | | | | | | | |
| | Cress | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Lamb's lettuce | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |

Changing
from 31
Dec 2002

Group to which food belongs Groups include the following

Changing from 31 Dec 2002

| | Dioxathion | Diphenylamine | Disulfoton | DNOC | Endosulfan | Erdin | Ethephon | Ethion |
|------------------------------|------------|---------------|------------|----------|------------|-------|----------|--------|
| Lettuce | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| Scarole | 0.05* | 0.05* | 0.02* | 0.05*(3) | 0.05* | 0.01* | 0.05* | |
| Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| b) Spinach & similar | | | | | | | | |
| Spinach | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| Beet leaves (chard) | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| c) Watercress | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| d) Willowf | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| e) Herbs | | | | | | | | |
| Chervil | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| Chives | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| Parsley | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| Celery leaves | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| v) LEGUME VEGETABLES (fresh) | | | | | | | | |
| Beans (with pods) | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| Beans (without pods) | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| Peas (with pods) | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| Peas (without pods) | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| vii) STEM VEGETABLES | | | | | | | | |
| Asparagus | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| Cardoons | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| Celery | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| Fennel | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| Globe artichokes | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| Leeks | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| Rhubarb | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |

| Group to which food belongs | Groups include the following products | Dioxathion | Diphenylamine | Disulfoton | DNOC | Endosulfan | Ethrin | Ethephon | Ethion |
|-----------------------------|--|------------|---------------|------------|-------|------------|--------|----------|--------|
| viii) FUNGI | a) Cultivated mushrooms | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | b) Wild mushrooms | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| 3. PULSES | Beans | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Lentils | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Peas | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | | | | | | | | | |
| 4. OIL SEEDS | Linseed | 0.05* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | 0.05* | |
| | Peanuts | 0.05* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | 0.05* | |
| | Poppy seed | 0.05* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | 0.05* | |
| | Sesame seed | 0.05* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | 0.05* | |
| | Sunflower seed | 0.05* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | 0.05* | |
| | Rape seed | 0.05* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | 0.05* | |
| | Soya bean | 0.05* | 0.05* | 0.02* | 0.05* | 0.5 | 0.01* | 0.05* | |
| | Mustard seed | 0.05* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | 0.05* | |
| | Cotton seed | 0.05* | 0.05* | 0.02* | 0.05* | 0.3 | 0.01* | 2 | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | 0.05* | |
| 5. POTATOES | Early potatoes | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Ware potatoes | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| 6. TEA | (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>) | 0.1* | 0.05* | 0.05* | 0.1* | 30 | 0.01* | 0.1* | 2 |
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | 0.1* | 0.05* | 0.05* | 0.1* | 0.1* | 0.1* | 0.1* | 3 |

| Group to which food belongs | Groups include the following products | Renieritol | Ferbitatin Oxide | Ferchlorophos | Fertriothion | Ferita | Fervalerate and Estervalerate | Sum of RR and SS isomers | Sum of RS and SR isomers |
|--|--|------------|------------------|---------------|--------------|--------|-------------------------------|--------------------------|--------------------------|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar, nuts | | | | | | | | | |
| ii) CITRUS FRUIT | | | | | | | | | |
| | Grapefruit | 0.02* | 5 | 0.01* | 0.05* | 0.02* | 0.02* | 0.02* | 0.02* |
| | Lemons | 0.02* | 5 | 0.01* | 0.05* | 0.02* | 0.02* | 0.02* | 0.02* |
| | Limes | 0.02* | 5 | 0.01* | 0.05* | 0.02* | 0.02* | 0.02* | 0.02* |
| | Mandarins (incl clementines & similar hybrids) | 0.02* | 5 | 0.01* | 0.05* | 0.02* | 0.02* | 0.02* | 0.02* |
| | Oranges | 0.02* | 5 | 0.01* | 0.05* | 0.02* | 0.02* | 0.02* | 0.02* |
| | Pomelos | 0.02* | 5 | 0.01* | 0.05* | 0.02* | 0.02* | 0.02* | 0.02* |
| | Others | 0.02* | 5 | 0.01* | 0.05* | 0.02* | 0.02* | 0.02* | 0.02* |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | | |
| | Almonds | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | 0.02* | 0.02* |
| | Brazil nuts | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | 0.02* | 0.02* |
| | Cashew nuts | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | 0.02* | 0.02* |
| | Chestnuts | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | 0.02* | 0.02* |
| | Coconuts | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | 0.02* | 0.02* |
| | Hazelnuts | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | 0.02* | 0.02* |
| | Macadamia nuts | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | 0.02* | 0.02* |
| | Pecans | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | 0.02* | 0.02* |
| | Pine nuts | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | 0.02* | 0.02* |
| | Pistachios | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | 0.02* | 0.02* |
| | Walnuts | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | 0.02* | 0.02* |
| | Others | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | 0.02* | 0.02* |
| iii) POME FRUIT | | | | | | | | | |
| | Apples | 0.3 | 2 | 0.01* | 0.05* | 0.05 | 0.05 | 0.02* | 0.02* |
| | Pears | 0.3 | 2 | 0.01* | 0.05* | 0.05 | 0.05 | 0.02* | 0.02* |
| | Quinces | 0.3 | 2 | 0.01* | 0.05* | 0.05 | 0.05 | 0.02* | 0.02* |
| | Others | 0.3 | 2 | 0.01* | 0.05* | 0.05 | 0.05 | 0.02* | 0.02* |
| iv) STONE FRUIT | | | | | | | | | |
| | Apricots | 0.5 | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | 0.02* | 0.02* |
| | Cherries | 1 | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | 0.02* | 0.02* |
| | Peaches (incl nectarines & similar hybrids) | 0.5 | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | 0.02* | 0.02* |

| Group to which food belongs | Groups include the following products | Renarimol | Febutastin Oxide | Fenchlorphos | Fenirrolidin | Fenfen | Fenvalerate and Esfenvalerate | Sum of RR and SS isomers | Sum of RS and SR isomers |
|--|---------------------------------------|-----------|------------------|--------------|--------------|--------|-------------------------------|--------------------------|--------------------------|
| | Plums | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | 0.02* | 0.02* |
| | Others | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | 0.02* | 0.02* |
| v) BERRIES AND SMALL FRUIT | | | | | | | | | |
| a) Table & wine grapes | | | | | | | | | |
| | Table grapes | 0.3 | 2 | 0.01* | 0.05* | 0.1 | 0.02* | 0.1 | 0.02* |
| | Wine grapes | 0.3 | 2 | 0.01* | 0.05* | 0.1 | 0.02* | 0.1 | 0.02* |
| b) Strawberries (other than wild) | | | | | | | | | |
| | Strawberries (other than wild) | 0.3 | 1 | 0.01* | 0.05* | 0.02* | 0.02* | 0.02* | 0.02* |
| c) Cane Fruit (other than wild) | | | | | | | | | |
| | Blackberries | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | 0.02* | 0.02* |
| | Dewberries | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | 0.02* | 0.02* |
| | Loganberries | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | 0.02* | 0.02* |
| | Raspberries | 0.1 | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | 0.02* | 0.02* |
| | Others | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | 0.02* | 0.02* |
| d) Other small fruit & berries (other than wild) | | | | | | | | | |
| | Bilberries | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | 0.02* | 0.02* |
| | Cranberries | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | 0.02* | 0.02* |
| | Currants (red, black & white) | 1 | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | 0.02* | 0.02* |
| | Gooseberries | 1 | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | 0.02* | 0.02* |
| | Others | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | 0.02* | 0.02* |
| e) Wild berries & wild fruit | | | | | | | | | |
| | Wild berries & wild fruit | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | 0.02* | 0.02* |
| v) MISCELLANEOUS FRUIT | | | | | | | | | |
| Avocados | | | | | | | | | |
| | Avocados | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | 0.02* | 0.02* |
| | Bananas | 0.3 | 3 | 0.01* | 0.05* | 0.02* | 0.02* | 0.02* | 0.02* |
| | Dates | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | 0.02* | 0.02* |
| | Figs | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | 0.02* | 0.02* |
| | Kiwi fruit | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | 0.02* | 0.02* |
| | Kumquats | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | 0.02* | 0.02* |
| | Lichis | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | 0.02* | 0.02* |
| | Mangoes | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | 0.02* | 0.02* |
| | Olives (table consumption) | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | 0.02* | 0.02* |

| Group to which food belongs | Groups include the following products | Fermentol | Fenbutatin | | Fenchlorophos | Fenitroflon | Fenlin | Fenvalerate and Estfenvalerate | | |
|---|---------------------------------------|-----------|------------|-------|---------------|-------------|--------|--------------------------------|--------------------------|--|
| | | | Oxide | | | | | SS isomers | Sum of RS and SR isomers | |
| | Olives (oil extract) | 0.02* | 0.05* | 0.01* | | 0.05* | | Sum of RR and SS isomers | Sum of RS and SR isomers | |
| | Papaya | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | 0.02* | |
| | Passion fruit | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | 0.02* | |
| | Pineapples | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | 0.02* | |
| | Pomegranates | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | 0.02* | |
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | 0.02* | |
| 2. Vegetables, fresh or uncooked, frozen or dry | | | | | | | | | | |
| i) ROOT AND TUBER VEGETABLES | | | | | | | | | | |
| | Beetroot | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | 0.02* | |
| | Carrots | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | 0.02* | |
| | Celeriac | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | 0.02* | |
| | Horseradish | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | 0.02* | |
| | Jerusalem artichokes | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | 0.02* | |
| | Parsnips | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | 0.02* | |
| | Parsley root | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | 0.02* | |
| | Radishes | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | 0.02* | |
| | Salsify | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | 0.02* | |
| | Sweet potatoes | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | 0.02* | |
| | Swedes | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | 0.02* | |
| | Turnips | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | 0.02* | |
| | Yams | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | 0.02* | |
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | 0.02* | |
| ii) BULB VEGETABLES | | | | | | | | | | |
| | Garlic | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | 0.02* | |
| | Onions | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | 0.02* | |
| | Shallots | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | 0.02* | |
| | Spring onions | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | 0.02* | |
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | 0.02* | |
| iii) FRUITING VEGETABLES | | | | | | | | | | |
| a) Solanacea | | | | | | | | | | |
| | Tomatoes | 0.5 | 1 | 0.01* | | 0.05* | 0.05 | 0.02* | 0.02* | |

| Group to which food belongs | Groups include the following products | Fenarimol | Fenbutatin Oxide | Fenchlorophos | Fenitrothion | Fenitro | Fenvalerate and Esfenvalerate |
|------------------------------------|---------------------------------------|-----------|------------------|---------------|--------------|---------|--------------------------------|
| | Peppers | 0.5 | 1 | 0.01* | | 0.05* | Sum of RR and SS isomers 0.02* |
| | Chili peppers | 0.5 | 1 | 0.01* | | 0.05* | Sum of RS and SR isomers 0.02* |
| | Aubergines | 0.02* | 1 | 0.01* | | 0.05* | 0.02* |
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* |
| b) Cucurbitis-edible peel | Cucurbitis-edible peel | 0.2 | 0.5* | 0.01* | | 0.05* | 0.02* |
| | Cucumbers | 0.2 | 0.05* | 0.01* | | 0.05* | 0.02* |
| | Gherkins | 0.2 | 0.05* | 0.01* | | 0.05* | 0.02* |
| | Courgettes | 0.2 | 0.5 | 0.01* | | 0.05* | 0.02* |
| | Others | 0.2 | 0.05* | 0.01* | | 0.05* | 0.02* |
| c) Cucurbitis-inedible peel | Melons | 0.05 | 0.05* | 0.01* | | 0.05* | 0.02* |
| | Squashes | 0.05 | 0.05* | 0.01* | | 0.05* | 0.02* |
| | Watermelons | 0.05 | 0.05* | 0.01* | | 0.05* | 0.02* |
| | Others | 0.05 | 0.05* | 0.01* | | 0.05* | 0.02* |
| d) Sweet corn | Sweet corn | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* |
| iv) BRASSICA VEGETABLES | | | | | | | |
| a) Flowering Brassicas | Broccoli | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* |
| | Cauliflower | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* |
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* |
| b) Head Brassicas | Head Brassicas | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05 |
| | Brussels sprouts | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* |
| | Head cabbage | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* |
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* |
| c) Leafy Brassicas | Leafy Brassicas | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* |
| | Chinese cabbage | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* |
| | Kale | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* |
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* |
| d) Kohlrabi | Kohlrabi | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* |
| v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | |
| a) Lettuce & similar | Lettuce & similar | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* |
| | Cress | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* |
| | Lamb's lettuce | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* |

| Group to which food belongs | Groups include the following products | Fenarimol | Fenbutatin Oxide | Fenchlorphos | Fenitrothion | Fenitn | Fenvalerate and Esfenvalerate | Sum of RR and SS isomers | Sum of RS and SR isomers |
|-----------------------------|---------------------------------------|-----------|------------------|--------------|--------------|--------|-------------------------------|--------------------------|--------------------------|
| | Lettuce | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* |
| | Scalote | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* |
| | Others | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* |
| | b) Spinach & similar Spinach | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* |
| | Beet leaves (chard) | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* |
| | Others | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* |
| | c) Watercress | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* |
| | d) Wilkooof | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* |
| | e) Herbs Chervil | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* |
| | Chives | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* |
| | Parsley | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* |
| | Celery leaves | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* |
| | Others | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* |
| | v) LEGUME VEGETABLES (fresh) | | | | | | | | |
| | Beans (with pods) | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* |
| | Beans (without pods) | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* |
| | Peas (with pods) | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* |
| | Peas (without pods) | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* |
| | Others | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* |
| | vii) STEM VEGETABLES | | | | | | | | |
| | Asparagus | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* |
| | Cardoons | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* |
| | Celery | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* |
| | Fennel | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* |
| | Globe artichokes | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* |
| | Leeks | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* |
| | Rhubarb | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* |
| | Others | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* |

| Group to which food belongs | Groups include the following products | Sum of RR and Sum of RS and SR isomers | | | | | |
|-----------------------------|--|--|------------------|--------------|--------------|--------|-------------------------------|
| | | Fenarimol | Fenbutatin Oxide | Fenchlorphos | Fenitrothion | Fenfin | Fenvalerate and Esfenvalerate |
| viii) FUNGI | | | | | | | |
| | a) Cultivated mushrooms | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* |
| | b) Wild mushrooms | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* |
| 3. PULSES | | | | | | | |
| | Beans | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* |
| | Lentils | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* |
| | Peas | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* |
| | Others | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* |
| 4. OIL SEEDS | | | | | | | |
| | Linseed | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Peanuts | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Poppy seed | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Sesame seed | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Sunflower seed | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Rape seed | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Soyabean | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Mustard seed | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Cotton seed | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| 5. POTATOES | | | | | | | |
| | Early potatoes | 0.02* | 0.05* | 0.01* | 0.1 | 0.02* | 0.02* |
| | Ware potatoes | 0.02* | 0.05* | 0.01* | 0.1 | 0.02* | 0.02* |
| 6. TEA | | | | | | | |
| | (dried leaves and stalks, fermented or otherwise; Camellia sinensis) | 0.05* | 0.1* | 0.1* | 0.5 | 0.05* | 0.05* |
| 7. HOPS (dried) | | | | | | | |
| | including hop pellets & unconcentrated powder | 5 | 0.1* | 0.1* | 0.5 | 0.05* | 0.05* |

| Group to which food belongs | Groups include the following products | Fluorocyclohexane n-methyl and its esters expressed as fluorocyclohexane | Folpet | Fenoxan | Fenitrothion | Fenitrothion | Glyphosate | Heptachlor | Benzene cyclohexane (HCB) | Sum of alpha and beta isomers | |
|--|--|--|--------|---------|--------------|--------------|------------|------------|---------------------------------|-------------------------------------|--|
| | | | | | | | | | | | Fluorocyclohexane n-methyl and its esters expressed as fluorocyclohexane |
| Applying from 1 Jan 2003 | | | | | | | | | | | |
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar, nuts | | | | | | | | | | | |
| i) CITRUS FRUIT | | | | | | | | | | | |
| | Grapefruit | 0.02* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.01* | 0.01* | 0.01* | |
| | Lemons | 0.02* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.01* | 0.01* | 0.01* | |
| | Limes | 0.02* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.01* | 0.01* | 0.01* | |
| | Mandarins (incl clementines & similar hybrids) | 0.02* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.01* | 0.01* | 0.01* | |
| | Oranges | 0.02* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.01* | 0.01* | 0.01* | |
| | Pomeelos | 0.02* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.01* | 0.01* | 0.01* | |
| | Others | 0.02* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.01* | 0.01* | 0.01* | |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | | | | |
| | Almonds | 0.02* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.01* | 0.01* | 0.01* | |
| | Brazil nuts | 0.02* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.01* | 0.01* | 0.01* | |
| | Cashew nuts | 0.02* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.01* | 0.01* | 0.01* | |
| | Chestnuts | 0.02* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.01* | 0.01* | 0.01* | |
| | Coconuts | 0.02* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.01* | 0.01* | 0.01* | |
| | Hazelnuts | 0.02* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.01* | 0.01* | 0.01* | |
| | Macadamia nuts | 0.02* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.01* | 0.01* | 0.01* | |
| | Pecans | 0.02* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.01* | 0.01* | 0.01* | |
| | Pine nuts | 0.02* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.01* | 0.01* | 0.01* | |
| | Pistachios | 0.02* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.01* | 0.01* | 0.01* | |
| | Walnuts | 0.02* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.01* | 0.01* | 0.01* | |
| | Others | 0.02* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.01* | 0.01* | 0.01* | |
| iii) POME FRUIT | | | | | | | | | | | |
| | Apples | 0.02* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.01* | 0.01* | 0.01* | |
| | Pears | 0.02* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.01* | 0.01* | 0.01* | |
| | Quinces | 0.02* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.01* | 0.01* | 0.01* | |
| | Others | 0.02* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.01* | 0.01* | 0.01* | |
| iv) STONE FRUIT | | | | | | | | | | | |
| | Apricots | 0.02* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.01* | 0.01* | 0.01* | |
| | Cherries | 0.02* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.01* | 0.01* | 0.01* | |
| | Peaches (incl nectarines & similar hybrids) | 0.02* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.01* | 0.01* | 0.01* | |

| Group to which food belongs | Groups include the following products | Flupyrifluoride n-methyl | Furoxyppyrr and its esters expressed as furoxyppyrr | Polpet | Formothion | Furathiocarb | Glyphosate | Hexachloro cyclohexane (HCH) | Sum of alpha and beta isomers | Applying from | |
|-----------------------------|---------------------------------------|---|---|--------|------------|--------------|------------|------------------------------------|-------------------------------|---------------|--|
| | | | | | | | | | | 1 Jan 2003 | |
| v) BERRIES AND SMALL FRUIT | a) Table & wine grapes | Plums | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | | | |
| | | Others | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | | | |
| | Table grapes | Wine grapes | 0.02* | 0.05* | 10 | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | | Blackberries | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | b) Strawberries (other than wild) | Cane Fruit (other than wild) | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | | Blackberries | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Dewberries | Loganberries | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | | Raspberries | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Others | Other small fruit & berries (other than wild) | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | | Bilberries | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| Cranberries | Currants (red, black & white) | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | | |
| | Gooseberries | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | | |
| Others | Wild berries & wild fruit | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | | |
| | Others | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | | |
| vi) MISCELLANEOUS FRUIT | Avocados | Bananas | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | | | |
| | | Dates | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | | | |
| | Figs | Kiwi fruit | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | | | |
| | | Kumquats | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | | | |
| | Litchis | Mangoes | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | | | |
| | | Olives (table consumption) | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | | | |

| Group to which food belongs | Groups include the following products | Fluoranthracene | Fluoranthracene n-methyl | Fluroxypr and its esters expressed as fluroxypr | Folpet | Applying from 1 Jan 2003 | | Furathiocarb | Glyphosate | Heptachlor | benzene (HCB) | cyclohexane (HCH) | Sum of alpha and beta isomers |
|---|---------------------------------------|-----------------|--------------------------|---|--------|--------------------------|-------|--------------|------------|------------|---------------|-------------------|-------------------------------|
| | | | | | | Formothion | 2 | | | | | | |
| | Olives (oil extract) | | 0.02* | 0.05* | | 0.02* | 0.05* | | 2 | 0.01* | | | |
| | Papaya | | 0.02* | 0.05* | | 0.02* | 0.05* | | 0.1* | 0.01* | | | |
| | Passion fruit | | 0.02* | 0.05* | | 0.02* | 0.05* | | 0.1* | 0.01* | | | |
| | Pineapples | | 0.02* | 0.05* | | 0.02* | 0.05* | | 0.1* | 0.01* | | | |
| | Pomegranates | | 0.02* | 0.05* | | 0.02* | 0.05* | | 0.1* | 0.01* | | | |
| | Others | | 0.02* | 0.05* | | 0.02* | 0.05* | | 0.1* | 0.01* | | | |
| 2. Vegetables, fresh or uncooked, frozen or dry | | | | | | | | | | | | | |
| i) ROOT AND TUBER VEGETABLES | | | | | | | | | | | | | |
| | Beetroot | | 0.02* | 0.05* | | 0.02* | 0.05* | | 0.1* | 0.01* | | | |
| | Carrots | | 0.02* | 0.05* | | 0.02* | 0.05* | | 0.1* | 0.01* | | | |
| | Celeriac | | 0.02* | 0.05* | | 0.02* | 0.05* | | 0.1* | 0.01* | | | |
| | Horseradish | | 0.02* | 0.05* | | 0.02* | 0.05* | | 0.1* | 0.01* | | | |
| | Jerusalem artichokes | | 0.02* | 0.05* | | 0.02* | 0.05* | | 0.1* | 0.01* | | | |
| | Parsnips | | 0.02* | 0.05* | | 0.02* | 0.05* | | 0.1* | 0.01* | | | |
| | Parsley root | | 0.02* | 0.05* | | 0.02* | 0.05* | | 0.1* | 0.01* | | | |
| | Radishes | | 0.02* | 0.05* | | 0.02* | 0.05* | | 0.1* | 0.01* | | | |
| | Salsify | | 0.02* | 0.05* | | 0.02* | 0.05* | | 0.1* | 0.01* | | | |
| | Sweet potatoes | | 0.02* | 0.05* | | 0.02* | 0.05* | | 0.1* | 0.01* | | | |
| | Swedes | | 0.02* | 0.05* | | 0.02* | 0.05* | | 0.1* | 0.01* | | | |
| | Turnips | | 0.02* | 0.05* | | 0.02* | 0.05* | | 0.1* | 0.01* | | | |
| | Yams | | 0.02* | 0.05* | | 0.02* | 0.05* | | 0.1* | 0.01* | | | |
| | Others | | 0.02* | 0.05* | | 0.02* | 0.05* | | 0.1* | 0.01* | | | |
| ii) BULB VEGETABLES | | | | | | | | | | | | | |
| | Garlic | | 0.02* | 0.05* | | 0.02* | 0.05* | | 0.1* | 0.01* | | | |
| | Onions | | 0.02* | 0.05* | | 0.02* | 0.05* | | 0.1* | 0.01* | | | |
| | Shallots | | 0.02* | 0.05* | | 0.02* | 0.05* | | 0.1* | 0.01* | | | |
| | Spring onions | | 0.02* | 0.05* | | 0.02* | 0.05* | | 0.1* | 0.01* | | | |
| | Others | | 0.02* | 0.05* | | 0.02* | 0.05* | | 0.1* | 0.01* | | | |
| iii) FRUITING VEGETABLES | | | | | | | | | | | | | |
| a) Solanacea | | | | | | | | | | | | | |
| | Tomatoes | | 0.02* | 0.05* | | 0.02* | 0.05* | | 0.1* | 0.01* | | | |

| Group to which food belongs | Groups include the following products | Fluoranthracene | Fluoropyr and its esters expressed as fluoro-pyr | Folpet | Formothion | Furathiocarb | Glyphosate | Heptachlor (HCB) | benzene cyclohexane (HCH) Sum of alpha and beta isomers |
|-----------------------------|---------------------------------------|-----------------|--|--------|--------------------------|--------------|------------|------------------|---|
| | | | | | Applying from 1 Jan 2003 | | | | |
| | Peppers | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | |
| | Chilli peppers | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | |
| | Aubergines | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | |
| | Others | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | |
| | b) Cucurbits-edible peel | | | | | | | | |
| | Cucumbers | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | |
| | Gherkins | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | |
| | Courgettes | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | |
| | Others | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | |
| | c) Cucurbits-medicine peel | | | | | | | | |
| | Melons | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | |
| | Squashes | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | |
| | Watermelons | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | |
| | Others | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | |
| | d) Sweet corn | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | |
| | i) BRASSICA VEGETABLES | | | | | | | | |
| | a) Flowering Brassicas | | | | | | | | |
| | Broccoli | 0.02* | 0.05* | | 0.02* | 0.1 | 0.1* | 0.01* | |
| | Cauliflower | 0.02* | 0.05* | | 0.02* | 0.1 | 0.1* | 0.01* | |
| | Others | 0.02* | 0.05* | | 0.02* | 0.1 | 0.1* | 0.01* | |
| | b) Head Brassicas | | | | | | | | |
| | Brussels sprouts | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | |
| | Head cabbage | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | |
| | Others | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | |
| | c) Leafy Brassicas | | | | | | | | |
| | Chinese cabbage | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | |
| | Kale | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | |
| | Others | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | |
| | d) Kohlrabi | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | |
| | v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | |
| | a) Lettuce & similar | | | | | | | | |
| | Cress | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | |
| | Lamb's lettuce | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | |

| Group to which food belongs | Groups include the following products | Fluopyruthrinate | Fluroxypr and its esters expressed as fluroxypr | Folpet | Applying from 1 Jan 2003 | | Furathiocarb | Glyphosate | Heptachlor | benzene (HCB) | cyclohexane (HCH) | Sum of alpha and beta isomers |
|-----------------------------|---|------------------|---|----------|--------------------------|---------|--------------|------------|------------|---------------|-------------------|-------------------------------|
| | | | | | Formation | Residue | | | | | | |
| | Lettuce | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | | | | | |
| | Scarole | 0.02* | 0.05* | 0.02*(3) | 0.05* | 0.1* | 0.01* | | | | | |
| | Others | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | | | | | |
| | b) Spinach & similar Spinach | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | | | | | |
| | Beet leaves (chard) | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | | | | | |
| | Others | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | | | | | |
| | c) Watercress | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | | | | | |
| | d) Witloof | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | | | | | |
| | e) Herbs Chervil | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | | | | | |
| | Chives | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | | | | | |
| | Parsley | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | | | | | |
| | Celery leaves | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | | | | | |
| | Others | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | | | | | |
| | vi) LEGUME VEGETABLES (fresh) Beans (with pods) | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | | | | | |
| | Beans (without pods) | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | | | | | |
| | Peas (with pods) | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | | | | | |
| | Peas (without pods) | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | | | | | |
| | Others | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | | | | | |
| | vii) STEM VEGETABLES Asparagus | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | | | | | |
| | Cardoons | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | | | | | |
| | Celery | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | | | | | |
| | Fennel | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | | | | | |
| | Globe artichokes | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | | | | | |
| | Leeks | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | | | | | |
| | Rhubarb | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | | | | | |
| | Others | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | | | | | |

| Group to which food belongs | Groups include the following products | Fluorocyclohexane n-methyl | Fluroxypr and its esters expressed as fluoxypr | Folpet | Formation. | Furthcarb | Glyphosate | Heptachlor | benzene (HCB) | cyclohexane (HCH) | Sum of alpha and beta isomers |
|-----------------------------|--|-------------------------------|--|--------|------------|-----------|------------|------------|---------------|-------------------|-------------------------------|
| | | | | | | | | | | | |
| vii) FUNGI | | | | | | | | | | | |
| 3. PULSES | a) Cultivated mushrooms | 0.02* | 0.05* | 0.02* | 0.02* | 0.05* | 0.1* | 0.01* | | | |
| | b) Wild mushrooms | 0.02* | 0.05* | 0.02* | 0.02* | 0.05* | 50 | 0.01* | | | |
| 4. OILSEEDS | Beans | 0.02* | 0.05* | 0.02* | 0.02* | 0.05* | 2 | 0.01* | | | |
| | Lentils | 0.02* | 0.05* | 0.02* | 0.02* | 0.05* | 0.1* | 0.01* | | | |
| | Peas | 0.02* | 0.05* | 0.02* | 0.02* | 0.05* | 3 | 0.01* | | | |
| | Others | 0.02* | 0.05* | 0.02* | 0.02* | 0.05* | 0.1* | 0.01* | | | |
| | Linseed | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 10 | 0.01* | | | |
| 5. POTATOES | Peanuts | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | 0.01* | | | |
| | Poppy seed | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | 0.01* | | | |
| | Sesame seed | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | 0.01* | | | |
| | Sunflower seed | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | 0.01* | | | |
| | Rape seed | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 10 | 0.01* | | | |
| | Soya bean | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 20 | 0.01* | | | |
| | Mustard seed | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 10 | 0.01* | | | |
| | Cotton seed | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 10 | 0.01* | | | |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* | 0.01* | | | |
| | Early potatoes | 0.02* | 0.05* | 0.02* | 0.02* | 0.05* | 0.1* | 0.01* | | | |
| 6. TEA | Ware potatoes | 0.02* | 0.05* | 0.02* | 0.02* | 0.05* | 0.1* | 0.01* | | | |
| | (dried leaves and stalks, fermented or otherwise, Camellia sinensis) | 0.1* | 0.05* | 0.1* | 0.05* | 0.1* | 0.1* | 0.02* | 0.01* | | 0.2 |
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | 0.05* | 0.1* | 0.05* | 0.05* | 5 | 0.1* | 0.01* | | | |

| Group to which food belongs | Groups include the following products | Imazalil | Propylene | Kresorin-methyl | Lambda-cyhalothrin | Linarane | Malathion | Maleic-hydrasid | Metram-Propinab-Zinob |
|--|--|----------|-----------|-----------------|--------------------|----------|-----------|-----------------|-----------------------|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar- nuts | | | | | | | | | |
| j) CITRUS FRUIT | | | | | | | | | |
| | Grapefruit | 5 | 0.02* | 0.05* | 0.1 | 0.01* | | 1* | 5 |
| | Lemons | 5 | 5 | 0.05* | 0.02* | 0.01* | | 1* | 5 |
| | Limes | 5 | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 5 |
| | Mandarins (incl clementines & similar hybrids) | 5 | 2 | 0.05* | 0.02* | 0.01* | | 1* | 5 |
| | Oranges | 5 | 0.02* | 0.05* | 0.1 | 0.01* | | 1* | 5 |
| | Pomeelos | 5 | 0.02* | 0.05* | 0.1 | 0.01* | | 1* | 5 |
| | Others | 5 | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 5 |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | | |
| | Almonds | 0.02* | 0.02* | 0.1* | 0.05* | 0.01* | | 1* | 0.1* |
| | Brazil nuts | 0.02* | 0.02* | 0.1* | 0.05* | 0.01* | | 1* | 0.1* |
| | Cashew nuts | 0.02* | 0.02* | 0.1* | 0.05* | 0.01* | | 1* | 0.1* |
| | Chestnuts | 0.02* | 0.02* | 0.1* | 0.05* | 0.01* | | 1* | 0.1* |
| | Coconuts | 0.02* | 0.02* | 0.1* | 0.05* | 0.01* | | 1* | 0.1* |
| | Hazelnuts | 0.02* | 0.2 | 0.1* | 0.05* | 0.01* | | 1* | 0.1* |
| | Macadamia nuts | 0.02* | 0.02* | 0.1* | 0.05* | 0.01* | | 1* | 0.1* |
| | Pecans | 0.02* | 0.02* | 0.1* | 0.05* | 0.01* | | 1* | 0.1* |
| | Pine nuts | 0.02* | 0.02* | 0.1* | 0.05* | 0.01* | | 1* | 0.1* |
| | Pistachios | 0.02* | 0.02* | 0.1* | 0.05* | 0.01* | | 1* | 0.1* |
| | Walnuts | 0.02* | 0.02* | 0.1* | 0.05* | 0.01* | | 1* | 0.1* |
| | Others | 0.02* | 0.02* | 0.1* | 0.05* | 0.01* | | 1* | 0.1* |
| iii) POME FRUIT | | | | | | | | | |
| | Apples | 5 | 10 | 0.2 | 0.1 | 0.01* | | 1* | 3 |
| | Pears | 5 | 10 | 0.2 | 0.1 | 0.01* | | 1* | 3 |
| | Quinces | 5 | 10 | 0.2 | 0.1 | 0.01* | | 1* | 3 |
| | Others | 5 | 10 | 0.2 | 0.1 | 0.01* | | 1* | 3 |
| iv) STONE FRUIT | | | | | | | | | |
| | Apricots | 0.02* | 5 | 0.05* | 0.2 | 0.01* | | 1* | 2 |
| | Cherries | 0.02* | 5 | 0.05* | 0.1 | 0.01* | | 1* | 1 |
| | Peaches (incl nectarines & similar hybrids) | 0.02* | 5 | 0.05* | 0.2 | 0.01* | | 1* | 2 |

| Group to which food belongs | Groups include the following products | Imazalil | Iprodione | Kresoxin-methyl | Lambda-cyhalothrin | Lindane | Malathion | Maleic-hydrazide | Metram-Propineb | Zincb |
|--|---------------------------------------|----------|-----------|-----------------|--------------------|---------|-----------|------------------|-----------------|-------|
| v) BERRIES AND SMALL FRUIT | Plums | 0.02* | 5 | 0.05* | 0.1 | 0.01* | | 1* | 1 | |
| | Others | 0.02* | 5 | 0.05* | 0.1 | 0.01* | | 1* | 0.05* | |
| a) Table & wine grapes | Table grapes | 0.02* | 10 | 1 | 0.2 | 0.01* | | 1* | 2 | |
| | Wine grapes | 0.02* | 10 | 1 | 0.2 | 0.01* | | 1* | 2 | |
| b) Strawberries (other than wild) | Strawberries (other than wild) | 0.02* | 10 | 0.2 | 0.5 | 0.01* | | 1* | 2 | |
| | Blackberries | 0.02* | 5 | 0.05* | 0.02* | 0.01* | | 1* | 0.05* | |
| c) Cane Fruit (other than wild) | Dewberries | 0.02* | 5 | 0.05* | 0.02* | 0.01* | | 1* | 0.05* | |
| | Loganberries | 0.02* | 5 | 0.05* | 0.02* | 0.01* | | 1* | 0.05* | |
| d) Other small fruit & berries (other than wild) | Raspberries | 0.02* | 5 | 0.05* | 0.02* | 0.01* | | 1* | 0.05* | |
| | Others | 0.02* | 5 | 0.05* | 0.02* | 0.01* | | 1* | 0.05* | |
| e) Wild berries & wild fruit | Others | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* | |
| | Others | 0.02* | 0.02* | 0.05* | 0.2 | 0.01* | | 1* | 0.05* | |
| v) MISCELLANEOUS FRUIT | Avocados | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* | |
| | Bananas | 2 | 3 | 0.05* | 0.02* | 0.01* | | 1* | 0.05* | |
| | Dates | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* | |
| | Figs | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* | |
| | Kiwi fruit | 0.02* | 5 | 0.05* | 0.02* | 0.01* | | 1* | 0.05* | |
| | Kumquats | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* | |
| | Litchis | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* | |
| | Mangos | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* | |
| | Olives (table consumption) | 0.02* | 0.02* | 0.2 | 0.02* | 0.01* | | 1* | 5 | |

| Group to which food belongs | Groups include the following products | Imazalil | Iprodione | Kresoxim-methyl ¹⁾ | Lambda-cyhalothrin | Lindane | Malathion | Maleic-hydrazide | Metiram Propineb Zineb |
|---|---------------------------------------|----------|-----------|-------------------------------|--------------------|---------|-----------|------------------|------------------------|
| | Olives (oil extract) | 0.02* | 0.02* | 0.2 | 0.02* | 0.01* | | 1* | 5 |
| | Papaya | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Passion fruit | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Pineapples | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Pomegranates | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Others | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| 2. Vegetables, fresh or uncooked, frozen or dry | | | | | | | | | |
| 1) ROOT AND TUBER VEGETABLES | | | | | | | | | |
| | Beetroot | 0.02* | 0.5 | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Carrots | 0.02* | 0.3 | 0.05* | 0.02* | 0.01* | | 30 | 0.2 |
| | Celeriac | 0.02* | 0.02* | 0.05* | 0.1 | 0.01* | | 1* | 0.2 |
| | Horseradish | 0.02* | 0.1 | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Jersusalem artichokes | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Parsnips | 0.02* | 0.1 | 0.05* | 0.02* | 0.01* | | 30 | 0.05* |
| | Parsley root | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Radishes | 0.02* | 0.3 | 0.05* | 0.1 | 0.01* | | 1* | 0.2 |
| | Salsify | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.2 |
| | Sweet potatoes | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Sweetes | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Turnips | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Yams | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Others | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| ii) BULB VEGETABLES | | | | | | | | | |
| | Garlic | 0.02* | 5 | 0.05* | 0.02* | 0.01* | | 10 | 0.5 |
| | Onions | 0.02* | 5 | 0.05* | 0.02* | 0.01* | | 10 | 0.5 |
| | Shallots | 0.02* | 5 | 0.05* | 0.02* | 0.01* | | 10 | 0.5 |
| | Spring onions | 0.02* | 3 | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Others | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 10 | 0.05* |
| iii) FRUITING VEGETABLES | | | | | | | | | |
| a) Solanacea | | | | | | | | | |
| | Tomatoes | 0.5 | 5 | 0.5 | 0.1 | 0.01* | | 1* | 3 |

| Group to which food belongs | Groups include the following products | Imazalil | Iprodione | Kresoxim-methyl | Lambda-cyhalothrin | Lindane | Malathion | Maleic-hydrazide | Metham-Propinab Zineb |
|-----------------------------|---------------------------------------|----------|-----------|-----------------|--------------------|---------|-----------|------------------|-----------------------|
| | Peppers | 0.02* | 5 | 1 | 0.1 | 0.01* | 1* | 2 | |
| | Chilli-peppers | 0.02* | 5 | 1 | 0.1 | 0.01* | 1* | 2 | |
| | Aubergines | 0.02* | 5 | 0.5 | 0.5 | 0.01* | 1* | 2 | |
| | Others | 0.02* | 5 | 0.05* | 0.02* | 0.01* | 1* | 2 | |
| | b) Cucurbitis-edible peel | | | | | | | | |
| | Cucumbers | 0.2 | 2 | 0.05* | 0.1 | 0.01* | 1* | 0.5 | |
| | Gherkins | 0.2 | 2 | 0.05* | 0.1 | 0.01* | 1* | 2 | |
| | Courgettes | 0.2 | 2 | 0.05* | 0.1 | 0.01* | 1* | 2 | |
| | Others | 0.2 | 2 | 0.05* | 0.1 | 0.01* | 1* | 0.05* | |
| | c) Cucurbitis-inedible peel | | | | | | | | |
| | Melons | 2 | 0.3 | 0.2 | 0.05 | 0.01* | 1* | 0.5 | |
| | Squashes | 0.02* | 0.02* | 0.2 | 0.05 | 0.01* | 1* | 0.5 | |
| | Watermelons | 0.02* | 0.02* | 0.2 | 0.05 | 0.01* | 1* | 0.5 | |
| | Others | 0.02* | 0.02* | 0.2* | 0.05 | 0.01* | 1* | 0.5 | |
| | d) Sweet corn | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | 1* | 0.05* | |
| | iv) BRASSICA VEGETABLES | | | | | | | | |
| | a) Flowering Brassicas | | | | | | | | |
| | Broccoli | 0.02* | 0.05 | 0.05* | 0.1(37) | 0.01* | 1* | 1 | |
| | Cauliflower | 0.02* | 0.05 | 0.05* | 0.1 | 0.01* | 1* | 1 | |
| | Others | 0.02* | 0.05 | 0.05* | 0.1 | 0.01* | 1* | 1 | |
| | b) Head Brassicas | | | | | | | | |
| | Brussels sprouts | 0.02* | 0.5 | 0.05* | 0.05 | 0.01* | 1* | 1 | |
| | Head cabbage | 0.02* | 5 | 0.05* | 0.2 | 0.01* | 1* | 1 | |
| | Others | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | 1* | 1 | |
| | c) Leafy Brassicas | | | | | | | | |
| | Chinese cabbage | 0.02* | 5 | 0.05* | 0.02* | 0.01* | 1* | 0.5 | |
| | Kale | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | 1* | 0.5 | |
| | Others | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | 1* | 0.5 | |
| | d) Kohlrabi | 0.02* | 0.1 | 0.05* | 0.02* | 0.01* | 1* | 0.1* | |
| | v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | |
| | a) Lettuce & similar | | | | | | | | |
| | Cress | 0.02* | 10 | 0.05* | 1 | 0.01* | 1* | 5 | |
| | Lamb's lettuce | 0.02* | 10 | 0.05* | 1 | 0.01* | 1* | 5 | |

| Group to which food belongs | Groups include the following products | Imazalil | Iprodione | Kresoxim-methyl | Lambda-cyhalothrin | Lindane | Malathion | Metolachlor | Metiram |
|-----------------------------|---------------------------------------|----------|-----------|-----------------|--------------------|-----------|-----------|-------------|---------|
| | Lettuce | 0.02* | 10 | 0.05* | 1 | 0.01* | | 1* | 5 |
| | Scarole | 0.02* | 10 | 0.05* | 1(35) | 0.01*(35) | | 1* | 5 |
| | Others | 0.02* | 10 | 0.05* | 1 | 0.01* | | 1* | 5 |
| | b) Spinach & similar | | | | | | | | |
| | Spinach | 0.02* | 0.02* | 0.05* | 0.5 | 0.01* | | 1* | 0.05* |
| | Beet leaves (hard) | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Others | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | c) Watercress | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.3 |
| | d) Witloof | 0.02* | 2 | 0.05* | 0.02* | 0.01* | | 1* | 0.2 |
| | e) Herbs | | | | | | | | |
| | Chervil | 0.02* | 10 | 0.05* | 1 | 0.01* | | 1* | 5 |
| | Chives | 0.02* | 10 | 0.05* | 1 | 0.01* | | 1* | 5 |
| | Parsley | 0.02* | 10 | 0.05* | 1 | 0.01* | | 1* | 5 |
| | Celery leaves | 0.02* | 10 | 0.05* | 1 | 0.01* | | 1* | 5 |
| | Others | 0.02* | 10 | 0.05* | 1 | 0.01* | | 1* | 5 |
| | v) LEGUME VEGETABLES (fresh) | | | | | | | | |
| | Beans (with pods) | 0.02* | 5 | 0.05* | 0.2 | 0.01* | | 1* | 1 |
| | Beans (without pods) | 0.02* | | 0.05* | 0.02* | 0.01* | | 1* | 0.1 |
| | Peas (with pods) | 0.02* | 1 | 0.05* | 0.2 | 0.01* | | 1* | 1 |
| | Peas (without pods) | 0.02* | 0.2 | 0.05* | 0.2 | 0.01* | | 1* | 0.1 |
| | Others | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | vii) STEM VEGETABLES | | | | | | | | |
| | Asparagus | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Cardoons | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Celery | 0.02* | 0.02* | 0.05* | 0.3 | 0.01* | | 1* | 0.5 |
| | Fennel | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Globe artichokes | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Leeks | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 3 |
| | Rhubarb | 0.02* | 0.2 | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Others | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |

| Group to which food belongs | Groups include the following products | Imazalil | Iproctione | Kresoxin-methyl | Lambda-cyhalothrin | Lindane | Malathion | Maleic-hydrazide | Metriram Propeneb Zincb | |
|---|---------------------------------------|--|------------|-----------------|--------------------|---------|-----------|------------------|-------------------------|-------|
| viii) FUNGI | a) Cultivated mushrooms | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* | |
| | b) Wild mushrooms | 0.02* | 0.02* | 0.05* | 0.5 | 0.01* | | 1* | 0.05* | |
| 3. PULSES | Beans | 0.02* | 0.2 | 0.05* | 0.02* | 0.01* | | 1* | 0.05* | |
| | Lentils | 0.02* | 0.2 | 0.05* | 0.02* | 0.01* | | 1* | 0.05* | |
| | Peas | 0.02* | 0.2 | 0.05* | 0.02* | 0.01* | | 1* | 0.05* | |
| | Others | 0.02* | 0.2 | 0.05* | 0.02* | 0.01* | | 1* | 0.05* | |
| | Linseed | 0.02* | 0.1 | 0.1* | 0.02* | 0.01* | | 1* | 0.1* | |
| | Peanuts | 0.02* | 0.02* | 0.1* | 0.02* | 0.01* | | 1* | 0.1* | |
| | Poppy seed | 0.02* | 0.02* | 0.1* | 0.02* | 0.01* | | 1* | 0.1* | |
| 4. OILSEEDS | Sesame seed | 0.02* | 0.02* | 0.1* | 0.02* | 0.01* | | 1* | 0.1* | |
| | Sunflower seed | 0.02* | 0.02* | 0.1* | 0.02* | 0.01* | | 1* | 0.1* | |
| | Rape seed | 0.02* | 0.5 | 0.1* | 0.02* | 0.01* | | 1* | 0.5 | |
| | Soya bean | 0.02* | 0.02* | 0.1* | 0.02* | 0.01* | | 1* | 0.1* | |
| | Mustard seed | 0.02* | 0.02* | 0.1* | 0.02* | 0.01* | | 1* | 0.1* | |
| | Cotton seed | 0.02* | 0.02* | 0.1* | 0.02* | 0.01* | | 1* | 0.1* | |
| | Others | 0.02* | 0.02* | 0.1* | 0.02* | 0.01* | | 1* | 0.1* | |
| | 5. POTATOES | Early potatoes | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | | Ware potatoes | 5 | 0.02* | 0.05* | 0.02* | 0.01* | | 50 | 0.05* |
| | 6. TEA | (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>) | 0.1* | 0.1* | 0.1* | 1 | 0.05* | 0.5 | 1* | 0.1* |
| 7. HOPS (dried) including hop pellets & unconcentrated powder | | 0.1* | 0.1* | 0.1* | 10 | 0.05* | | 1* | 25 | |

| Group to which food belongs | Groups include the following products | Macarban | Metalxyl | Methamid-ophos | Methidathion | Methomyl thiodicarb | Methoxychlor | Methyl bromide | Metsulfuron-methyl |
|--|--|----------|----------|----------------|--------------|---------------------|--------------|----------------|--------------------|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar, nuts | | | | | | | | | |
| i) CITRUS FRUIT | | | | | | | | | |
| | Grapefruit | 0.05* | 0.5 | 0.2 | 2 | 0.5 | 0.01* | 0.05* | 0.05* |
| | Lemons | 0.05* | 0.05* | 0.2 | 2 | 1 | 0.01* | 0.05* | 0.05* |
| | Limes | 0.05* | 0.05* | 0.2 | 2 | 1 | 0.01* | 0.05* | 0.05* |
| | Mandarins (incl clementines & similar hybrids) | 0.05* | 0.05* | 0.2 | 2 | 1 | 0.01* | 0.05* | 0.05* |
| | Oranges | 0.05* | 0.5 | 0.2 | 2 | 0.5 | 0.01* | 0.05* | 0.05* |
| | Pomeelos | 0.05* | 0.5 | 0.2 | 2 | 0.5 | 0.01* | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.2 | 2 | 0.05* | 0.01* | 0.05* | 0.05* |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | | |
| | Almonds | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Brazil nuts | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Cashew nuts | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Chestnuts | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Coconuts | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Hazelnuts | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Macadamia nuts | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Pecans | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Pine nuts | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Pistachios | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Walnuts | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* |
| iii) POME FRUIT | | | | | | | | | |
| | Apples | 0.05* | 1 | 0.05 | 0.3 | 0.2 | 0.01* | 0.05* | 0.05* |
| | Pears | 0.05* | 1 | 0.05 | 0.3 | 0.2 | 0.01* | 0.05* | 0.05* |
| | Quinces | 0.05* | 1 | 0.05 | 0.3 | 0.2 | 0.01* | 0.05* | 0.05* |
| | Others | 0.05* | 1 | 0.05 | 0.3 | 0.2 | 0.01* | 0.05* | 0.05* |
| iv) STONE FRUIT | | | | | | | | | |
| | Apricots | 0.05* | 0.05* | 0.1 | 0.2 | 0.2 | 0.01* | 0.05* | 0.05* |
| | Cherries | 0.05* | 0.05* | 0.01* | 0.02* | 0.1 | 0.01* | 0.05* | 0.05* |
| | Peaches (incl nectarines & similar hybrids) | 0.05* | 0.05* | 0.05 | 0.2 | 0.2 | 0.01* | 0.05* | 0.05* |

Applying from
1 Jan 2003

| Group to which food belongs | Groups include the following products | Mecarban | Metaxyl | Methamid- | | Methomyl | | Methoxychlor | | Methyl bromide | Methylform-methyl |
|-----------------------------|--|--------------|---------|-----------|--------------|------------|-------|--------------|-------|----------------|-------------------|
| | | | | ophos | methidathion | thiodicarb | chlor | | | | |
| v) BERRIES AND SMALL FRUIT | a) Table & wine grapes | Plums | 0.05* | 0.05* | 0.3 | 0.2 | 0.5 | 0.01* | 0.05* | 0.05* | 0.05* |
| | | Others | 0.05* | 0.05* | 0.01* | 0.2 | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | b) Strawberries (other than wild) | Table grapes | 0.05* | 2 | 0.01* | 0.5 | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | | Wine grapes | 0.05* | 1 | 0.01* | 0.5 | 1 | 0.01* | 0.05* | 0.05* | 0.05* |
| | c) Cane Fruit (other than wild) | Blackberries | 0.05* | 0.5 | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | | Dewberries | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | d) Other small fruit & berries (other than wild) | Loganberries | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | | Raspberries | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | e) Wild berries & wild fruit | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| vi) MISCELLANEOUS FRUIT | Avocados | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Bananas | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Dates | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Figs | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Kiwi fruit | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Kumquats | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Litchis | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Mangos | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Olives (table consumption) | Others | 0.05* | 0.05* | 0.01* | 1 | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | | Others | 0.05* | 0.05* | 0.01* | 1 | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |

Applying from 1 Jan 2003

| Group to which food belongs | Groups include the following products | Mecarham | Metalaxyl | Methamidophos | Methidathion | Methomyl thiodicarb | Methoxychlor | Methyl bromide | Metsulfuron-methyl |
|---|---------------------------------------|----------|-----------|---------------|--------------|---------------------|--------------|----------------|--------------------|
| Applying from 1 Jan 2003 | | | | | | | | | |
| | Olivea (oil extract) | 0.05* | 0.05* | 0.01* | 1 | 0.05* | 0.01* | 0.05* | 0.05* |
| | Papaya | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Passion fruit | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Pineapples | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Pomegranates | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| 2. Vegetables, fresh or uncooked, frozen or dry | | | | | | | | | |
| i) ROOT AND TUBER VEGETABLES | | | | | | | | | |
| | Beetroot | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Carrots | 0.05* | 0.1 | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Celeriac | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Horseradish | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Jerusalem artichokes | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Parsnips | 0.05* | 0.1 | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Parsley root | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Radishes | 0.05* | 0.05* | 0.01* | 0.02* | 0.5 | 0.01* | 0.05* | 0.05* |
| | Saladify | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Sweet potatoes | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Swedes | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Turnips | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Yams | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| ii) BULB VEGETABLES | | | | | | | | | |
| | Garlic | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Onions | 0.05* | 0.5 | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Shallots | 0.05* | 0.5 | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Spring onions | 0.05* | 0.2 | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| iii) FRUITING VEGETABLES | | | | | | | | | |
| a) Solanacea | | | | | | | | | |
| | Tomatoes | 0.05* | 0.05* | 0.5 | 0.02* | 0.5 | 0.01* | 0.05* | 0.05* |

| Group to which food belongs | Groups include the following products | Mecarban | Metalaxyl | Methamid-ophos | Methidathion | Methionyl thiodicarb | Methoxychlor | Methyl bromide | Metsulfuron-methyl |
|-----------------------------|---------------------------------------|----------|-----------|----------------|--------------|----------------------|--------------|----------------|--------------------|
| | Peppers | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Chilli peppers | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Aubergines | 0.05* | 0.05* | 0.2 | 0.02* | 0.5 | 0.01* | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | b) Cucurbitis-edible peel | | | | | | | | |
| | Cucumbers | 0.05* | 0.5 | 1 | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Cherkins | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Courgettes | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | c) Cucurbitis-inedible peel | | | | | | | | |
| | Melons | 0.05* | 0.2 | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Squashes | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Watermelons | 0.05* | 0.2 | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | d) Sweet corn | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | iv) BRASSICA VEGETABLES | | | | | | | | |
| | a) Flowering Brassicas | | | | | | | | |
| | Broccoli | 0.05* | 0.1 | 0.5 | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Cauliflower | 0.05* | 0.1 | 0.5 | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Others | 0.05* | 0.1 | 0.5 | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | b) Head Brassicas | | | | | | | | |
| | Brussels sprouts | 0.05* | 0.05* | 0.5 | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Head cabbage | 0.05* | 1 | 0.5 | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.5 | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | c) Leafy Brassicas | | | | | | | | |
| | Chinese cabbage | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Kale | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | d) Kohlrabi | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | |
| | a) Lettuce & similar | | | | | | | | |
| | Cress | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Lamb's lettuce | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |

Applying from
1 Jan 2003

| Group to which food belongs | Groups include the following products | Mecarbam | Metaxyl | Methamid-ophos | Methidathion | Methomyl thiodicarb | Methoxychlor | Methyl bromide | Metsulfuron-methyl |
|-----------------------------|---------------------------------------|----------|---------|----------------|--------------|---------------------|--------------|----------------|--------------------|
| | Lettuce | 0.05* | 1 | 0.2 | 0.02* | 2 | 0.01* | 0.05* | 0.05* |
| | Scarole | 0.05* | 1 | 0.01* | 0.02* | 0.05* | 0.01*(35) | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | b) Spinach & similar Spinach | 0.05* | 0.05* | 0.01* | 0.02* | 2 | 0.01* | 0.05* | 0.05* |
| | Beet leaves (chard) | 0.05* | 0.05* | 0.01* | 0.02* | 2 | 0.01* | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.01* | 0.02* | 2 | 0.01* | 0.05* | 0.05* |
| | c) Watercress | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | d) Witloof | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | e) Herbs Chervil | 0.05* | 1 | 0.01* | 0.02* | 2 | 0.01* | 0.05* | 0.05* |
| | Chives | 0.05* | 1 | 0.01* | 0.02* | 2 | 0.01* | 0.05* | 0.05* |
| | Parsley | 0.05* | 1 | 0.01* | 0.02* | 2 | 0.01* | 0.05* | 0.05* |
| | Celery leaves | 0.05* | 1 | 0.01* | 0.02* | 2 | 0.01* | 0.05* | 0.05* |
| | Others | 0.05* | 1 | 0.01* | 0.02* | 2 | 0.01* | 0.05* | 0.05* |
| | vi) LEGUME VEGETABLES (fresh) | | | | | | | | |
| | Beans (with pods) | 0.05* | 0.05* | 0.5 | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Beans (without pods) | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Peas (with pods) | 0.05* | 0.05* | 0.5 | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Peas (without pods) | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | vii) STEM VEGETABLES | | | | | | | | |
| | Asparagus | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Cardoons | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Celery | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Fennel | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Globe artichokes | 0.05* | 0.05* | 0.1 | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Leeks | 0.05* | 0.2 | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Rhubarb | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |

Applying from 1 Jan 2003

| Group to which food belongs | Groups include the following products | Mecarban | Metalaxyl | Methamid-ophos | Methidathion | Methomyl thiodicarb | Methoxychlor | Methyl Bromide | Metsulfuron-methyl | Applying from |
|-----------------------------|--|----------|-----------|----------------|--------------|---------------------|--------------|----------------|--------------------|---------------|
| | | | | | | | | | | 1 Jan 2003 |
| viii) FUNGI | | | | | | | | | | |
| | a) Cultivated mushrooms | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | b) Wild mushrooms | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| 3. PULSES | | | | | | | | | | |
| | Beans | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Lentils | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Peas | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| 4. OILSEEDS | | | | | | | | | | |
| | Linseed | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.1* | 0.1* | 0.1* |
| | Peanuts | 0.05* | 0.05* | 0.01* | 0.02* | 0.1 | 0.01* | 0.1* | 0.1* | 0.1* |
| | Poppy seed | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.1* | 0.1* | 0.1* |
| | Sesame seed | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.1* | 0.1* | 0.1* |
| | Sunflower seed | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.1* | 0.1* | 0.1* |
| | Rapeseed | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | 0.1* | 0.1* | 0.1* |
| | Soya bean | 0.05* | 0.05* | 0.01* | 0.02* | 0.1 | 0.01* | 0.1* | 0.1* | 0.1* |
| | Mustard seed | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.1* | 0.1* | 0.1* |
| | Cotton seed | 0.05* | 0.05* | 0.1 | 0.02* | 0.1 | 0.01* | 0.1* | 0.1* | 0.1* |
| | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.1* | 0.1* | 0.1* |
| 5. POTATOES | | | | | | | | | | |
| | Early potatoes | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Ware potatoes | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| 6. TEA | | | | | | | | | | |
| | (dried leaves and stalks, fermented or otherwise, Camellia sinensis) | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* | 0.05* | 0.05* | 0.1* |
| 7. HOPS (dried) | | | | | | | | | | |
| | including hop pellets & unconcentrated powder | 0.1* | 10 | 2 | 3 | 10 | 0.1* | 0.05* | 0.05* | 0.1* |

| Group to which food belongs | Groups include the following products | Monocrotophos | Monomithuron | Ornethoate | Oxydemeton-methyl | | Parquat | Parathion | Permethrin | Phorate | Phosmet | Phoxim | Phinphos-methyl | Procymidone |
|---|--|---------------|--------------|------------|--------------------------|--------------------------|---------|-----------|------------|---------|---------|--------|-----------------|-------------|
| | | | | | Applying from 1 Jan 2003 | Applying from 1 May 2003 | | | | | | | | |
| I. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar nuts | | | | | | | | | | | | | | |
| i) CITRUS FRUIT | | | | | | | | | | | | | | |
| | Grapefruit | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 1 | 0.02* |
| | Lemons | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 1 | 0.02* |
| | Limes | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 1 | 0.02* |
| | Mandarin (incl clematines & similar hybrids) | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 2 | 0.02* |
| | Oranges | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 1 | 0.02* |
| | Pomeios | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 1 | 0.02* |
| | Others | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 1 | 0.02* |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | | | | | | | |
| | Almonds | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Brazil nuts | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Cashew nuts | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Chestnuts | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Coconuts | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Hazelnuts | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Macadamia nuts | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Pecans | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Pine nuts | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Pistachios | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Walnuts | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Others | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| iii) POME FRUIT | | | | | | | | | | | | | | |
| | Apples | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Pears | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 1 |
| | Quinces | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Others | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| iv) STONE FRUIT | | | | | | | | | | | | | | |
| | Apricots | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 2 |
| | Cherries | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Peaches (incl nectarines & similar hybrids) | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 2 |

| Group to which food belongs | Groups include the following products | Monocrotophos | Monilium | Oxymethoate | Oxydemeton-methyl | | Paraquat | Permethrin | | Phorate | Phosmet | Phoxim | Primiphos-methyl | Procymidone |
|-------------------------------|--|--------------------------------|----------|-------------|--------------------------|--------------------------|----------|------------|-------|---------|---------|--------|------------------|-------------|
| | | | | | Applying from 1 Jan 2003 | Applying From 1 May 2003 | | | | | | | | |
| v) BERRIES AND SMALL FRUIT | a) Table & wine grapes | Plums | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 2 |
| | | Others | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 2 |
| | Table grapes | Wine grapes | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 5 |
| | | Strawberries (other than wild) | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 5 |
| | c) Cane Fruit (other than wild) | Blackberries | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | | Dewberries | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Loganberries | Loganberries | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | | Raspberries | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 10 |
| | Others | Others | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | d) Other small fruit & berries (other than wild) | Bilberries | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| Cranberries | | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | |
| Currants (red, black & white) | | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | |
| Gooseberries | | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | |
| Others | Others | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | |
| e) Wild berries & wild fruit | Wild berries & wild fruit | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | |
| | Avocados | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | |
| v) MISCELLANEOUS FRUIT | Bananas | Bananas | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | | Dates | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Figs | Figs | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | | Kiwi fruit | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 2 |
| | Kiwifruit | Kiwifruit | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 5 |
| | | Kumquats | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Litchis | Litchis | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | | Mangoes | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Olives (table consumption) | Olives (table consumption) | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |

| Group to which food belongs | Groups include the following products | Monocrotophos | Monofluron | Ometoate | Oxydemeton-methyl | | Paraquat | Permethrin | | Phorate | Phosmet | Phoxim | Priniphos-methyl | Procyndione |
|---|---------------------------------------|---------------|------------|----------|--------------------------|--------------------------|----------|------------|---------|---------|---------|--------|------------------|-------------|
| | | | | | Applying from 1 Jan 2003 | Applying from 1 Mar 2003 | | Permethrin | Phorate | | | | | |
| | Olives (oil extract) | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Papaya | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Passion fruit | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Pineapples | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Pomegranates | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Others | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| 2. Vegetables, fresh or uncooked, frozen or dry | | | | | | | | | | | | | | |
| i) ROOT AND TUBER VEGETABLES | | | | | | | | | | | | | | |
| | Beetroot | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Carrots | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Celeriac | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Horseradish | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Jerusalem artichokes | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Parsnips | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Parsley root | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Radishes | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Salsify | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Sweet potatoes | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Sweedes | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Tunip | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Yams | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Others | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| ii) BULB VEGETABLES | | | | | | | | | | | | | | |
| | Garlic | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Onions | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Shallots | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Spring onions | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Others | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| iii) FRUITING VEGETABLES | | | | | | | | | | | | | | |
| a) Solanaceae | | | | | | | | | | | | | | |
| | Tomatoes | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |

| Group to which food belongs | Groups include the following products | Monocrotophos | Moniluron | Ometoate | Oxydemeton-methyl | | Paraquat | Perathion | Permethrin | Phorate | Phosmet | Phoxim | Primphos-methyl | Procymidone |
|------------------------------------|---------------------------------------|---------------|-----------|----------|--------------------------|--------------------------|----------|-----------|------------|---------|---------|--------|-----------------|-------------|
| | | | | | Applying from 1 Jan 2003 | Applying from 1 May 2003 | | | | | | | | |
| Peppers | | 0.05* | | | 0.02* | 0.05* | | | | | | | 1 | 2 |
| Chilli peppers | | 0.05* | | | 0.02* | 0.05* | | | | | | | 1 | 2 |
| Aubergines | | 0.05* | | | 0.02* | 0.05* | | | | | | | 0.05* | 2 |
| Others | | 0.05* | | | 0.02* | 0.05* | | | | | | | 0.05* | 2 |
| b) Cucurbit- edible peel | | 0.05* | | | 0.02* | 0.05* | | | | | | | 0.1 | 1 |
| Cucumbers | | 0.05* | | | 0.02* | 0.05* | | | | | | | 0.05* | 1 |
| Gherkins | | 0.05* | | | 0.02* | 0.05* | | | | | | | 0.05* | 1 |
| Courgettes | | 0.05* | | | 0.02* | 0.05* | | | | | | | 0.05* | 1 |
| Others | | 0.05* | | | 0.02* | 0.05* | | | | | | | 0.05* | 1 |
| c) Cucurbit- inedible peel | | 0.05* | | | 0.02* | 0.05* | | | | | | | 1 | 1 |
| Melons | | 0.05* | | | 0.02* | 0.05* | | | | | | | 0.05* | 1 |
| Squashes | | 0.05* | | | 0.02* | 0.05* | | | | | | | 0.05* | 1 |
| Watermelons | | 0.05* | | | 0.02* | 0.05* | | | | | | | 0.05* | 1 |
| Others | | 0.05* | | | 0.02* | 0.05* | | | | | | | 0.05* | 1 |
| d) Sweet corn | | 0.05* | | | 0.02* | 0.05* | | | | | | | 0.05* | 0.02* |
| iv) BRASSICA VEGETABLES | | | | | | | | | | | | | | |
| a) Flowering Brassicas | | 0.05*(37) | | | 0.02* | 0.05* | | | | | | | 1 | 0.02* |
| Broccoli | | 0.05* | | | 0.02* | 0.05* | | | | | | | 1 | 0.02* |
| Caiflower | | 0.05* | | | 0.02* | 0.05* | | | | | | | 1 | 0.02* |
| Others | | 0.05* | | | 0.02* | 0.05* | | | | | | | 1 | 0.02* |
| b) Head Brassicas | | 0.05* | | | 0.05 | 0.05* | | | | | | | 2 | 0.02* |
| Brussels sprouts | | 0.05* | | | 0.05 | 0.05* | | | | | | | 0.05* | 0.02* |
| Head cabbage | | 0.05* | | | 0.05 | 0.05* | | | | | | | 0.05* | 0.02* |
| Others | | 0.05* | | | 0.02* | 0.05* | | | | | | | 0.05* | 0.02* |
| c) Leafy Brassicas | | 0.05* | | | 0.02* | 0.05* | | | | | | | 0.05* | 0.02* |
| Chinese cabbage | | 0.05* | | | 0.02* | 0.05* | | | | | | | 0.05* | 0.02* |
| Kale | | 0.05* | | | 0.02* | 0.05* | | | | | | | 0.05* | 0.02* |
| Others | | 0.05* | | | 0.02* | 0.05* | | | | | | | 0.05* | 0.02* |
| d) Kohlrabi | | 0.05* | | | 0.05 | 0.05* | | | | | | | 0.05* | 0.02* |
| v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | | | | | | | |
| a) Lettuce & similar | | 0.05* | | | 0.05 | 0.05* | | | | | | | 0.05* | 5 |
| Cress | | 0.05* | | | 0.05 | 0.05* | | | | | | | 0.05* | 5 |
| Lamb's lettuce | | 0.05* | | | 0.05 | 0.05* | | | | | | | 0.05* | 5 |

| Group to which food belongs | Groups include the following products | Monocrotophos | Monilimumon | Ometheate | Oxydemeton-methyl | | Paraquat | Parathion | Permethrin | Phorate | Phosmet | Phoxim | Pirimiphos-methyl | Progymidone |
|-----------------------------|---------------------------------------|---------------|-------------|-----------|--------------------------|--------------------------|----------|-----------|------------|---------|---------|--------|-------------------|-------------|
| | | | | | Applying from 1 Jan 2003 | Applying from 1 May 2003 | | | | | | | | |
| | Lettuce | 0.05* | 0.05* | 0.05* | 0.05 | 0.05(35) | 0.05* | 0.05* | 0.05*(35) | 0.05* | 0.05* | 0.05* | 0.05* | 5 |
| | Scarole | 0.05*(35) | 0.05*(35) | 0.05*(35) | 0.05 | 0.05 | 0.05* | 0.05*(35) | 0.05*(35) | 0.05* | 0.05* | 0.05* | 0.05* | 5 |
| | Others | 0.05* | 0.05* | 0.05* | 0.05 | 0.05 | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 5 |
| | b) Spinach & similar | | | | | | | | | | | | | |
| | Spinach | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Beet leaves (chard) | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Others | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | c) Watercress | | | | | | | | | | | | | |
| | Watercress | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | d) Willowof | | | | | | | | | | | | | |
| | Willowof | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 2 |
| | e) Herbs | | | | | | | | | | | | | |
| | Herbs | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Chervil | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Chives | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Parsley | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Celery leaves | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Others | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | vii) LEGUME VEGETABLES (fresh) | | | | | | | | | | | | | |
| | Beans (with pods) | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 2 |
| | Beans (without pods) | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Peas (with pods) | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 1 |
| | Peas (without pods) | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.3 |
| | Others | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | viii) STEM VEGETABLES | | | | | | | | | | | | | |
| | Asparagus | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Cardoons | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Celery | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Fennel | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Globe artichokes | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Leeks | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Rhubarb | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Others | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |

| Group to which food belongs | Groups include the following products | Monocrotophos | Monolinuron | Oxymetnon-methyl | Paraquat | Permethrin | Phorate | Phosmet | Phoxim | Pirimiphos-methyl | Procymidone | Applying from | |
|-----------------------------|--|---------------|-------------|------------------|----------|------------|---------|---------|--------|-------------------|-------------|---------------|-------------------------|
| | | | | | | | | | | | | 1 Jan 2003 | May 2003 |
| viii) FUNGI | | | | | | | | | | | | | |
| | a) Cultivated mushrooms | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 2 | 0.02* |
| | b) Wild mushrooms | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| 3. PULSES | | | | | | | | | | | | | |
| | Beans | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Lentils | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Peas | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.2 |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| 4. OILSEEDS | | | | | | | | | | | | | |
| | Linseed | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Peanuts | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Poppy seed | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Sesame seed | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Sunflower seed | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 1/0.05* ⁽³²⁾ |
| | Rape seed | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 1 |
| | Soya bean | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 1 |
| | Mustard seed | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Cotton seed | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| 5. POTATOES | | | | | | | | | | | | | |
| | Early potatoes | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Ware potatoes | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| 6. TEA | | | | | | | | | | | | | |
| | (dried leaves and stalks, fermented or otherwise, Camellia sinensis) | 0.1* | 0.1* | 0.1 | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* | 0.05* | 0.1* |
| 7. HOPS (dried) | | | | | | | | | | | | | |
| | including hop pellets & unconcentrated powder | 0.1* | 0.1* | 0.05* | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* | 0.05* | 0.1* |

| Group to which food belongs | Groups include the following products | Its salts expressed as prochlorazone | Propargic | Propham | Propiconazole | Propoxur | Propylamide | Pyrimetozine | Pyrazophos | Pyridate | Quinalphos | Quintozene | Spiroxamine | Teanazene | TEPP | Thiabendazole |
|---|--|--------------------------------------|-----------|---------|---------------|----------|-------------|--------------|------------|----------|------------|------------|-------------|-----------|-------|---------------|
| i) Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar nuts | | | | | | | | | | | | | | | | |
| j) CITRUS FRUIT | | | | | | | | | | | | | | | | |
| | Grapefruit | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.3 | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 5 |
| | Lemons | 0.05* | 0.05* | 0.05* | 0.3 | 0.02* | 0.3 | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 5 |
| | Limes | 0.05* | 0.05* | 0.05* | 0.3 | 0.02* | 0.3 | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 5 |
| | Mandarins (incl clementines & similar hybrids) | 0.05* | 0.05* | 0.05* | 0.3 | 0.02* | 0.3 | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 5 |
| | Oranges | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.3 | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 5 |
| | Pomeles | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.3 | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 5 |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.3 | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 5 |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | | | | | | | | | |
| | Almonds | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.1* |
| | Brazil nuts | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.1* |
| | Cashew nuts | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.1* |
| | Chestnuts | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.1* |
| | Coconuts | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.1* |
| | Hazelnuts | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.1* |
| | Macadamia nuts | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.1* |
| | Pecans | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.1* |
| | Pine nuts | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.1* |
| | Pistachios | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.1* |
| | Walnuts | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.1* |
| iii) POME FRUIT | | | | | | | | | | | | | | | | |
| | Apples | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 5 |
| | Pears | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 5 |
| | Quinces | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| iv) STONE FRUIT | | | | | | | | | | | | | | | | |
| | Apricots | 0.05* | 0.05* | 0.05* | 0.2 | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Cherries | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Peaches (incl nectarines & similar hybrids) | 0.05* | 0.05* | 0.05* | 0.2 | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |

Applying from 1 Jan 2003

Applying from 1 Jan 2003

| Group to which food belongs | Groups include the following products | Its salts expressed as prohexadione | | | | | | | | | | | | | | | | | |
|-----------------------------|--|-------------------------------------|----------|---------------|----------|-------------|--------------|------------|--------------------------------------|------------|------------|-------------|----------|-------|---------------|-------|-------|-------|-------|
| | | Propargite | Propham | Propiconazole | Propoxur | Propyzamide | Pyrimetozine | Pyrazophos | Pyridate Applying from 1 Jan 2003 | Quinalphos | Quintozene | Spirosamine | Tenazene | TEPP | Thiabendazole | | | | |
| v) BERRIES AND SMALL FRUIT | a) Table & wine grapes | Plums | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| | | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| | b) Strawberries (other than wild) | Wine grapes | 0.05* | 0.05* | 0.5 | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 1 | 0.05* | 0.01* | 0.05* | |
| | | Table grapes | 0.05* | 0.05* | 0.5 | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 1 | 0.05* | 0.01* | 0.05* | |
| | c) Cane fruit (other than wild) | Blackberries | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| | | Blackberries | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| | d) Other small fruit & berries (other than wild) | Blackberries | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| | | Blackberries | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| | e) Wild berries & wild fruit | Blackberries | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| | | Blackberries | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| | vi) MISCELLANEOUS FRUIT | Avocados | Avocados | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 1.5 | 0.05* | |
| | | | Avocados | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 5 | 0.05* |
| | | Bananas | Bananas | 0.05* | 0.05* | 0.1 | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 5 | 0.05* |
| | | | Bananas | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 5 | 0.05* |
| Dates | | Dates | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| | | Dates | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| Figs | | Figs | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| | | Figs | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| Kiwi fruit | | Kiwi fruit | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| | | Kiwi fruit | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| Kumquats | | Kumquats | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| | | Kumquats | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| Litchis | | Litchis | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| | | Litchis | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | |
| Mangos | Mangos | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 5 | 0.05* | | |
| | Mangos | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 5 | 0.05* | | |
| Olives (table consumption) | Olives (table consumption) | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | | |
| | Olives (table consumption) | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | | |

| Group to which it belongs | Groups include the following products | its salts expressed as prohexadione | | | | | | | | | | | | | |
|---|---|--|---------|---------------|----------|-------------|-------------|--------------|----------|------------|------------|-------------|-----------|-------|---------------|
| | | Propargite | Propham | Propiconazole | Propoxur | Propyzamide | Pymetrozine | Pyrazolophos | Pyridate | Quinalphos | Quintozene | Spiroxamine | Tecnazene | TEPP | Thiabendazole |
| Vegetables, fresh or uncooked, frozen or dry ROOT AND TUBER VEGETABLES Beetroot | Oives (oil extract) | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Papaya | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 10 | |
| | Passion fruit | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Pineapples | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Pomegranates | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Vegetables, fresh or uncooked, frozen or dry ROOT AND TUBER VEGETABLES Beetroot | Carrots | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | | Celery | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | | Horseradish | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | | Jerusalem artichokes | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | | Parsnips | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | | Parsley root | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | | Radishes | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | | Salsify | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| Sweet potatoes | | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| Sweedes | | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| Turnips | | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| Yams | | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| Others | | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| BULB VEGETABLES Garlic | | Onions | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Shallots | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Spring onions | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| FRUITING VEGETABLES a) Solanacea Tomatoes | | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.5 | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |

Applying
from 1 Jan
2003

Applying from
1 Jan 2003

| Group to which food belongs | Groups include the following products | Profenophos as prohexadione | Propargic Prophan | Propiconazole | Propoxur | Propyzamide | Pymetozine | Pyrazophos | Applying from 1 Jan 2003 | | Quinalphos | Quintozene | Spiroxamine | Applying from 1 Jan 2003 | | TEPP | Thiabendazole |
|---------------------------------|---------------------------------------|-----------------------------|-------------------|---------------|-----------|-------------|------------|------------|--------------------------|------------|------------|------------|-------------|--------------------------|-----------|-------|---------------|
| | | | | | | | | | Pyridate | Quinalphos | | | | Tenazene | TEPP | | |
| v) BRASSICA VEGETABLES | a) Flowering Brassicas | Peppers | 0.05* | 0.05* | 0.05* | 0.02* | 1 | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.01* | 0.05* |
| | | Chilli peppers | 0.05* | 0.05* | 0.05* | 0.02* | 1 | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.01* | 0.05* |
| | | Aubergines | 0.05* | 0.05* | 0.05* | 0.02* | 0.5 | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.01* | 0.05* |
| | b) Cucurbitis-edible peel | Others | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.01* | 0.05* |
| | | Cucumbers | 0.05* | 0.05* | 0.05* | 0.02* | 0.5 | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.01* | 0.05* |
| | | Gherkins | 0.05* | 0.05* | 0.05* | 0.02* | 0.5 | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.01* | 0.05* |
| | c) Cucurbitis-inedible peel | Others | 0.05* | 0.05* | 0.05* | 0.02* | 0.5 | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.01* | 0.05* |
| | | Melons | 0.05* | 0.05* | 0.05* | 0.02* | 0.2 | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.01* | 0.05* |
| | | Squashes | 0.05* | 0.05* | 0.05* | 0.02* | 0.2 | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.01* | 0.05* |
| | d) Sweet corn | Watermelons | 0.05* | 0.05* | 0.05* | 0.02* | 0.2 | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.01* | 0.05* |
| | | Others | 0.05* | 0.05* | 0.05* | 0.02* | 0.2 | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.01* | 0.05* |
| | | Sweet corn | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.01* | 0.05* |
| | LEAF VEGETABLES AND FRESH HERBS | a) Lettuce & similar | Broccoli | 0.05* | 0.05*(37) | 0.05* | 0.5 | 0.02* | 0.02* | 0.05*(37) | 0.05* | 0.05* | 0.02* | 0.05* | 0.05*(37) | 0.01* | 5 |
| | | | Cauliflower | 0.05* | 0.05* | 0.05* | 0.5 | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | | | Others | 0.05* | 0.05* | 0.05* | 0.5 | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| b) Head Brassicas | | Head Brassicas | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | | Brussels sprouts | 0.05* | 0.05* | 0.05* | 0.5 | 0.02* | 0.05 | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | | Head cabbage | 0.05* | 0.05* | 0.05* | 0.5 | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| c) Leafy Brassicas | | Others | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | | Chinese cabbage | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | | Kale | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.05* | 0.2 | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| d) Kohlraabi | | Others | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | | Others | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | | Others | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| LEAF VEGETABLES AND FRESH HERBS | | a) Lettuce & similar | Cress | 0.05* | 0.05* | 0.05* | 0.05* | 1 | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | | | Cress | 0.05* | 0.05* | 0.05* | 0.05* | 1 | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | | | Lamb's lettuce | 0.05* | 0.05* | 0.05* | 0.05* | 1 | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |

| Group to which food belongs | Groups include the following products | Profenophos | its salts expressed as prohexadione | | | | | | | | | | Pyridate | Quinaphos | Quintozene | Spiroxamine | Tecnazene | TEPP | Thiabendazole |
|---------------------------------|---------------------------------------|---------------------|-------------------------------------|---------|--------------|----------|-------------|--------------|------------|--------------------------|--------------------------|--------------------------|------------|-----------|------------|-------------|-----------|-------|---------------|
| | | | Propargite | Propiom | Propionazale | Propoxur | Propyzamide | Pyrimetozine | Pyrazophos | Applying from 1 Jan 2003 | Applying from 1 Jan 2003 | Applying from 1 Jan 2003 | | | | | | | |
| b) Spinach & similar Spinach | Lettuce | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 1 | 1 | 1 | 0.05*(3.5) | 0.05* | 0.05* | 0.02*(3.5) | 0.05* | 0.05* | 0.01* | 0.05* | | |
| | Scarole | 0.05* | 0.05*(3.5) | 0.05* | 0.05* | 0.05* | 1 | 1 | 1 | 0.05*(3.5) | 0.05* | 0.05* | 0.02*(3.5) | 0.05* | 0.05*(3.5) | 0.01* | 0.05* | | |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 1 | 1 | 1 | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | | |
| | c) Watercress | Watercress | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | d) Withoof | Withoof | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | v) LEGUME VEGETABLES (fresh) | Beans (with pods) | Beans (with pods) | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | | | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | | | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | | Peas (without pods) | Peas (without pods) | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | | | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | | | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| vii) STEM VEGETABLES | | Cardoons | Cardoons | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | | | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | | | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | | Celery | Celery | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | | | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | | | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | | Fennel | Fennel | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | | | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | | | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Globe artichokes | Globe artichokes | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | | |
| | | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | | |
| | | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | | |
| | Lettuks | Lettuks | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | | |
| | | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | | |
| | | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | | |
| Rhubarb | Rhubarb | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | | | |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | | | |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | | | |

| Group to which food belongs | Groups include the following products | Its salts expressed as prohexadione | | | | | | | | | | | | | |
|-----------------------------|--|-------------------------------------|---------|---------------|----------|------------|--------------|------------|--------------------------------------|------------|------------|-------------|---------------------------------------|-------|---------------|
| | | Propargic | Propham | Propiconazole | Propoxur | Propyranid | Pyrethrozine | Pyrazophos | Pyridate Applying from 1 Jan 2003 | Quinalphos | Quintozene | Spiroxamine | Tecnazene Applying from 1 Jan 2003 | TEPP | Thiabendazole |
| ii) FUNGI | a) Cultivated mushrooms | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 10 |
| | b) Wild mushrooms | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| PULSES | Beans | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Lentils | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Peas | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Linseed | 0.1* | 0.1* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| OILSEEDS | Peanuts | 0.1* | 0.1* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05(38) | 0.05* | 0.05* | 0.01* | 0.05* |
| | Poppy seed | 0.1* | 0.1* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Sesame seed | 0.1* | 0.1* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Sunflower seed | 0.1* | 0.1* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Rape seed | 0.1* | 0.1* | 0.05* | 0.05* | 0.1 | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Soya bean | 0.1* | 0.1* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Mustard seed | 0.1* | 0.1* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Cotton seed | 0.1* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05 | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Others | 0.1* | 0.1* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | POTATOES | Early potatoes | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* |
| Ware potatoes | | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 15 |
| TEA | (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>) | 0.1* | 0.1* | 5 | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* | 0.02* | 0.1* | |
| | including hop pellets & unconcentrated powder | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* | 0.05* | 0.1* | 0.1* | 0.05* | 0.1* | 0.1* | 0.02* | 0.1* |

| Group to which food belongs | Groups include the following products | Triazophos | Trifonine | 2,4,5-T | Vinclozolin |
|--|--|------------|-----------|---------|-------------|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar, nuts | | | | | |
| i) CITRUS FRUIT | | | | | |
| | Grapefruit | 0.02* | 0.05* | 0.05* | 0.05* |
| | Lemons | 0.02* | 0.05* | 0.05* | 0.05* |
| | Limes | 0.02* | 0.05* | 0.05* | 0.05* |
| | Mandarins (incl clementines & similar hybrids) | 0.02* | 0.05* | 0.05* | 0.05* |
| | Oranges | 0.02* | 0.05* | 0.05* | 0.05* |
| | Pomeelos | 0.02* | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |
| ii) TREE NUTS (shelled or unshelled) | | | | | |
| | Almonds | 0.02* | 0.05* | 0.05* | 0.05* |
| | Brazil nuts | 0.02* | 0.05* | 0.05* | 0.05* |
| | Cashew nuts | 0.02* | 0.05* | 0.05* | 0.05* |
| | Chestnuts | 0.02* | 0.05* | 0.05* | 0.05* |
| | Coconuts | 0.02* | 0.05* | 0.05* | 0.05* |
| | Hazelnuts | 0.02* | 0.05* | 0.05* | 0.05* |
| | Macadamia nuts | 0.02* | 0.05* | 0.05* | 0.05* |
| | Pecans | 0.02* | 0.05* | 0.05* | 0.05* |
| | Pine nuts | 0.02* | 0.05* | 0.05* | 0.05* |
| | Pistachios | 0.02* | 0.05* | 0.05* | 0.05* |
| | Walnuts | 0.02* | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |
| iii) POME FRUIT | | | | | |
| | Apples | 0.02* | 2 | 0.05* | 1 |
| | Pears | 0.02* | 2 | 0.05* | 1 |
| | Quinces | 0.02* | 2 | 0.05* | 1 |
| | Others | 0.02* | 2 | 0.05* | 1 |
| iv) STONE FRUIT | | | | | |
| | Apricots | 0.02* | 2 | 0.05* | 2 |
| | Cherries | 0.02* | 2 | 0.05* | 0.5 |
| | Peaches (incl nectarines & similar hybrids) | 0.02* | 2 | 0.05* | 0.05* |

| Group to which food belongs | Groups include the following products | Triazophos | Trifloriate | 2,4,5-T | Vinidoxolin |
|--|---------------------------------------|------------|-------------|---------|-------------|
| | Plums | 0.02* | 1 | 0.05* | 2 |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |
| v) BERRIES AND SMALL FRUIT | | | | | |
| a) Table & wine grapes | | | | | |
| | Table grapes | 0.02* | 0.05* | 0.05* | 5 |
| | Wine grapes | 0.02* | 0.05* | 0.05* | 5 |
| b) Strawberries (other than wild) | | 0.02* | 0.05* | 0.05* | 5 |
| c) Cane fruit (other than wild) | | | | | |
| | Blackberries | 0.02* | 0.05* | 0.05* | 5 |
| | Dewberries | 0.02* | 0.05* | 0.05* | 5 |
| | Loganberries | 0.02* | 0.05* | 0.05* | 5 |
| | Raspberries | 0.02* | 0.05* | 0.05* | 5 |
| | Others | 0.02* | 0.05* | 0.05* | 5 |
| d) Other small fruit & berries (other than wild) | | | | | |
| | Bilberries | 0.02* | 0.05* | 0.05* | 0.05* |
| | Cranberries | 0.02* | 0.05* | 0.05* | 0.05* |
| | Currants (red, black & white) | 0.02* | 2 | 0.05* | 10 |
| | Gooseberries | 0.02* | 2 | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |
| e) Wild berries & wild fruit | | 0.02* | 0.05* | 0.05* | 0.05* |
| v) MISCELLANEOUS FRUIT | | | | | |
| | Avocados | 0.02* | 0.05* | 0.05* | 0.05* |
| | Bananas | 0.02* | 0.05* | 0.05 | 0.05* |
| | Dates | 0.02* | 0.05* | 0.05* | 0.05* |
| | Figs | 0.02* | 0.05* | 0.05* | 0.05* |
| | Kiwi fruit | 0.02* | 0.05* | 0.05* | 10 |
| | Kumquats | 0.02* | 0.05* | 0.05* | 0.05* |
| | Litchis | 0.02* | 0.05* | 0.05* | 0.05* |
| | Mangoes | 0.02* | 0.05* | 0.05* | 0.05* |
| | Olives (table consumption) | 0.02* | 0.05* | 0.05* | 0.05* |

| Group to which food belongs | Groups include the following products | Triazophos | Triflorine | 2,4,5-T | Vinclozolin |
|---|---------------------------------------|------------|------------|---------|-------------|
| | Olives (oil extract) | 0.02* | 0.05* | 0.05* | 0.05* |
| | Papaya | 0.02* | 0.05* | 0.05* | 0.05* |
| | Passion fruit | 0.02* | 0.05* | 0.05* | 0.05* |
| | Pineapples | 0.02* | 0.05* | 0.05* | 0.05* |
| | Pomegranates | 0.02* | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |
| 2. Vegetables, fresh or uncooked, frozen or dry | | | | | |
| i) ROOT AND TUBER VEGETABLES | | | | | |
| | Beetroot | 0.02* | 0.05* | 0.05* | 0.05* |
| | Carrots | 0.02* | 0.05* | 0.05* | 0.5 |
| | Celery | 0.02* | 0.05* | 0.05* | 0.05* |
| | Horseradish | 0.02* | 0.05* | 0.05* | 0.05* |
| | Jerusalem artichokes | 0.02* | 0.05* | 0.05* | 0.05* |
| | Parsnips | 0.02* | 0.05* | 0.05* | 0.05* |
| | Parsley root | 0.02* | 0.05* | 0.05* | 0.05* |
| | Radishes | 0.02* | 0.05* | 0.05* | 0.05* |
| | Salsify | 0.02* | 0.05* | 0.05* | 0.05* |
| | Sweet potatoes | 0.02* | 0.05* | 0.05* | 0.05* |
| | Swedes | 0.02* | 0.05* | 0.05* | 0.05* |
| | Turnips | 0.02* | 0.05* | 0.05* | 0.05* |
| | Yams | 0.02* | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |
| ii) BULB VEGETABLES | | | | | |
| | Garlic | 0.02* | 0.05* | 0.05* | 1 |
| | Onions | 0.02* | 0.05* | 0.05* | 1 |
| | Shallots | 0.02* | 0.05* | 0.05* | 1 |
| | Spring onions | 0.02* | 0.05* | 0.05* | 1 |
| | Others | 0.02* | 0.05* | 0.05* | 1 |
| iii) FRUITING VEGETABLES | | | | | |
| a) Solanaceae | | | | | |
| | Tomatoes | 0.02* | 0.05* | 0.05* | 0.05* |

| Group to which food belongs | Groups include the following products | Triazophos | Triflurine | 2,4,5-T | Vindozolin |
|-----------------------------|---------------------------------------|------------|------------|---------|------------|
| | Peppers | 0.02* | 0.05* | 0.05* | 3 |
| | Chilli peppers | 0.02* | 0.05* | 0.05* | 3 |
| | Aubergines | 0.02* | 0.05* | 0.05* | 3 |
| | Others | 0.02* | 0.05* | 0.05* | 3 |
| | b) Cucurbits-edible peel | | | | |
| | Cucumbers | 0.02* | 0.5 | 0.05* | 1 |
| | Cherkins | 0.02* | 0.5 | 0.05* | 1 |
| | Courgettes | 0.02* | 0.5 | 0.05* | 1 |
| | Others | 0.02* | 0.5 | 0.05* | 1 |
| | c) Cucurbits-inedible peel | | | | |
| | Melons | 0.02* | 0.05* | 0.05* | 1 |
| | Squashes | 0.02* | 0.05* | 0.05* | 1 |
| | Watermelons | 0.02* | 0.05* | 0.05* | 1 |
| | Others | 0.02* | 0.05* | 0.05* | 1 |
| | d) Sweet corn | 0.02* | 0.05* | 0.05* | 0.05* |
| | iv) BRASSICA VEGETABLES | | | | |
| | a) Flowering Brassicas | | | | |
| | Broccoli | 0.02* | 0.05* | 0.05* | 0.05* |
| | Cauliflower | 0.02* | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |
| | b) Head Brassicas | | | | |
| | Brussels sprouts | 0.02* | 0.05* | 0.05* | 0.05* |
| | Head cabbage | 0.02* | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |
| | c) Leafy Brassicas | | | | |
| | Chinese cabbage | 0.02* | 0.05* | 0.05* | 2 |
| | Kale | 0.02* | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |
| | d) Kohlrabi | 0.02* | 0.05* | 0.05* | 0.05* |
| | v) LEAF VEGETABLES AND FRESH HERBS | | | | |
| | a) Lettuce & similar | | | | |
| | Cress | 0.02* | 0.05* | 0.05* | 5 |
| | Lamb's lettuce | 0.02* | 0.05* | 0.05* | 5 |

| Group to which food belongs | Groups include the following products | Triazophos | Triflorine | 2,4,5-T | Vinylazolin |
|-----------------------------|---------------------------------------|------------|------------|---------|-------------|
| | Lettuce | 0.02* | 0.05* | 0.05* | 5 |
| | Scarole | 0.02* | 0.05* | 0.05* | 5 |
| | Others | 0.02* | 0.05* | 0.05* | 5 |
| | b) Spinach & similar Spinach | 0.02* | 0.05* | 0.05* | 0.05* |
| | Beet leaves (chard) | 0.02* | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |
| | c) Watercress | 0.02* | 0.05* | 0.05* | 0.05* |
| | d) Willowf | 0.02* | 0.05* | 0.05* | 2 |
| | e) Herbs Chervil | 0.02* | 0.05* | 0.05* | 0.05* |
| | Chives | 0.02* | 0.05* | 0.05* | 0.05* |
| | Parsley | 0.02* | 0.05* | 0.05* | 0.05* |
| | Celery leaves | 0.02* | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |
| | v) LEGUME VEGETABLES (fresh) | | | | |
| | Beans (with pods) | 0.02* | 0.05* | 0.05* | 2 |
| | Beans (without pods) | 0.02* | 0.05* | 0.05* | 0.5 |
| | Peas (with pods) | 0.02* | 0.05* | 0.05* | 2 |
| | Peas (without pods) | 0.02* | 0.05* | 0.05* | 0.3 |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |
| | vii) STEM VEGETABLES | | | | |
| | Asparagus | 0.02* | 0.05* | 0.05* | 0.05* |
| | Cardons | 0.02* | 0.05* | 0.05* | 0.05* |
| | Celery | 0.02* | 0.05* | 0.05* | 0.05* |
| | Fennel | 0.02* | 0.05* | 0.05* | 0.05* |
| | Globe artichokes | 0.02* | 0.05* | 0.05* | 0.05* |
| | Leeks | 0.02* | 0.05* | 0.05* | 0.05* |
| | Rhubarb | 0.02* | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |

| Group to which food belongs | Groups include the following products | Triazophos | Trifluralin | 2,4,5-T | Vinorelbine |
|-----------------------------|--|------------|-------------|---------|-------------|
| viii) FUNGI | | | | | |
| | a) Cultivated mushrooms | 0.02* | 0.05* | 0.05* | 0.05* |
| | b) Wild mushrooms | 0.02* | 0.05* | 0.05* | 0.05* |
| 3. PULSES | | | | | |
| | Beans | 0.02* | 0.05* | 0.05* | 0.5 |
| | Lentils | 0.02* | 0.05* | 0.05* | 0.05* |
| | Peas | 0.02* | 0.05* | 0.05* | 0.5 |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |
| 4. OILSEEDS | | | | | |
| | Linseed | 0.02* | 0.05* | 0.05* | 0.05* |
| | Peanuts | 0.02* | 0.05* | 0.05* | 0.05* |
| | Poppy seed | 0.02* | 0.05* | 0.05* | 0.05* |
| | Sesame seed | 0.02* | 0.05* | 0.05* | 0.05* |
| | Sunflower seed | 0.02* | 0.05* | 0.05* | 0.05* |
| | Rape seed | 0.02* | 0.05* | 0.05* | 1 |
| | Soya bean | 0.02* | 0.05* | 0.05* | 0.05* |
| | Mustard seed | 0.02* | 0.05* | 0.05* | 0.05* |
| | Cotton seed | 0.1 | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |
| 5. POTATOES | | | | | |
| | Early potatoes | 0.02* | 0.05* | 0.05* | 0.05* |
| | Ware potatoes | 0.02* | 0.05* | 0.05* | 0.05* |
| 6. TEA | | | | | |
| | (dried leaves and stalks, fermented or otherwise, Camellia sinensis) | 0.05* | 0.1* | 0.05* | 0.1* |
| 7. HOPS (dried) | | | | | |
| | including hop pellets & unconcentrated powder | 0.05* | 30 | 0.05* | 40 |

| Group to which food belongs | Groups include the following products | Acephate | Aldicarb | Aldrin & Dieldrin | Amitraz | Aramite | Azinisulfuron | Azinphos-ethyl | Azoxystrobin | Barban |
|-------------------------------------|---|----------|----------|-------------------|----------------------|----------------------|---------------|----------------------|--------------|----------------------|
| 8. CEREALS | | | | | | | | | | |
| | Wheat | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.02* | 0.05* | 0.3 | 0.05* |
| | Rye | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.02* | 0.05* | 0.3 | 0.05* |
| | Barley | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.02* | 0.05* | 0.3 | 0.05* |
| | Sorghum | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Oats | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.02* | 0.05* | 0.3 | 0.05* |
| | Triticale | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.02* | 0.05* | 0.3 | 0.05* |
| | Maize | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Buckwheat | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Millet | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Rice ⁽¹⁾ | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.02* | 0.05* | 5 | 0.05* |
| | Other cereals ⁽²⁾ | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* | 0.05* |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | | | | | |
| | Meat, fat & preparations of meat ⁽³⁾ | 0.02* | 0.01* | 0.2 | 0.02* ⁽⁶⁾ | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Milk ⁽⁴⁾ & | 0.02* | 0.01* | 0.006 | | 0.01* | | 0.05* | 0.01* | 0.05* |
| | Dairy produce ⁽⁵⁾ | | 0.01* | | | | | | | |
| | Eggs ⁽⁶⁾ | 0.02* | 0.01* | 0.02 | 0.02* | 0.01* ⁽⁷⁾ | | 0.05* ⁽⁷⁾ | 0.05* | 0.05* ⁽⁷⁾ |

Group to which food belongs Groups include the following products Benzalaxyl Benfurcarb Benzazone Captafol Carbaryl Carbofuzin Carbofuran Carbon disulphide Carbon tetrachloride

Applying from 1 Jan 2003

8. CEREALS

| | | | | | | | | | |
|------------------------------|-------|-------|------|-------|-----|------|------|-----|-----|
| Wheat | 0.05* | 0.05* | 0.1* | 0.05* | 0.5 | 0.1* | 0.1* | 0.1 | 0.1 |
| Rye | 0.05* | 0.05* | 0.1* | 0.05* | 0.5 | 0.1* | 0.1* | 0.1 | 0.1 |
| Barley | 0.05* | 0.05* | 0.1* | 0.05* | 0.5 | 0.1* | 0.1* | 0.1 | 0.1 |
| Sorghum | 0.05* | 0.05* | 0.1* | 0.05* | 0.5 | 0.1* | 0.1* | 0.1 | 0.1 |
| Oats | 0.05* | 0.05* | 0.1* | 0.05* | 0.5 | 0.1* | 0.1* | 0.1 | 0.1 |
| Triticale | 0.05* | 0.05* | 0.1* | 0.05* | 0.5 | 0.1* | 0.1* | 0.1 | 0.1 |
| Maize | 0.05* | 0.05* | 0.1* | 0.05* | 0.5 | 0.1* | 0.1* | 0.1 | 0.1 |
| Buckwheat | 0.05* | 0.05* | 0.1* | 0.05* | 0.5 | 0.1* | 0.1* | 0.1 | 0.1 |
| Millet | 0.05* | 0.05* | 0.1* | 0.05* | 0.5 | 0.1* | 0.1* | 0.1 | 0.1 |
| Rice ⁽¹⁾ | 0.05* | 0.05* | 0.1* | 0.05* | 1 | 0.1* | 0.1* | 0.1 | 0.1 |
| Other cereals ⁽²⁾ | 0.05* | 0.05* | 0.1* | 0.05* | 0.5 | 0.1* | 0.1* | 0.1 | 0.1 |

9. PRODUCTS OF ANIMAL ORIGIN

Meat, fat & preparations of meat ⁽³⁾

| | | | | | |
|--|-------|-------|-------|------|------|
| | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* |
|--|-------|-------|-------|------|------|

Milk ⁽⁴⁾ &

| | | | | | |
|--|-------|-------|-------|------|------|
| | 0.05* | 0.05* | 0.02* | 0.1* | 0.1* |
|--|-------|-------|-------|------|------|

Dairy produce ⁽⁵⁾

| | | | | | |
|---------------------|-------|-------|-------|------|------|
| Eggs ⁽⁶⁾ | 0.05* | 0.05* | 0.05* | 0.1* | 0.1* |
|---------------------|-------|-------|-------|------|------|

Group to which food belongs Groups include the following products Carbofuran Chlorfuran Chlorthane Chlorfensson Chlorbenzilate Chloroxuron Chlorbenside

8. CEREALS

| | | | | | | | |
|------------------------------|-------|-------|------|-------|-------|-------|-------|
| Wheat | 0.05* | 0.05* | 0.02 | 0.01* | 0.02* | 0.05* | 0.01* |
| Rye | 0.05* | 0.05* | 0.02 | 0.01* | 0.02* | 0.05* | 0.01* |
| Barley | 0.05* | 0.05* | 0.02 | 0.01* | 0.02* | 0.05* | 0.01* |
| Sorghum | 0.05* | 0.05* | 0.02 | 0.01* | 0.02* | 0.05* | 0.01* |
| Oats | 0.05* | 0.05* | 0.02 | 0.01* | 0.02* | 0.05* | 0.01* |
| Triticale | 0.05* | 0.05* | 0.02 | 0.01* | 0.02* | 0.05* | 0.01* |
| Maize | 0.05* | 0.05* | 0.02 | 0.01* | 0.02* | 0.05* | 0.01* |
| Buckwheat | 0.05* | 0.05* | 0.02 | 0.01* | 0.02* | 0.05* | 0.01* |
| Millet | 0.05* | 0.05* | 0.02 | 0.01* | 0.02* | 0.05* | 0.01* |
| Rice ⁽¹⁾ | 0.05* | 0.05* | 0.02 | 0.01* | 0.02* | 0.05* | 0.01* |
| Other cereals ⁽²⁾ | 0.05* | 0.05* | 0.02 | 0.01* | 0.02* | 0.05* | 0.01* |

9. PRODUCTS OF ANIMAL ORIGIN

| | | | | | | | |
|---|-------|----------------------|-------|----------------------|---------------------|----------------------|----------------------|
| Meat, fat & preparations of meat ⁽³⁾ | 0.05* | 0.05* | 0.05 | 0.05* | 0.1* | 0.05* | 0.05* |
| Milk ⁽⁴⁾ & | 0.05* | 0.05* | 0.002 | 0.05* | 0.1* | 0.05* | 0.05* |
| Dairy produce ⁽⁵⁾ | | | | | | | |
| Eggs ⁽⁶⁾ | 0.05* | 0.05* ⁽⁷⁾ | 0.005 | 0.05* ⁽⁷⁾ | 0.1* ⁽⁷⁾ | 0.05* ⁽⁷⁾ | 0.05* ⁽⁷⁾ |

| Group to which food belongs | Groups include the following products | Chlormequat | Chlorothalonil | Chlorpyrifos | Chlorpyrifos-methyl | Chlorzoxinate | Cyfluthrin | Cypermethrin | Daminozide | DDT |
|-------------------------------------|---|---|----------------|----------------------|---------------------|---------------|---|--------------|------------|------|
| Applying from 1 Jan 2003 | | | | | | | | | | |
| 8. CEREALS | | | | | | | | | | |
| | Wheat | 2 | 0.1 | 0.05* | 3 | 0.05* | 0.02* | 0.05* | 0.02* | 0.05 |
| | Rye | 2 | 0.1 | 0.05* | 3 | 0.05* | 0.02* | 0.05* | 0.02* | 0.05 |
| | Barley | 2 | 0.1 | 0.2 | 3 | 0.05* | 0.02* | 0.2 | 0.02* | 0.05 |
| | Sorghum | 0.05* | 0.01* | 0.05* | 3 | 0.05* | 0.02* | 0.05* | 0.02* | 0.05 |
| | Oats | 5 | 0.1 | 0.05* | 3 | 0.05* | 0.02* | 0.2 | 0.02* | 0.05 |
| | Triticale | 2 | 0.1 | 0.05* | 3 | 0.05* | 0.02* | 0.05* | 0.02* | 0.05 |
| | Maize | 0.05* | 0.01* | 0.05* | 3 | 0.05* | 0.02* | 0.05* | 0.02* | 0.05 |
| | Buckwheat | 0.05* | 0.01* | 0.05* | 3 | 0.05* | 0.02* | 0.05* | 0.02* | 0.05 |
| | Millet | 0.05* | 0.01* | 0.05* | 3 | 0.05* | 0.02* | 0.05* | 0.02* | 0.05 |
| | Rice ⁽¹⁾ | 0.05* | 0.01* | 0.05* | 3 | 0.05* | 0.02* | 0.05* | 0.02* | 0.05 |
| | Other cereals ⁽²⁾ | 0.05* | 0.01* | 0.05* | 3 | 0.05* | 0.02* | 0.05* | 0.02* | 0.05 |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | | | | | |
| | Meat, fat & preparations of meat ⁽³⁾ | 0.05 ⁽¹⁰⁾ 0.2 ⁽¹¹⁾ 0.1 ⁽¹²⁾ 0.05* ⁽¹³⁾ | 0.01* | 0.05* ⁽⁹⁾ | 0.05* | 0.05 | 0.05* ⁽⁶⁾ 0.2 ⁽¹⁷⁾ | 0.05* | 0.05* | 1 |
| | Milk ⁽⁴⁾ & | 0.05 | 0.01* | 0.01* | 0.01* | 0.02* | 0.02 | 0.05* | 0.05* | 0.04 |
| | Dairy produce ⁽⁵⁾ | | | | | | | | | |
| | Eggs ⁽⁶⁾ | 0.05* | 0.01* | 0.01* | 0.01* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05 |

Applying
from 1 Jan
2003

| Group to which food belongs | Groups include the following products | Deltamethrin | 1,1-dichloro-2,2-bis (4-ethyl-phenyl)- ethane | Diallate | Diazinon | 1,2-Dibromo ethane | Dichlorvos | Dicofol | Dimethoate | Dinoterb | Disulfoton | DNOC |
|-------------------------------------|---|----------------------|---|---------------------|----------|--------------------|------------|---|------------|----------------------|------------|----------------------|
| 8. CEREALS | | | | | | | | | | | | |
| | Wheat | 1 | 0.01* | 0.05* | 0.02* | 0.01* | 2 | 0.02* | 0.3 | 0.05* | 0.1 | 0.05* |
| | Rye | 1 | 0.01* | 0.05* | 0.02* | 0.01* | 2 | 0.02* | 0.3 | 0.05* | 0.02* | 0.05* |
| | Barley | 1 | 0.01* | 0.05* | 0.02* | 0.01* | 2 | 0.02* | 0.02* | 0.05* | 0.2 | 0.05* |
| | Sorghum | 1 | 0.01* | 0.05* | 0.02* | 0.01* | 2 | 0.02* | 0.02* | 0.05* | 0.2 | 0.05* |
| | Oats | 1 | 0.01* | 0.05* | 0.02* | 0.01* | 2 | 0.02* | 0.02* | 0.05* | 0.02* | 0.05* |
| | Triticale | 1 | 0.01* | 0.05* | 0.02* | 0.01* | 2 | 0.02* | 0.3 | 0.05* | 0.02* | 0.05* |
| | Maize | 1 | 0.01* | 0.05* | 0.02* | 0.01* | 2 | 0.02* | 0.02* | 0.05* | 0.02* | 0.05* |
| | Buckwheat | 1 | 0.01* | 0.05* | 0.02* | 0.01* | 2 | 0.02* | 0.02* | 0.05* | 0.02* | 0.05* |
| | Millet | 1 | 0.01* | 0.05* | 0.02* | 0.01* | 2 | 0.02* | 0.02* | 0.05* | 0.02* | 0.05* |
| | Rice ⁽¹⁾ | 1 | 0.01* | 0.05* | 0.02* | 0.01* | 2 | 0.02* | 0.02* | 0.05* | 0.02* | 0.05* |
| | Other cereals ⁽²⁾ | 1 | 0.01* | 0.05* | 0.02* | 0.01* | 2 | 0.02* | 0.02* | 0.05* | 0.02* | 0.05* |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | | | | | | | |
| | Meat, fat & preparations of meat ⁽³⁾ | 0.05* ⁽⁹⁾ | 0.01* | 0.2* | 0.02* | | | 0.5 ⁽²¹⁾ 0.1 ⁽⁹⁾ 0.05* ⁽²²⁾ 1 ⁽²³⁾ | | 0.05 | 0.02* | 0.05* |
| | Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾ | | 0.01* | 0.2* | 0.01* | | | 0.02 | | 0.05* | 0.02 | 0.05* |
| | Eggs ⁽⁶⁾ | 0.05* | 0.01* ⁽⁷⁾ | 0.2* ⁽⁷⁾ | | | | 0.05* | | 0.05* ⁽⁷⁾ | 0.02* | 0.05* ⁽⁷⁾ |

| Group to which food belongs | Groups include the following products | Endosulfan | Endrin | Ethion | Fenarimol | Fenbutatin oxide | Fenitn | Kenvalerate and Esfenvalerate |
|-----------------------------|---------------------------------------|------------|--------|--------|-----------|------------------|--------|-------------------------------|
|-----------------------------|---------------------------------------|------------|--------|--------|-----------|------------------|--------|-------------------------------|

Sum of RR and SS isomers Sum of RS and SR isomers

8. CEREALS

| | | | | | | | | |
|------------------------------|-------|------|-------|-------|-------|-------|-------|-------|
| Wheat | 0.05* | 0.01 | 0.2 | 0.02* | 0.05* | 0.05* | 0.05 | 0.02* |
| Rye | 0.05* | 0.01 | 0.5 | 0.02* | 0.05* | 0.05* | 0.05 | 0.02* |
| Barley | 0.05* | 0.01 | 0.5 | 0.02* | 0.05* | 0.05* | 0.2 | 0.05 |
| Sorghum | 0.05* | 0.01 | 0.05* | 0.02* | 0.05* | 0.05* | 0.02* | 0.02* |
| Oats | 0.05* | 0.01 | 0.05* | 0.02* | 0.05* | 0.05* | 0.2 | 0.05 |
| Triticale | 0.05* | 0.01 | 0.2 | 0.02* | 0.05* | 0.05* | 0.05 | 0.02* |
| Maize | 0.05* | 0.01 | 0.05* | 0.02* | 0.05* | 0.05* | 0.02* | 0.02* |
| Buckwheat | 0.05* | 0.01 | 0.05* | 0.02* | 0.05* | 0.05* | 0.02* | 0.02* |
| Millet | 0.05* | 0.01 | 0.05* | 0.02* | 0.05* | 0.05* | 0.02* | 0.02* |
| Rice ⁽¹⁾ | 0.05* | 0.01 | 0.05* | 0.02* | 0.05* | 0.05* | 0.02* | 0.02* |
| Other cereals ⁽²⁾ | 0.05* | 0.01 | 0.05* | 0.02* | 0.05* | 0.05* | 0.02* | 0.02* |

9. PRODUCTS OF ANIMAL ORIGIN

| | | | | | | | | |
|--|---------------------|--------|-------|-----------------------|-------|-------|----------------------|----------------------|
| Meat, fat & preparations of meat ⁽³⁾ | 0.1 ⁽⁸⁾ | 0.05 | 0.05* | 0.02* ⁽¹³⁾ | 0.05* | 0.05* | 0.2 ⁽⁸⁾ | 0.05 ⁽⁸⁾ |
| Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾ | 0.004 | 0.0008 | 0.05* | 0.02* | 0.05* | 0.05* | 0.02* | 0.02* |
| Eggs ⁽⁶⁾ | 0.1* ⁽⁷⁾ | 0.005 | 0.05* | 0.02* | 0.05* | 0.05* | 0.02* ⁽⁷⁾ | 0.02* ⁽⁷⁾ |

| Group to which food belongs | Groups include the following products | Fluor/sulfur-methyl ¹ | Fluroxypr and its esters expressed as fluroxypr | Formation | Furathiocarb | Glyphosate | Heptachlor | Hexachloro-benzene (HCB) | Hexachloro-cyclohexane (HCH) | |
|------------------------------|---------------------------------------|----------------------------------|---|-----------|--------------|--|------------|--------------------------|---------------------------------------|-------------|
| | | | | | | | | | Alpha isomer | Beta isomer |
| Applying from 1 Jan 2003 | | | | | | | | | | |
| 8. CEREALS | | | | | | | | | | |
| | Wheat | 0.02* | 0.1 | 0.02* | 0.05* | 5 | 0.01 | 0.01 | Sum of alpha and beta isomers 0.02 | |
| | Rye | 0.02* | 0.1 | 0.02* | 0.05* | 5 | 0.01 | 0.01 | 0.02 | |
| | Barley | 0.02* | 0.1 | 0.02* | 0.05* | 20 | 0.01 | 0.01 | 0.02 | |
| | Sorghum | 0.02* | 0.05* | 0.02* | 0.05* | 20 | 0.01 | 0.01 | 0.02 | |
| | Oats | 0.02* | 0.1 | 0.02* | 0.05* | 20 | 0.01 | 0.01 | 0.02 | |
| | Triticale | 0.02* | 0.1 | 0.02* | 0.05* | 5 | 0.01 | 0.01 | 0.02 | |
| | Maize | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01 | 0.01 | 0.02 | |
| | Buckwheat | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01 | 0.01 | 0.02 | |
| | Millet | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01 | 0.01 | 0.02 | |
| | Rice ⁽¹⁾ | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01 | 0.01 | 0.02 | |
| | Other cereals ⁽²⁾ | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01 | 0.01 | 0.02 | |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | | | | | |
| | Meat, fat & preparations of meat (3) | | 0.05* 0.5(16) | | 0.05* | 0.5 ⁽²⁴⁾ 2 ⁽²⁵⁾ 0.1*(17) | 0.2 | 0.2 | 0.2 | |
| | Milk ⁽⁴⁾ & | | 0.05* | | 0.05* | 0.1* | 0.004 | 0.01 | 0.004 | |
| | Dairy produce ⁽⁵⁾ | | 0.05*(7) | | 0.05* | 0.1* | 0.02 | 0.02 | 0.02 | |
| | Eggs ⁽⁶⁾ | | | | 0.05* | 0.1* | 0.02 | 0.02 | 0.01 | |

| Group to which food belongs | Groups include the following products | Hydrogen cyanide | Hydrogen phosphide | Imazalil | Inorganic bromide | Iprodione | Kresoxin-methyl | Lambda-cyhalothrin (40) |
|-------------------------------------|---------------------------------------|------------------|--------------------|----------|-------------------|-----------|---------------------------------|-------------------------|
| 8. CEREALS | | | | | | | | |
| | Wheat | 15 | 0.1 | 0.02* | 50 | 0.5 | 0.05* | 0.02* |
| | Rye | 15 | 0.1 | 0.02* | 50 | 0.02* | 0.05* | 0.02* |
| | Barley | 15 | 0.1 | 0.02* | 50 | 1 | 0.05* | 0.05 |
| | Sorghum | 15 | 0.1 | 0.02* | 50 | 0.02* | 0.05* | 0.02* |
| | Oats | 15 | 0.1 | 0.02* | 50 | 0.02* | 0.05* | 0.02* |
| | Triticale | 15 | 0.1 | 0.02* | 50 | 0.02* | 0.05* | 0.02* |
| | Maize | 15 | 0.1 | 0.02* | 50 | 0.02* | 0.05* | 0.02* |
| | Buckwheat | 15 | 0.1 | 0.02* | 50 | 0.02* | 0.05* | 0.02* |
| | Millet | 15 | 0.1 | 0.02* | 50 | 0.02* | 0.05* | 0.02* |
| | Rice (1) | 15 | 0.1 | 0.02* | 50 | 3 | 0.05* | 0.02* |
| | Other cereals (2) | 15 | 0.1 | 0.02* | 50 | 0.02* | 0.05* | 0.02* |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | | | |
| | Meat, fat & preparations of meat (3) | | | 0.02* | | 0.05* | 0.02* (14)(15) 0.05 (14)(16) | 0.5 (8) 0.02* (9) |
| | Milk (4) & Dairy produce (5) | | | 0.02* | | 0.05* | 0.05* (18) | 0.05 |
| | Eggs (6) | | | 0.02* | | 0.05* | 0.02* (7) | 0.02* |

| Group to which food belongs | Groups include the following products | Lindane | Malathion | Maneb | Mancozeb | Metiram | Propineb | Zineb | Mecarbam | Metahyal† | Methamidophos | Methidathion | Methomyl thiodicarb |
|-------------------------------------|---|---|-----------|-------|----------|---------|----------|-------|----------|-----------|---------------|--------------|---------------------|
| 8. CEREALS | | | | | | | | | | | | | |
| | Wheat | 0.01* | 8 | 1 | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | | | | |
| | Rye | 0.01* | 8 | 1 | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | | | | |
| | Barley | 0.01* | 8 | 2 | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | | | | |
| | Sorghum | 0.01* | 8 | 0.05* | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | | | | |
| | Oats | 0.01* | 8 | 2 | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | | | | |
| | Triticale | 0.01* | 8 | 0.05* | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | | | | |
| | Maize | 0.01* | 8 | 0.05* | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | | | | |
| | Buckwheat | 0.01* | 8 | 0.05* | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | | | | |
| | Millet | 0.01* | 8 | 0.05* | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | | | | |
| | Rice ⁽¹⁾ | 0.01* | 8 | 0.05* | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | | | | |
| | Other cereals ⁽²⁾ | 0.01* | 8 | 0.05* | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | | | | |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | | | | | | | | |
| | Meat, fat & preparations of meat ⁽³⁾ | 0.7 ⁽⁹⁾ /20 0.02 ⁽⁸⁾ | | 0.05* | 0.05* | 0.05* | 0.01* | 0.02* | 0.02 | | | | |
| | Milk ⁽⁴⁾ & | 0.001* | | 0.05* | 0.05* | 0.05* | 0.01* | 0.02* | 0.02 | | | | |
| | Dairy produce ⁽⁵⁾ | | | | | | | | | | | | |
| | Eggs ⁽⁶⁾ | 0.1/20 | | 0.05* | 0.05* | 0.05* | 0.01* | 0.02* | 0.02 | | | | |

| Group to which food belongs | Groups include the following products | Methoxychlor | Methyl bromide | Applying from 1 Jan 2003 | | Applying from 1 May 2003 | | Phorate | Phosphamidon | Pirimiphos-methyl | Procymidone |
|---|---------------------------------------|--------------|----------------|--------------------------|-------------------|--------------------------|-----------|---------|--------------|-------------------|-------------|
| | | | | Metsulfuron-methyl | Monofluron-methyl | Oxydemeton-methyl | Parathion | | | | |
| 8. CEREALS | | | | | | | | | | | |
| Wheat | | 0.01* | 0.1 | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05 | 5 | 0.02* |
| Rye | | 0.01* | 0.1 | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05 | 5 | 0.02* |
| Barley | | 0.01* | 0.1 | 0.05* | 0.05* | 0.1 | 0.05* | 0.05* | 0.05 | 5 | 0.02* |
| Sorghum | | 0.01* | 0.1 | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05 | 5 | 0.02* |
| Oats | | 0.01* | 0.1 | 0.05* | 0.05* | 0.1 | 0.05* | 0.05* | 0.05 | 5 | 0.02* |
| Triticale | | 0.01* | 0.1 | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05 | 5 | 0.02* |
| Maize | | 0.01* | 0.1 | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05 | 5 | 0.02* |
| Buckwheat | | 0.01* | 0.1 | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05 | 5 | 0.02* |
| Millet | | 0.01* | 0.1 | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05 | 5 | 0.02* |
| Rice ⁽¹⁾ | | 0.01* | 0.1 | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05 | 5 | 0.02* |
| Other cereals ⁽²⁾ | | 0.01* | 0.1 | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05 | 5 | 0.02* |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | | | | | | |
| Meat, fat & preparations of meat ⁽³⁾ | | | | | | | | | | | |
| | | 0.01* | | 0.05* | 0.05* | 0.02* | 0.05* | 0.5 | 0.05* | 0.05* | 0.05* |
| Milk ⁽⁴⁾ & | | 0.01* | | 0.05* | 0.05* | 0.02* | 0.05* | 0.05 | 0.02* | 0.05* | 0.05* |
| Dairy produce ⁽⁵⁾ | | | | | | | | | | 0.05* | |
| Eggs ⁽⁶⁾ | | 0.01*(7) | | 0.05*(7) | 0.05*(7) | 0.02* | 0.05* | 0.05 | 0.05* | 0.05* | 0.05* |

| Group to which food belongs | Groups include the following products | Prohexadione and its salts expressed as prohexadione | Propiconazole | Prothiam | Propoxur | Proxymamide | Pyrethrin | Pyrazophos | Pyrethrin | Pyridate | Quinzozone | Spirosamine | Tecazene | Thiabendazole | Triazophos |
|------------------------------|---|--|--|----------------------|----------|--|-----------|---------------------|-----------|----------|--------------------------------------|--|----------|---------------------|----------------------|
| 8. CEREALS | | | | | | | | | | | | | | | |
| | Wheat | 0.2 | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 3 | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Rye | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 3 | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Barley | 0.2 | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 3 | 0.05* | 0.02* | 0.3 | 0.05* | 0.05* | 0.02* |
| | Sorghum | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 3 | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Oats | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 3 | 0.05* | 0.02* | 0.3 | 0.05* | 0.05* | 0.02* |
| | Triticale | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 3 | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Maize | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 3 | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Buckwheat | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 3 | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Millet | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 3 | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Rice ⁽¹⁾ | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 3 | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Other cereals ⁽²⁾ | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 3 | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | | | | | | | | | | |
| | Meat, fat & preparations of meat ⁽³⁾ | 0.05* | 0.1 ⁽⁵⁶⁾ 0.05* ⁽²⁷⁾ | 0.05* | 0.05* | 0.05* ⁽²⁸⁾ ⁽³⁰⁾ 0.02* ⁽²⁹⁾ ⁽³⁰⁾ | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* ⁽¹³⁾ ⁽³⁴⁾ 0.2 ⁽³⁴⁾ ⁽³⁶⁾ | 0.05* | 0.1 ⁽¹⁹⁾ | 0.02* |
| | Milk ⁽⁴⁾ & | 0.01* | 0.01* | 0.05* | 0.05* | 0.01* ⁽³³⁾ | 0.01* | 0.02* | 0.05* | 0.01* | 0.02* ⁽³⁴⁾ | 0.05* | 0.05* | 0.02* | 0.02* |
| | Dairy produce ⁽⁵⁾ | | | | | | | | | | | | | | |
| | Eggs ⁽⁶⁾ | 0.05* ⁽⁷⁾ | 0.05* | 0.05* ⁽⁷⁾ | 0.05* | 0.02* ⁽³³⁾ | 0.01* | 0.1* ⁽⁷⁾ | 0.05* | 0.01* | 0.05* ⁽⁷⁾ ⁽³⁴⁾ | 0.05* ⁽⁷⁾ | 0.1* | 0.1* | 0.02* ⁽⁷⁾ |

Applying
from 1 Jan
2003

Applying
from 1 Jan
2003

| Trichlorfon food belongs | Group to which food belongs | Groups include the following products | Triforine | Vinclozolin |
|-------------------------------------|---|--|-----------|-------------|
| 8. CEREALS | | | | |
| 0.1 | Wheat | | 0.1 | 0.05* |
| 0.1 | Rye | | 0.1 | 0.05* |
| 0.1 | Barley | | 0.1 | 0.05* |
| 0.1 | Sorghum | | 0.05* | 0.05* |
| 0.1 | Oats | | 0.1 | 0.05* |
| 0.1 | Triticale | | 0.1 | 0.05* |
| 0.1 | Maize | | 0.05* | 0.05* |
| 0.1 | Buckwheat | | 0.05* | 0.05* |
| 0.1 | Millet | | 0.05* | 0.05* |
| 0.1 | Rice ⁽¹⁾ | | 0.05* | 0.05* |
| 0.1 | Other cereals ⁽²⁾ | | 0.05* | 0.05* |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | | |
| | Meat, fat & preparations of meat ⁽³⁾ | | 0.05* | 0.05* |
| | Milk ⁽⁴⁾ & | | 0.05* | 0.05* |
| | Dairy produce ⁽⁵⁾ | | | |
| | Eggs ⁽⁶⁾ | | 0.05* | 0.05* |

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

* Level at or about the limit of determination.

FOOTNOTES:

1. Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
2. Other cereals do not include rice.
3. Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
4. These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk of a combination, the following levels apply:
 - if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
 - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
6. Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
For eggs and egg products with a fat content higher than 10%, the maximum level is expressed in mg/kg fat. In this case, the maximum level is 10 times higher than the maximum level for fresh eggs.
8. All meat except poultrymeat.
9. Poultrymeat only.
10. Chicken liver.
11. Cattle kidney.
12. Cattle liver.
13. All meat except liver and kidney.
14. The residue definition for this MRL is: 2-methoxyimino-2-[2-(0-tolylloxymethyl)phenyl]acetic acid.
15. Meat, liver, fat.
16. Kidney.
17. Other meat products.
18. The residue definition for this MRL is: 2-[2-(4-hydroxy-2-methylphenoxy)methyl]phenyl]-2-methoxy-iminoacetic acid.
19. With the exception of meat and other ovine, bovine and caprine products.
20. These MRLs are based on Codex MRLs (extraneous residue limits) and do not result from the use of plant protection products.
21. Meat of cattle, sheep and goats.
22. Other than meat or liver of cattle, sheep and goats, and poultrymeat.
23. Liver of cattle, sheep and goats. The residue definition for this MRL is: 1,1-bis-(parachlorophenol)-2,2-dichloroethanol(PP-FW152), expressed as dicofof.
24. Pig kidney.

25. Cattle, goat and sheep kidney.
26. Ruminant liver.
27. All meat except ruminant liver.
28. Fat, liver and kidney.
29. Other than fat, liver and kidney.
30. The residues definition for these MRLs is: sum of propyzamide and all metabolites containing the 3,5-dichlorobenzoic acid fraction expressed as propyzamide.
31. All kidney except poultry kidney.
32. Procymidone: 1 mg/kg applies to whole seeds; 0.05 mg/kg applies to seed without shell.
33. Meat and meat products other than those at footnotes 10, 11 and 12.
34. The residues definition for this MRL is: spiroxamine carboxylic acid expressed as spiroxamine.
35. Scarole includes broad-leaf endive.
36. Liver and kidney.
37. Broccoli includes calabrese.
38. MRL is based on Codex MRL.
39. The MRL for Dimethoate in tea is changing from the italicised figure on the 1st January 2003.
40. For animal products the MRLs relate to cyhalothrin (sum of isomers).

EXPLANATORY NOTE

(This note is not part of the Order)

These Regulations, which extend to England and Wales only, are made under section 2(2) of the European Communities Act 1972 and further amend the provisions of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) Regulations 1999 (S.I.1999/3483) (the principal Regulations).

Part 2 of Schedule 2 to the principal Regulations is consolidated (regulation 2(6)) to take account of changes and additions to the EC maximum residue levels that have been set at an EC level since the last consolidation of this Part by S.I. 2001/1113.

These Regulations add new residue levels in Part 2 of Schedule 2 that have been set by recent amendments to the three Commission Directives: Council Directive 86/362/EEC, Council Directive 86/363/EEC and Council Directive 90/642/EEC. The following new or substituted maximum residue levels are implemented in Part 2 of Schedule 2 in these Regulations (regulation 2(6))—

Commission Directive 2002/42/EC (OJ No. L134, 22.5.2002 p. 29) for bentazone and pyridate;

Commission Directive 2002/66/EC (OJ No. L192, 20.7.2002 p. 47) for lindane, quintozone, parathion and permethrin;

Commission Directive 2002/71/EC (OJ No. L225, 22.8.2002 p. 21) for formothion, dimethoate and oxydemeton-methyl;

Commission Directive 2002/76/EC (OJ No. L240, 7.9.2002 p. 45) for metsulfuron methyl;

The definition of “the Residues Directives” is updated to take account of the latest Directives being implemented (regulation 2(2)).

Regulation 2(3) substitutes a new regulation 6(b) in the principal Regulations. The new regulation 6(b)(i) provides for the Sampling Procedure as contained in the Annex to Commission Directive 2002/63/EC to apply for the determination of pesticide residues set by the Community (Part 2 of Schedule 2). The new regulation 6(b)(ii) provides for the sampling of pesticide residues still set nationally to be carried out, so far as is practicable, in accordance with the methods and procedures recommended by the Codex Alimentarius Commission ‘Recommended methods of sampling for the determination of pesticide residues for compliance with MRLs; CAC/GL 33 - 1999’. Copies are available from their website from their list of standards at www.codexalimentarius.net. Alternatively the document is available from the Department for Environment, Food and Rural Affairs library situated at Nobel House, 17 Smith Square, London SW1P 3JR (E-mail: defra.library@defra.gsi.gov.uk).

These Regulations remove certain pesticide residues, that had previously been set nationally by virtue of powers contained in the Food and Environment Protection Act 1985, from the list contained in Part 1 of Schedule 2 to the principal Regulations as they have been replaced by Community levels (regulation 2(5)).

No Regulatory Impact Assessment has been produced for these Regulations.