

2003 No. 2591

AGRICULTURE, ENGLAND AND WALES
PESTICIDES, ENGLAND AND WALES

**The Pesticides (Maximum Residue Levels in Crops, Food
and Feeding Stuff) (England and Wales) (Amendment)
(No.2) Regulations 2003**

Made - - - - - *7th October 2003*

Laid before Parliament *8th October 2003*

Coming into force - - *24th October 2003*

The Secretary of State for Environment, Food and Rural Affairs and the National Assembly for Wales, acting jointly (the National Assembly for Wales acting in relation to Wales only), being designated(a) for the purposes of section 2(2) of the European Communities Act 1972(b) in relation to the common agricultural policy of the European Community, in exercise of the powers conferred on them by that section make the following Regulations:

Title, commencement and extent

1. These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No.2) Regulations 2003; they extend to England and Wales only, and shall come into force on 24th October 2003.

Amendment to the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) Regulations 1999

2.—(1) The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) Regulations 1999(c) shall be amended in accordance with this regulation.

(2) In regulation 2(1), for the definition of the Residues Directives there shall be substituted the following definition:

“The Residues Directives’ means Council Directive 86/362/EEC(d), Council Directive 86/363/EEC(e) and Council Directive 90/642/EEC(f), in each case amended as at the date of the making of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2003.”.

(a) S.I. 1972/1811 in the case of the Secretary of State and S.I. 1999/2788 in the case of the National Assembly for Wales.

(b) 1972 c. 68.

(c) S.I. 1999/3483, amended by S.I. 2001/1113, S.I. 2001/2420, S.I. 2001/3834, S.I. 2002/1767, S.I. 2002/2723 and S.I. 2003/661.

(d) OJ No. L221, 7.8.86, p. 37. The last amending instrument is Commission Directive 2003/62/EC (OJ No. L154, 21.6.2003, p. 70).

(e) OJ No. L221, 7.8.86, p. 43. The last amending instrument is Commission Directive 2003/60/EC (OJ No. L155, 24.6.2003, p. 15).

(f) OJ No. L350, 14.12.90, p. 71. The last amending instrument is Commission Directive 2003/69/EC (OJ No. L175, 15.7.2003, p. 37).

(3) In Schedule 1 the following entries shall be inserted at the appropriate places in columns 1 and 2 to preserve the alphabetical ordering in column 1 (with the entries for Amitrole replacing those in relation to which the term ‘Aminotriazole’ appears in column 1):

<i>Column 1</i> <i>Pesticide</i>	<i>Column 2</i> <i>Residues</i>
Acibenzolar-S-methyl	Acibenzolar-S-methyl
Amitrole	Amitrole
Chlorfenapyr	Chlorfenapyr
Cinidon-ethyl	Cinidon-ethyl (sum of cinidon-ethyl and its E-isomer)
Cyclanilide	Cyclanilide
Cyhalofop butyl	Cyhalofop butyl (sum of cyhalofop butyl and its free acids)
Diquat	Diquat
Ethofumesate	Ethofumesate (sum of ethofumesate and the metabolite 2, 3-dihydro-3,3-dimethyl-2-oxo-benzofuran-5-yl methane sulphonate expressed as ethofumesate)
Famoxadone	Famoxadone
Fenhexamid	Fenhexamid
Fentin acetate	Fentin acetate
Fentin hydroxide	Fentin hydroxide
Florasulam	Florasulam
Flumioxazine	Flumioxazine
Iprovalicarb	Iprovalicarb
Isoproturon	Isoproturon
Metalaxyl-M	(1) For cereals—metalaxyl-M (2) For other products—metalaxyl-M including other mixtures of constituent isomers (sum of isomers)
Picolinafen	Picolinafen
Prosulfuron	Prosulfuron
Pyraflufen-ethyl	Pyraflufen-ethyl
Sulfosulfuron	Sulfosulfuron

(4) In Part 1 of Schedule 2, the column for the pesticide Omethoate shall be deleted.

(5) In Part 2 of Schedule 2, in the relevant columns for the pesticides mentioned below, the maximum residue levels shall be changed as follows—

- for mg/kg of Chlormequat on pears delete “0.5” and insert “0.3”;
- for mg/kg of Dimethoate on tea (dried leaves and stalks, fermented or otherwise, *Camellia sinensis*) delete “0.2”;
- for mg/kg of Kresoxim-methyl on strawberries (other than wild) delete “0.2” and insert “1”;
- for mg/kg of Maneb Mancozeb Metiram Propineb Zineb on radishes delete “0.2” and insert “2”, and on spring onions delete “0.05*” and insert “1”.

(6) In Part 2 of Schedule 2—

- there shall be inserted, in the appropriate place to preserve the alphabetical ordering, columns of maximum permitted levels for residues of the pesticides Acibenzolar-S-methyl, Chlorfenapyr, Cinidon-ethyl, Cyclanilide, Cyhalofop butyl, Diquat, Ethofumesate, Famoxadone, Fenhexamid, Fentin acetate, Fentin hydroxide, Florasulam, Flumioxazine, Iprovalicarb, Isoproturon, Metalaxyl-M, Picolinafen, Prosulfuron, Pyraflufen-ethyl and Sulfosulfuron as specified in the Schedule to these Regulations;
- for the columns relating to the pesticides Aminotriazole (Amitrole), Azoxystrobin, Clofentezine, Hexaconazole, Lambda-cyhalothrin, Myclobutanil and Prochloraz,

- there shall be substituted the columns of maximum permitted levels for residues of those pesticides as specified in the Schedule to these Regulations (with the heading 'Aminotriazole (Amitrole)' being replaced by the heading 'Amitrole'); and
- (c) the column the heading of which is so replaced shall be moved to preserve the alphabetical ordering.

Signed on behalf of the National Assembly for Wales

7th October 2003

D. Elis-Thomas
Presiding Officer
National Assembly for Wales

15th September 2003

Alun Michael
Minister of State
Department for Environment, Food and Rural Affairs

SCHEDULE

Regulation 2(6)

Group to which food belongs	Groups include the following products	Acibenzolar-S-methyl	Amitrole	Azoxystrobin	Chlorfenapyr	Cinidon-ethyl	Clotefentzine	Cyclamitide	Cyhalofop butyl	Diquat	Ethofumesate	Famoxadone	Fenhexamid
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts													
i) CITRUS FRUIT													
	Grapefruit	0.02*	0.01*	1	0.05*	0.05*	0.5	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Lemons	0.02*	0.01*	1	0.05*	0.05*	0.5	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Limes	0.02*	0.01*	1	0.05*	0.05*	0.5	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Mandarins (inc clementines & similar hybrids)	0.02*	0.01*	1	0.05*	0.05*	0.5	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Oranges	0.02*	0.01*	1	0.05*	0.05*	0.5	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Pomelos	0.02*	0.01*	1	0.05*	0.05*	0.5	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Others	0.02*	0.01*	1	0.05*	0.05*	0.5	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
ii) TREE NUTS (shelled or unshelled)													
	Almonds	0.02*	0.01*	0.1*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Brazil nuts	0.02*	0.01*	0.1*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Cashew nuts	0.02*	0.01*	0.1*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Chestnuts	0.02*	0.01*	0.1*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Coconuts	0.02*	0.01*	0.1*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Hazelnuts	0.1*	0.01*	0.1*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Macadamia nuts	0.02*	0.01*	0.1*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Pecans	0.02*	0.01*	0.1*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Pine nuts	0.02*	0.01*	0.1*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Pistachios	0.02*	0.01*	0.1*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Walnuts	0.02*	0.01*	0.1*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Others	0.02*	0.01*	0.1*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
iii) POME FRUIT													
	Apples	0.02*	0.01*	0.05*	0.05*	0.05*	0.5	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Pears	0.02*	0.01*	0.05*	0.05*	0.05*	0.5	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Quinces	0.02*	0.01*	0.05*	0.05*	0.05*	0.5	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Others	0.02*	0.01*	0.05*	0.05*	0.05*	0.5	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
iv) STONE FRUIT													
	Apricots	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Cherries	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	5
	Peaches (inc nectarines & similar hybrids)	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Plums	0.02*	0.01*	0.05*	0.05*	0.05*	0.2	0.05*	0.02*	0.05*	0.05*	0.02*	2
	Others	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*

Group to which food belongs	Groups include the following products	Acibenzolar-S-methyl	Amitrole	Azoxystrobin	Chlorfenapyr	Citridon-ethyl	Clofentazine	Cyclanilide	Cyhalofop butyl	Diquat	Ethofumesate	Famoxadone	Fenhexamid
v) BERRIES AND SMALL FRUIT													
a)	Table & wine grapes												
	Table grapes	0.02*	0.01*	2	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	2	5
	Wine grapes	0.02*	0.01*	2	0.05*	0.05*	1	0.05*	0.02*	0.05*	0.05*	2	5
b)	Strawberries (other than wild)	0.02*	0.01*	2	0.05*	0.05*	2	0.05*	0.02*	0.05*	0.05*	0.02*	5
c)	Cane Fruit (other than wild)												
	Blackberries	0.02*	0.01*	3	0.05*	0.05*	3	0.05*	0.02*	0.05*	0.05*	0.02*	10
	Dewberries	0.02*	0.01*	0.05*	0.05*	0.05*	0.3	0.05*	0.02*	0.05*	0.05*	0.02*	10
	Loganberries	0.02*	0.01*	0.05*	0.05*	0.05*	0.3	0.05*	0.02*	0.05*	0.05*	0.02*	10
	Raspberries	0.02*	0.01*	3	0.05*	0.05*	3	0.05*	0.02*	0.05*	0.05*	0.02*	10
	Others	0.02*	0.01*	0.05*	0.05*	0.05*	0.3	0.05*	0.02*	0.05*	0.05*	0.02*	10
d)	Other small fruit & berries (other than wild)												
	Bilberries	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	5
	Cranberries	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Currants (red, black & white)	0.02*	0.01*	0.05*	0.05*	0.05*	0.5	0.05*	0.02*	0.05*	0.05*	0.02*	5
	Gooseberries	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	5
	Others	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
e)	Wild berries & wild fruit												
vi) MISCELLANEOUS FRUIT													
	Avocados	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Bananas	0.1	0.01*	2	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Dates	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Figs	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Kiwi fruit	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	10
	Kumquats	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Litchis	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Mangoes	0.5	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Olives (table consumption)	0.02*	0.05	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Olives (oil extract)	0.02*	0.05	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Papaya	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Passion fruit	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Pineapples	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Pomegranates	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Others	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*

Group to which food belongs	Groups include the following products	Acibenzolar-S-methyl	Amitrole	Azoxystrobin	Chlorfenapyr	Cinidon-ethyl	Clofentezine	Cyclanilide	Cyhalofop butyl	Diquat	Ethofumesate	Famoxadone	Fenhexamid
2. Vegetables, fresh or uncooked, frozen or dry													
i) ROOT AND TUBER VEGETABLES													
	Beetroot	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.1	0.02*	0.05*
	Carrots	0.02*	0.01*	0.2	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Celeriac	0.02*	0.01*	0.3	0.02*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Horse radish	0.02*	0.01*	0.2	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Jerusalem artichokes	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Parsnips	0.02*	0.01*	0.2	0.02*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Parsley root	0.02*	0.01*	0.2	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Radishes	0.02*	0.01*	0.05*	0.02*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Salsify	0.02*	0.01*	0.2	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Sweet potatoes	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Swedes	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Turnips	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Yams	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Others	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
ii) BULB VEGETABLES													
	Garlic	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Onions	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Shallots	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Spring onions	0.02*	0.01*	2	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Others	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
iii) FRUITING VEGETABLES													
a) Solanacea													
	Tomatoes	1	0.01*	2	0.05*	0.05*	0.3	0.05*	0.02*	0.05*	0.05*	0.2	1
	Peppers	0.02*	0.01*	2	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Chilli peppers												
	Aubergines	0.02*	0.01*	2	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.2	0.05*
	Others	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
b) Cucurbits-edible peel													
	Cucumbers	0.02*	0.01*	1	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.2	0.05*
	Gherkins	0.02*	0.01*	1	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Courgettes	0.02*	0.01*	1	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.2	0.05*
	Others	0.02*	0.01*	1	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
c) Cucurbits-inedible peel													
	Melons	0.02*	0.01*	0.5	0.05*	0.05*	0.1	0.05*	0.02*	0.05*	0.05*	0.3	0.05*
	Squashes	0.02*	0.01*	0.5	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Watermelons	0.02*	0.01*	0.5	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Others	0.02*	0.01*	0.5	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Sweet corn	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*

Group to which food belongs	Groups include the following products	Acibenzolar-S-methyl	Amitrole	Azoxystrobin	Chlorfenapyr	Cinidon-ethyl	Clofentezine	Cyclanilide	Cyhalofop butyl	Diquat	Ethofumesate	Famoxadone	Fenhexamid
Applying from 1 July 2004													
iv) BRASSICA VEGETABLES													
a)	Flowering Brassicas												
	Broccoli	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Cauliflower	0.02*	0.01*	0.5	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Others	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
b)	Head Brassicas												
	Brussels sprouts	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Head cabbage	0.02*	0.01*	0.3	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Others	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
c)	Leafy Brassicas												
	Chinese cabbage	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Kale	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Others	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
d)	Kohlrabi	0.02*	0.01*	0.2	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
v) LEAF VEGETABLES AND FRESH HERBS													
a)	Lettuce & similar												
	Cress	0.02*	0.01*	3	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Lamb's lettuce	0.02*	0.01*	3	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Lettuce	0.02*	0.01*	3	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Scarole	0.02*	0.01*	3	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Others	0.02*	0.01*	3	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
b)	Spinach & similar												
	Spinach	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Beet leaves (chard)	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Others	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
c)	Watercress	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
d)	Witloof	0.02*	0.01*	0.2	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
e)	Herbs												
	Chervil	0.02*	0.01*	3	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Chives	0.02*	0.01*	3	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Parsley	0.02*	0.01*	3	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Celery leaves	0.02*	0.01*	3	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Others	0.02*	0.01*	3	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
vi) LEGUME VEGETABLES (fresh)													
	Beans (with pods)	0.02*	0.01*	1	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Beans (without pods)	0.02*	0.01*	0.2	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Peas (with pods)	0.02*	0.01*	0.5	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Peas (without pods)	0.02*	0.01*	0.2	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Others	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*

Group to which food belongs	Groups include the following products	Acibenzolar-S-methyl	Amitrole	Azoxystrobin	Chlorfenapyr Applying from 1 July 2004	Cinidon-ethyl	Clofentezine	Cyclanilide	Cyhalofop butyl	Diquat	Ethofumesate	Famoxadone	Fenhexamid
vii) STEM VEGETABLES													
	Asparagus	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Cardoons	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Celery	0.02*	0.01*	5	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Fennel	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Globe artichokes	0.02*	0.01*	1	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Leeks	0.02*	0.01*	0.1	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Rhubarb	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Others	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
viii) FUNGI													
	a) Cultivated mushrooms	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	b) Wild mushrooms	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
3. PULSES													
	Beans	0.02*	0.01*	0.1	0.05*	0.05*	0.02*	0.05*	0.02*	0.2	0.05*	0.02*	0.05*
	Lentils	0.02*	0.01*	0.1	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Peas	0.02*	0.01*	0.1	0.05*	0.05*	0.02*	0.05*	0.02*	0.2	0.05*	0.02*	0.05*
	Others	0.02*	0.01*	0.1	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
4. OILSEEDS													
	Linseed	0.05*	0.02*	0.05*	0.1*	0.1*	0.05*	0.05*	0.05*	5	0.1*	0.05*	0.1*
	Peanuts	0.05*	0.02*	0.05*	0.1*	0.1*	0.05*	0.05*	0.05*	0.1	0.1*	0.05*	0.1*
	Poppy seed	0.05*	0.02*	0.05*	0.1*	0.1*	0.05*	0.05*	0.05*	0.1	0.1*	0.05*	0.1*
	Sesame seed	0.05*	0.02*	0.05*	0.1*	0.1*	0.05*	0.05*	0.05*	0.1	0.1*	0.05*	0.1*
	Sunflower seed	0.05*	0.02*	0.05*	0.1*	0.1*	0.05*	0.05*	0.05*	0.1	0.1*	0.05*	0.1*
	Rape seed	0.05*	0.02*	0.5	0.1*	0.1*	0.05*	0.05*	0.05*	0.1	0.1*	0.05*	0.1*
	Soya bean	0.05*	0.02*	0.5	0.1*	0.1*	0.05*	0.05*	0.05*	0.5	0.1*	0.05*	0.1*
	Mustard seed	0.05*	0.02*	0.05*	0.1*	0.1*	0.05*	0.05*	0.05*	0.1	0.1*	0.05*	0.1*
	Cotton seed	0.05*	0.02*	0.05*	0.1*	0.1*	0.05*	0.2	0.05*	0.1	0.1*	0.05*	0.1*
	Others	0.05*	0.02*	0.05*	0.1*	0.1*	0.05*	0.05*	0.05*	0.1	0.1*	0.05*	0.1*
5. POTATOES													
	Early potatoes	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Ware potatoes	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
6. TEA	(dried leaves and stalks fermented or otherwise, Camellia sinensis)	0.05*	0.02*	0.1	0.1*	0.1*	0.05*	0.1*	0.05*	0.1*	0.1*	0.05*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.05*	0.02*	20	0.1*	0.1*	0.05*	0.1*	0.05*	0.1*	0.1*	0.05*	0.1*

Group to which food belongs	Groups include the following products	Acibenzolar-S-methyl	Amitrole	Azoxystrobin	Chlorfenapyr	Cinidon-ethyl	Clofentezine	Cyclamitide	Cyhalofop butyl	Diquat	Ethofumesate	Famoxadone	Fenhexamid
8. CEREALS													
	Wheat	0.05*	0.01*	0.3	0.05*	0.1*	0.02*	0.05*	0.02*	0.05*	0.05*	0.1	0.05*
	Rye	0.05*	0.01*	0.3	0.05*	0.1*	0.02*	0.05*	0.02*	0.05*	0.05*	0.1	0.05*
	Barley	0.05*	0.01*	0.3	0.05*	0.1*	0.02*	0.05*	0.02*	10	0.05*	0.2	0.05*
	Sorghum	0.05*	0.01*	0.05*	0.05*	0.1*	0.02*	0.05*	0.02*	0.05*	0.05*	0.1	0.05*
	Oats	0.05*	0.01*	0.3	0.05*	0.1*	0.02*	0.05*	0.02*	2	0.05*	0.1	0.05*
	Triticale	0.05*	0.01*	0.3	0.05*	0.1*	0.02*	0.05*	0.02*	0.05*	0.05*	0.1	0.05*
	Maize	0.05*	0.01*	0.05*	0.05*	0.1*	0.02*	0.05*	0.02*	1	0.05*	0.02*	0.05*
	Buckwheat	0.05*	0.01*	0.05*	0.05*	0.1*	0.02*	0.05*	0.02*	0.05*	0.05*	0.1	0.05*
	Millet	0.05*	0.01*	0.05*	0.05*	0.1*	0.02*	0.05*	0.02*	1	0.05*	0.1	0.05*
	Rice ⁽¹⁾	0.05*	0.01*	5	0.05*	0.1*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
	Other cereals ⁽²⁾	0.05*	0.01*	0.05*	0.05*	0.1*	0.02*	0.05*	0.02*	0.05*	0.05*	0.1	0.05*
9. PRODUCTS OF ANIMAL ORIGIN													
	Meat, fat & preparations of meat ⁽³⁾	0.02*		0.05*			0.1 ⁽⁵⁾ 0.05* ⁽¹⁷⁾	0.01*		0.05*	0.1*	0.05*	0.05*
	Milk ⁽⁴⁾ &	0.02*		0.01*			0.05*	0.01*		0.05*	0.1*	0.05*	0.05*
	Dairy produce ⁽⁵⁾												
	Eggs ⁽⁶⁾	0.02*		0.05*			0.02*	0.01*		0.05*	0.1*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Fentin acetate Applying from 1 July 2004	Fentin hydroxide Applying from 1 July 2004	Florasulam	Flumioxazine	Hexaconazole	Iprovalicarb	Isoproturon	Lambda- cyhalothrin	Metalaxyl-M	Myclobutanil	Picolinaten
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts												
i) CITRUS FRUIT												
	Grapefruit	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.1	0.5	3	0.05*
	Lemons	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.2	0.5	3	0.05*
	Limes	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.2	0.5	3	0.05*
	Mandarins (inc clementines & similar hybrids)	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.2	0.5	3	0.05*
	Oranges	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.1	0.5	3	0.05*
	Pomelos	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.1	0.5	3	0.05*
	Others	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.5	3	0.05*
ii) TREE NUTS (shelled or unshelled)												
	Almonds	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*
	Brazil nuts	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*
	Cashew nuts	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*
	Chestnuts	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*
	Coconuts	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*
	Hazelnuts	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*
	Macadamia nuts	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*
	Pine nuts	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*
	Pistachios	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*
	Walnuts	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*
	Others	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*
iii) POME FRUIT												
	Apples	0.05*	0.05*	0.01*	0.05*	0.1	0.05*	0.05*	0.1	0.02*	0.5	0.05*
	Pears	0.05*	0.05*	0.01*	0.05*	0.1	0.05*	0.05*	0.1	0.02*	0.5	0.05*
	Quinces	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.1	0.02*	0.5	0.05*
	Others	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.1	0.02*	0.5	0.05*
iv) STONE FRUIT												
	Apricots	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.2	0.02*	0.3	0.05*
	Cherries	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.1	0.02*	1	0.05*
	Peaches (inc nectarines & similar hybrids)	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.2	0.02*	0.5	0.05*
	Plums	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.1	0.02*	0.5	0.05*
	Others	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.1	0.02*	0.02*	0.05*

Group to which food belongs	Groups include the following products	Fenitn acetate Applying from 1 July 2004	Fenitn hydroxide Applying from 1 July 2004	Florasulam	Flumioxazine	Hexaconazole	Iprovalicarb	Isoproturon	Lambda- cyhalothrin	Metaxyl-M	Myclobutanil	Piclorifen	
v) BERRIES AND SMALL FRUIT	a) Table & wine grapes												
	Table grapes	0.05*	0.05*	0.01*	0.05*	0.1	2	0.05*	0.2	1	1	0.05*	
	Wine grapes	0.05*	0.05*	0.01*	0.05*	0.1	2	0.05*	0.2	1	1	0.05*	
	b) Strawberries (other than wild)												
	Strawberries	0.05*	0.05*	0.01*	0.05*	0.2	0.05*	0.05*	0.5	0.3	1	0.05*	
	c) Cane Fruit (other than wild)												
	Blackberries	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*	
	Dewberries	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*	
	Loganberries	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*	
	Raspberries	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*	
	Others	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*	
	d) Other small fruit & berries (other than wild)												
	Bilberries	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
	Cranberries	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
	Currants (red, black & white)	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	0.1	0.02*	1	0.05*
	Gooseberries	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	0.1	0.02*	1	0.05*
	Others	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
	e) Wild berries & wild fruit												
	Wild berries & wild fruit	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	0.2	0.02*	0.02*	0.05*
	vi) MISCELLANEOUS FRUIT	Avocados	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
Bananas		0.05*	0.05*	0.01*	0.05*	0.1	0.05*	0.05*	0.02*	0.02*	2	0.05*	
Dates		0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*	
Figs		0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*	
Kiwi fruit		0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*	
Kumquats		0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*	
Litchis		0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*	
Mangoes		0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*	
Olives (table consumption)		0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
Olives (oil extract)		0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
Papaya		0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
Passion fruit		0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
Pineapples		0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
Pomegranates		0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
Others		0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*

Group to which food belongs	Groups include the following products	Fentim acetate Applying from 1 July 2004	Fentin hydroxide Applying from 1 July 2004	Florasulam	Flumioxazine	Hexaconazole	Iprovalicarb	Isoproturon	Lambda- cyhalothrin	Metaxyl-M	Myclobutanil	Picolinafen
2. Vegetables, fresh or uncooked, frozen or dry												
i) ROOT AND TUBER VEGETABLES												
	Beetroot	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
	Carrots	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.1	0.2	0.05*
	Celeriac	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.1	0.02*	0.02*	0.05*
	Horseradish	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
	Jerusalem artichokes	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
	Parsnips	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
	Parsley root	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
	Radishes	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.1	0.02*	0.02*	0.05*
	Salsify	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
	Sweet potatoes	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
	Swedes	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
	Turnips	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
	Yams	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
	Others	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
ii) BULB VEGETABLES												
	Garlic	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
	Onions	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
	Shallots	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
	Spring onions	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.05	0.02*	0.02*	0.05*
	Others	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
iii) FRUITING VEGETABLES												
a) Solanacea												
	Tomatoes	0.05*	0.05*	0.01*	0.05*	0.1	1	0.05*	0.1	0.2	0.3	0.05*
	Peppers	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.1	0.5	0.5	0.05*
	Chilli peppers	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.5	0.02*	0.3	0.05*
	Aubergines	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
	Others	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
b) Cucurbits-edible peel												
	Cucumbers	0.05*	0.05*	0.01*	0.05*	0.02*	0.1	0.05*	0.1	0.5	0.1	0.05*
	Gherkins	0.05*	0.05*	0.01*	0.05*	0.02*	0.1	0.05*	0.1	0.02*	0.1	0.05*
	Courgettes	0.05*	0.05*	0.01*	0.05*	0.02*	0.1	0.05*	0.1	0.02*	0.1	0.05*
	Others	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.1	0.02*	0.1	0.05*
c) Cucurbits-inedible peel												
	Melons	0.05*	0.05*	0.01*	0.05*	0.02*	0.1	0.05*	0.05	0.05	0.2	0.05*
	Squashes	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.05	0.02*	0.2	0.05*
	Watermelons	0.05*	0.05*	0.01*	0.05*	0.02*	0.1	0.05*	0.05	0.05	0.2	0.05*
	Others	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.05	0.02*	0.2	0.05*
	Sweet corn	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.05	0.02*	0.02*	0.05*

Group to which food belongs	Groups include the following products	Fentim acetate Applying from 1 July 2004	Fentim hydroxide Applying from 1 July 2004	Florasulam	Flumioxazine	Hexaconazole	Iprovalicarb	Isoproturon	Lambda- cyhalothrin	Metaxyl-M	Myclobutanil	Picolinafen	
iv) BRASSICA VEGETABLES	a) Flowering Brassicas												
	Broccoli	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.1	0.05	0.02*	0.05*	
	Cauliflower	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.1	0.05	0.02*	0.05*	
	Others	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.1	0.02*	0.02*	0.05*	
	b) Head Brassicas												
	Brussels sprouts	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.05	0.02*	0.02*	0.05*	
	Head cabbage	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.2	0.05	0.02*	0.05*	
	Others	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*	
	c) Leafy Brassicas												
	Chinese cabbage	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	1	0.02*	0.02*	0.05*	
	Kale	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	1	0.2	0.02*	0.05*	
	Others	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	1	0.02*	0.02*	0.05*	
	d) Kohlrabi	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	
	v) LEAF VEGETABLES AND FRESH HERBS	a) Lettuce & similar											
		Cress	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	1	0.02*	0.02*	0.05*
		Lamb's lettuce	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	1	0.02*	0.02*	0.05*
		Lettuce	0.05*	0.05*	0.01*	0.05*	0.02*	1	0.05*	1	2	0.02*	0.05*
		Scarole	0.05*	0.05*	0.01*	0.05*	0.02*	1	0.05*	1	0.02*	0.02*	0.05*
		Others	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	1	0.02*	0.02*	0.05*
		b) Spinach & similar											
Spinach		0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.5	0.05	0.02*	0.05*	
Beet leaves (chard)		0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*	
Others		0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*	
c) Watercress		0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	
d) Witloof		0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.3	0.02*	
e) Herbs													
Chervil		0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	1	0.02*	0.02*	
Chives		0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	1	0.02*	0.02*	
Parsley		0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	1	0.02*	0.02*	
Celery leaves		0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	1	0.02*	0.02*	
Others		0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	1	0.02*	0.02*	
vi) LEGUME VEGETABLES (fresh)		Beans (with pods)	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.2	0.02*	0.02*	0.05*
		Beans (without pods)	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
	Peas (with pods)	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.2	0.02*	0.02*	0.05*	
	Peas (without pods)	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.2	0.02*	0.02*	0.05*	
	Others	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*	

Group to which food belongs	Groups include the following products	Fentin acetate Applying from 1 July 2004	Fentin hydroxide Applying from 1 July 2004	Fibresulam	Flumioxazine	Hexaconazole	Iprouvicarb	Isoproturon	Lambda- cyhalothrin	Metaxyl-M	Myclobutanil	Picolifaten
vii) STEM VEGETABLES												
	Asparagus	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
	Cardoons	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
	Celery	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.3	0.02*	0.02*	0.05*
	Fennel	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
	Globe artichokes	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.5	0.05*
	Leeks	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.3	0.02*	0.02*	0.05*
	Rhubarb	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
	Others	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
viii) FUNGI												
	a) Cultivated mushrooms	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
	b) Wild mushrooms	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.5	0.02*	0.02*	0.05*
3. PULSES												
	Beans	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
	Lentils	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
	Peas	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
	Others	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
4. OILSEEDS												
	Linseed	0.1*	0.1*	0.1*	0.1*	0.05*	0.1*	0.1*	0.02*	0.05*	0.05*	0.1*
	Peanuts	0.1*	0.1*	0.1*	0.1*	0.05*	0.1*	0.1*	0.02*	0.05*	0.05*	0.1*
	Poppy seed	0.1*	0.1*	0.1*	0.1*	0.05*	0.1*	0.1*	0.02*	0.05*	0.05*	0.1*
	Sesame seed	0.1*	0.1*	0.1*	0.1*	0.05*	0.1*	0.1*	0.02*	0.05*	0.05*	0.1*
	Sunflower seed	0.1*	0.1*	0.1*	0.1*	0.05*	0.1*	0.1*	0.02*	0.05*	0.05*	0.1*
	Rape seed	0.1*	0.1*	0.1*	0.1*	0.05*	0.1*	0.1*	0.02*	0.05*	0.05*	0.1*
	Soya bean	0.1*	0.1*	0.1*	0.1*	0.05*	0.1*	0.1*	0.02*	0.05*	0.05*	0.1*
	Mustard seed	0.1*	0.1*	0.1*	0.1*	0.05*	0.1*	0.1*	0.02*	0.05*	0.05*	0.1*
	Cotton seed	0.1*	0.1*	0.1*	0.1*	0.05*	0.1*	0.1*	0.02*	0.05*	0.05*	0.1*
	Others	0.1*	0.1*	0.1*	0.1*	0.05*	0.1*	0.1*	0.02*	0.05*	0.05*	0.1*
5. POTATOES												
	Early potatoes	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
	Ware potatoes	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.1*	0.1*	0.1*	0.05*	0.1*	0.1*	1	0.05*	0.05*	0.1*
7. HOPS (dried)	including hop pellets & concentrated powder	0.1*	0.1*	0.1*	0.1*	0.05*	0.1*	0.1*	10	10	2	0.1*

Group to which food belongs	Groups include the following products	Fentin acetate Applying from 1 July 2004	Fentin hydroxide Applying from 1 July 2004	Fibrasulam	Flumioxazine	Hexaconazole	Iprovalicarb	Isoproturon	Lambda- cyhalothrin	Metaxyl-M	Myclobutanil	Piclorfen	
8. CEREALS	Wheat	0.05*	0.05*	0.01*	0.05*	0.1	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*	
	Rye	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*	
	Barley	0.05*	0.05*	0.01*	0.05*	0.1	0.05*	0.05*	0.05	0.02*	0.02*	0.05*	
	Sorghum	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*	
	Oats	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*	
	Triticale	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*	
	Maize	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*	
	Buckwheat	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*	
	Millet	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*	
	Rice ⁽¹⁾	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	0.02*	0.05*	
	Other cereals ⁽²⁾	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	
	9. PRODUCTS OF ANIMAL ORIGIN	Meat, fat & preparations of meat ⁽³⁾							0.05*	0.5 ^{(8),(39)} 0.02* ^{(9),(39)}		0.01*	
		Milk ⁽⁴⁾ &							0.05*	0.05 ⁽³⁹⁾		0.01*	
		Dairy produce ⁽⁵⁾							0.05*				
Eggs ⁽⁶⁾								0.05*	0.02* ⁽³⁹⁾		0.01*		

Group to which food belongs	Groups include the following products	Prochloraz	Prosulfluron	Pyraflufenethyl	Sulfosulfuron
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts					
i) CITRUS FRUIT					
	Grapefruit	10	0.02*	0.02*	0.05*
	Lemons	10	0.02*	0.02*	0.05*
	Limes	10	0.02*	0.02*	0.05*
	Mandarins (inc clementines & similar hybrids)	10	0.02*	0.02*	0.05*
	Oranges	10	0.02*	0.02*	0.05*
	Pomelos	10	0.02*	0.02*	0.05*
	Others	10	0.02*	0.02*	0.05*
ii) TREE NUTS (shelled or unshelled)					
	Almonds	0.1*	0.02*	0.1*	0.05*
	Brazil nuts	0.1*	0.02*	0.1*	0.05*
	Cashew nuts	0.1*	0.02*	0.1*	0.05*
	Chestnuts	0.1*	0.02*	0.1*	0.05*
	Coconuts	0.1*	0.02*	0.1*	0.05*
	Hazelnuts	0.1*	0.02*	0.1*	0.05*
	Macadamia nuts	0.1*	0.02*	0.1*	0.05*
	Pecans	0.1*	0.02*	0.1*	0.05*
	Pine nuts	0.1*	0.02*	0.1*	0.05*
	Pistachios	0.1*	0.02*	0.1*	0.05*
	Walnuts	0.1*	0.02*	0.1*	0.05*
	Others	0.1*	0.02*	0.1*	0.05*
iii) POME FRUIT					
	Apples	0.05*	0.02*	0.02*	0.05*
	Pears	0.05*	0.02*	0.02*	0.05*
	Quinces	0.05*	0.02*	0.02*	0.05*
	Others	0.05*	0.02*	0.02*	0.05*
iv) STONE FRUIT					
	Apricots	0.05*	0.02*	0.02*	0.05*
	Cherries	0.05*	0.02*	0.02*	0.05*
	Peaches (inc nectarines & similar hybrids)	0.05*	0.02*	0.02*	0.05*
	Plums	0.05*	0.02*	0.02*	0.05*
	Others	0.05*	0.02*	0.02*	0.05*

Group to which food belongs	Prochloraz	Propiconazole	Pyraflufenethil	Sulfosulfuron
Groups include the following products				
v) BERRIES AND SMALL FRUIT				
a) Table & wine grapes				
Table grapes	0.05*	0.02*	0.02*	0.05*
Wine grapes	0.05*	0.02*	0.02*	0.05*
b) Strawberries (other than wild)				
c) Cane Fruit (other than wild)				
Blackberries	0.05*	0.02*	0.02*	0.05*
Dewberries	0.05*	0.02*	0.02*	0.05*
Loganberries	0.05*	0.02*	0.02*	0.05*
Raspberries	0.05*	0.02*	0.02*	0.05*
Others	0.05*	0.02*	0.02*	0.05*
d) Other small fruit & berries (other than wild)				
Bilberries	0.05*	0.02*	0.02*	0.05*
Cranberries	0.05*	0.02*	0.02*	0.05*
Currants (red, black & white)	0.05*	0.02*	0.02*	0.05*
Gooseberries	0.05*	0.02*	0.02*	0.05*
Others	0.05*	0.02*	0.02*	0.05*
e) Wild berries & wild fruit				
Wild berries & wild fruit	0.05*	0.02*	0.02*	0.05*
vi) MISCELLANEOUS FRUIT				
Avocados	5	0.02*	0.02*	0.05*
Bananas	0.05*	0.02*	0.02*	0.05*
Dates	0.05*	0.02*	0.02*	0.05*
Figs	0.05*	0.02*	0.02*	0.05*
Kiwi fruit	0.05*	0.02*	0.02*	0.05*
Kumquats	0.05*	0.02*	0.02*	0.05*
Litchis	0.05*	0.02*	0.02*	0.05*
Mangoes	5	0.02*	0.02*	0.05*
Olives (table consumption)	0.05*	0.02*	0.02*	0.05*
Olives (oil extract)	0.05*	0.02*	0.02*	0.05*
Papaya	5	0.02*	0.02*	0.05*
Passion fruit	0.05*	0.02*	0.02*	0.05*
Pineapples	5	0.02*	0.02*	0.05*
Pomegranates	0.05*	0.02*	0.02*	0.05*
Others	0.05*	0.02*	0.02*	0.05*

Group to which food belongs	Prochloraz	Prosulfuron	Pyraflufenethyl	Sulfosulfuron
Groups include the following products				
2. Vegetables, fresh or uncooked, frozen or dry				
i) ROOT AND TUBER VEGETABLES				
Beetroot	0.05*	0.02*	0.02*	0.05*
Carrots	0.05*	0.02*	0.02*	0.05*
Celeriac	0.05*	0.02*	0.02*	0.05*
Horse radish	0.05*	0.02*	0.02*	0.05*
Jerusalem artichokes	0.05*	0.02*	0.02*	0.05*
Parsnips	0.05*	0.02*	0.02*	0.05*
Parsley root	0.05*	0.02*	0.02*	0.05*
Radishes	0.05*	0.02*	0.02*	0.05*
Salsify	0.05*	0.02*	0.02*	0.05*
Sweet potatoes	0.05*	0.02*	0.02*	0.05*
Sweddes	0.05*	0.02*	0.02*	0.05*
Turnips	0.05*	0.02*	0.02*	0.05*
Yams	0.05*	0.02*	0.02*	0.05*
Others	0.05*	0.02*	0.02*	0.05*
ii) BULB VEGETABLES				
Garlic	0.5	0.02*	0.02*	0.05*
Onions	0.05*	0.02*	0.02*	0.05*
Shallots	5	0.02*	0.02*	0.05*
Spring onions	0.05*	0.02*	0.02*	0.05*
Others	0.05*	0.02*	0.02*	0.05*
iii) FRUITING VEGETABLES				
a)				
Solanacea	0.05*	0.02*	0.02*	0.05*
Tomatoes	0.05*	0.02*	0.02*	0.05*
Peppers	0.05*	0.02*	0.02*	0.05*
Chilli peppers	0.05*	0.02*	0.02*	0.05*
Aubergines	0.05*	0.02*	0.02*	0.05*
Others	0.05*	0.02*	0.02*	0.05*
b)				
Cucurbits-edible peel	0.05*	0.02*	0.02*	0.05*
Cucumbers	0.05*	0.02*	0.02*	0.05*
Gherkins	0.05*	0.02*	0.02*	0.05*
Courgettes	0.05*	0.02*	0.02*	0.05*
Others	0.05*	0.02*	0.02*	0.05*
c)				
Cucurbits-inedible peel	0.05*	0.02*	0.02*	0.05*
Melons	0.05*	0.02*	0.02*	0.05*
Squashes	0.05*	0.02*	0.02*	0.05*
Watermelons	0.05*	0.02*	0.02*	0.05*
Others	0.05*	0.02*	0.02*	0.05*
d)				
Sweet corn	0.05*	0.02*	0.02*	0.05*

Group to which food belongs	Prochloraz	Prosulfuron	Pyraflufenethyl	Sulfosulfuron
Groups include the following products				
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar; nuts				
iv) BRASSICA VEGETABLES				
a) Flowering Brassicas				
Broccoli	0.05*	0.02*	0.02*	0.05*
Cauliflower	0.05*	0.02*	0.02*	0.05*
Others	0.05*	0.02*	0.02*	0.05*
b) Head Brassicas				
Brussels sprouts	0.05*	0.02*	0.02*	0.05*
Head cabbage	0.05*	0.02*	0.02*	0.05*
Others	0.05*	0.02*	0.02*	0.05*
c) Leafy Brassicas				
Chinese cabbage	0.05*	0.02*	0.02*	0.05*
Kale	0.05*	0.02*	0.02*	0.05*
Others	0.05*	0.02*	0.02*	0.05*
d) Kohlrabi	0.05*	0.02*	0.02*	0.05*
v) LEAF VEGETABLES AND FRESH HERBS				
a) Lettuce & similar				
Cress	5	0.02*	0.02*	0.05*
Lamb's lettuce	5	0.02*	0.02*	0.05*
Lettuce	5	0.02*	0.02*	0.05*
Scarole	5	0.02*	0.02*	0.05*
Others	5	0.02*	0.02*	0.05*
b) Spinach & similar				
Spinach	0.05*	0.02*	0.02*	0.06*
Beet leaves (chard)	0.05*	0.02*	0.02*	0.05*
Others	0.05*	0.02*	0.02*	0.05*
c) Watercress	0.05*	0.02*	0.02*	0.05*
d) Witloof	0.05*	0.02*	0.02*	0.05*
e) Herbs				
Chervil	5	0.02*	0.02*	0.05*
Chives	5	0.02*	0.02*	0.05*
Parsley	5	0.02*	0.02*	0.05*
Celery leaves	5	0.02*	0.02*	0.05*
Others	5	0.02*	0.02*	0.05*
vi) LEGUME VEGETABLES (fresh)				
Beans (with pods)	0.05*	0.02*	0.02*	0.05*
Beans (without pods)	0.05*	0.02*	0.02*	0.05*
Peas (with pods)	0.05*	0.02*	0.02*	0.05*
Peas (without pods)	0.05*	0.02*	0.02*	0.05*
Others	0.05*	0.02*	0.02*	0.05*

Group to which food belongs	Groups include the following products	Prochloraz	Prosulfluron	Pyraflufenethyl	Sulfosulfuron
vii) STEM VEGETABLES					
	Asparagus	0.05*	0.02*	0.02*	0.05*
	Cardoons	0.05*	0.02*	0.02*	0.05*
	Celery	0.05*	0.02*	0.02*	0.05*
	Fennel	0.05*	0.02*	0.02*	0.05*
	Globe artichokes	0.05*	0.02*	0.02*	0.05*
	Leeks	0.05*	0.02*	0.02*	0.05*
	Rhubarb	0.05*	0.02*	0.02*	0.05*
	Others	0.05*	0.02*	0.02*	0.05*
viii) FUNGI					
	a) Cultivated mushrooms	2	0.02*	0.02*	0.05*
	b) Wild mushrooms	0.05*	0.02*	0.02*	0.05*
3. PULSES					
	Beans	0.05*	0.05*	0.02*	0.05*
	Lentils	0.05*	0.05*	0.02*	0.05*
	Peas	3	0.05*	0.02*	0.05*
	Others	0.05*	0.05*	0.02*	0.05*
4. OILSEEDS					
	Linseed	0.5	0.1*	0.05*	0.1*
	Peanuts	0.1*	0.1*	0.05*	0.1*
	Poppy seed	0.1*	0.1*	0.05*	0.1*
	Sesame seed	0.1*	0.1*	0.05*	0.1*
	Sunflower seed	0.5	0.1*	0.05*	0.1*
	Rape seed	0.5	0.1*	0.05*	0.1*
	Soya bean	0.1*	0.1*	0.05*	0.1*
	Mustard seed	0.1*	0.1*	0.05*	0.1*
	Cotton seed	0.1*	0.1*	0.05*	0.1*
	Others	0.1*	0.1*	0.05*	0.1*
5. POTATOES					
	Early potatoes	0.05*	0.02*	0.02*	0.05*
	Ware potatoes	0.05*	0.02*	0.02*	0.05*
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0.1*	0.1*	0.05*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	0.1*	0.05*	0.1*

Group to which food belongs	Prochloraz	Prosulfuron	Pyraflufenethyl	Sulfosulfuron
8. CEREALS				
Groups include the following products				
Wheat	0.5	0.02*	0.02*	0.05*
Rye	0.5	0.02*	0.02*	0.05*
Barley	1	0.02*	0.02*	0.05*
Sorghum	0.05*	0.02*	0.02*	0.05*
Oats	1	0.02*	0.02*	0.05*
Triticale	0.5	0.02*	0.02*	0.05*
Maize	0.05*	0.02*	0.02*	0.05*
Buckwheat	0.05*	0.02*	0.02*	0.05*
Millet	0.05*	0.02*	0.02*	0.05*
Rice ⁽¹⁾	1	0.02*	0.02*	0.05*
Other cereals ⁽²⁾	0.05*	0.02*	0.02*	0.05*
9. PRODUCTS OF ANIMAL ORIGIN				
Meat, fat & preparations of meat ⁽³⁾	0.2 ⁽⁴²⁾ , 2 ⁽⁴³⁾ 0.5 ⁽⁴⁴⁾ , 0.1 ⁽¹⁷⁾			0.05*
Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾	0.02*			0.05*
Eggs ⁽⁶⁾	0.1*			0.05*

EXPLANATORY NOTE

(This note is not part of the Regulations)

These Regulations, which extend to England and Wales only, are made under section 2(2) of the European Communities Act 1972 and further amend the provisions of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) Regulations 1999 (S.I. 1999/3483).

The Regulations specify maximum levels of pesticide residues which crops, food and feeding stuffs may contain in implementation of Commission Directives 2003/60/EC, 2003/62/EC and 2003/69/EC. New columns of pesticides are added to Part 2 of Schedule 2 to the 1999 Regulations for the residues of Acibenzolar-S-methyl, Chlorfenapyr, Cinidon-ethyl, Cyclanilide, Cyhalofop butyl, Diquat, Ethofumesate, Famoxadone, Fenhexamid, Fentin acetate, Fentin hydroxide, Florasulam, Flumioxazine, Iprovalicarb, Isoproturon, Metalaxyl-M, Picolinafen, Prosulfuron, Pyraflufen-ethyl and Sulfosulfuron. Complete revised columns for the residues of pesticides Aminotriazole (Amitrole), Azoxystrobin, Clofentezine, Hexaconazole, Lambda-cyhalothrin, Myclobutanil and Prochloraz have been substituted for existing columns in Part 2 of Schedule 2. The previous column headed 'Aminotriazole (Amitrole)' is replaced by 'Amitrole' (regulation 2(6)).

Regulation 2(3) adds the names of further pesticide residue substances to Schedule 1, which specifies the substances used to assess residues.

In completion of the implementation of Commission Directive 2002/71/EC, these Regulations remove pesticide residue levels for Omethoate, that had previously been set nationally by virtue of powers contained in the Food and Environment Protection Act 1985, from the list contained in Part 1 of Schedule 2 to the 1999 Regulations as they have been replaced by Community levels for Dimethoate (regulation 2(4)).

Other minor alterations to implement changes of pesticide residue for other pesticides, namely Chlormequat, Dimethoate, Kresoxim-methyl and Maneb Mancozeb Metiram Propineb Zineb, are made to specified products in regulation 2(5).

The definition of "the Residues Directives" is updated to take account of the Directives being implemented (regulation 2(2)).

2003 No. 2591

**AGRICULTURE, ENGLAND AND WALES
PESTICIDES, ENGLAND AND WALES**

**The Pesticides (Maximum Residue Levels in Crops, Food
and Feeding Stuff) (England and Wales) (Amendment)
(No.2) Regulations 2003**

£4.00

© Crown copyright 2003

Printed and published in the UK by The Stationery Office Limited
under the authority and superintendence of Carol Tullo, Controller of
Her Majesty's Stationery Office and Queen's Printer of Acts of Parliament.
E1298 11/2003 131298 19585

ISBN 0-11-048095-3



9 780110 480954