SCHEDULE 1

Regulation 2(1)

PART 1

Daily Personal Noise Exposure Levels

1. The daily personal noise exposure level, $L_{\rm EP,d}$, which corresponds to $L_{\rm EX,8h}$ defined in international standard ISO 1999: 1990 clause 3.6, is expressed in decibels and is ascertained using the formula:

$$L_{\text{EP,d}} = L_{\text{Aeq},T_e} + 10\log_{10}\left(\frac{T_e}{T_0}\right)$$

where-

 $T_{\rm e}$ is the duration of the person's working day, in seconds;

 T_0 is 28,800 seconds (8 hours); and

 $L_{\text{Aeq},Te}$ is the equivalent continuous A-weighted sound pressure level, as defined in ISO 1999: 1990 clause 3.5, in decibels, that represents the sound the person is exposed to during the working day.

2. If the work is such that the daily exposure consists of two or more periods with different sound levels, the daily personal noise exposure level ($L_{\rm EP,d}$) for the combination of periods is ascertained using the formula:

$$L_{\text{EP,d}} = 10\log_{10} \left[\frac{1}{T_0} \sum_{i=1}^{i=n} \left(T_i \, 10^{0.1 \left(L_{\text{Acq,T}} \right)_i} \right) \right]$$

where-

n is the number of individual periods in the working day;

 T_i is the duration of period i;

 $(L_{\text{Aeq,T}})$ i is the equivalent continuous A-weighted sound pressure level that represents the sound the person is exposed to during period i; and

$$\sum_{i=1}^{i=n} T_i$$

is equal to T_e , the duration of the person's working day, in seconds. Regulation 2(1)

PART 2

Weekly Personal Noise Exposure Levels

The weekly personal noise exposure, $L_{EP,w}$, which corresponds to

defined in international standard ISO 1999: 1990 clause 3.6 (note 2) for a nominal week of five working days, is expressed in decibels and is ascertained using the formula:

$$L_{\text{EP,w}} = 10 \log_{10} \left[\frac{1}{5} \sum_{i=1}^{i=m} 10^{0.1(L_{\text{EP,d}})_i} \right]$$

where-

m is the number of working days on which the person is exposed to noise during a week; and $(L_{EP,d})_i$ is the $L_{EP,d}$ for working day i.

SCHEDULE 2

Regulation 2(1)

Peak Sound Pressure Level

Peak sound pressure level, L_{Cpeak} , is expressed in decibels and is ascertained using the formula:

$$L_{\rm Cpeak} = 20 \log_{10} \left[\frac{p_{\rm Cpeak}}{p_0} \right]$$

where—

 p_{Cpeak} is the maximum value of the C-weighted sound pressure, in Pascals (Pa), to which a person is exposed during the working day; and p_0 is $20 \,\mu\text{Pa}$.

SCHEDULE 3

Regulation 15(2)

Revocations

Regulations revoked	References	Extent of revocation
The Noise at Work Regulations 1989	S.I. 1989/1790	The whole Regulations
The Quarries Regulations 1999	S.I. 1999/2024	Schedule 5 Part II insofar as it amends regulation 2 of the Noise at Work Regulations 1989
The Offshore Electricity and Noise Regulations 1997	S.I. 1997/1993	Regulation 3
The Personal Protective Equipment at Work Regulations 1992	S.I. 1992/2966	Schedule 2 Part IX

Document Generated: 2024-07-12

Changes to legislation: There are currently no known outstanding effects for the The Control of Noise at Work Regulations 2005. (See end of Document for details)

The Health and Safety (Safety S.I. 1996/341 Schedule 3 Part II paragraph

Signs and Signals) Regulations 1(a) and (b)

1996

The Offshore Installations S.I. 1996/913 Schedule 1 paragraph 46(b) and Wells (Design and and the word "noise" in

Construction, etc.) Regulations paragraph 59(b) 1996

Changes to legislation:There are currently no known outstanding effects for the The Control of Noise at Work Regulations 2005.