

2006 No. 2531

HIGHWAYS, ENGLAND

**The Cambridgeshire County Council (Construction of
Cambridge Riverside Foot/Cycle Bridge) Scheme 2006
Confirmation Instrument 2006**

Made - - - - - 13th September 2006

Coming into force in accordance with article 1

The Secretary of State for Transport makes this Instrument in exercise of powers conferred by section 106(3) of the Highways Act 1980(a) and now vested in him(b):

1. This Instrument may be cited as the Cambridgeshire County Council (Construction of Cambridge Riverside Foot/Cycle Bridge) Scheme 2006 Confirmation Instrument 2006 and shall come into force on the date on which notice that it has been confirmed is first published in accordance with paragraph 1 of Schedule 2 to the Highways Act 1980.

2. The Cambridgeshire County Council (Construction of Cambridge Riverside Foot/Cycle Bridge) Scheme 2006 (“the Scheme”) is hereby confirmed without modifications.

3. The Scheme as confirmed is set out in the Schedule hereto (including the plans) and copies of the Scheme with its accompanying plans are deposited at the offices of the Department for Transport, Floor 13 (IMD), Ashdown House, St Leonards on Sea, Hastings, East Sussex, TN37 7GA, and at the office of Cambridgeshire County Council at Shire Hall, Castle Hill, Cambridge CB3 0AP (Office of Environment and Community Services, Castle Court).

Signed by authority of the
Secretary of State for Transport

13th September 2006

J Blackie
Regional Director
Government Office for the
North East

(a) 1980 c. 66.
(b) S.I. 1981/238.

SCHEDULE

THE CAMBRIDGESHIRE COUNTY COUNCIL (CONSTRUCTION OF CAMBRIDGE RIVERSIDE FOOT/CYCLE BRIDGE) SCHEME 2006

The Cambridgeshire County Council (hereinafter referred to as “the Council”) makes this Scheme in exercise of their powers under Section 106(3) of the Highways Act 1980 and of all other powers enabling them in that behalf:

1. The Council are authorised to construct over the navigable waters of the River Cam the bridge specified in the Schedule to the Scheme as part of the highway which they are proposing to construct between the Chesterton and Petersfield areas of Cambridge in the said County.
2. The Scheme may be cited as the Cambridgeshire County Council (Construction of Cambridge Riverside Foot/Cycle Bridge) Scheme 2006.

Given under the common seal of the Council on the on the 30th day of January 2006



THE COMMON SEAL of the COUNCIL
was hereunto affixed in the presence of

SENIOR SOLICITOR

THE SCHEDULE TO THE SCHEME PLANS AND SPECIFICATION OF CAMBRIDGE RIVERSIDE FOOT/CYCLE BRIDGE

The location and general plan layout of Riverside Foot/Cycle Bridge are shown on the plan marked “The Cambridgeshire County Council (Construction of Cambridge Riverside Foot/Cycle Bridge) Scheme 2006”.

POINTS OF COMMENCEMENT AND TERMINATION OF THE RIVER SPAN

Riverside Approach—Top of the East Abutment

From a point on the east bank of the River Cam 115 metres south of the junction of Riverside and Stanley Road and 81.3 metres west (140 metres direct line point to point).

St Andrews Approach—Top of the West Abutment

To a point on the west bank of the River Cam 93.5 metres west of the junction of Riverside and Stanley Road and 85 metres south (126.4 metres direct line point to point).

Navigation Span

The bridge has a clear span of 32.5 metres (between abutments), spanning diagonally across the entire width of the River Cam (22.5 metres approx).




Headroom and Waterway

The navigation waterway is unrestricted for the full width of the river. The soffit level of the bridge is + 7.7 metres AOD, giving a 200 mm clearance above the current air-draught requirement.

Overall dimensions

The bridge deck has an overall width of 4.4 metres and will carry a 1,300 mm wide footpath and 2,300 mm wide cycleway.

The Cambridgeshire County Council (Construction of Cambridge Riverside Foot / Cycle Bridge) Scheme 2006
 DWG No. 342, BRIDGE ORDER



SCHEDULE

Specification and plans of the pedestrian and cycle bridge over the River Cam along Riverside to the north east of Cambridge city centre, Cambridgeshire.

POINTS OF COMMENCEMENT AND TERMINATION OF THE RIVER SPAN

RIVERSIDE APPROACH - TOP OF THE EAST ABUTMENT
 From a point on the east bank of the River Cam 115metres South of the junction of Riverside & Stanley Road and 81.2metres west. (140metres direct line point to point)

ST ANDREWS APPROACH - TOP OF THE WEST ABUTMENT
 To a point on the west bank of the River Cam 93.5metres West of the junction of Riverside & Stanley Road and 8metres South (128.4metres direct line point to point)

NAVIGATION SPAN
 The bridge has a clear span of 32.2metres (between abutments), spanning diagonally across the entire width of the River Cam (22.5m approx).

HEADROOM AND WATERWAY
 The navigation waterway is unrestricted for the full width of the river. The soffit level of the bridge is +7.7 metres AOD, giving a 200mm clearance above the current air-draught requirement.

whitbybird
 BRIDGES TEAM

NEW RIVERSIDE PEDESTRIAN & CYCLE BRIDGE - CAMBRIDGE

PRIMARY SPAN DETAILS

2006 No. 2531

HIGHWAYS, ENGLAND

The Cambridgeshire County Council (Construction of
Cambridge Riverside Foot/Cycle Bridge) Scheme 2006
Confirmation Instrument 2006

£3.00

© Crown copyright 2006

Printed and published in the UK by The Stationery Office Limited
under the authority and superintendence of Carol Tullo, Controller of
Her Majesty's Stationery Office and Queen's Printer of Acts of Parliament.
E1162 9/2006 161162 19585