

2007 No. 2998

AGRICULTURE, ENGLAND AND WALES

PESTICIDES, ENGLAND AND WALES

The Pesticides (Maximum  
Residue Levels in Crops,  
Food and Feeding Stuff)  
(England and Wales)  
(Amendment) (No. 3)  
Regulations 2007

*Made* - - - - - 17th October 2007

*Laid before Parliament* - - 23rd October 2007

*Laid before the National Assembly for Wales* 23rd October 2007

*Coming into force in accordance with regulation 1(2)*



**2007 No. 2998**

**AGRICULTURE, ENGLAND AND WALES**

**PESTICIDES, ENGLAND AND WALES**

**The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) (No. 3) Regulations 2007**

*Made - - - - 17th October 2007*

*Laid before Parliament 23rd October 2007*

*Laid before the National Assembly for Wales 23rd October 2007*

*Coming into force in accordance with regulation 1(2)*

The Secretary of State and the Welsh Ministers are designated(a) for the purposes of section 2(2) of the European Communities Act 1972(b) in relation to the common agricultural policy.

Acting jointly, the Secretary of State and the Welsh Ministers (the Welsh Ministers acting in relation to Wales only), in exercise of the powers conferred on them by that section make the following Regulations:

**Citation and commencement**

1.—(1) These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) (No. 3) Regulations 2007.

(2) These Regulations come into force on 17th November 2007, except for—

- (a) regulation 5, which comes into force on 27th November 2007;
- (b) regulation 6, which comes into force on 28th December 2007; and
- (c) regulation 7, which comes into force on 21st January 2008.

**Revocation**

2. Regulation 10 of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment No. 2) Regulations 2007(c) is revoked.

---

(a) In relation to England by S.I. 1972/1811 and in relation to Wales by S.I. 2005/2766. By virtue of sections 59(1) and 162 of, and paragraphs 28 and 30 of Schedule 11 to, the Government of Wales Act 2006 (c. 32), functions conferred on the National Assembly for Wales are exercisable by the Welsh Ministers.

(b) 1972 c. 68.

(c) S.I. 2007/2083.

## **Amendments**

3. The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) Regulations 2005(a) are amended in accordance with these Regulations.

### **Amendments coming into force on 17th November 2007**

4.—(1) In Schedule 1 (pesticide residues), in the appropriate place in the alphabetical sequence, insert the entries for the pesticides 1-methylcyclopropene, Etoxazole, Indoxacarb, MCPA and MCPB, Mesosulfuron-methyl, Tolyfluanid and Triconazole set out in Schedule 1 to these Regulations.

(2) In Schedule 2 (maximum residue levels)—

- (a) in the appropriate place in the alphabetical sequence, insert the columns and corresponding entries relating to the pesticides 1-methylcyclopropene, Etoxazole, Indoxacarb, MCPA and MCPB, Mesosulfuron-methyl, Tolyfluanid and Triconazole set out in Schedule 2 to these Regulations;
- (b) at the end, add as footnotes 50, 51 and 52 the footnotes numbered (50), (51) and (52) set out in Schedule 2 to these Regulations;
- (c) for the entries in the column relating to the pesticide Penconazole, substitute the entries in the column relating to that pesticide in Schedule 2 to these Regulations.

(3) In Schedule 3, in paragraph 2(v)(a) (lettuce and similar) in column 2, after the words “Leaves and stems of brassica”, insert “, including turnip greens”.

### **Amendments coming into force on 27th November 2007**

5.—(1) In Schedule 1 (pesticide residues), for the entry for the pesticide Maleic hydrazide, substitute the entry for Maleic hydrazide set out in Schedule 1 to these Regulations.

(2) In Schedule 2 (maximum residue levels)—

- (a) for the columns headed “Maleic-hydrazide (until 4 December 2006)” and “Maleic-hydrazide (from 4 December 2006)” and the corresponding entries in those columns, substitute the column in Schedule 2 to these Regulations headed “Maleic hydrazide” and the corresponding entries in that column;
- (b) for the entries in the columns related to the pesticides Azoxystrobin, Chlorfenapyr, Folpet, Iprodione, Lambda-cyhalothrin, Metalaxyl and Trifloxystrobin, substitute the entries in the columns relating to those pesticides in Schedule 2 to these Regulations.

### **Amendment coming into force on 28th December 2007**

6. In Schedule 2 (maximum residue levels), for the entries in the column relating to the pesticide Diazinon, substitute the entries for that pesticide in Schedule 2 to these Regulations.

### **Amendment coming into force on 21st January 2008**

7. In Schedule 2 (maximum residue levels), for the column headed “Phenmedipham: Applying from 16 August 2007”, substitute the column headed “Phenmedipham” set out in Schedule 2 to these Regulations.

16th October 2007

*Phil Woolas*  
Minister of State  
Department for Environment, Food and Rural Affairs

---

(a) S.I. 2005/3286 as amended by S.I. 2006/985, 2006/1742, 2006/2922, 2007/971 and 2007/2083.

17th October 2007

Minister for Rural Affairs one of the Welsh Ministers

## SCHEDULE 1

Regulations 4(1) and 5(1)

## Entries inserted or substituted in Schedule 1

Column 1 <i>Pesticide</i>	Column 2 <i>Residue</i>
1-methylcyclopropene	1-methylcyclopropene
Etoxazole	Etoxazole
Indoxacarb	Indoxacarb as sum of the isomers S and R
Maleic hydrazide	(1) for products of plant origin and foodstuffs of animal origin other than milk and milk products: maleic hydrazide (2) for milk and milk products: maleic hydrazide and its conjugates expressed as maleic hydrazide
MCPA and MCPB	(1) for products of plant origin: MCPA, MCPB including their salts, esters and conjugates expressed as MCPA (2) for foodstuffs of animal origin: MCPA, MCPB and MCPA thioethyl expressed as MCPA
Mesosulfuron-methyl	Mesosulfuron-methyl expressed as mesosulfuron
Tolyfluanid	(a) for products of plant origin: sum of Tolyfluanid and dimethylaminosulfotoluidide expressed as Tolyfluanid (b) for foodstuffs of animal origin: Tolyfluanid analysed as dimethylaminosulfotoluidide and expressed as Tolyfluanid
Triticonazole	Triticonazole

SCHEDULE 2

Regulations 4(2), 5(2), 6 and 7

Entries substituted or inserted in Schedule 2

**1-Methylcyclopropene to Indoxacarb**

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Methylcyclopropene</i>	<i>Azoxystrobin</i>	<i>Chlorfenapyr</i>	<i>Diazinon</i>	<i>Etoazole</i>	<i>Folpet</i>	<i>Indoxacarb</i>
<b>1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS</b>								
<b>i) CITRUS FRUIT</b>								
	Grapefruit	0.01*	1	0.05*	0.01*	0.1	0.02*	0.02*
	Lemons	0.01*	1	0.05*	0.01*	0.1	0.02*	0.02*
	Limes	0.01*	1	0.05*	0.01*	0.1	0.02*	0.02*
	Mandarins (inc clementines & similar hybrids)	0.01*	1	0.05*	0.01*	0.1	0.02*	0.02*
	Oranges	0.01*	1	0.05*	0.01*	0.1	0.02*	0.02*
	Pomelos	0.01*	1	0.05*	0.01*	0.1	0.02*	0.02*
	Others	0.01*	1	0.05*	0.01*	0.1	0.02*	0.02*
<b>ii) TREE NUTS (shelled or unshelled)</b>								
	Almonds	0.01*	0.1*	0.05*	0.05	0.02*	0.02*	0.05
	Brazil nuts	0.01*	0.1*	0.05*	0.01*	0.02*	0.02*	0.05
	Cashew nuts	0.01*	0.1*	0.05*	0.01*	0.02*	0.02*	0.05
	Chestnuts	0.01*	0.1*	0.05*	0.01*	0.02*	0.02*	0.05
	Coconuts	0.01*	0.1*	0.05*	0.01*	0.02*	0.02*	0.05
	Hazelnuts	0.01*	0.1*	0.05*	0.01*	0.02*	0.02*	0.05
	Macadamia nuts	0.01*	0.1*	0.05*	0.01*	0.02*	0.02*	0.05
	Pecans	0.01*	0.1*	0.05*	0.01*	0.02*	0.02*	0.05
	Pine nuts	0.01*	0.1*	0.05*	0.01*	0.02*	0.02*	0.05

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>1-Methylcyclopropene</i>	<i>Azoxystrobin</i>	<i>Chlorfenapyr</i>	<i>Diazinon</i>	<i>Etoxazole</i>	<i>Folpet</i>	<i>Indoxacarb</i>
	Pistachios	0.01*	0.1*	0.05*	0.01*	0.02*	0.02*	0.05
	Walnuts	0.01*	0.1*	0.05*	0.01*	0.02*	0.02*	0.05
	Others	0.01*	0.1*	0.05*	0.01*	0.02*	0.02*	0.05
iii) POME FRUIT								
	Apples	0.01*	0.05*	0.05*	0.01*	0.02*	3 <sup>(48)</sup>	0.5
	Pears	0.01*	0.05*	0.05*	0.01*	0.02*	3 <sup>(48)</sup>	0.3
	Quinces	0.01*	0.05*	0.05*	0.01*	0.02*	3 <sup>(48)</sup>	0.3
	Others	0.01*	0.05*	0.05*	0.01*	0.02*	3 <sup>(48)</sup>	0.3
iv) STONE FRUIT								
	Apricots	0.01*	0.05*	0.05*	0.01*	0.1	0.02*	0.3
	Cherries	0.01*	0.05*	0.05*	0.01*	0.02*	2	0.02*
	Peaches (inc nectarines & similar hybrids)	0.01*	0.05*	0.05*	0.01*	0.1	0.02*	0.3
	Plums	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*
	Others	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*
v) BERRIES AND SMALL FRUIT								
a)	Table & wine grapes							
	Table grapes	0.01*	2	0.05*	0.01*	0.02*	0.02*	2
	Wine grapes	0.01*	2	0.05*	0.01*	0.02*	5	2
b)	Strawberries (other than wild)	0.01*	2	0.05*	0.01*	0.2	3 <sup>(48)</sup>	0.02*
c)	Cane fruit (other than wild)							
	Blackberries	0.01*	3	0.05*	0.01*	0.02*	3 <sup>(48)</sup>	0.02*
	Dewberries	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*
	Loganberries	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*
	Raspberries	0.01*	3	0.05*	0.01*	0.02*	3 <sup>(48)</sup>	0.02*
	Others	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>1-Methylcyclopropene</i>	<i>Azoxystrobin</i>	<i>Chlorfenapyr</i>	<i>Diazinon</i>	<i>Etoxazole</i>	<i>Folpet</i>	<i>Indoxacarb</i>
d)	Other small fruit & berries (other than wild)							
	Bilberries	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*
	Cranberries	0.01*	0.05*	0.05*	0.2	0.02*	0.02*	0.02*
	Currants (red, black & white)	0.01*	0.05*	0.05*	0.01*	0.02*	3 <sup>(48)</sup>	1
	Gooseberries	0.01*	0.05*	0.05*	0.01*	0.02*	3 <sup>(48)</sup>	1
	Others	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*
e)	Wild berries & wild fruit	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*
vi)	MISCELLANEOUS FRUIT							
	Avocados	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*
	Bananas	0.01*	2	0.05*	0.01*	0.02*	0.02*	0.02*
	Dates	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*
	Figs	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*
	Kiwi fruit	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*
	Kumquats	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*
	Litchis	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*
	Mangoes	0.01*	0.2	0.05*	0.01*	0.02*	0.02*	0.02*
	Olives (Table Consumption)	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*
	Olives (Oil Extract)	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*
	Papaya	0.01*	0.2	0.05*	0.01*	0.02*	0.02*	0.02*
	Passion fruit	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*
	Pineapples	0.01*	0.05*	0.05*	0.3	0.02*	0.02*	0.02*
	Pomegranates	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*
	Others	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*
<b>2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY</b>								
i)	ROOT AND TUBER VEGETABLES							
	Beetroot	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*
	Carrots	0.01*	0.2	0.05*	0.01*	0.02*	0.02*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following 1-</i>									
	<i>Methylcyclopropene</i>	<i>Azoxystrobin</i>	<i>Chlorfenapyr</i>	<i>Diazinon</i>	<i>Etoxazole</i>	<i>Folpet</i>	<i>Indoxacarb</i>			
Cassava	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*			
Celeriac	0.01*	0.3	0.05*	0.01*	0.02*	0.02*	0.02*			
Horseradish	0.01*	0.2	0.05*	0.01*	0.02*	0.02*	0.02*			
Jerusalem artichokes	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*			
Parsnips	0.01*	0.2	0.05*	0.01*	0.02*	0.02*	0.02*			
Parsley root	0.01*	0.2	0.05*	0.01*	0.02*	0.02*	0.02*			
Radishes	0.01*	0.2	0.05*	0.1	0.02*	0.02*	0.02*			
Salsify	0.01*	0.2	0.05*	0.01*	0.02*	0.02*	0.02*			
Sweet potatoes	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*			
Swedes	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*			
Turnips	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*			
Yams	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*			
Others	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*			
ii) BULB VEGETABLES										
Garlic	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*			
Onions	0.01*	0.05*	0.05*	0.05	0.02*	0.1	0.02*			
Shallots	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*			
Spring onions	0.01*	2	0.05*	0.01*	0.02*	0.02*	0.02*			
Others	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*			
iii) FRUITING VEGETABLES										
a) Solanacea										
Tomatoes	0.01*	2	0.05*	0.01*	0.1	2 <sup>(48)</sup>	0.5			
Peppers	0.01*	2	0.05*	0.05	0.02*	0.02*	0.3			
Chili Peppers	0.01*	2	0.05*	0.05	0.02*	0.02*	0.3			
Aubergines	0.01*	2	0.05*	0.01*	0.1	0.02*	0.5			
Okra	0.01*	2	0.05*	0.01*	0.02*	0.02*	0.02*			
Others	0.01*	2	0.05*	0.01*	0.02*	0.02*	0.02*			
b) Cucurbits-edible peel										

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>1-Methylcyclopropene</i>	<i>Azoxystrobin</i>	<i>Chlorfenapyr</i>	<i>Diazinon</i>	<i>Etoxazole</i>	<i>Folpet</i>	<i>Indoxacarb</i>
	Cucumbers	0.01*	1	0.05*	0.01*	0.02*	0.02*	0.2
	Gherkins	0.01*	1	0.05*	0.01*	0.02*	0.02*	0.2
	Courgettes	0.01*	1	0.05*	0.01*	0.02*	0.02*	0.2
	Others	0.01*	1	0.05*	0.01*	0.02*	0.02*	0.2
c)	Cucurbits-inedible peel							
	Melons	0.01*	0.5	0.05*	0.01*	0.05	1	0.1
	Squashes	0.01*	0.5	0.05*	0.01*	0.05	1	0.1
	Watermelons	0.01*	0.5	0.05*	0.01*	0.05	1	0.1
	Others	0.01*	0.5	0.05*	0.01*	0.05	1	0.1
d)	Sweet corn	0.01*	0.05*	0.05*	0.02	0.02*	0.02*	0.02*
iv)	BRASSICA VEGETABLES							
a)	Flowering Brassicas							
	Broccoli	0.01*(13)	0.5(13)	0.05*(13)	0.01*	0.02*(13)	0.02*(13)	0.3(13)
	Cauliflower	0.01*	0.5	0.05*	0.01*	0.02*	0.02*	0.3
	Others	0.01*	0.5	0.05*	0.01*	0.02*	0.02*	0.3
b)	Head Brassicas							
	Brussels sprouts	0.01*	0.3	0.05*	0.01*	0.02*	0.02*	0.02*
	Head cabbage	0.01*	0.3	0.05*	0.5	0.02*	0.02*	3
	Others	0.01*	0.3	0.05*	0.01*	0.02*	0.02*	0.02*
c)	Leafy Brassicas							
	Chinese cabbage	0.01*	5	0.05*	0.05	0.02*	0.02*	0.2
	Kale	0.01*	5	0.05*	0.01*	0.02*	0.02*	0.2
	Others	0.01*	5	0.05*	0.01*	0.02*	0.02*	0.02*
d)	Kohlrabi	0.01*	0.2	0.05*	0.2	0.02*	0.05	0.02*
v)	LEAF VEGETABLES AND FRESH HERBS							
a)	Lettuce & similar							
	Cress	0.01*	3	0.05*	0.01*	0.02*	0.02*	0.02*
	Lamb's lettuce	0.01*	3	0.05*	0.01*	0.02*	0.02*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>1-Methylcyclopropene</i>	<i>Azoxystrobin</i>	<i>Chlorfenapyr</i>	<i>Diazinon</i>	<i>Etoxazole</i>	<i>Folpet</i>	<i>Indoxacarb</i>
	Lettuce	0.01*	3	0.05*	0.01*	0.02*	2	2
	Scarole	0.01*(6)	3(6)	0.05*(6)	0.01*(6)	0.02*(6)	0.02*(6)	2(6)
	Ruccola	0.01*	3	0.05*	0.01*	0.02*	0.02*	0.02*
	Leaves and stems of brassica, including turnip greens	0.01*	3	0.05*	0.01*	0.02*	0.02*	0.02*
	Others	0.01*	3	0.05*	0.01*	0.02*	0.02*	0.02*
b)	Spinach & similar							
	Spinach	0.01*	0.05*	0.05*	0.01*	0.02*	10	0.02*
	Beet leaves (chard)	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*
	Others	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*
c)	Watercress	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*
d)	Witloof	0.01*	0.2	0.05*	0.01*	0.02*	0.02*	0.02*
e)	Herbs							
	Chervil	0.01*	3	0.05*	0.01*	0.02*	0.02*	2
	Chives	0.01*	3	0.05*	0.01*	0.02*	0.02*	2
	Parsley	0.01*	3	0.05*	0.01*	0.02*	0.02*	2
	Celery leaves	0.01*	3	0.05*	0.01*	0.02*	0.02*	2
	Others	0.01*	3	0.05*	0.01*	0.02*	0.02*	2
vi)	LEGUME VEGETABLES (fresh)							
	Beans (with pods)	0.01*	1	0.05*	0.01*	0.02*	2(48)	0.02*
	Beans (without pods)	0.01*	0.2	0.05*	0.01*	0.02*	2(48)	0.02*
	Peas (with pods)	0.01*	0.5	0.05*	0.01*	0.02*	0.02*	0.02*
	Peas (without pods)	0.01*	0.2	0.05*	0.01*	0.02*	0.02*	0.02*
	Others	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*
vii)	STEM VEGETABLES							
	Asparagus	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*
	Cardoons	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*
	Celery	0.01*	5	0.05*	0.01*	0.02*	0.02*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>1-Methylcyclopropene</i>	<i>Azoxystrobin</i>	<i>Chlorfenapyr</i>	<i>Diazinon</i>	<i>Etoxazole</i>	<i>Folpet</i>	<i>Indoxacarb</i>
	Fennel	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*
	Globe artichokes	0.01*	1	0.05*	0.01*	0.02*	0.02*	0.1
	Leeks	0.01*	2	0.05*	0.01*	0.02*	0.02*	0.02*
	Rhubarb	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*
	Others	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*
viii) FUNGI								
	a) Cultivated mushrooms	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*
	b) Wild mushrooms	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*
<b>3. PULSES</b>								
	Beans	0.01*	0.1	0.05*	0.01*	0.02*	0.02*	0.02*
	Lentils	0.01*	0.1	0.05*	0.01*	0.02*	0.02*	0.02*
	Peas	0.01*	0.1	0.05*	0.01*	0.02*	0.02*	0.02*
	Lupins	0.01*	0.1	0.05*	0.01*	0.02*	0.02*	0.02*
	Others	0.01*	0.1	0.05*	0.01*	0.02*	0.02*	0.02*
<b>4. OILSEEDS</b>								
	Linseed	0.02*	0.05*	0.1*	0.02*	0.05*	0.05*	0.05*
	Peanuts	0.02*	0.05*	0.1*	0.02*	0.05*	0.05*	0.05*
	Poppy seed	0.02*	0.05*	0.1*	0.02*	0.05*	0.05*	0.05*
	Sesame seed	0.02*	0.05*	0.1*	0.02*	0.05*	0.05*	0.05*
	Sunflower seed (with shell)	0.02*	0.05*	0.1*	0.02*	0.05*	0.05*	0.05*
	Rape seed	0.02*	0.5	0.1*	0.02*	0.05*	0.05*	0.05*
	Soya bean	0.02*	0.5	0.1*	0.02*	0.05*	0.05*	0.5
	Mustard seed	0.02*	0.05*	0.1*	0.02*	0.05*	0.05*	0.05*
	Cotton seed	0.02*	0.05*	0.1*	0.02*	0.05*	0.05*	0.05*
	Hemp seed	0.02*	0.05*	0.1*	0.02*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.1*	0.02*	0.05*	0.05*	0.05*
<b>5. POTATOES</b>								
	Early potatoes	0.01*	0.05*	0.05*	0.01*	0.02*	0.1	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>1-Methylcyclopropene</i>	<i>Azoxystrobin</i>	<i>Chlorfenapyr</i>	<i>Diazinon</i>	<i>Etoazazole</i>	<i>Folpet</i>	<i>Indoxacarb</i>
<b>6. TEA</b>	Ware potatoes	0.01*	0.05*	0.05*	0.01*	0.02*	0.1	0.02*
	Tea (dried leaves & stalks, fermented or otherwise, <i>Camellia sinensis</i> )	0.02*	0.1*	50	0.02*	0.05*	0.05*	0.05*
<b>7. HOPS (dried)</b>	including hop pellets & unconcentrated powder	0.02*	20	0.1*	0.5	0.05*	150	0.05*
<b>8. CEREALS</b>	Wheat	0.01*	0.3	0.05*	0.02*	0.02*	2	0.02*
	Rye	0.01*	0.3	0.05*	0.02*	0.02*	0.02*	0.02*
	Barley	0.01*	0.3	0.05*	0.02*	0.02*	2	0.02*
	Sorghum	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*
	Oats	0.01*	0.3	0.05*	0.02*	0.02*	0.02*	0.02*
	Triticale	0.01*	0.3	0.05*	0.02*	0.02*	0.02*	0.02*
	Maize	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*
	Buckwheat	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*
	Millet	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*
	Rice <sup>(1)</sup>	0.01*	5	0.05*	0.02*	0.02*	0.02*	0.02*
	Others	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*
<b>9. PRODUCTS OF ANIMAL ORIGIN</b>	Meat, edible offal, fat & preparations of meat & edible offal <sup>(2)</sup>		0.05*					0.3 <sup>(49)</sup> 0.01* <sup>(50)</sup>
	Milk <sup>(3)</sup> and dairy produce <sup>(4)</sup>		0.01*		0.01*			0.02 <sup>(51)</sup> 0.3 <sup>(52)</sup>
	Eggs <sup>(5)</sup>		0.05*					0.01*

*Group to which food belongs*      *Groups include the following*      *1-Methylocyclopropene*      *Azoxystrobin*      *Chlorfenapyr*      *Diazinon*      *Etoazole*      *Folpet*      *Indoxacarb*

**10. SPICES**

- Cumin seed
- Juniper seed
- Nutmeg
- Pepper, black and white
- Vanilla pods
- Spices - others

**UNITS:**

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

**KEY:**

\* Level at or about the limit of determination.

**FOOTNOTES:**

- (1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
- (2) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
- (3) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
- (4) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd. Whether made from cow's milk or other milk or a combination, the following levels apply:  
-if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;  
-if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 2.5 times that set for raw milk and whole cream milk.
- (5) Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (6) Scarole includes broad-leaf endive.
- (13) Broccoli includes calabrese.
- (48) Sum of capitan and folpet.
- (49) All fat.
- (50) All other meat, edible offal and preparations of meat or edible offal.

(51) Milk except cream of milk.

(52) Cream of milk.

**Iprodione to Metalaxyl**

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Iprodione</i>	<i>Lambda-cyhalothrin</i>	<i>Maleic hydrazide</i>	<i>MCPA and MCPB</i>	<i>Mesosulfuron-methyl</i>	<i>Metalaxyl</i>
<b>1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS</b>							
<b>i) CITRUS FRUIT</b>							
	Grapefruit	0.02*	0.1	0.2*	0.05*	0.01*	0.5
	Lemons	5	0.2	0.2*	0.05*	0.01*	0.5
	Limes	0.02*	0.2	0.2*	0.05*	0.01*	0.5
	Mandarins (inc clementines & similar hybrids)	1	0.2	0.2*	0.05*	0.01*	0.5
	Oranges	0.02*	0.1	0.2*	0.05*	0.01*	0.5
	Pomelos	0.02*	0.1	0.2*	0.05*	0.01*	0.5
	Others	0.02*	0.02*	0.2*	0.05*	0.01*	0.5
<b>ii) TREE NUTS (shelled or unshelled)</b>							
	Almonds	0.02*	0.05*	0.2*	0.05*	0.01*	0.05*
	Brazil nuts	0.02*	0.05*	0.2*	0.05*	0.01*	0.05*
	Cashew nuts	0.02*	0.05*	0.2*	0.05*	0.01*	0.05*
	Chestnuts	0.02*	0.05*	0.2*	0.05*	0.01*	0.05*
	Coconuts	0.02*	0.05*	0.2*	0.05*	0.01*	0.05*
	Hazelnuts	0.2	0.05*	0.2*	0.05*	0.01*	0.05*
	Macadamia nuts	0.02*	0.05*	0.2*	0.05*	0.01*	0.05*
	Pecans	0.02*	0.05*	0.2*	0.05*	0.01*	0.05*
	Pine nuts	0.02*	0.05*	0.2*	0.05*	0.01*	0.05*
	Pistachios	0.02*	0.05*	0.2*	0.05*	0.01*	0.05*
	Walnuts	0.02*	0.05*	0.2*	0.05*	0.01*	0.05*
	Others	0.02*	0.05*	0.2*	0.05*	0.01*	0.05*
<b>iii) POME FRUIT</b>							

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Iprodione</i>	<i>Lambda-cyhalothrin</i>	<i>Maleic hydrazide</i>	<i>MCPA and MCPB</i>	<i>Mesosulfuron-methyl</i>	<i>Metolaxyl</i>
iv) STONE FRUIT	Apples	5	0.1	0.2*	0.05*	0.01*	1
	Pears	5	0.1	0.2*	0.05*	0.01*	1
	Quinces	5	0.1	0.2*	0.05*	0.01*	1
	Others	5	0.1	0.2*	0.05*	0.01*	1
	Apricots	3	0.2	0.2*	0.05*	0.01*	0.05*
v) BERRIES AND SMALL FRUIT	Cherries	3	0.1	0.2*	0.05*	0.01*	0.05*
	Peaches (inc nectarines & similar hybrids)	3	0.2	0.2*	0.05*	0.01*	0.05*
	Plums	3	0.1	0.2*	0.05*	0.01*	0.05*
	Others	3	0.1	0.2*	0.05*	0.01*	0.05*
	a) Table & wine grapes						
b) Strawberries (other than wild)	Table grapes	10	0.2	0.2*	0.05*	0.01*	2
	Wine grapes	10	0.2	0.2*	0.05*	0.01*	1
c) Cane fruit (other than wild)	Strawberries (other than wild)	15	0.5	0.2*	0.05*	0.01*	0.5
	Cane fruit (other than wild)						
d) Other small fruit & berries (other than wild)	Blackberries	10	0.02*	0.2*	0.05*	0.01*	0.05*
	Dewberries	10	0.02*	0.2*	0.05*	0.01*	0.05*
	Loganberries	10	0.02*	0.2*	0.05*	0.01*	0.05*
	Raspberries	10	0.2	0.2*	0.05*	0.01*	0.05*
	Others	10	0.02*	0.2*	0.05*	0.01*	0.05*
	Bilberries	10	0.02*	0.2*	0.05*	0.01*	0.05*
	Cranberries	10	0.02*	0.2*	0.05*	0.01*	0.05*
	Currants (red, black & white)	10	0.1	0.2*	0.05*	0.01*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Iprodione</i>	<i>Lambda-cyhalothrin</i>	<i>Maleic hydrazide</i>	<i>MCPA and MCPB</i>	<i>Mesosulfuron-methyl</i>	<i>Metolaxyl</i>
	Gooseberries	10	0.1	0.2*	0.05*	0.01*	0.05*
	Others	10	0.02*	0.2*	0.05*	0.01*	0.05*
e)	Wild berries & wild fruit	0.02*	0.2	0.2*	0.05*	0.01*	0.05*
vi)	MISCELLANEOUS FRUIT						
	Avocados	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
	Bananas	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
	Dates	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
	Figs	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
	Kiwi fruit	5	0.02*	0.2*	0.05*	0.01*	0.05*
	Kumquats	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
	Litchis	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
	Mangoes	0.02*	0.1	0.2*	0.05*	0.01*	0.05*
	Olives (Table Consumption)	0.02*	0.5	0.2*	0.05*	0.01*	0.05*
	Olives (Oil Extract)	0.02*	0.5	0.2*	0.05*	0.01*	0.05*
	Papaya	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
	Passion fruit	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
	Pineapples	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
	Pomegranates	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
	Others	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
<b>2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY</b>							
i)	ROOT AND TUBER VEGETABLES						
	Beetroot	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
	Carrots	0.5	0.02*	30	0.05*	0.01*	0.1
	Cassava	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
	Celeriac	0.02*	0.1	0.2*	0.05*	0.01*	0.05*
	Horseradish	0.5	0.02*	0.2*	0.05*	0.01*	0.1
	Jerusalem artichokes	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
	Parsnips	0.5	0.02*	30	0.05*	0.01*	0.1

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Iprodione</i>	<i>Lambda-cyhalothrin</i>	<i>Maleic hydrazide</i>	<i>MCPA and MCPB</i>	<i>Mesosulfuron-methyl</i>	<i>Metolaxyl</i>
	Parsley root	0.5	0.02*	0.2*	0.05*	0.01*	0.05*
	Radishes	0.3	0.1	0.2*	0.05*	0.01*	0.1
	Salsify	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
	Sweet potatoes	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
	Swedes	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
	Turnips	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
	Yams	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
	Others	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
<b>ii) BULB VEGETABLES</b>							
	Garlic	0.2	0.02*	15	0.05*	0.01*	0.5
	Onions	0.2	0.02*	15	0.05*	0.01*	0.5
	Shallots	0.2	0.02*	15	0.05*	0.01*	0.5
	Spring onions	3	0.05	0.2*	0.05*	0.01*	0.2
	Others	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
<b>iii) FRUITING VEGETABLES</b>							
<b>a) Solanacea</b>							
	Tomatoes	5	0.1	0.2*	0.05*	0.01*	0.2
	Peppers	5	0.1	0.2*	0.05*	0.01*	0.5
	Chili Peppers	5	0.1	0.2*	0.05*	0.01*	0.5
	Aubergines	5	0.5	0.2*	0.05*	0.01*	0.05*
	Okra	5	0.1	0.2*	0.05*	0.01*	0.05*
	Others	5	0.02*	0.2*	0.05*	0.01*	0.05*
<b>b) Cucurbits-edible peel</b>							
	Cucumbers	2	0.1	0.2*	0.05*	0.01*	0.5
	Gherkins	2	0.1	0.2*	0.05*	0.01*	0.05*
	Courgettes	2	0.1	0.2*	0.05*	0.01*	0.05*
	Others	2	0.1	0.2*	0.05*	0.01*	0.05*
<b>c) Cucurbits-inedible peel</b>							

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Iprodione</i>	<i>Lambda-cyhalothrin</i>	<i>Maleic hydrazide</i>	<i>MCPA and MCPB</i>	<i>Mesosulfuron-methyl</i>	<i>Metolaxyl</i>
	Melons	1	0.05	0.2*	0.05*	0.01*	0.2
	Squashes	1	0.05	0.2*	0.05*	0.01*	0.05*
	Watermelons	1	0.05	0.2*	0.05*	0.01*	0.2
	Others	1	0.05	0.2*	0.05*	0.01*	0.05*
	d) Sweet corn	0.02*	0.05	0.2*	0.05*	0.01*	0.05*
<b>iv) BRASSICA VEGETABLES</b>							
	a) Flowering Brassicas						
	Broccoli	0.1 <sup>(13)</sup>	0.1 <sup>(13)</sup>	0.2* <sup>(13)</sup>	0.05* <sup>(13)</sup>	0.01* <sup>(13)</sup>	0.2 <sup>(13)</sup>
	Cauliflower	0.1	0.1	0.2*	0.05*	0.01*	0.2
	Others	0.1	0.1	0.2*	0.05*	0.01*	0.2
	b) Head Brassicas						
	Brussels sprouts	0.5	0.05	0.2*	0.05*	0.01*	0.05*
	Head cabbage	5	0.2	0.2*	0.05*	0.01*	1
	Others	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
	c) Leafy Brassicas						
	Chinese cabbage	5	1	0.2*	0.05*	0.01*	0.05*
	Kale	0.02*	1	0.2*	0.05*	0.01*	0.2
	Others	0.02*	1	0.2*	0.05*	0.01*	0.05*
	d) Kohlrabi	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
<b>v) LEAF VEGETABLES AND FRESH HERBS</b>							
	a) Lettuce & similar						
	Cress	10	1	0.2*	0.05*	0.01*	0.05*
	Lamb's lettuce	10	1	0.2*	0.05*	0.01*	0.2
	Lettuce	10	0.5	0.2*	0.05*	0.01*	2
	Scarole	10 <sup>(6)</sup>	1 <sup>(6)</sup>	0.2* <sup>(6)</sup>	0.05* <sup>(6)</sup>	0.01* <sup>(6)</sup>	1 <sup>(6)</sup>
	Ruccola	10	1	0.2*	0.05*	0.01*	0.05*
	Leaves and stems of brassica, including turnip greens	10	1	0.2*	0.05*	0.01*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Iprodione</i>	<i>Lambda-cyhalothrin</i>	<i>Maleic hydrazide</i>	<i>MCPA and MCPB</i>	<i>Mesosulfuron-methyl</i>	<i>Metolaxyl</i>
	Others	10	1	0.2*	0.05*	0.01*	0.05*
b)	Spinach & similar						
	Spinach	0.02*	0.5	0.2*	0.05*	0.01*	0.05*
	Beet leaves (chard)	0.02*	0.5	0.2*	0.05*	0.01*	0.05*
	Others	0.02*	0.5	0.2*	0.05*	0.01*	0.05*
c)	Watercress	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
d)	Witloof	2	0.02*	0.2*	0.05*	0.01*	0.3
e)	Herbs						
	Chervil	10	1	0.2*	0.05*	0.01*	2
	Chives	10	1	0.2*	0.05*	0.01*	2
	Parsley	10	1	0.2*	0.05*	0.01*	2
	Celery leaves	10	1	0.2*	0.05*	0.01*	2
	Others	10	1	0.2*	0.05*	0.01*	2
vi)	LEGUME VEGETABLES (fresh)						
	Beans (with pods)	5	0.2	0.2*	0.05*	0.01*	0.05*
	Beans (without pods)	0.02*	0.02*	0.2*	0.1	0.01*	0.05*
	Peas (with pods)	2	0.2	0.2*	0.1	0.01*	0.05*
	Peas (without pods)	0.3	0.2	0.2*	0.1	0.01*	0.05*
	Others	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
vii)	STEM VEGETABLES						
	Asparagus	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
	Cardoons	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
	Celery	0.02*	0.3	0.2*	0.05*	0.01*	0.05*
	Fennel	0.02*	0.3	0.2*	0.05*	0.01*	0.05*
	Globe artichokes	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
	Leeks	0.02*	0.3	0.2*	0.05*	0.01*	0.2
	Rhubarb	0.2	0.02*	0.2*	0.05*	0.01*	0.05*
	Others	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Iprodione</i>	<i>Lambda-cyhalothrin</i>	<i>Maleic hydrazide</i>	<i>MCPA and MCPB</i>	<i>Mesosulfuron-methyl</i>	<i>Metolaxyl</i>
viii) FUNGI							
	a) Cultivated mushrooms	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
	b) Wild mushrooms	0.02*	0.5	0.2*	0.05*	0.01*	0.05*
<b>3. PULSES</b>							
	Beans	0.2	0.02*	0.2*	0.1	0.01*	0.05*
	Lentils	0.2	0.02*	0.2*	0.05*	0.01*	0.05*
	Peas	0.2	0.02*	0.2*	0.1	0.01*	0.05*
	Lupins	0.2	0.02*	0.2*	0.05*	0.01*	0.05*
	Others	0.2	0.02*	0.2*	0.05*	0.01*	0.05*
<b>4. OILSEEDS</b>							
	Linseed	0.5	0.05*	0.5*	0.1*	0.02*	0.1*
	Peanuts	0.02*	0.05*	0.5*	0.1*	0.02*	0.1*
	Poppy seed	0.02*	0.05*	0.5*	0.1*	0.02*	0.1*
	Sesame seed	0.02*	0.05*	0.5*	0.1*	0.02*	0.1*
	Sunflower seed (with shell)	0.5	0.05*	0.5*	0.1*	0.02*	0.1*
	Rape seed	0.5	0.05*	0.5*	0.1*	0.02*	0.1*
	Soya bean	0.02*	0.05*	0.5*	0.1*	0.02*	0.1*
	Mustard seed	0.02*	0.05*	0.5*	0.1*	0.02*	0.1*
	Cotton seed	0.02*	0.05*	0.5*	0.1*	0.02*	0.1*
	Hemp seed	0.02*	0.05*	0.5*	0.1*	0.02*	0.1*
	Others	0.02*	0.05*	0.5*	0.1*	0.02*	0.1*
<b>5. POTATOES</b>							
	Early potatoes	0.02*	0.02*	50	0.05*	0.01*	0.05*
	Ware potatoes	0.02*	0.02*	50	0.05*	0.01*	0.05*
<b>6. TEA</b>							
	Tea (dried leaves & stalks, fermented or otherwise, Camellia sinensis)	0.1*	1	0.5*	0.1*	0.02*	0.1*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Iprodione</i>	<i>Lambda-cyhalothrin</i>	<i>Maleic hydrazide</i>	<i>MCPA and MCPB</i>	<i>Mesosulfuron-methyl</i>	<i>Metolaxyl</i>
<b>7. HOPS (dried)</b>							
	including hop pellets & unconcentrated powder	0.1*	10	0.5*	0.1*	0.02*	10
<b>8. CEREALS</b>							
	Wheat	0.5	0.02*	0.2*	0.05*	0.01*	0.05*
	Rye	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
	Barley	0.5	0.05	0.2*	0.05*	0.01*	0.05*
	Sorghum	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
	Oats	0.5	0.02*	0.2*	0.05*	0.01*	0.05*
	Triticale	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
	Maize	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
	Buckwheat	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
	Millet	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
	Rice <sup>(1)</sup>	3	0.02*	0.2*	0.05*	0.01*	0.05*
	Others	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
<b>9. PRODUCTS OF ANIMAL ORIGIN</b>							
	Meat, edible offal, fat & preparations of meat & edible offal <sup>(2)</sup>	0.05*	0.5 <sup>(17)</sup> 0.02* <sup>(14)</sup>	0.05 <sup>(26)</sup> 0.5 <sup>(29)</sup>	0.5* <sup>(39)</sup> 0.1* <sup>(40)</sup>		0.05*
	Milk <sup>(3)</sup> and dairy produce <sup>(4)</sup>	0.05*	0.05	0.2	0.05*		0.05*
	Eggs <sup>(5)</sup>	0.05*	0.02*	0.1	0.05*		0.05*
<b>10. SPICES</b>							
	Cumin seed						
	Juniper seed						
	Nutmeg						

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Iprodione</i>	<i>Lambda-cyhalothrin</i>	<i>Maleic hydrazide</i>	<i>MCPA and MCPB</i>	<i>Mesosulfuron-methyl</i>	<i>Metolaxyl</i>
	Pepper, black and white Vanilla pods Spices - others						

**UNITS:**

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

**KEY:**

\* Level at or about the limit of determination.

**FOOTNOTES:**

- (1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
- (2) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
- (3) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
- (4) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd. Whether made from cow's milk or other milk or a combination, the following levels apply:  
-if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;  
-if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
- (5) Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (6) Scarole includes broad-leaf endive.
- (8) Kidney except of poultry.
- (9) All other meat, edible offal, fat and preparations of meat and edible offal.
- (13) Broccoli includes calabrese.
- (14) Meat of poultry.
- (17) Except poultry.
- (26) Liver of bovine animals, sheep, goats and swine.
- (29) Meat of bovine animals, sheep, goats and swine.
- (39) Offals only.

(40) All meat except offal.

**Penconazole to Triticonazole**

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Penconazole</i>	<i>Phenmedipham</i>	<i>Tolyfluanid</i>	<i>Trifloxystrobin</i>	<i>Triticonazole</i>
<b>1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS</b>						
<b>i) CITRUS FRUIT</b>						
	Grapefruit	0.05*	0.05*	0.05*	0.3	0.01*
	Lemons	0.05*	0.05*	0.05*	0.3	0.01*
	Limes	0.05*	0.05*	0.05*	0.3	0.01*
	Mandarins (inc clementines & similar hybrids)	0.05*	0.05*	0.05*	0.3	0.01*
	Oranges	0.05*	0.05*	0.05*	0.3	0.01*
	Pomelos	0.05*	0.05*	0.05*	0.3	0.01*
	Others	0.05*	0.05*	0.05*	0.3	0.01*
<b>ii) TREE NUTS (shelled or unshelled)</b>						
	Almonds	0.05*	0.05*	0.05*	0.02*	0.01*
	Brazil nuts	0.05*	0.05*	0.05*	0.02*	0.01*
	Cashew nuts	0.05*	0.05*	0.05*	0.02*	0.01*
	Chestnuts	0.05*	0.05*	0.05*	0.02*	0.01*
	Coconuts	0.05*	0.05*	0.05*	0.02*	0.01*
	Hazelnuts	0.05*	0.05*	0.05*	0.02*	0.01*
	Macadamia nuts	0.05*	0.05*	0.05*	0.02*	0.01*
	Pecans	0.05*	0.05*	0.05*	0.02*	0.01*
	Pine nuts	0.05*	0.05*	0.05*	0.02*	0.01*
	Pistachios	0.05*	0.05*	0.05*	0.02*	0.01*
	Walnuts	0.05*	0.05*	0.05*	0.02*	0.01*
	Others	0.05*	0.05*	0.05*	0.02*	0.01*
<b>iii) POME FRUIT</b>						

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Penconazole</i>	<i>Phenmedipham</i>	<i>Tolyfluanid</i>	<i>Trifloxystrobin</i>	<i>Triticonazole</i>
iv) STONE FRUIT	Apples	0.2	0.05*	3	0.5	0.01*
	Pears	0.2	0.05*	3	0.5	0.01*
	Quinces	0.2	0.05*	3	0.5	0.01*
	Others	0.2	0.05*	3	0.5	0.01*
	Apricots	0.1	0.05*	0.05*	1	0.01*
	Cherries	0.05*	0.05*	1	1	0.01*
	Peaches (inc nectarines & similar hybrids)	0.1	0.05*	0.05*	1	0.01*
	Plums	0.05*	0.05*	0.5	0.2	0.01*
	Others	0.05*	0.05*	0.05*	0.02*	0.01*
	v) BERRIES AND SMALL FRUIT	a) Table & wine grapes				
Table grapes		0.2	0.05*	5	5	0.01*
Wine grapes		0.2	0.05*	5	5	0.01*
b) Strawberries (other than wild)						
c) Cane fruit (other than wild)		0.5	0.1	5	0.5	0.01*
Blackberries		0.05*	0.05*	5	0.02*	0.01*
Dewberries		0.05*	0.05*	5	0.02*	0.01*
Loganberries		0.05*	0.05*	5	0.02*	0.01*
Raspberries		0.05*	0.05*	5	0.02*	0.01*
Others		0.05*	0.05*	5	0.02*	0.01*
d) Other small fruit & berries (other than wild)						
Bilberries		0.05*	0.05*	5	0.02*	0.01*
Cranberries		0.05*	0.05*	5	0.02*	0.01*
Currants (red, black & white)	0.5	0.05*	5	1	0.01*	

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Penconazole</i>	<i>Phenmedipham</i>	<i>Tolyfluanid</i>	<i>Trifloxystrobin</i>	<i>Triticonazole</i>
	Gooseberries	0.05*	0.05*	5	1	0.01*
	Others	0.05*	0.05*	5	0.02*	0.01*
	e) Wild berries & wild fruit	0.05*	0.05*	0.05*	0.02*	0.01*
	vi) MISCELLANEOUS FRUIT					
	Avocados	0.05*	0.05*	0.05*	0.02*	0.01*
	Bananas	0.05*	0.05*	0.05*	0.05	0.01*
	Dates	0.05*	0.05*	0.05*	0.02*	0.01*
	Figs	0.05*	0.05*	0.05*	0.02*	0.01*
	Kiwi fruit	0.05*	0.05*	0.05*	0.02*	0.01*
	Kumquats	0.05*	0.05*	0.05*	0.02*	0.01*
	Litchis	0.05*	0.05*	0.05*	0.02*	0.01*
	Mangoes	0.05*	0.05*	0.05*	0.02*	0.01*
	Olives (Table Consumption)	0.05*	0.05*	0.05*	0.02*	0.01*
	Olives (Oil Extract)	0.05*	0.05*	0.05*	0.02*	0.01*
	Papaya	0.05*	0.05*	0.05*	1	0.01*
	Passion fruit	0.05*	0.05*	0.05*	0.02*	0.01*
	Pineapples	0.05*	0.05*	0.05*	0.02*	0.01*
	Pomegranates	0.05*	0.05*	0.05*	0.02*	0.01*
	Others	0.05*	0.05*	0.05*	0.02*	0.01*
	<b>2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY</b>					
	i) ROOT AND TUBER VEGETABLES					
	Beetroot	0.05*	0.1	0.05*	0.02*	0.01*
	Carrots	0.05*	0.05*	0.05*	0.05	0.01*
	Cassava	0.05*	0.05*	0.05*	0.02*	0.01*
	Celeriac	0.05*	0.05*	0.05*	0.02*	0.01*
	Horseradish	0.05*	0.05*	0.05*	0.02*	0.01*
	Jerusalem artichokes	0.05*	0.05*	0.05*	0.02*	0.01*
	Parsnips	0.05*	0.05*	0.05*	0.02*	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Penconazole</i>	<i>Phenmedipham</i>	<i>Tolyfluanid</i>	<i>Trifloxystrobin</i>	<i>Triticonazole</i>
	Parsley root	0.05*	0.05*	0.05*	0.02*	0.01*
	Radishes	0.05*	0.05*	0.05*	0.02*	0.01*
	Salsify	0.05*	0.05*	0.05*	0.02*	0.01*
	Sweet potatoes	0.05*	0.05*	0.05*	0.02*	0.01*
	Swedes	0.05*	0.05*	0.05*	0.02*	0.01*
	Turnips	0.05*	0.05*	0.05*	0.02*	0.01*
	Yams	0.05*	0.05*	0.05*	0.02*	0.01*
	Others	0.05*	0.05*	0.05*	0.02*	0.01*
ii) BULB VEGETABLES						
	Garlic	0.05*	0.05*	0.5	0.02*	0.01*
	Onions	0.05*	0.05*	0.5	0.02*	0.01*
	Shallots	0.05*	0.05*	0.5	0.02*	0.01*
	Spring onions	0.05*	0.05*	0.05*	0.02*	0.01*
	Others	0.05*	0.05*	0.05*	0.02*	0.01*
iii) FRUITING VEGETABLES						
a) Solanacea						
	Tomatoes	0.1	0.05*	3	0.5	0.01*
	Peppers	0.2	0.05*	2	0.02*	0.01*
	Chili Peppers	0.2	0.05*	2	0.02*	0.01*
	Aubergines	0.1	0.05*	3	0.02*	0.01*
	Okra	0.05*	0.05*	0.05*	0.02*	0.01*
	Others	0.05*	0.05*	0.05*	0.02*	0.01*
b) Cucurbits-edible peel						
	Cucumbers	0.1	0.05*	2	0.2	0.01*
	Gherkins	0.1	0.05*	2	0.2	0.01*
	Courgettes	0.1	0.05*	2	0.2	0.01*
	Others	0.1	0.05*	2	0.2	0.01*
c) Cucurbits-inedible peel						

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Penconazole</i>	<i>Phenmedipham</i>	<i>Tolyfluanid</i>	<i>Trifloxystrobin</i>	<i>Triticonazole</i>
	Melons	0.1	0.05*	0.3	0.3	0.01*
	Squashes	0.1	0.05*	0.3	0.02*	0.01*
	Watermelons	0.1	0.05*	0.3	0.2	0.01*
	Others	0.1	0.05*	0.3	0.02*	0.01*
	d) Sweet corn	0.05*	0.05*	0.05*	0.02*	0.01*
<b>iv) BRASSICA VEGETABLES</b>						
	a) Flowering Brassicas					
	Broccoli	0.05*(13)	0.05*(13)	1 <sup>(13)</sup>	0.02*(13)	0.01*(13)
	Cauliflower	0.05*	0.05*	0.05*	0.02*	0.01*
	Others	0.05*	0.05*	0.05*	0.02*	0.01*
	b) Head Brassicas					
	Brussels sprouts	0.05*	0.05*	0.05*	0.02*	0.01*
	Head cabbage	0.05*	0.05*	0.05*	0.02*	0.01*
	Others	0.05*	0.05*	0.05*	0.02*	0.01*
	c) Leafy Brassicas					
	Chinese cabbage	0.05*	0.05*	0.05*	0.02*	0.01*
	Kale	0.05*	0.05*	0.05*	0.02*	0.01*
	Others	0.05*	0.05*	0.05*	0.02*	0.01*
	d) Kohlrabi	0.05*	0.05*	0.05*	0.02*	0.01*
<b>v) LEAF VEGETABLES AND FRESH HERBS</b>						
	a) Lettuce & similar					
	Cress	0.05*	0.05*	20	0.02*	0.01*
	Lamb's lettuce	0.05*	0.05*	20	0.02*	0.01*
	Lettuce	0.05*	0.05*	20	0.02*	0.01*
	Scarole	0.05*(6)	0.05*(6)	20 <sup>(6)</sup>	0.02*(6)	0.01*(6)
	Ruccola	0.05*	0.05*	20	0.02*	0.01*
	Leaves and stems of brassica, including turnip greens	0.05*	0.05*	20	0.02*	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Penconazole</i>	<i>Phenmedipham</i>	<i>Tolyfluanid</i>	<i>Trifloxystrobin</i>	<i>Triticonazole</i>
	Others	0.05*	0.05*	20	0.02*	0.01*
b)	Spinach & similar					
	Spinach	0.05*	0.5	0.05*	0.02*	0.01*
	Beet leaves (chard)	0.05*	0.5	0.05*	0.02*	0.01*
	Others	0.05*	0.5	0.05*	0.02*	0.01*
c)	Watercress	0.05*	0.05*	0.05*	0.02*	0.01*
d)	Witloof	0.05*	0.05*	0.05*	0.02*	0.01*
e)	Herbs					
	Chervil	0.05*	7	0.05*	0.02*	0.01*
	Chives	0.05*	7	0.05*	0.02*	0.01*
	Parsley	0.05*	7	0.05*	0.02*	0.01*
	Celery leaves	0.05*	7	0.05*	0.02*	0.01*
	Others	0.05*	7	0.05*	0.02*	0.01*
vi)	LEGUME VEGETABLES (fresh)					
	Beans (with pods)	0.05*	0.05*	3	0.5	0.01*
	Beans (without pods)	0.05*	0.05*	0.05*	0.02*	0.01*
	Peas (with pods)	0.05*	0.05*	3	0.02*	0.01*
	Peas (without pods)	0.05*	0.05*	0.05*	0.02*	0.01*
	Others	0.05*	0.05*	0.05*	0.02*	0.01*
vii)	STEM VEGETABLES					
	Asparagus	0.05*	0.05*	0.05*	0.02*	0.01*
	Cardoons	0.05*	0.05*	0.05*	0.02*	0.01*
	Celery	0.05*	0.05*	0.05*	0.02*	0.01*
	Fennel	0.05*	0.05*	0.05*	0.02*	0.01*
	Globe artichokes	0.2	0.2	0.05*	0.02*	0.01*
	Leeks	0.05*	0.05*	3	0.02*	0.01*
	Rhubarb	0.05*	0.05*	0.05*	0.02*	0.01*
	Others	0.05*	0.05*	0.05*	0.02*	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Penconazole</i>	<i>Phenmedipham</i>	<i>Tolyfluanid</i>	<i>Trifloxystrobin</i>	<i>Triticonazole</i>
viii) FUNGI						
	a) Cultivated mushrooms	0.05*	0.05*	0.05*	0.02*	0.01*
	b) Wild mushrooms	0.05*	0.05*	0.05*	0.02*	0.01*
<b>3. PULSES</b>						
	Beans	0.05*	0.05*	0.05*	0.02*	0.01*
	Lentils	0.05*	0.05*	0.05*	0.02*	0.01*
	Peas	0.05*	0.05*	0.05*	0.02*	0.01*
	Lupins	0.05*	0.05*	0.05*	0.02*	0.01*
	Others	0.05*	0.05*	0.05*	0.02*	0.01*
<b>4. OILSEEDS</b>						
	Linseed	0.05*	0.1*	0.1*	0.05*	0.02*
	Peanuts	0.05*	0.1*	0.1*	0.05*	0.02*
	Poppy seed	0.05*	0.1*	0.1*	0.05*	0.02*
	Sesame seed	0.05*	0.1*	0.1*	0.05*	0.02*
	Sunflower seed (with shell)	0.05*	0.1*	0.1*	0.05*	0.02*
	Rape seed	0.05*	0.1*	0.1*	0.05*	0.02*
	Soya bean	0.05*	0.1*	0.1*	0.05*	0.02*
	Mustard seed	0.05*	0.1*	0.1*	0.05*	0.02*
	Cotton seed	0.05*	0.1*	0.1*	0.05*	0.02*
	Hemp seed	0.05*	0.1*	0.1*	0.05*	0.02*
	Others	0.05*	0.1*	0.1*	0.05*	0.02*
<b>5. POTATOES</b>						
	Early potatoes	0.05*	0.05*	0.05*	0.02*	0.01*
	Ware potatoes	0.05*	0.05*	0.05*	0.02*	0.01*
<b>6. TEA</b>						
	Tea (dried leaves & stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.1*	0.1*	0.05*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Penconazole</i>	<i>Phenmedipham</i>	<i>Tolyfluanid</i>	<i>Trifloxystrobin</i>	<i>Triticonazole</i>
<b>7. HOPS (dried)</b>						
	including hop pellets & unconcentrated powder	0.5	0.1*	50	30	0.02*
<b>8. CEREALS</b>						
	Wheat	0.05*	0.05*	0.05*	0.05	0.01*
	Rye	0.05*	0.05*	0.05*	0.05	0.01*
	Barley	0.05*	0.05*	0.05*	0.3	0.01*
	Sorghum	0.05*	0.05*	0.05*	0.02*	0.01*
	Oats	0.05*	0.05*	0.05*	0.02*	0.01*
	Triticale	0.05*	0.05*	0.05*	0.05	0.01*
	Maize	0.05*	0.05*	0.05*	0.02*	0.01*
	Buckwheat	0.05*	0.05*	0.05*	0.02*	0.01*
	Millet	0.05*	0.05*	0.05*	0.02*	0.01*
	Rice <sup>(1)</sup>	0.05*	0.05*	0.05*	0.02*	0.01*
	Others	0.05*	0.05*	0.05*	0.02*	0.01*
<b>9. PRODUCTS OF ANIMAL ORIGIN</b>						
	Meat, edible offal, fat & preparations of meat & edible offal <sup>(2)</sup>	0.05*	0.05*	0.1*		
	Milk <sup>(3)</sup> and dairy produce <sup>(4)</sup>	0.01	0.05*	0.02*		
	Eggs <sup>(5)</sup>	0.05				
		0.05*	0.05*	0.1*		
<b>10. SPICES</b>						
	Cumin seed					
	Juniper seed					
	Nutmeg					
	Pepper, black and white					

<i>Group to which food belongs</i>	<i>Groups include the following products</i>
	<i>Penconazole Phenmedipham Tolyfluanid Trifloxystrobin Triticonazole</i> Vanilla pods Spices - others

**UNITS:**

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

**KEY:**

\* Level at or about the limit of determination.

**FOOTNOTES:**

- (1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
- (2) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
- (3) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
- (4) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd. Whether made from cow's milk or other milk or a combination, the following levels apply:  
 -if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;  
 -if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
- (5) Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (6) Scarole includes broad-leaf endive.
- (13) Broccoli includes calabrese.

## EXPLANATORY NOTE

*(This note is not part of these Regulations)*

These Regulations amend the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) Regulations 2005 (S.I. 2005/3286) (“the 2005 Regulations”) in order to transpose—

- (a) Commission Directive 2007/27/EC amending certain Annexes to Council Directives 86/362/EEC, 86/363/EEC and 90/642/EEC as regards maximum residue levels for etoxazole, indoxacarb, mesosulfuron, 1-methylcyclopropene, MCPA and MCPB, tolylfluanid and triticonazole (OJ No L 128, 16.5.2007, p. 31);
- (b) Commission Directive 2007/28/EC amending certain Annexes to Council Directives 86/363/EEC and 90/642/EEC as regards maximum residue levels for azoxystrobin, chlorfenapyr, folpet, iprodione, lambda-cyhalothrin, maleic hydrazide, metalaxy-M and trifloxystrobin (OJ No L 135, 26.5.2007, p. 6); and
- (c) Commission Directive 2007/39/EC amending Annex II to Council Directive 90/642/EEC as regards maximum residue levels for diazinon (OJ No L 165, 27.6.2007, p. 25).

These Regulations substitute or insert—

- (a) residue definitions for certain pesticides in Schedule 1 to the 2005 Regulations which identify the pesticide residues that are taken into account in the measuring of residue levels for each pesticide; and
- (b) maximum residue levels for certain pesticides in Schedule 2 to the 2005 Regulations.

Regulations 4(2)(c) and 7 correct errors in the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2007 (S.I. 2007/2083).

A Regulatory Impact Assessment (RIA) was prepared for the 2005 Regulations and provides a basis for establishing the impact of amendments of the kind made by these Regulations. A consultation in 2003 indicated that compliance costs were virtually unchanged from those quoted in an RIA prepared in 1999. Copies of the RIA prepared in 2005 can be obtained from the Pesticides Safety Directorate, Room 308, Mallard House, Kings Pool, 3 Peasholme Green, York, YO1 7PX or via the website [www.pesticides.gov.uk](http://www.pesticides.gov.uk). Copies have been placed in the library of each House of Parliament.

© Crown copyright 2007

Printed and published in the UK by The Stationery Office Limited  
under the authority and superintendence of Carol Tullo, Controller of Her Majesty's  
Stationery Office and Queen's Printer of Acts of Parliament.

E1477 10/2007 171477T 19585

