

## SCHEDULE 2

Regulations 4(2), 5(2), 6 and 7

Entries substituted or inserted in Schedule 2

**1-Methylcyclopropene to Indoxacarb**

<i>Group to which the food following belongs products</i>	<i>I- Methylcyclopropene to Indoxacarb</i>
---	--

**1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY  
FREEZING NOT CONTAINING ADDED SUGAR: NUTS**

## i) CITRUS FRUIT

Grapefruit	0.01*	1	0.05*	0.01*0.1	0.02*0.02*
Lemons	0.01*	1	0.05*	0.01*0.1	0.02*0.02*
Limes	0.01*	1	0.05*	0.01*0.1	0.02*0.02*
Mandarins (inc clementines & similar hybrids)	0.01*	1	0.05*	0.01*0.1	0.02*0.02*
Oranges	0.01*	1	0.05*	0.01*0.1	0.02*0.02*
Pomelos	0.01*	1	0.05*	0.01*0.1	0.02*0.02*
Others	0.01*	1	0.05*	0.01*0.1	0.02*0.02*

ii) TREE NUTS  
(shelled or unshelled)

Almonds	0.01*	0.1*	0.05*	0.05	0.02*0.02*0.05
Brazil nuts	0.01*	0.1*	0.05*	0.01*0.02*0.02*0.05	
Cashew nuts	0.01*	0.1*	0.05*	0.01*0.02*0.02*0.05	
Chestnuts	0.01*	0.1*	0.05*	0.01*0.02*0.02*0.05	
Coconuts	0.01*	0.1*	0.05*	0.01*0.02*0.02*0.05	
Hazelnuts	0.01*	0.1*	0.05*	0.01*0.02*0.02*0.05	
Macadamia nuts	0.01*	0.1*	0.05*	0.01*0.02*0.02*0.05	
Pecans	0.01*	0.1*	0.05*	0.01*0.02*0.02*0.05	
Pine nuts	0.01*	0.1*	0.05*	0.01*0.02*0.02*0.05	
Pistachios	0.01*	0.1*	0.05*	0.01*0.02*0.02*0.05	
Walnuts	0.01*	0.1*	0.05*	0.01*0.02*0.02*0.05	
Others	0.01*	0.1*	0.05*	0.01*0.02*0.02*0.05	

## iii) POME FRUIT

<i>Group to which the food following belongs</i>	<i>Groups which include the following products</i>	<i>I- Methylcyclopropanediol</i>	<i>Propyleneoxide</i>	<i>Diazoalkanes</i>	<i>Eopoloxides</i>	<i>Indoxacarb</i>
Apples		0.01*	0.05*	0.05*	0.01*0.02*3 <sup>(48)</sup>	0.5
Pears		0.01*	0.05*	0.05*	0.01*0.02*3 <sup>(48)</sup>	0.3
Quinces		0.01*	0.05*	0.05*	0.01*0.02*3 <sup>(48)</sup>	0.3
Others		0.01*	0.05*	0.05*	0.01*0.02*3 <sup>(48)</sup>	0.3
iv) STONE FRUIT						
Apricots		0.01*	0.05*	0.05*	0.01*0.1	0.02*0.3
Cherries		0.01*	0.05*	0.05*	0.01*0.02*2	0.02*
Peaches (inc nectarines & similar hybrids)		0.01*	0.05*	0.05*	0.01*0.1	0.02*0.3
Plums		0.01*	0.05*	0.05*	0.01*0.02*0.02*	0.02*
Others		0.01*	0.05*	0.05*	0.01*0.02*0.02*	0.02*
v) BERRIES AND SMALL FRUIT						
Table & wine						
a) grapes						
Table grapes		0.01*	2	0.05*	0.01*0.02*0.02*2	
Wine grapes		0.01*	2	0.05*	0.01*0.02*5	2
Strawberries (other than wild)		0.01*	2	0.05*	0.01*0.2	3 <sup>(48)</sup> 0.02*
b) Cane fruit (other than wild)						
Blackberries		0.01*	3	0.05*	0.01*0.02*3 <sup>(48)</sup>	0.02*
Dewberries		0.01*	0.05*	0.05*	0.01*0.02*0.02*0.02*	
Loganberries		0.01*	0.05*	0.05*	0.01*0.02*0.02*0.02*	
Raspberries		0.01*	3	0.05*	0.01*0.02*3 <sup>(48)</sup>	0.02*
Others		0.01*	0.05*	0.05*	0.01*0.02*0.02*	
d) Other small fruit & berries (other than wild)						
Bilberries		0.01*	0.05*	0.05*	0.01*0.02*0.02*	

<i>Group to which the food belongs</i>	<i>Groups including the following products</i>	<i>I- Methylcyclopropanediyl</i>	<i>Propenyl</i>	<i>Dipropyl</i>	<i>Epoxy</i>	<i>Indoxacarb</i>
Cranberries	0.01*	0.05*	0.05*	0.2	0.02*	0.02*
Currants (red, black & white)	0.01*	0.05*	0.05*	0.01*0.02*	3 <sup>(48)</sup>	1
Gooseberries	0.01*	0.05*	0.05*	0.01*0.02*	3 <sup>(48)</sup>	1
Others	0.01*	0.05*	0.05*	0.01*0.02*	0.02*	0.02*
Wild berries & e) wild fruit	0.01*	0.05*	0.05*	0.01*0.02*	0.02*	0.02*

vi)  
MISCELLANEOUS  
FRUIT

Avocados	0.01*	0.05*	0.05*	0.01*0.02*	0.02*	0.02*
Bananas	0.01*	2	0.05*	0.01*0.02*	0.02*	0.02*
Dates	0.01*	0.05*	0.05*	0.01*0.02*	0.02*	0.02*
Figs	0.01*	0.05*	0.05*	0.01*0.02*	0.02*	0.02*
Kiwi fruit	0.01*	0.05*	0.05*	0.01*0.02*	0.02*	0.02*
Kumquats	0.01*	0.05*	0.05*	0.01*0.02*	0.02*	0.02*
Litchis	0.01*	0.05*	0.05*	0.01*0.02*	0.02*	0.02*
Mangoes	0.01*	0.2	0.05*	0.01*0.02*	0.02*	0.02*
Olives (Table Consumption)	0.01*	0.05*	0.05*	0.01*0.02*	0.02*	0.02*
Olives (Oil Extract)	0.01*	0.05*	0.05*	0.01*0.02*	0.02*	0.02*
Papaya	0.01*	0.2	0.05*	0.01*0.02*	0.02*	0.02*
Passion fruit	0.01*	0.05*	0.05*	0.01*0.02*	0.02*	0.02*
Pineapples	0.01*	0.05*	0.05*	0.3	0.02*	0.02*
Pomegranates	0.01*	0.05*	0.05*	0.01*0.02*	0.02*	0.02*
Others	0.01*	0.05*	0.05*	0.01*0.02*	0.02*	0.02*

## 2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY

### i) ROOT AND TUBER VEGETABLES

Beetroot	0.01*	0.05*	0.05*	0.01*0.02*	0.02*
Carrots	0.01*	0.2	0.05*	0.01*0.02*	0.02*
Cassava	0.01*	0.05*	0.05*	0.01*0.02*	0.02*

<i>Group to which the food belongs</i>	<i>Groups include the following products</i>	<i>I- Methylcyclopropanedione Diisopropylcarbamoylpeptides Indoxacarb</i>
Celeriac	0.01*	0.3 0.05* 0.01*0.02*0.02*0.02*
Horseradish	0.01*	0.2 0.05* 0.01*0.02*0.02*0.02*
Jerusalem artichokes	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
Parsnips	0.01*	0.2 0.05* 0.01*0.02*0.02*0.02*
Parsley root	0.01*	0.2 0.05* 0.01*0.02*0.02*0.02*
Radishes	0.01*	0.2 0.05* 0.1 0.02*0.02*0.02*
Salsify	0.01*	0.2 0.05* 0.01*0.02*0.02*0.02*
Sweet potatoes	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
Swedes	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
Turnips	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
Yams	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
Others	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
ii) BULB VEGETABLES		
Garlic	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
Onions	0.01*	0.05* 0.05* 0.05 0.02*0.1 0.02*
Shallots	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
Spring onions	0.01*	2 0.05* 0.01*0.02*0.02*0.02*
Others	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
iii) FRUITING VEGETABLES		
a) Solanaceae		
Tomatoes	0.01*	2 0.05* 0.01*0.1 2 <sup>(48)</sup> 0.5
Peppers	0.01*	2 0.05* 0.05 0.02*0.02*0.3
Chili Peppers	0.01*	2 0.05* 0.05 0.02*0.02*0.3
Aubergines	0.01*	2 0.05* 0.01*0.1 0.02*0.5
Okra	0.01*	2 0.05* 0.01*0.02*0.02*0.02*
Others	0.01*	2 0.05* 0.01*0.02*0.02*0.02*
b) Cucurbits- edible peel		
Cucumbers	0.01*	1 0.05* 0.01*0.02*0.02*0.2

<i>Group to which the food belongs</i>	<i>Groups which include the following products</i>	<i>I- Methylcyclopropanediyl</i>	<i>Propylene</i>	<i>Dipropylene</i>	<i>Epoxy</i>	<i>Folpet</i>	<i>Indoxacarb</i>
	Gherkins	0.01*	1	0.05*	0.01*0.02*	0.02*0.2	
	Courgettes	0.01*	1	0.05*	0.01*0.02*	0.02*0.2	
	Others	0.01*	1	0.05*	0.01*0.02*	0.02*0.2	
c) Cucurbits- inedible peel	Melons	0.01*	0.5	0.05*	0.01*0.05	1	0.1
	Squashes	0.01*	0.5	0.05*	0.01*0.05	1	0.1
	Watermelons	0.01*	0.5	0.05*	0.01*0.05	1	0.1
	Others	0.01*	0.5	0.05*	0.01*0.05	1	0.1
d) Sweet corn		0.01*	0.05*	0.05*	0.02	0.02*0.02*	0.02*
iv) BRASSICA VEGETABLES							
	Flowering a) Brassicas						
	Broccoli	0.01*(13)	0.5(13)	0.05*(13)	0.01*0.02*	0.02*0.3	(13)
	Cauliflower	0.01*	0.5	0.05*	0.01*0.02*	0.02*0.3	
	Others	0.01*	0.5	0.05*	0.01*0.02*	0.02*0.3	
	Head b) Brassicas						
	Brussels sprouts	0.01*	0.3	0.05*	0.01*0.02*	0.02*0.02*	
	Head cabbage	0.01*	0.3	0.05*	0.5	0.02*0.02*	3
	Others	0.01*	0.3	0.05*	0.01*0.02*	0.02*0.02*	
	Leafy c) Brassicas						
	Chinese cabbage	0.01*	5	0.05*	0.05	0.02*0.02*	0.2
	Kale	0.01*	5	0.05*	0.01*0.02*	0.02*0.2	
	Others	0.01*	5	0.05*	0.01*0.02*	0.02*0.02*	
	d) Kohlrabi	0.01*	0.2	0.05*	0.2	0.02*0.05	0.02*
v) LEAF VEGETABLES AND FRESH HERBS							
	Lettuce &						
a) similar							

<i>Group to which the food belongs</i>	<i>Groups which include the following products</i>	<i>I- Methylcyclopropanediyl</i>	<i>Propenyl</i>	<i>Dipropenyl</i>	<i>Epoxy</i>	<i>Fatty acids</i>	<i>Indoxacarb</i>
Cress		0.01*	3	0.05*	0.01*0.02*	0.02*0.02*	
Lamb's lettuce		0.01*	3	0.05*	0.01*0.02*	0.02*0.02*	
Lettuce		0.01*	3	0.05*	0.01*0.02*	2	
Scarole		0.01*(6)	3(6)	0.05*(6)	0.01*(6)0.02*	0.02*(6)	
Ruccola		0.01*	3	0.05*	0.01*0.02*	0.02*0.02*	
Leaves and stems of brassica, including turnip greens		0.01*	3	0.05*	0.01*0.02*	0.02*0.02*	
Others		0.01*	3	0.05*	0.01*0.02*	0.02*0.02*	
Spinach & b) similar		0.01*	0.05*	0.05*	0.01*0.02*10	0.02*	
Spinach		0.01*	0.05*	0.05*	0.01*0.02*10	0.02*	
Beet leaves (chard)		0.01*	0.05*	0.05*	0.01*0.02*	0.02*0.02*	
Others		0.01*	0.05*	0.05*	0.01*0.02*	0.02*0.02*	
c) Watercress		0.01*	0.05*	0.05*	0.01*0.02*	0.02*0.02*	
d) Witloof		0.01*	0.2	0.05*	0.01*0.02*	0.02*0.02*	
e) Herbs							
Chervil		0.01*	3	0.05*	0.01*0.02*	0.02*2	
Chives		0.01*	3	0.05*	0.01*0.02*	0.02*2	
Parsley		0.01*	3	0.05*	0.01*0.02*	0.02*2	
Celery leaves		0.01*	3	0.05*	0.01*0.02*	0.02*2	
Others		0.01*	3	0.05*	0.01*0.02*	0.02*2	
vi) LEGUME VEGETABLES (fresh)							
Beans (with pods)		0.01*	1	0.05*	0.01*0.02*2 <sup>(48)</sup>	0.02*	
Beans (without pods)		0.01*	0.2	0.05*	0.01*0.02*2 <sup>(48)</sup>	0.02*	
Peas (with pods)		0.01*	0.5	0.05*	0.01*0.02*	0.02*0.02*	
Peas (without pods)		0.01*	0.2	0.05*	0.01*0.02*	0.02*0.02*	

<i>Group to which the food belongs</i>	<i>Groups including the following products</i>	<i>I- MethylcyclopropanedioneDiapylEopoloxaEndoxacarb</i>
Others	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
vii) STEM VEGETABLES		
Asparagus	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
Cardoons	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
Celery	0.01*	5 0.05* 0.01*0.02*0.02*0.02*
Fennel	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
Globe artichokes	0.01*	1 0.05* 0.01*0.02*0.02*0.1
Leeks	0.01*	2 0.05* 0.01*0.02*0.02*0.02*
Rhubarb	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
Others	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
viii) FUNGI		
a) Cultivated mushrooms	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
b) Wild mushrooms	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
<b>3. PULSES</b>		
Beans	0.01*	0.1 0.05* 0.01*0.02*0.02*0.02*
Lentils	0.01*	0.1 0.05* 0.01*0.02*0.02*0.02*
Peas	0.01*	0.1 0.05* 0.01*0.02*0.02*0.02*
Lupins	0.01*	0.1 0.05* 0.01*0.02*0.02*0.02*
Others	0.01*	0.1 0.05* 0.01*0.02*0.02*0.02*
<b>4. OILSEEDS</b>		
Linseed	0.02*	0.05* 0.1* 0.02*0.05*0.05*0.05*
Peanuts	0.02*	0.05* 0.1* 0.02*0.05*0.05*0.05*
Poppy seed	0.02*	0.05* 0.1* 0.02*0.05*0.05*0.05*
Sesame seed	0.02*	0.05* 0.1* 0.02*0.05*0.05*0.05*
Sunflower seed (with shell)	0.02*	0.05* 0.1* 0.02*0.05*0.05*0.05*
Rape seed	0.02*	0.5 0.1* 0.02*0.05*0.05*0.05*
Soya bean	0.02*	0.5 0.1* 0.02*0.05*0.05*0.5

<i>Group to which the food belongs</i>	<i>Groups including the following products</i>	<i>I- Methylcyclopropanedioyl Diacyl Oxazoles and Indoxacarb</i>
--	--	--

Mustard seed	0.02*	0.05* 0.1* 0.02*0.05*0.05*0.05*
Cotton seed	0.02*	0.05* 0.1* 0.02*0.05*0.05*0.05*
Hemp seed	0.02*	0.05* 0.1* 0.02*0.05*0.05*0.05*
Others	0.02*	0.05* 0.1* 0.02*0.05*0.05*0.05*

**5. POTATOES**

Early potatoes	0.01*	0.05* 0.05* 0.01*0.02*0.1 0.02*
Ware potatoes	0.01*	0.05* 0.05* 0.01*0.02*0.1 0.02*

**6. TEA**

Tea (dried leaves & stalks, fermented or otherwise, Camellia sinensis)	0.02*	0.1* 50 0.02*0.05*0.05*0.05*
--	-------	------------------------------

**7. HOPS (dried)**

including hop pellets & unconcentrated powder	0.02*	20 0.1* 0.5 0.05*150 0.05*
---	-------	----------------------------

**8. CEREALS**

Wheat	0.01*	0.3 0.05* 0.02*0.02*2 0.02*
Rye	0.01*	0.3 0.05* 0.02*0.02*0.02*0.02*
Barley	0.01*	0.3 0.05* 0.02*0.02*2 0.02*
Sorghum	0.01*	0.05* 0.05* 0.02*0.02*0.02*0.02*
Oats	0.01*	0.3 0.05* 0.02*0.02*0.02*0.02*
Triticale	0.01*	0.3 0.05* 0.02*0.02*0.02*0.02*
Maize	0.01*	0.05* 0.05* 0.02*0.02*0.02*0.02*
Buckwheat	0.01*	0.05* 0.05* 0.02*0.02*0.02*0.02*
Millet	0.01*	0.05* 0.05* 0.02*0.02*0.02*0.02*
Rice <sup>(1)</sup>	0.01*	5 0.05* 0.02*0.02*0.02*0.02*
Others	0.01*	0.05* 0.05* 0.02*0.02*0.02*0.02*

**9. PRODUCTS OF ANIMAL ORIGIN**

Meat, edible offal, fat & preparations	0.05*	0.3 (49)
--	-------	-------------

<i>Group to which the food following belongs</i>	<i>Groups include the products</i>	<i>I- MethylcyclopropanediylbisoxaFolpetIndoxacarb</i>
of meat & edible offal <sup>(2)</sup>		0.01* (50)
Milk <sup>(3)</sup> and dairy produce <sup>(4)</sup>	0.01*	0.01*
Eggs <sup>(5)</sup>	0.05*	0.02 <sup>(51)</sup> 0.3 (52)
<b>10. SPICES</b>		0.01*
Cumin seed		
Juniper seed		
Nutmeg		
Pepper, black and white		
Vanilla pods		
Spices - others		

**UNITS:**

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

**KEY:**

\* Level at or about the limit of determination.

**FOOTNOTES:**

- (1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
- (2) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
- (3) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
- (4) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd. Whether made from cow's milk or other milk or a combination, the following levels apply:
  - if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
  - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
- (5) Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (6) Scarole includes broad-leaf endive.
- (13) Broccoli includes calabrese.
- (48) Sum of captan and folpet.

- (49) All fat.
- (50) All other meat, edible offal and preparations of meat or edible offal.
- (51) Milk except cream of milk.
- (52) Cream of milk.

### Iprodione to Metalaxy

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Iprodione</i>	<i>λ-haloethylhydrazide</i>	<i>MCPA</i>	<i>MCPB</i>	<i>Mesosulfuron-methyl</i>	<i>Metalaxy</i>
<b>1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS</b>							
i) CITRUS FRUIT							
Grapefruit		0.02*	0.1	0.2*	0.05*	0.01*	0.5
Lemons		5	0.2	0.2*	0.05*	0.01*	0.5
Limes		0.02*	0.2	0.2*	0.05*	0.01*	0.5
Mandarins (inc clementines & similar hybrids)		1	0.2	0.2*	0.05*	0.01*	0.5
Oranges		0.02*	0.1	0.2*	0.05*	0.01*	0.5
Pomelos		0.02*	0.1	0.2*	0.05*	0.01*	0.5
Others		0.02*	0.02*	0.2*	0.05*	0.01*	0.5
ii) TREE NUTS (shelled or unshelled)							
Almonds		0.02*	0.05*	0.2*	0.05*	0.01*	0.05*
Brazil nuts		0.02*	0.05*	0.2*	0.05*	0.01*	0.05*
Cashew nuts		0.02*	0.05*	0.2*	0.05*	0.01*	0.05*
Chestnuts		0.02*	0.05*	0.2*	0.05*	0.01*	0.05*
Coconuts		0.02*	0.05*	0.2*	0.05*	0.01*	0.05*
Hazelnuts		0.2	0.05*	0.2*	0.05*	0.01*	0.05*
Macadamia nuts		0.02*	0.05*	0.2*	0.05*	0.01*	0.05*
Pecans		0.02*	0.05*	0.2*	0.05*	0.01*	0.05*
Pine nuts		0.02*	0.05*	0.2*	0.05*	0.01*	0.05*
Pistachios		0.02*	0.05*	0.2*	0.05*	0.01*	0.05*
Walnuts		0.02*	0.05*	0.2*	0.05*	0.01*	0.05*
Others		0.02*	0.05*	0.2*	0.05*	0.01*	0.05*
iii) POME FRUIT							
Apples		5	0.1	0.2*	0.05*	0.01*	1
Pears		5	0.1	0.2*	0.05*	0.01*	1

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Iprodione</i>	<i>Beta-haloethoxyhydrazide</i>	<i>Lambda-Maleic MCPA and MCPB</i>	<i>Mesosulfuron-methyl</i>	<i>Metalexyl</i>
	Quinces	5	0.1	0.2*	0.05*	0.01*
	Others	5	0.1	0.2*	0.05*	0.01*
iv) STONE FRUIT						
	Apricots	3	0.2	0.2*	0.05*	0.01*
	Cherries	3	0.1	0.2*	0.05*	0.01*
	Peaches (inc nectarines & similar hybrids)	3	0.2	0.2*	0.05*	0.01*
	Plums	3	0.1	0.2*	0.05*	0.01*
	Others	3	0.1	0.2*	0.05*	0.01*
v) BERRIES AND SMALL FRUIT						
a) Table & wine grapes						
	Table grapes	10	0.2	0.2*	0.05*	0.01*
	Wine grapes	10	0.2	0.2*	0.05*	0.01*
b) Strawberries (other than wild)		15	0.5	0.2*	0.05*	0.01*
c) Cane fruit (other than wild)						
	Blackberries	10	0.02*	0.2*	0.05*	0.01*
	Dewberries	10	0.02*	0.2*	0.05*	0.01*
	Loganberries	10	0.02*	0.2*	0.05*	0.01*
	Raspberries	10	0.2	0.2*	0.05*	0.01*
	Others	10	0.02*	0.2*	0.05*	0.01*
d) Other small fruit & berries (other than wild)						
	Bilberries	10	0.02*	0.2*	0.05*	0.01*
	Cranberries	10	0.02*	0.2*	0.05*	0.01*
	Currants (red, black & white)	10	0.1	0.2*	0.05*	0.01*
	Gooseberries	10	0.1	0.2*	0.05*	0.01*
	Others	10	0.02*	0.2*	0.05*	0.01*
e) Wild berries & wild fruit		0.02*	0.2	0.2*	0.05*	0.01*
vi) MISCELLANEOUS FRUIT						

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Iprodione</i>	<i>Beta-halothiophene</i>	<i>Lambda-Maleic hydrazide</i>	<i>MCPA and MCPB</i>	<i>Mesosulfuron-methyl</i>	<i>Metalexyl</i>
Avocados		0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
Bananas		0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
Dates		0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
Figs		0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
Kiwi fruit		5	0.02*	0.2*	0.05*	0.01*	0.05*
Kumquats		0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
Litchis		0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
Mangoes		0.02*	0.1	0.2*	0.05*	0.01*	0.05*
Olives (Table Consumption)		0.02*	0.5	0.2*	0.05*	0.01*	0.05*
Olives (Oil Extract)		0.02*	0.5	0.2*	0.05*	0.01*	0.05*
Papaya		0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
Passion fruit		0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
Pineapples		0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
Pomegranates		0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
Others		0.02*	0.02*	0.2*	0.05*	0.01*	0.05*

**2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY****i) ROOT AND TUBER VEGETABLES**

Beetroot	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
Carrots	0.5	0.02*	30	0.05*	0.01*	0.1
Cassava	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
Celeriac	0.02*	0.1	0.2*	0.05*	0.01*	0.05*
Horseradish	0.5	0.02*	0.2*	0.05*	0.01*	0.1
Jerusalem artichokes	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
Parsnips	0.5	0.02*	30	0.05*	0.01*	0.1
Parsley root	0.5	0.02*	0.2*	0.05*	0.01*	0.05*
Radishes	0.3	0.1	0.2*	0.05*	0.01*	0.1
Salsify	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
Sweet potatoes	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
Swedes	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
Turnips	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
Yams	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
Others	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*

**ii) BULB VEGETABLES**

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Iprodione</i>	<i>Beta-halothiophene</i>	<i>Lambda-Maleic hydrazide</i>	<i>MCPA and MCPB</i>	<i>Mesosulfuron-methyl</i>	<i>Metalexyl</i>
	Garlic	0.2	0.02*	15	0.05*	0.01*	0.5
	Onions	0.2	0.02*	15	0.05*	0.01*	0.5
	Shallots	0.2	0.02*	15	0.05*	0.01*	0.5
	Spring onions	3	0.05	0.2*	0.05*	0.01*	0.2
	Others	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
<b>iii) FRUITING VEGETABLES</b>							
a) Solanaceae							
	Tomatoes	5	0.1	0.2*	0.05*	0.01*	0.2
	Peppers	5	0.1	0.2*	0.05*	0.01*	0.5
	Chili Peppers	5	0.1	0.2*	0.05*	0.01*	0.5
	Aubergines	5	0.5	0.2*	0.05*	0.01*	0.05*
	Okra	5	0.1	0.2*	0.05*	0.01*	0.05*
	Others	5	0.02*	0.2*	0.05*	0.01*	0.05*
b) Cucurbits-edible peel							
	Cucumbers	2	0.1	0.2*	0.05*	0.01*	0.5
	Gherkins	2	0.1	0.2*	0.05*	0.01*	0.05*
	Courgettes	2	0.1	0.2*	0.05*	0.01*	0.05*
	Others	2	0.1	0.2*	0.05*	0.01*	0.05*
Cucurbits-inedible peel							
c) Melons							
	Melons	1	0.05	0.2*	0.05*	0.01*	0.2
	Squashes	1	0.05	0.2*	0.05*	0.01*	0.05*
	Watermelons	1	0.05	0.2*	0.05*	0.01*	0.2
	Others	1	0.05	0.2*	0.05*	0.01*	0.05*
d) Sweet corn							
		0.02*	0.05	0.2*	0.05*	0.01*	0.05*
<b>iv) BRASSICA VEGETABLES</b>							
a) Flowering Brassicas							
	Broccoli	0.1 <sup>(13)</sup>	0.1 <sup>(13)</sup>	0.2*( <sup>(13)</sup> )	0.05*( <sup>(13)</sup> )	0.01*( <sup>(13)</sup> )	0.2 <sup>(13)</sup>
	Cauliflower	0.1	0.1	0.2*	0.05*	0.01*	0.2
	Others	0.1	0.1	0.2*	0.05*	0.01*	0.2
b) Head Brassicas							
	Brussels sprouts	0.5	0.05	0.2*	0.05*	0.01*	0.05*
	Head cabbage	5	0.2	0.2*	0.05*	0.01*	1

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Iprodione</i>	<i>Beta-halothiophene</i>	<i>Lambda-Maleic hydrazide</i>	<i>MCPA and MCPB</i>	<i>Mesosulfuron-methyl</i>	<i>Metalaxylyl</i>
	Others	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
c) Leafy Brassicas							
Chinese cabbage	5	1	0.2*	0.05*	0.01*	0.05*	
Kale	0.02*	1	0.2*	0.05*	0.01*	0.2	
Others	0.02*	1	0.2*	0.05*	0.01*	0.05*	
d) Kohlrabi	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*	
v) LEAF VEGETABLES AND FRESH HERBS							
a) Lettuce & similar							
Cress	10	1	0.2*	0.05*	0.01*	0.05*	
Lamb's lettuce	10	1	0.2*	0.05*	0.01*	0.2	
Lettuce	10	0.5	0.2*	0.05*	0.01*	2	
Scarole	10 <sup>(6)</sup>	1 <sup>(6)</sup>	0.2* <sup>(6)</sup>	0.05* <sup>(6)</sup>	0.01* <sup>(6)</sup>	1 <sup>(6)</sup>	
Ruccola	10	1	0.2*	0.05*	0.01*	0.05*	
Leaves and stems of brassica, including turnip greens	10	1	0.2*	0.05*	0.01*	0.05*	
Others	10	1	0.2*	0.05*	0.01*	0.05*	
b) Spinach & similar							
Spinach	0.02*	0.5	0.2*	0.05*	0.01*	0.05*	
Beet leaves (chard)	0.02*	0.5	0.2*	0.05*	0.01*	0.05*	
Others	0.02*	0.5	0.2*	0.05*	0.01*	0.05*	
c) Watercress	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*	
d) Witloof	2	0.02*	0.2*	0.05*	0.01*	0.3	
e) Herbs							
Chervil	10	1	0.2*	0.05*	0.01*	2	
Chives	10	1	0.2*	0.05*	0.01*	2	
Parsley	10	1	0.2*	0.05*	0.01*	2	
Celery leaves	10	1	0.2*	0.05*	0.01*	2	
Others	10	1	0.2*	0.05*	0.01*	2	
vi) LEGUME VEGETABLES (fresh)							
Beans (with pods)	5	0.2	0.2*	0.05*	0.01*	0.05*	
Beans (without pods)	0.02*	0.02*	0.2*	0.1	0.01*	0.05*	
Peas (with pods)	2	0.2	0.2*	0.1	0.01*	0.05*	

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Iprodione</i>	<i>Lambda-Maleic hydrazide</i>	<i>MCPA and MCPB</i>	<i>Mesosulfuron-methyl</i>	<i>Metalexyl</i>
	Peas (without pods)	0.3	0.2	0.2*	0.1	0.01*
	Others	0.02*	0.02*	0.2*	0.05*	0.01*
<b>vii) STEM VEGETABLES</b>						
	Asparagus	0.02*	0.02*	0.2*	0.05*	0.01*
	Cardoons	0.02*	0.02*	0.2*	0.05*	0.01*
	Celery	0.02*	0.3	0.2*	0.05*	0.01*
	Fennel	0.02*	0.3	0.2*	0.05*	0.01*
	Globe artichokes	0.02*	0.02*	0.2*	0.05*	0.01*
	Leeks	0.02*	0.3	0.2*	0.05*	0.01*
	Rhubarb	0.2	0.02*	0.2*	0.05*	0.01*
	Others	0.02*	0.02*	0.2*	0.05*	0.01*
<b>viii) FUNGI</b>						
a)	Cultivated mushrooms	0.02*	0.02*	0.2*	0.05*	0.01*
b)	Wild mushrooms	0.02*	0.5	0.2*	0.05*	0.01*
<b>3. PULSES</b>						
	Beans	0.2	0.02*	0.2*	0.1	0.01*
	Lentils	0.2	0.02*	0.2*	0.05*	0.01*
	Peas	0.2	0.02*	0.2*	0.1	0.01*
	Lupins	0.2	0.02*	0.2*	0.05*	0.01*
	Others	0.2	0.02*	0.2*	0.05*	0.01*
<b>4. OILSEEDS</b>						
	Linseed	0.5	0.05*	0.5*	0.1*	0.02*
	Peanuts	0.02*	0.05*	0.5*	0.1*	0.02*
	Poppy seed	0.02*	0.05*	0.5*	0.1*	0.02*
	Sesame seed	0.02*	0.05*	0.5*	0.1*	0.02*
	Sunflower seed (with shell)	0.5	0.05*	0.5*	0.1*	0.02*
	Rape seed	0.5	0.05*	0.5*	0.1*	0.02*
	Soya bean	0.02*	0.05*	0.5*	0.1*	0.02*
	Mustard seed	0.02*	0.05*	0.5*	0.1*	0.02*
	Cotton seed	0.02*	0.05*	0.5*	0.1*	0.02*
	Hemp seed	0.02*	0.05*	0.5*	0.1*	0.02*
	Others	0.02*	0.05*	0.5*	0.1*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Lambda-Maleic MCPA and Iprodione</i>	<i>Chlorothalonil</i>	<i>Hydrazide MCPB</i>	<i>Mesosulfuron-methyl</i>	<i>Metalexyl</i>
<b>5. POTATOES</b>						
Early potatoes	0.02*	0.02*	50	0.05*	0.01*	0.05*
Ware potatoes	0.02*	0.02*	50	0.05*	0.01*	0.05*
<b>6. TEA</b>						
Tea (dried leaves & stalks, fermented or otherwise, <i>Camellia sinensis</i> )	0.1*	1	0.5*	0.1*	0.02*	0.1*
<b>7. HOPS (dried)</b>						
including hop pellets & unconcentrated powder	0.1*	10	0.5*	0.1*	0.02*	10
<b>8. CEREALS</b>						
Wheat	0.5	0.02*	0.2*	0.05*	0.01*	0.05*
Rye	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
Barley	0.5	0.05	0.2*	0.05*	0.01*	0.05*
Sorghum	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
Oats	0.5	0.02*	0.2*	0.05*	0.01*	0.05*
Triticale	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
Maize	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
Buckwheat	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
Millet	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
Rice <sup>(1)</sup>	3	0.02*	0.2*	0.05*	0.01*	0.05*
Others	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
<b>9. PRODUCTS OF ANIMAL ORIGIN</b>						
Meat, edible offal, fat & preparations of meat & edible offal <sup>(2)</sup>	0.05*	0.5 <sup>(17)</sup> 0.02* <sup>(14)</sup>	0.05 <sup>(26)(28)</sup> 0.5 <sup>(8)</sup>	0.5* <sup>(39)</sup> 0.1* <sup>(40)</sup>		0.05*
Milk <sup>(3)</sup> and dairy produce <sup>(4)</sup>	0.05*	0.05	0.2	0.05*		0.05*
Eggs <sup>(5)</sup>	0.05*	0.02*	0.1	0.05*		0.05*
<b>10. SPICES</b>						
Cumin seed						
Juniper seed						
Nutmeg						

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Lambda-Maleic MCPA and Iprodione</i>	<i>halothiylhydrazide MCPB</i>	<i>Mesosulfuron-methyl</i>	<i>Metalexyl</i>
	Pepper, black and white				
	Vanilla pods				
	Spices - others				

**UNITS:**

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

**KEY:**

\* Level at or about the limit of determination.

**FOOTNOTES:**

- (1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
- (2) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
- (3) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
- (4) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd. Whether made from cow's milk or other milk or a combination, the following levels apply:
  - if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
  - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
- (5) Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (6) Scarole includes broad-leaf endive.
- (8) Kidney except of poultry.
- (9) All other meat, edible offal, fat and preparations of meat and edible offal.
- (13) Broccoli includes calabrese.
- (14) Meat of poultry.
- (17) Except poultry.
- (26) Liver of bovine animals, sheep, goats and swine.
- (29) Meat of bovine animals, sheep, goats and swine.
- (39) Offals only.
- (40) All meat except offal.

## Penconazole to Triticonazole

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Penconazole</i>	<i>Phenmediphth</i>	<i>Tolylfluanil</i>	<i>Rifloxystrobl</i>	<i>Triticonazole</i>
<b>1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS</b>						
i) CITRUS FRUIT						
Grapefruit	0.05*	0.05*	0.05*	0.3	0.01*	
Lemons	0.05*	0.05*	0.05*	0.3	0.01*	
Limes	0.05*	0.05*	0.05*	0.3	0.01*	
Mandarins (inc clementines & similar hybrids)	0.05*	0.05*	0.05*	0.3	0.01*	
Oranges	0.05*	0.05*	0.05*	0.3	0.01*	
Pomelos	0.05*	0.05*	0.05*	0.3	0.01*	
Others	0.05*	0.05*	0.05*	0.3	0.01*	
ii) TREE NUTS (shelled or unshelled)						
Almonds	0.05*	0.05*	0.05*	0.02*	0.01*	
Brazil nuts	0.05*	0.05*	0.05*	0.02*	0.01*	
Cashew nuts	0.05*	0.05*	0.05*	0.02*	0.01*	
Chestnuts	0.05*	0.05*	0.05*	0.02*	0.01*	
Coconuts	0.05*	0.05*	0.05*	0.02*	0.01*	
Hazelnuts	0.05*	0.05*	0.05*	0.02*	0.01*	
Macadamia nuts	0.05*	0.05*	0.05*	0.02*	0.01*	
Pecans	0.05*	0.05*	0.05*	0.02*	0.01*	
Pine nuts	0.05*	0.05*	0.05*	0.02*	0.01*	
Pistachios	0.05*	0.05*	0.05*	0.02*	0.01*	
Walnuts	0.05*	0.05*	0.05*	0.02*	0.01*	
Others	0.05*	0.05*	0.05*	0.02*	0.01*	
iii) POME FRUIT						
Apples	0.2	0.05*	3	0.5	0.01*	
Pears	0.2	0.05*	3	0.5	0.01*	
Quinces	0.2	0.05*	3	0.5	0.01*	
Others	0.2	0.05*	3	0.5	0.01*	
iv) STONE FRUIT						

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Penconazole</i>	<i>Phenmedipham</i>	<del><i>Dicyfluanil</i></del>	<i>Fluoxystrobin</i>	<i>Triadimenol</i>	<i>Trifloxystrobin</i>	<i>Propiconazole</i>
	Apricots	0.1	0.05*	0.05*	1		0.01*	
	Cherries	0.05*	0.05*	1	1		0.01*	
	Peaches (inc nectarines & similar hybrids)	0.1	0.05*	0.05*	1		0.01*	
	Plums	0.05*	0.05*	0.5	0.2		0.01*	
	Others	0.05*	0.05*	0.05*	0.02*		0.01*	
v) BERRIES AND SMALL FRUIT								
a) Table & wine grapes								
	Table grapes	0.2	0.05*	5	5		0.01*	
	Wine grapes	0.2	0.05*	5	5		0.01*	
b) Strawberries (other than wild)		0.5	0.1	5	0.5		0.01*	
c) Cane fruit (other than wild)								
	Blackberries	0.05*	0.05*	5	0.02*		0.01*	
	Dewberries	0.05*	0.05*	5	0.02*		0.01*	
	Loganberries	0.05*	0.05*	5	0.02*		0.01*	
	Raspberries	0.05*	0.05*	5	0.02*		0.01*	
	Others	0.05*	0.05*	5	0.02*		0.01*	
d) Other small fruit & berries (other than wild)								
	Bilberries	0.05*	0.05*	5	0.02*		0.01*	
	Cranberries	0.05*	0.05*	5	0.02*		0.01*	
	Currants (red, black & white)	0.5	0.05*	5	1		0.01*	
	Gooseberries	0.05*	0.05*	5	1		0.01*	
	Others	0.05*	0.05*	5	0.02*		0.01*	
e) Wild berries & wild fruit	0.05*	0.05*	0.05*	0.02*			0.01*	
vi) MISCELLANEOUS FRUIT								
	Avocados	0.05*	0.05*	0.05*	0.02*		0.01*	
	Bananas	0.05*	0.05*	0.05*	0.05		0.01*	
	Dates	0.05*	0.05*	0.05*	0.02*		0.01*	
	Figs	0.05*	0.05*	0.05*	0.02*		0.01*	
	Kiwi fruit	0.05*	0.05*	0.05*	0.02*		0.01*	
	Kumquats	0.05*	0.05*	0.05*	0.02*		0.01*	

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Penconazole</i>	<i>Phenmedipham</i>	<del><i>Dicyfluanil</i></del>	<i>Trifloxystrobin</i>	<i>Fluticonazole</i>
Litchis		0.05*	0.05*	0.05*	0.02*	0.01*
Mangoes		0.05*	0.05*	0.05*	0.02*	0.01*
Olives (Table Consumption)	(Table Consumption)	0.05*	0.05*	0.05*	0.02*	0.01*
Olives (Oil Extract)		0.05*	0.05*	0.05*	0.02*	0.01*
Papaya		0.05*	0.05*	0.05*	1	0.01*
Passion fruit		0.05*	0.05*	0.05*	0.02*	0.01*
Pineapples		0.05*	0.05*	0.05*	0.02*	0.01*
Pomegranates		0.05*	0.05*	0.05*	0.02*	0.01*
Others		0.05*	0.05*	0.05*	0.02*	0.01*

**2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY**

## i) ROOT AND TUBER VEGETABLES

Beetroot	0.05*	0.1	0.05*	0.02*	0.01*
Carrots	0.05*	0.05*	0.05*	0.05	0.01*
Cassava	0.05*	0.05*	0.05*	0.02*	0.01*
Celeriac	0.05*	0.05*	0.05*	0.02*	0.01*
Horseradish	0.05*	0.05*	0.05*	0.02*	0.01*
Jerusalem artichokes	0.05*	0.05*	0.05*	0.02*	0.01*
Parsnips	0.05*	0.05*	0.05*	0.02*	0.01*
Parsley root	0.05*	0.05*	0.05*	0.02*	0.01*
Radishes	0.05*	0.05*	0.05*	0.02*	0.01*
Salsify	0.05*	0.05*	0.05*	0.02*	0.01*
Sweet potatoes	0.05*	0.05*	0.05*	0.02*	0.01*
Swedes	0.05*	0.05*	0.05*	0.02*	0.01*
Turnips	0.05*	0.05*	0.05*	0.02*	0.01*
Yams	0.05*	0.05*	0.05*	0.02*	0.01*
Others	0.05*	0.05*	0.05*	0.02*	0.01*

## ii) BULB VEGETABLES

Garlic	0.05*	0.05*	0.5	0.02*	0.01*
Onions	0.05*	0.05*	0.5	0.02*	0.01*
Shallots	0.05*	0.05*	0.5	0.02*	0.01*
Spring onions	0.05*	0.05*	0.05*	0.02*	0.01*
Others	0.05*	0.05*	0.05*	0.02*	0.01*

## iii) FRUITING VEGETABLES

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Penconazole</i>	<i>Phenmedipham</i>	<del><i>Diquat</i></del>	<i>Fluani</i>	<i>Trifloxystrobin</i>	<i>Triadimenol</i>	<i>Initiconazole</i>
a) Solanaceae								
	Tomatoes	0.1	0.05*	3	0.5	0.01*		
	Peppers	0.2	0.05*	2	0.02*	0.01*		
	Chili Peppers	0.2	0.05*	2	0.02*	0.01*		
	Aubergines	0.1	0.05*	3	0.02*	0.01*		
	Okra	0.05*	0.05*	0.05*	0.02*	0.01*		
	Others	0.05*	0.05*	0.05*	0.02*	0.01*		
b) Cucurbits-edible peel								
	Cucumbers	0.1	0.05*	2	0.2	0.01*		
	Gherkins	0.1	0.05*	2	0.2	0.01*		
	Courgettes	0.1	0.05*	2	0.2	0.01*		
	Others	0.1	0.05*	2	0.2	0.01*		
c) Cucurbits-inedible peel								
	Melons	0.1	0.05*	0.3	0.3	0.01*		
	Squashes	0.1	0.05*	0.3	0.02*	0.01*		
	Watermelons	0.1	0.05*	0.3	0.2	0.01*		
	Others	0.1	0.05*	0.3	0.02*	0.01*		
d) Sweet corn		0.05*	0.05*	0.05*	0.02*	0.01*		
iv) BRASSICA VEGETABLES								
a) Flowering Brassicas								
	Broccoli	0.05*(13)	0.05*(13)	1 <sup>(13)</sup>	0.02*(13)	0.01*(13)		
	Cauliflower	0.05*	0.05*	0.05*	0.02*	0.01*		
	Others	0.05*	0.05*	0.05*	0.02*	0.01*		
b) Head Brassicas								
	Brussels sprouts	0.05*	0.05*	0.05*	0.02*	0.01*		
	Head cabbage	0.05*	0.05*	0.05*	0.02*	0.01*		
	Others	0.05*	0.05*	0.05*	0.02*	0.01*		
c) Leafy Brassicas								
	Chinese cabbage	0.05*	0.05*	0.05*	0.02*	0.01*		
	Kale	0.05*	0.05*	0.05*	0.02*	0.01*		
	Others	0.05*	0.05*	0.05*	0.02*	0.01*		
d) Kohlrabi		0.05*	0.05*	0.05*	0.02*	0.01*		
v) LEAF VEGETABLES AND FRESH HERBS								

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Penconazole</i>	<i>Phenmedipham</i>	<del><i>Dicyfluanil</i></del>	<i>Trifloxystrobin</i>	<i>Triadiconazole</i>
a) Lettuce & similar						
Cress	0.05*	0.05*	20	0.02*	0.01*	
Lamb's lettuce	0.05*	0.05*	20	0.02*	0.01*	
Lettuce	0.05*	0.05*	20	0.02*	0.01*	
Scarole	0.05*(6)	0.05*(6)	20(6)	0.02*(6)	0.01*(6)	
Ruccola	0.05*	0.05*	20	0.02*	0.01*	
Leaves and stems of brassica, including turnip greens	0.05*	0.05*	20	0.02*	0.01*	
Others	0.05*	0.05*	20	0.02*	0.01*	
b) Spinach & similar						
Spinach	0.05*	0.5	0.05*	0.02*	0.01*	
Beet leaves (chard)	0.05*	0.5	0.05*	0.02*	0.01*	
Others	0.05*	0.5	0.05*	0.02*	0.01*	
c) Watercress	0.05*	0.05*	0.05*	0.02*	0.01*	
d) Witloof	0.05*	0.05*	0.05*	0.02*	0.01*	
e) Herbs						
Chervil	0.05*	7	0.05*	0.02*	0.01*	
Chives	0.05*	7	0.05*	0.02*	0.01*	
Parsley	0.05*	7	0.05*	0.02*	0.01*	
Celery leaves	0.05*	7	0.05*	0.02*	0.01*	
Others	0.05*	7	0.05*	0.02*	0.01*	
vi) LEGUME VEGETABLES (fresh)						
Beans (with pods)	0.05*	0.05*	3	0.5	0.01*	
Beans (without pods)	0.05*	0.05*	0.05*	0.02*	0.01*	
Peas (with pods)	0.05*	0.05*	3	0.02*	0.01*	
Peas (without pods)	0.05*	0.05*	0.05*	0.02*	0.01*	
Others	0.05*	0.05*	0.05*	0.02*	0.01*	
vii) STEM VEGETABLES						
Asparagus	0.05*	0.05*	0.05*	0.02*	0.01*	
Cardoons	0.05*	0.05*	0.05*	0.02*	0.01*	
Celery	0.05*	0.05*	0.05*	0.02*	0.01*	
Fennel	0.05*	0.05*	0.05*	0.02*	0.01*	
Globe artichokes	0.2	0.2	0.05*	0.02*	0.01*	

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Penconazole</i>	<i>Phenmedipham</i>	<del><i>Dicyfluanil</i></del>	<i>Trifloxystrobin</i>	<i>Fluticonazole</i>
	Leeks	0.05*	0.05*	3	0.02*	0.01*
	Rhubarb	0.05*	0.05*	0.05*	0.02*	0.01*
	Others	0.05*	0.05*	0.05*	0.02*	0.01*
viii) FUNGI						
a)	Cultivated mushrooms	0.05*	0.05*	0.05*	0.02*	0.01*
b)	Wild mushrooms	0.05*	0.05*	0.05*	0.02*	0.01*
<b>3. PULSES</b>						
	Beans	0.05*	0.05*	0.05*	0.02*	0.01*
	Lentils	0.05*	0.05*	0.05*	0.02*	0.01*
	Peas	0.05*	0.05*	0.05*	0.02*	0.01*
	Lupins	0.05*	0.05*	0.05*	0.02*	0.01*
	Others	0.05*	0.05*	0.05*	0.02*	0.01*
<b>4. OILSEEDS</b>						
	Linseed	0.05*	0.1*	0.1*	0.05*	0.02*
	Peanuts	0.05*	0.1*	0.1*	0.05*	0.02*
	Poppy seed	0.05*	0.1*	0.1*	0.05*	0.02*
	Sesame seed	0.05*	0.1*	0.1*	0.05*	0.02*
	Sunflower seed (with shell)	0.05*	0.1*	0.1*	0.05*	0.02*
	Rape seed	0.05*	0.1*	0.1*	0.05*	0.02*
	Soya bean	0.05*	0.1*	0.1*	0.05*	0.02*
	Mustard seed	0.05*	0.1*	0.1*	0.05*	0.02*
	Cotton seed	0.05*	0.1*	0.1*	0.05*	0.02*
	Hemp seed	0.05*	0.1*	0.1*	0.05*	0.02*
	Others	0.05*	0.1*	0.1*	0.05*	0.02*
<b>5. POTATOES</b>						
	Early potatoes	0.05*	0.05*	0.05*	0.02*	0.01*
	Ware potatoes	0.05*	0.05*	0.05*	0.02*	0.01*
<b>6. TEA</b>						
	Tea (dried leaves & stalks, fermented or otherwise, <i>Camellia sinensis</i> )	0.1*	0.1*	0.1*	0.05*	0.02*
<b>7. HOPS (dried)</b>						
	including hop pellets & unconcentrated powder	0.5	0.1*	50	30	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Penconazole</i>	<i>Phenmediphosulfonilfluani</i>	<i>Trifloxystrobutniticonazole</i>
<b>8. CEREALS</b>				
Wheat	0.05*	0.05*	0.05*	0.05
Rye	0.05*	0.05*	0.05*	0.05
Barley	0.05*	0.05*	0.05*	0.3
Sorghum	0.05*	0.05*	0.05*	0.02*
Oats	0.05*	0.05*	0.05*	0.02*
Triticale	0.05*	0.05*	0.05*	0.05
Maize	0.05*	0.05*	0.05*	0.02*
Buckwheat	0.05*	0.05*	0.05*	0.02*
Millet	0.05*	0.05*	0.05*	0.02*
Rice <sup>(1)</sup>	0.05*	0.05*	0.05*	0.02*
Others	0.05*	0.05*	0.05*	0.02*
<b>9. PRODUCTS OF ANIMAL ORIGIN</b>				
Meat, edible offal, fat & preparations of meat & edible offal <sup>(2)</sup>	0.05*	0.05*	0.1*	
Milk <sup>(3)</sup> and dairy produce <sup>(4)</sup>	0.01 0.05	0.05*	0.02*	
Eggs <sup>(5)</sup>	0.05*	0.05*	0.1*	
<b>10. SPICES</b>				
Cumin seed				
Juniper seed				
Nutmeg				
Pepper, black and white				
Vanilla pods				
Spices - others				

**UNITS:**

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

**KEY:**

\* Level at or about the limit of determination.

**FOOTNOTES:**

- (1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
- (2) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
- (3) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
- (4) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd. Whether made from cow's milk or other milk or a combination, the following levels apply:
  - if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
  - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
- (5) Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (6) Scarole includes broad-leaf endive.
- (13) Broccoli includes calabrese.