STATUTORY INSTRUMENTS

2015 No. 51

The Construction (Design and Management) Regulations 2015

PART 4

General requirements for all construction sites

Traffic routes

- **27.**—(1) A construction site must be organised in such a way that, so far as is reasonably practicable, pedestrians and vehicles can move without risks to health or safety.
- (2) Traffic routes must be suitable for the persons or vehicles using them, sufficient in number, in suitable positions and of sufficient size.
- (3) A traffic route does not satisfy paragraph (2) unless suitable and sufficient steps are taken to ensure that—
 - (a) pedestrians or vehicles may use it without causing danger to the health or safety of persons near it;
 - (b) any door or gate for pedestrians which leads onto a traffic route is sufficiently separated from that traffic route to enable pedestrians to see any approaching vehicle or plant from a place of safety;
 - (c) there is sufficient separation between vehicles and pedestrians to ensure safety or, where this is not reasonably practicable—
 - (i) other means for the protection of pedestrians are provided; and
 - (ii) effective arrangements are used for warning any person liable to be crushed or trapped by any vehicle of its approach;
 - (d) any loading bay has at least one exit for the exclusive use of pedestrians; and
 - (e) where it is unsafe for pedestrians to use a gate intended primarily for vehicles, at least one door for pedestrians is provided in the immediate vicinity of the gate, is clearly marked and is kept free from obstruction.
 - (4) Each traffic route must be—
 - (a) indicated by suitable signs where necessary for reasons of health or safety;
 - (b) regularly checked; and
 - (c) properly maintained.
- (5) No vehicle is to be driven on a traffic route unless, so far as is reasonably practicable, that traffic route is free from obstruction and permits sufficient clearance.

Changes to legislation:
There are currently no known outstanding effects for the The Construction (Design and Management) Regulations 2015, Section 27.