### STATUTORY INSTRUMENTS

### 2020 No. 1527

# EXITING THE EUROPEAN UNION PLANT HEALTH

The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020

*Made - - - 9th December 2020* 

Coming into force in accordance with regulation 1(2)

The Secretary of State makes these Regulations in exercise of the powers conferred by section 8(1) of, and paragraph 21 of Schedule 7 to, the European Union (Withdrawal) Act 2018 MI.

A draft of this instrument has been laid before, and approved by a resolution of, each House of Parliament in accordance with paragraph 1(3) of Schedule 7 to that Act.

### **Marginal Citations**

2018 c. 16; section 8 was amended by section 27 of the European Union (Withdrawal Agreement Act) 2020 (c. 1) and paragraph 21 of Schedule 7 was amended by section 41(4) of, and paragraph 53(2) of Schedule 5 to, that Act.

### PART 1 U.K.

### Introductory

### Citation and commencement U.K.

- **1.**—(1) These Regulations may be cited as the Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020.
  - [F1(2) Subject to paragraph (3), these Regulations come into force on IP completion day.]
- [F2(3)] Regulation 10, so far as it relates to entries 3 and 61, and paragraph (a) of entry 135, in the Table in Part A of Annex 7 to Commission Implementing Regulation (EU) 2019/2072 substituted by Schedule 7 to these Regulations, comes into force on the day after the day on which IP completion day falls.
- (4) In these Regulations, "Commission Implementing Regulation (EU) 2019/2072" means Commission Implementing Regulation (EU) 2019/2072 establishing uniform conditions for the

implementation of Regulation (EU) 2016/2031 of the European Parliament and the Council, as regards protection measures against pests of plants.]

#### **Textual Amendments**

- F1 Reg. 1(2) substituted (31.12.2020 immediately before IP completion day) by The Official Controls (Animals, Feed and Food, Plant Health etc.) (Amendment) (EU Exit) (No. 2) Regulations 2020 (S.I. 2020/1631), regs. 1(2), 9(2)(a)
- F2 Reg. 1(3)(4) inserted (31.12.2020 immediately before IP completion day) by The Official Controls (Animals, Feed and Food, Plant Health etc.) (Amendment) (EU Exit) (No. 2) Regulations 2020 (S.I. 2020/1631), regs. 1(2), 9(2)(b)

#### **Commencement Information**

II Reg. 1 in force at 31.12.2020 on IP completion day, see reg. 1(2)

### PART 2 U.K.

Amendment to Commission Implementing Regulation (EU) 2019/2072

### Commission Implementing Regulation (EU) 2019/2072 U.K.

- 2.—(1) Commission Implementing Regulation (EU) 2019/2072 F3... M2 is amended as follows.
- (2) In Article 1, for the unnumbered paragraph substitute—
  - "1. This Regulation makes provision for the purposes of Regulation (EU) 2016/2031.
  - **1A.** It makes provision about:
    - (a) GB quarantine pests, provisional GB quarantine pests, PFA quarantine pests and GB regulated non-quarantine pests; and
    - (b) measures in relation to the introduction of plants, plant products and other objects into Great Britain and the movement of plants, plant products and other objects within Great Britain to reduce the risks in connection with those pests to an acceptable level."
- (3) In Article 2—
  - (a) after paragraph 1 insert—
    - "1A. Unless the context otherwise requires, words and expressions which are not defined in this Regulation and appear in Regulation (EU) 2016/2031 of the European Parliament and of the Council have the same meaning in this Regulation as they have in Regulation (EU) 2016/2031.";
  - (b) in paragraph 2—
    - (i) in point (a)—
      - (aa) for "Union" substitute "GB";
      - (bb) for "protected zone" substitute "PFA";
    - (ii) in point (b), before "plant" insert "UK";

- (iii) in point (c), for the words from "Union" to the end substitute "GB quarantine pests, provisional GB quarantine pests and PFA quarantine pests ";
- (iv) at the end insert—
  - "(d) 'EPPO code', in relation to a pest, means the code for that pest in the EPPO code database maintained by the European and Meditteranean Plant Protection Organization;
  - (e) 'wood packaging material' means wood in the form of packing cases, boxes, crates, drums or similar packings, pallets, box pallets or other load boards, pallet collars or dunnage, whether or not actually in use in the transport of objects of any kind."
- (4) In Article 3—
  - (a) in the heading, for "Union" substitute "GB";
  - (b) for the first unnumbered paragraph substitute—
    - "Annex 2 makes provision about GB quarantine pests.";
  - (c) omit the second unnumbered paragraph.
- (5) After Article 3 insert—

#### "Article 3a

List of provisional GB quarantine pests

Annex 2A makes provision about provisional GB quarantine pests.".

- (6) In Article 4—
  - (a) for the heading substitute "List of PFA quarantine pests and GB pest-free areas";
  - (b) for the unnumbered paragraph substitute—
    - "Annex 3 makes provision about PFA quarantine pests and their respective GB pest-free areas.".
- (7) In Article 5—
  - (a) for the heading substitute "List of GB regulated non-quarantine pests and their respective plants for planting";
  - (b) for the first unnumbered paragraph substitute—
    - "Annex 4 makes provision about GB regulated non-quarantine pests ('RNQPs') and the thresholds relating to the presence of those pests on specific plants for planting.";
  - (c) omit the second unnumbered paragraph.
- (8) In Article 6—
  - (a) for paragraph 1 substitute—
    - "1. Annex 5 makes provision about the measures to prevent the presence of RNQPs on specific plants for planting which are moved within, or introduced into, Great Britain.";
  - (b) in paragraph 2—
    - (i) for the words from the beginning to "pursuant to" substitute "Nothing in Annex 4 or 5 shall affect the application of the requirements specified in retained EU law which transposed the provisions in ";
  - (c) in paragraph 3—

- (i) in the words before point (a)—
  - (aa) for the words from "the list" to "pursuant to" substitute "nothing in Annex 4 or 5 shall affect the application of the exceptions from the requirements on marketing, specified in retained EU law which transposed the provisions in ";
  - (bb) omit ", from the requirements for marketing set out by those Directives";
- (ii) omit point (f).
- (9) In Article 7—
  - (a) in the heading, for "whose introduction into the Union from certain third countries is prohibited" substitute "which may not be introduced into Great Britain if originating or dispatched from certain third countries";
  - (b) for the unnumbered [F4paragraphs], substitute—

"Annex 6 makes provision about plants, plant products and other objects which may not be introduced into Great Britain if originating or dispatched from certain third countries.".

- (10) In Article 8—
  - (a) in the heading—
    - (i) for "the Union territory", in the first place where it occurs, substitute " a CD territory or Great Britain";
    - (ii) for "the Union territory", in the second place where it occurs, substitute "Great Britain";
  - (b) for paragraph 1 substitute—
    - "Annex 7 makes provision about plants, plant products and other objects originating from third countries and the corresponding special requirements for their introduction into Great Britain."
  - (c) for paragraph 2 substitute—
    - "Annex 8 makes provision about plants, plant products and other objects originating in a CD territory or Great Britain and the corresponding special requirements for their introduction into Great Britain from a CD territory or their movement within Great Britain."
- (11) In Article 9—
  - (a) in the heading, for ", whose introduction into certain protected zones is prohibited" substitute " which may not be introduced into GB pest-free areas ";
  - (b) for the unnumbered paragraph substitute—
    - "Annex 9 makes provision about plants, plant products and other objects originating from third countries or CD territories or within Great Britain which may not be introduced into GB pest-free areas."
- (12) In Article 10—
  - (a) in the heading—
    - (i) for "protected zones", in the first place where it occurs, substitute "GB pest-free areas";
    - (ii) omit "for protected zones";
  - (b) for the unnumbered paragraph substitute—

"Annex 10 makes provision about plants, plant products and other objects which are to be introduced into or moved within GB pest-free areas and the corresponding special requirements for their introduction into or for their movement within those GB pest-free areas."

### (13) In Article 11—

- (a) for paragraphs 1 to 3 substitute—
  - "1. Annex 11 makes provision about plants, plant products and other objects originating or dispatched from third countries which may not be introduced into Great Britain unless they are accompanied by a phytosanitary certificate.
  - **2.** Part A of that Annex makes provision for the purposes of Article 72 of Regulation (EU) 2016/2031 about the plants, plant products and other objects originating or dispatched from third countries which may not be introduced into Great Britain unless they are accompanied by a phytosanitary certificate.
  - **3.** Part B of that Annex makes provision about plants, other than plants listed in Parts A and C of that Annex, which may not be introduced into Great Britain unless they are accompanied by a phytosanitary certificate.
  - **4.** Part C of that Annex makes provision about plants which are subject to the exception referred to in Article 73 of Regulation (EU) 2016/2031."
- (14) In Article 12—
  - (a) in the heading for "protected zone" substitute "GB pest-free area";
  - (b) for the unnumbered paragraph substitute—
    - "Annex 12 makes provision about plants, plant products and other objects originating or dispatched from third countries which may not be introduced into GB pest-free areas unless they are accompanied by a phytosanitary certificate."
- (15) In Article 13—
  - (a) in the heading—
    - (i) before "plant passport" insert "UK";
    - (ii) for "the Union territory" substitute " Great Britain, or their introduction into Great Britain from a CD territory";
  - (b) for paragraph 1 substitute—
    - "Annex 13 makes provision about plants, plant products and other objects in respect of which a UK plant passport is required for their movement within Great Britain, or their introduction into Great Britain from a CD territory.";
      - (i) omit paragraph 2.
- (16) In Article 14—
  - (a) in the heading—
    - (i) before "plant passport" insert "UK;
    - (ii) for "PZ" substitute " PFA ";
    - (iii) for "protected zones" substitute "GB pest free areas";

- (b) for the first unnumbered paragraph substitute—
  - "Annex 14 makes provision about plants, plant products and other objects in respect of which a UK plant passport is required for their introduction into or their movement within GB pest-free areas.";
- (c) in the second unnumbered paragraph—
  - (i) for "Plant passports" substitute " UK plant passports ";
  - (ii) for "PZ" substitute " PFA ".
- (17) After Article 18, omit the words from "This Regulation" to "Member States".

#### **Textual Amendments**

- Words in reg. 2(1) omitted (31.12.2020 immediately before IP completion day) by virtue of The Official Controls (Animals, Feed and Food, Plant Health etc.) (Amendment) (EU Exit) (No. 2) Regulations 2020 (S.I. 2020/1631), regs. 1(2), 9(3)(a)
- **F4** Word in reg. 2(9)(b) substituted (31.12.2020 immediately before IP completion day) by The Official Controls (Animals, Feed and Food, Plant Health etc.) (Amendment) (EU Exit) (No. 2) Regulations 2020 (S.I. 2020/1631), regs. 1(2), **9(3)(b)**

### **Commencement Information**

Reg. 2 in force at 31.12.2020 on IP completion day, see reg. 1(2)

### **Marginal Citations**

**M2** EUR 2019/2072.

### U.K.

**3.** In Annex 1, in the unnumbered paragraph, for the words from ", when" to the end substitute " have the same meaning in the Annexes listed in the first column of the table in Part B as they have in the retained EU law transposing the Directives listed in the corresponding entries in the second column of that table".

### **Commencement Information**

Reg. 3 in force at 31.12.2020 on IP completion day, see reg. 1(2)

### U.K.

**4.** For Annex 2, substitute the Annex in Schedule 1.

#### **Commencement Information**

I4 Reg. 4 in force at 31.12.2020 on IP completion day, see reg. 1(2)

### U.K.

**5.** After Annex 2, insert new Annex 2A in Schedule 2.

Changes to legislation: There are currently no known outstanding effects for the The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020. (See end of Document for details)

### **Commencement Information**

I5 Reg. 5 in force at 31.12.2020 on IP completion day, see reg. 1(2)

### U.K.

**6.** For Annex 3, substitute the Annex in Schedule 3.

### **Commencement Information**

Reg. 6 in force at 31.12.2020 on IP completion day, see reg. 1(2)

### U.K.

7. For Annex 4, substitute the Annex in Schedule 4.

#### **Commencement Information**

I7 Reg. 7 in force at 31.12.2020 on IP completion day, see reg. 1(2)

### U.K.

**8.** For Annex 5, substitute the Annex in Schedule 5.

### **Commencement Information**

**I8** Reg. 8 in force at 31.12.2020 on IP completion day, see reg. 1(2)

### U.K.

**9.** For Annex 6, substitute the Annex in Schedule 6.

### **Commencement Information**

I9 Reg. 9 in force at 31.12.2020 on IP completion day, see reg. 1(2)

### U.K.

**10.** For Annex 7, substitute the Annex in Schedule 7.

### **Commencement Information**

I10 Reg. 10 in force at 31.12.2020 on IP completion day, see reg. 1(2)

### U.K.

11. For Annex 8, substitute the Annex in Schedule 8.

#### **Commencement Information**

III Reg. 11 in force at 31.12.2020 on IP completion day, see reg. 1(2)

### U.K.

- **12.** In Annex 9—
  - (a) in the heading, for ", whose introduction into certain protected zones is prohibited" substitute " which may not be introduced into GB pest-free areas ";
  - (b) omit the unnumbered paragraph;
  - (c) in the table—
    - (i) omit the column headed "CN Code";
    - (ii) for the column headings in the table substitute—

"(1) (2)
Description of plants, plant Description of GB pest-free area" products or other objects

(iii) omit the entries in the table.

### **Commencement Information**

I12 Reg. 12 in force at 31.12.2020 on IP completion day, see reg. 1(2)

### U.K.

**13.** For Annex 10, substitute the Annex in Schedule 9.

### **Commencement Information**

I13 Reg. 13 in force at 31.12.2020 on IP completion day, see reg. 1(2)

### U.K.

**14.** For Annex 11, substitute the Annex in Schedule 10.

### **Commencement Information**

I14 Reg. 14 in force at 31.12.2020 on IP completion day, see reg. 1(2)

### U.K.

- **15.** In Annex 12—
  - (a) in the heading for "protected zone" substitute "GB pest-free area";
  - (b) omit the entries in the table.

Changes to legislation: There are currently no known outstanding effects for the The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020. (See end of Document for details)

### **Commencement Information**

I15 Reg. 15 in force at 31.12.2020 on IP completion day, see reg. 1(2)

### U.K.

**16.** For Annex 13, substitute the Annex in Schedule 11.

### **Commencement Information**

I16 Reg. 16 in force at 31.12.2020 on IP completion day, see reg. 1(2)

### U.K.

- **17.** In Annex 14—
  - (a) in the heading—
    - (i) before "plant passport" insert "UK";
    - (ii) for "PZ" substitute " PFA ";
    - (iii) for "protected zones" substitute "GB pest-free areas";
  - (b) before paragraph 1 insert—

"(1) (2)
Description of plants, plant Description of GB pest-free area"
products or other objects

(c) omit paragraphs 1 to 12.

### **Commencement Information**

I17 Reg. 17 in force at 31.12.2020 on IP completion day, see reg. 1(2)

Department for Environment, Food and Rural Affairs

Gardiner of Kimble
Parliamentary Under Secretary of State

### SCHEDULE 1 U.K.

Regulation 4

### New Annex 2 to the Phytosanitary Conditions Regulation

#### **Commencement Information**

I18 Sch. 1 in force at 31.12.2020 on IP completion day, see reg. 1(2)

### "ANNEX 2 U.K.

### List of GB quarantine pests

### Table of Contents

Part A: Pests not known to occur in Great Britain

- A. Bacteria
- B. Fungi and oomycetes
- C. Insects and mites
- D. Nematodes
- E. Parasitic plants
- F. Viruses, viroids and phytoplasmas

Part B: Pests known to occur in Great Britain

- A. Bacteria
- B. Fungi and oomycetes
- C. Nematodes
- D. Viruses, viroids and phytoplasmas

### PART A U.K.

### Pests not known to occur in Great Britain

### GB quarantine pests and their EPPO codes

### A. Bacteria

- 1. Clavibacter sepedonicus (Spieckermann & Kotthoff) Li et al. [CORBSE]
- 2. Curtobacterium flaccumfaciens pv. flaccumfaciens (Hedges) Collins and Jones [CORBFL]
- 3. Pantoea stewartii subsp. stewartii (Smith) Mergaert, Verdonck & Kersters [ERWIST]
- 4. *Pseudomonas syringae* pv. *actinidiae* Takikawa, Serizawa, Ichikawa, Tsuyumu & Goto [PSDMAK]
- 5. *Pseudomonas syringae* pv. *persicae* (Prunier, Luisetti &. Gardan) Young, Dye & Wilkie [PSDMPE]
- 6. Ralstonia pseudosolanacearum Safni et al. [RALSPS]
- 7. Ralstonia syzygii subsp. celebesensis Safni et al. [RALSSC]

- 8. Ralstonia syzygii subsp. indonesiensis Safni et al. [RALSSI]
- 9. *Xanthomonas arboricola* pv. *pruni* (Smith) Vauterin *et al.* [XANTPR]
- 10. *Xylella fastidiosa* (Wells et al.) [XYLEFA]
- 11. *Xylophilus ampelinus* (Panagopoulos) Willems, Gillis, Kersters, van den Broeke & De Ley [XANTAM]

### B. Fungi and oomycetes

- 1. Anisogramma anomala (Peck) E. Müller [CRSPAN]
- 2. Apiosporina morbosa (Schweinitz) von Arx [DIBOMO]
- 3 Atropellis apiculata M.L. Lohman, E.K. Cash & R.W. Davidson [ATRPAP]
- 4. *Atropellis pinicola* Zeller & Goodding [ATRPPC]
- 5. Atropellis piniphila (Weir) Lohmann & Cash [ATRPPP]
- 6. Atropellis tingens Lohman & Cash [ATRPTI]
- 7. Botryosphaeria laricina (Sawada) Shang [GUIGLA]
- 8. Botryosphaeria kuwatsukai (Hara) G.Y. Sun and E. Tanaka [PHYOPI]
- 9. Bretziella fagacearum Z.W. de Beer, Marincowitz, T.A. Duong & M.J. Wingfield [CERAFA]
- 10. *Ceratocystis platani* (J. M. Walter) Engelbr. & T. C. Harr [CERAFP]
- 11. *Chrysomyxa arctostaphyli* Dietel [CHMYAR]
- 12. Coniferiporia sulphurascens (Pilát) L.W. Zhou & Y.C. Dai [PHELSU]
- 13. Coniferiporia weirii (Murrill) L.W. Zhou & Y.C. Dai [INONWE]
- 14. Cronartium spp. Fries [1CRONG], except Cronartium gentianeum Thümen [CRONGE], Cronartium pini (Willdenow) Jørstad [ENDCPI] and Cronartium ribicola Fischer [CRONRI].
- 15. *Cryphonectria parasitica* (Murrill) Barr [ENDOPA]
- 16. Davidsoniella virescens (R.W. Davidson) Z.W. de Beer, T.A. Duong & M.J. Wingfield [CERAVI]
- 17. Diaporthe vaccinii Shear [DIAPVA]
- 18. *Dothistroma pini* Hulbary [DOTSPI]
- 19. Fusarium circinatum Nirenberg & O'Donnell [GIBBCI]
- 20. *Geosmithia morbida* Kolarík, Freeland, Utley & Tisserat [GEOHMO]
- 21. Gymnosporangium spp. [1GYMNG], except:
  Gymnosporangium amelanchieris E. Fisch. ex F. Kern [GYMNAM], Gymnosporangium
  atlanticum Guyot & Malençon [GYMNAT], Gymnosporangium clavariiforme
  (Wulfen) DC [GYMNCF], Gymnosporangium confusum Plowright [GYMNCO],
  Gymnosporangium cornutum Arthur ex F. Kern [GYMNCR], Gymnosporangium
  fusisporum E. Fisch. [GYMNFS], Gymnosporangium gaeumannii H. Zogg
  [GYMNGA], Gymnosporangium gracile Pat. [GYMNGR], Gymnosporangium minus
  Crowell [GYMNMI], Gymnosporangium orientale P. Syd. & Syd. [GYMNOR],
  Gymnosporangium sabinae (Dickson) G. Winter [GYMNFU], Gymnosporangium

### torminali-juniperini E. Fisch. [GYMNTJ], Gymnosporangium tremelloides R. Hartig [GYMNTR]

- 22. *Lecanosticta acicola* (von Thümen) Sydow [SCIRAC]
- 23. *Melampsora farlowii* (Arthur) Davis [MELMFA]
- 24. *Melampsora medusae* f. sp. *tremuloidis* Shain [MELMMT]
- 25. Mycodiella laricis-leptolepidis (Kaz. Itô, K. Satô & M. Ota) Crous [MYCOLL]
- 26. *Phoma andina* Turkensteen [PHOMAN]
- 27. *Phyllosticta solitaria* Ellis & Everhart [PHYSSL]
- 28. *Phymatotrichopsis omnivora* (Duggar) Hennebert [PHMPOM]
- 29. *Phytophthora ramorum* (non-European isolates) Werres, De Cock & Man in 't Veld [PHYTRA]
- 30. Pseudocercospora pini-densiflorae (Hori & Nambu) Deighton [CERSPD]
- 31. *Puccinia pittieriana* Hennings [PUCCPT]
- 32. *Septoria malagutii* E.T. Cline [SEPTLM]
- 33. *Sphaerulina musiva* (Peck) Quaedvl, Verkley & Crous. [MYCOPP]
- 34. *Stegophora ulmea* (Fr.) Syd. & P. Syd [GNOMUL]
- 35. Thecaphora solani (Thirumulachar & O'Brien) Mordue [THPHSO]
- 36. *Tilletia indica* Mitra [NEOVIN]

### C. Insects and mites

- 1. Acleris gloverana (Walsingham) [ACLRGL]
- 2. Acleris issikii Oku [ACLRIS]
- 3. *Acleris minuta* (Robinson) [ACLRMI]
- 4. *Acleris nishidai* Brown [ACLRNI]
- 5. *Acleris nivisellana* (Walsingham) [ACLRNV]
- 6. *Acleris robinsoniana* (Forbes) [ACLRRO]
- 7. *Acleris semipurpurana* (Kearfott) [CROISE]
- 8. *Acleris senescens* (Zeller) [ACLRSE]
- 9. *Acleris variana* (Fernald) [ACLRVA]
- 10. Acrobasis pyrivorella (Matsumura) [NUMOPI]
- 11. Agrilus anxius Gory [AGRLAX]
- 12. Agrilus planipennis Fairmaire [AGRLPL]
- 13. *Aleurocanthus spiniferus* (Quaintance) [ALECSN]
- 14. *Anoplophora chinensis* (Forster) [ANOLCN]
- 15. Anoplophora glabripennis (Motschulsky) [ANOLGL]
- 16. Anthonomus bisignifer Schenkling [ANTHBI]
- 17. Anthonomus eugenii Cano [ANTHEU]

- 18. Anthonomus quadrigibbus Say [TACYQU]
- 19. Anthonomus signatus Say [ANTHSI]
- 20. Aromia bungii (Faldermann) [AROMBU]
- 21. Arrhenodes minutus Drury [ARRHMI]
- 22. Aschistonyx eppoi Inouye [ASCXEP]
- 23. Bactericera cockerelli (Sulc.) [PARZCO]
- 24. Bactrocera latifrons (Hendal) [DACULA]
- 25. Bactrocera tau (Walker) [BCTRTA]
- 26. Bactrocera tryoni (Froggatt) [DACUTR]
- 27. Bemisia tabaci (Gennadius). [BEMITA]
- 28. Carposina sasakii Matsumara [CARSSA]
- 29. Choristoneura biennis Freeman [CHONBI]
- 30. Choristoneura carnana (Barnes & Busck) [CHONCA]
- 31. *Choristoneura conflictana* (Walker) [ARCHCO]
- 32. *Choristoneura fumiferana* (Clemens) [CHONFU]
- 33. *Choristoneura lambertiana* (Busck) [TORTLA]
- 34. *Choristoneura occidentalis* (Walsingham) [CHONOC]
- 35. *Choristoneura orae* Freeman [CHONOR]
- 36. *Choristoneura parallela* (Robinson) [CHONPA]
- 37. *Choristoneura pinus pinus* Freeman [CHONPI]
- 38. *Choristoneura retiniana* (Walsingham) [CHONRE]
- 39. *Choristoneura rosaceana* (Harris) [CHONRO]
- 40. *Cicadellidae* (non-European) [1CICDF] known to be vector of *Xylella fastidiosa*, such as:
  - Carneocephala fulgida (Nottingham) [CARNFU],
  - Draeculacephala minerva Ball [DRAEMI],
  - Graphocephala atropunctata (Signoret) [GRCPAT],
  - Homalodisca vitripennis (Germar) [HOMLTR]
- 41. Circulifer tenellus (Baker) [CICTA]
- 42. *Conotrachelus nenuphar* (Herbst) [CONHNE]
- 43. Dacus ciliatus Loew [DACUCI]
- 44. Dacus frontalis Becker [DACUFR]
- 45. Dacus punctatifrons Karsch [DACUPU]
- 46. *Dendrolimus sibiricus* Chetverikov [DENDSI]
- 47. Diabrotica barberi Smith and Lawrence [DIABLO]
- 48. *Diabrotica undecimpunctata howardi* Barber [DIABUH]
- 49. *Diabrotica undecimpunctata undecimpunctata* Mannerheim [DIABUN]

- 50. Diabrotica virgifera zeae Krysan & Smith [DIABVZ]
- 51. Eotetranychus lewisi (McGregor) [EOTELE]
- 52. Epitrix cucumeris (Harris) [EPIXCU]
- 53. *Epitrix papa* (Orlova-Bienkowskaja) [EPIXPP]
- 54. Epitrix subcrinita (Leconte) [EPIXSU]
- 55. Epitrix tuberis Gentner [EPIXTU]
- 56. Euphranta canadensis (Loew) [EPOCCA]
- 57. Euphranta japonica (Ito) [RHACJA]
- 58. Exomala orientalis (Waterhouse) [ANMLOR]
- 59. *Grapholita inopinata* (Heinrich) [CYDIIN]
- 60. *Grapholita packardi* Zeller [LASPPA]
- 61. *Grapholita prunivora* (Walsh) [LASPPR]
- 62. Haplaxius crudus (van Duzee) [MYNDCR]
- 63. *Helicoverpa armigera* (Hübner) [HELIAR]
- 64. Helicoverpa assulta (Guenée) [HELIAS]
- 65. *Helicoverpa zea* (Boddie)[HELIZE]
- 66. *Ips amitinus* (Eichhoff) [IPSXAM]
- 67. *Ips duplicatus* (Sahlberg) [IPSXDU]
- 68. *Ips typographus* (L.) [IPSXTY]
- 69. Keiferia lycopersicella (Walsingham) [GNORLY]
- 70. Leptinotarsa decemlineata Say [LPTNDE]
- 71. *Lopholeucaspis japonica* (Cockerell) [LOPLJA]
- 72. *Liriomyza huidobrensis* (Blanchard) [LIRIHU]
- 73. *Liriomyza sativae* Blanchard [LIRISA]
- 74. *Liriomyza trifolii* (Burgess) [LIRITR]
- 75. *Listronotus bonariensis* (Kuschel) [HYROBO]
- 76. *Margarodes*, non-European species [1MARGG], such as:
  - $-{\it Margarodes\ prieskaensis}\ (Jakubski)\ [MARGPR],$
  - Margarodes vitis (Philippi) [MARGVI],
  - Margarodes vredendalensis de Klerk [MARGVR]
- 77. *Monochamus* spp. Dejean [1MONCG]
- 78. *Myiopardalis pardalina* (Bigot) [CARYPA]
- 79. *Naupactus leucoloma* Boheman [GRAGLE]
- 80. Neoceratitis cyanescens (Bezzi) [CERTCY]
- 81. *Nemorimyza maculosa* (Malloch) [AMAZMA]
- 82. Neoleucinodes elegantalis (Guenée) [NEOLEL]

- 83. *Oemona hirta* (Fabricius) [OEMOHI]
- 84. *Oligonychus perditus* Pritchard and Baker [OLIGPD]
- 85. Paysandisia archon (Burmeister) [PAYSAR]
- 86. *Phyllocoptes fructiphilus* Keifer [PHYCFR]
- 87. *Pissodes cibriani* O'Brien [PISOCI]
- 88. Pissodes fasciatus Leconte [PISOFA]
- 89. *Pissodes nemorensis* Germar [PISONE]
- 90. Pissodes nitidus Roelofs [PISONI]
- 91. Pissodes punctatus Langor & Zhang [PISOPU]
- 92. Pissodes strobi (Peck) [PISOST]
- 93. *Pissodes terminalis* Hopping [PISOTE]
- 94. *Pissodes yunnanensis* Langor & Zhang [PISOYU]
- 95. Pissodes zitacuarense Sleeper [PISOZI]
- 96. *Pityophthorus juglandis* Blackman [PITOJU]
- 97. Polygraphus proximus Blandford [POLGPR]
- 98. *Popillia japonica* Newman [POPIJA]
- 99. *Premnotrypes spp.* Pierce (non-European) [1PREMG]
- 100. Pseudopityophthorus minutissimus (Zimmermann) [PSDPMI]
- 101. Pseudopityophthorus pruinosus (Eichhoff) [PSDPPR]
- 102. Rhagoletis fausta (Osten-Sacken) [RHAGFA];
- 103. Rhagoletis indifferens Curran [RHAGIN];
- 104. Rhagoletis mendax Curran [RHAGME];
- 105. Rhagoletis pomonella (Walsh) [RHAGPO];
- 106. Rhagoletis ribicola Doane [RHAGRI];
- 107. Rhagoletis suavis (Loew) [RHAGSU];
- 108. Rhizoecus hibisci Kawai and Takagi [RHIOHI]
- 109. Rhynchophorus palmarum (L.) [RHYCPA]
- 110. Rhynchophorus ferrugineus (Olivier) [RHYCFE]
- 111. Saperda candida Fabricius [SAPECN]
- 112. Scirtothrips aurantii Faure [SCITAU]
- 113. Scirtothrips citri (Moulton) [SCITCI]
- 114. Scirtothrips dorsalis Hood [SCITDO]
- 115. *Scolytidae* spp. (non-European) [1SCOLF]
- 116. *Spodoptera eridania* (Cramer) [PRODER]
- 117. *Spodoptera frugiperda* (Smith) [LAPHFR]

- 118. Spodoptera littoralis (Boisduval) [SPODLI]
- 119. Spodoptera litura (Fabricus) [PRODLI]
- 120. Strauzia longipennis (Wiedemann) [STRALO]
- 121. Tecia solanivora (Povolný) [TECASO]
- 122. Thaumatotibia leucotreta (Meyrick) [ARGPLE]
- 123. Thaumetopoea pityocampa Denis & Schiffermüller [THAUPI]
- 124. Thrips palmi Karny [THRIPL]
- 125. Zeugodacus cucumis (French) [DACUCM]
- 126. Zeugodacus cucurbitae (Coquillett) [DACUCU]

### D. Nematodes

- 1. Aphelenchoides besseyi Christie [APLOBE]
- 2. Bursaphelenchus xylophilus (Steiner and Bührer) Nickle [BURSXY]
- 3. Globodera pallida (Stone) Behrens [HETDPA] (Non-European Strains)
- 4. Globodera rostochiensis (Wollenweber) Behrens [HETDRO] (Non-European Strains)
- 5. *Hirschmanniella* spp., Luc & Goodey [1HIRSG], except:
  - Hirschmanniella behningi Micoletzky [HIRSBE],
  - Hirschmanniella gracilis (de Man) Luc & Goodey [HIRSGR],
  - Hirschmanniella halophila Sturhan & Hallman [HIRSHA],
  - Hirschmanniella loofi Sher [HIRSLO] and
  - Hirschmanniella zostericola Allgén [HIRSZO]
- 6. Longidorus diadecturus Eveleigh and Allen [LONGDI]
- 7. *Meloidogyne chitwoodi* Golden *et al*. [MELGCH]
- 8. *Nacobbus aberrans* (Thorne) Thorne and Allen [NACOBA]
- 9. *Xiphinema americanum sensu stricto* Cobb [XIPHAA]
- 10. Xiphinema bricolense Ebsary, Vrain & Graham [XIPHBC]
- 11. *Xiphinema californicum* Lamberti & Bleve-Zacheo [XIPHCA]
- 12. Xiphinema neoamericanum Saxena, Chhabra & Joshi [XIPHNA]
- 13. *Xiphinema intermedium* Lamberti & Bleve-Zacheo [XIPHIM]
- 14. *Xiphinema rivesi* (non-European populations) Dalmasso [XIPHRI]
- 15. *Xiphinema tarjanense* Lamberti & Bleve-Zacheo [XIPHTA]

#### E. Parasitic plants

- 1. *Arceuthobium* spp. [1AREG], except:
  - Arceuthobium azoricum Wiens & Hawksworth [AREAZ],
  - Arceuthobium gambyi Fridl [AREGA] and
  - Arceuthobium oxycedri (de Candolle) Marschall von Bieberstein [AREOX]

### F. Viruses, viroids and phytoplasmas

- 1. Beet curly top virus [BCTV00]
- 2. Begomoviruses [1BEGOG]
- 3. Blueberry scorch virus [BLSCV0]

- 4. Blueberry shoestring virus [BSSV00]
- 5. Candidatus Phytoplasma 'aurantifolia' Zreik, Bové & Garnier [PHYPAF]
- 6. *Candidatus* Phytoplasma 'mali' Seemüller & Schneider [PHYPMA]
- 7. *Candidatus* Phytoplasma 'pruni' Davis, Zhao, Dally, Lee, Jomantiene & Douglas [PHYPPN]
- 8. *Candidatus* Phytoplasma 'solani' Quaglino, Zhao, Casati, Bulgari, Bianco, Wei & Davis [PHYPSO]
- 9. *Candidatus* Phytoplasma 'ulmi' Lee, Martini, Marcone & Zhu [PHYPUL]
- 10. Chrysanthemum stem necrosis virus [CSNV00]
- 11. Coconut lethal yellowing phytoplasma [PHYP56]
- 12. Cowpea mild mottle virus [CPMMV0]
- 13. Cucumber vein yellowing virus [CVYV00]
- 14. Cucurbit yellow stunting disorder virus [CYSDV0]
- 15. Grapevine flavescence dorée phytoplasma [PHYP64]
- 16. Lettuce infectious yellows virus [LIYV00]
- 17. Melon yellowing-associated virus [MYAV00]
- 18. Potato viruses, viroids and phytoplasmas, such as:
  - Andean potato latent virus [APLV00],
  - Andean potato mild mosaic virus [APMMV0],
  - Andean potato mottle virus [APMOV0],
  - Arracacha virus B, oca strain [AVBO00],
  - Potato black ringspot virus [PBRSV0],
  - Potato yellowing virus [PYV000],
  - Potato yellow vein virus [PYVV00],
  - Potato virus T [PVT000],
  - Non-European isolates of potato viruses A, M, S, V, X and Y (including Yo, Yn and Yc) and Potato leafroll virus [PVA000, PVM000, PVS000, PVV000, PVX000 and PVY000 (including PVY000, PVYN00, PVYC00)] and [PLRV00]
- 19. Rose Rosette virus [RRV000]
- 20. Strawberry vein banding virus [SVBV00]
- 21. Squash vein yellowing virus [SQVYVX]
- 22. Sweet potato chlorotic stunt virus [SPCSV0]
- 23. Sweet potato mild mottle virus [SPMMV0]
- 24. Tobacco ringspot virus [TRSV00]
- 25. Tobacco streak virus black raspberry latent strain [TSVBL0]
- 26. Tomato brown rugose fruit virus [TOBRFV]
- 27. Tomato chocolate virus [TOCHV0]
- 28. Tomato leaf curl New Delhi virus [TOLCND]
- 29. Tomato marchitez virus [TOANV0]

- 30. Tomato mild mottle virus [TOMMOV]
- 31. Viruses, viroids and phytoplasmas of *Cydonia* Mill., *Fragaria* L., *Malus* Mill., *Prunus* L., *Pyrus* L., *Ribes* L., *Rubus* L. and *Vitis* L., such as:
  - Blueberry leaf mottle virus [BLMOV0],
  - *Candidatus* Phytoplasma *australiense* Davis, Gillaspie, Vidaver & Harris [PHYPAU],
  - *Candidatus* Phytoplasma *phoenicium* Verdin, Salar, Danet, Choueiri, Jreijiri, El Zammar, Gélie, Bové & Garnier [PHYPPH],
  - Cherry rasp leaf virus [CRLV00],
  - Grapevine ajinashika virus [GAV000],
  - Peach mosaic virus [PCMV00],
  - Peach rosette mosaic virus [PRMV00],
  - American plum line pattern virus [APLPV0],
  - Raspberry leaf curl virus [RLCV00],
  - Strawberry witches' broom phytoplasma [SYWB00],
  - Non-European viruses, viroids and phytoplasmas of *Cydonia* Mill., *Fragaria* L., *Malus* Mill., *Prunus* L., *Pyrus* L., *Ribes* L., *Rubus* L. and *Vitis* L.

### PART B U.K.

### Pests known to occur in Great Britain

### GB quarantine pests and their EPPO codes

- A. Bacteria
- 1. Ralstonia solanacearum (Smith) Yabuuchi et al. emend. Safni et al. [RALSSL]
- B. Fungi and oomycetes
- 1. Synchytrium endobioticum (Schilbersky) Percival [SYNCEN]
- C. Nematodes
- 1. Globodera pallida (Stone) Behrens [HETDPA] (European Strains)
- 2. Globodera rostochiensis (Wollenweber) Behrens [HETDRO] (European Strains)
- D. Viruses, viroids and phytoplasmas
- 1. Candidatus Phytoplasma 'prunorum' Seemüller & Schneider [PHYPPR]"

SCHEDULE 2 U.K.

Regulation 5

New Annex 2A to the Phytosanitary Conditions Regulation

### **Commencement Information**

I19 Sch. 2 in force at 31.12.2020 on IP completion day, see reg. 1(2)

### "ANNEX 2A U.K.

### List of provisional GB quarantine pests

### Provisional GB quarantine pests and their EPPO codes

### A. Fungi and oomycetes

- 1. Alternaria mali Roberts [ALTEMA]
- 2. Heterobasidion irregulare Garbelotto & Otrosina [HETEIR]
- 3. *Neocosmospora euwallaceae* (S. Freeman, Z. Mendel, T. Aoki & O'Donnell) Sandoval-Denis, L. Lombard & Crous [FUSAEW]
- 4. *Phytophthora kernoviae* Brasier, Beales & S.A. Kirk [PHYTKE]
- 5. Phytophthora ramorum (European isolates) Werres, De Cock & Man in 't Veld [PHYTRA]
- 6. *Thekopsora minima* (Arthur) Sydow & P. Sydow [THEKMI]

### B. Insect and mites

- 1. Agrilus fleischeri Obenberger [AGRLFL]
- 2. *Agrilus bilineatus* (Weber) [AGRLBL]
- 3. *Ceratothripoides brunneus* Bagnall [CRTZBR]
- 4. *Ceratothripoides claratris* (Shumsher) [CRTZCL
- 5. Euwallacea fornicatus senso lato (Eichhoff) [XYLBFO]
- 6. Neocerambyx raddei (Blessig) [MALLRA]
- 7. Platynota stultana Walsingham [PLAAST]
- 8. *Prodiplosis longifila* Gagné [PRDILO]
- 9. Scaphoideus luteolus van Duzee [SCAPLU]
- 10. Scaphoideus titanus Ball [SCAPLI]
- 11. Scolytus morawitzi Semenov [SCOLMO]
- 12. Tetranychus evansi Baker & Pritchard [TETREV]
- 13. Thaumetopoea pinivora (Treitschke)[THAUPV]
- 14. Trialeurodes abutiloneus Haldeman [TRIAAB]
- 15. Toumeyella parvicornis (Cockerell)[TOUMPA]
- 16. *Xyleborus glabratus* Eichhoff [XYLBGR]
- 17. *Xylotrechus* spp. Chevrolat [1XYLOG]
- C. Viruses, viroids and phytoplasmas
- 1. Apple dimple fruit viroid [ADFVD0]
- 2. Citrus exocortis viroid [CEVD00]
- 3. Columnea latent viroid [CLVD00]
- 4. Pepper chat fruit viroid [PCFVD0]
- 5. Tomato chlorosis virus [TOCV00]

- Tomato infectious chlorosis virus [TICV00] 6.
- 7. Tomato planta macho viroid [TPMVD0]
- 8. Tomato torrado virus [TOTV00]
- 9. Tomato yellow leaf curl Sardinia virus [TYLCSV]
- Tomato yellow leaf curl virus [TYLCV0]" 10.

### SCHEDULE 3 U.K.

Regulation 6

New Annex 3 to the Phytosanitary Conditions Regulation

#### **Commencement Information**

Sch. 3 in force at 31.12.2020 on IP completion day, see reg. 1(2)

"ANNEX 3 U.K.

List of PFA quarantine pests and GB pest-free areas

#### (1) PFA quarantine pest (with (2) Description of GB pest-free area EPPO code)

Dendroctonus 1. micans [DENCMI]

Kugelan The eastern boundary for the pest-free area runs from Dumbarton along the A82 to Crianlarich. From Crianlarich the boundary continues along the A82 to Loch Tulla and then it follows the railway line from Loch Tulla to Rannoch Station, to Tulloch Station to Roybridge Station. It then follows the C road by the river Roy up to Brae Roy Lodge, following the River Turret then cutting across the watershed following the Allt an t-Sidhean stream to the A82 at Laggan and then to Invergarry where it follows the A87 to the Kyle of Lochalsh and the islands of Skye, Mull, Jura, Arran, Scarba, Seil, Luing, Shuna, Torsa, Ulva, Gometra, Kerrera, Lismore and Eilean Shona

2. *Ips cembrae* Heer [IPSXCE]

The eastern boundary for the pest-free area runs from Dumbarton along the A82 to Crianlarich. From Crianlarich the boundary continues along the A82 to Loch Tulla and then it follows the railway line from Loch Tulla to Rannoch Station, to Tulloch Station to Roybridge Station. It then follows the C road by the river Roy up to Brae Roy Lodge, following the River Turret then cutting across the watershed following the Allt an t-Sidhean stream to the A82 at Laggan and then to Invergarry where it follows the A87 to the Kyle of Lochalsh and the islands of Skye, Mull, Jura, Arran, Scarba, Seil, Luing, Shuna, Torsa, Ulva, Gometra, Kerrera, Lismore and Eilean Shona

3. *Ips sexdentatus* Bőrner [IPSXSE]

The eastern boundary for the pest-free area runs from Dumbarton along the A82 to Crianlarich. From Crianlarich the boundary continues along the A82 to Loch Tulla and then it follows the railway line from Loch Tulla to Rannoch Station, to Tulloch Station to Roybridge Station. It then follows the C road by the river Roy up to Brae Roy Lodge, following the River Turret then cutting across the watershed following the Allt an t-Sidhean stream to the A82 at Laggan and then to Invergarry where it follows the A87 to the Kyle of Lochalsh and the islands of Skye, Mull, Jura, Arran, Scarba, Seil, Luing, Shuna, Torsa, Ulva, Gometra, Kerrera, Lismore and Eilean Shona

4. *Thaumetopoea processionea* L. [THAUPR]

Great Britain (excluding the local authority areas of Barking and Dagenham, Barnet, Basildon, Basingstoke and Deane, Bexley, Bracknell Forest, Brent, Brentwood, Bromley, Broxbourne, Camden, Castle Point, Chelmsford, Chiltern, City of London, City of Westminster, Crawley, Croydon, Dacorum, Dartford, Ealing, East Hertfordshire, Elmbridge District, Enfield, Epping Forest, Epsom and Ewell District, Gravesham, Greenwich, Guildford, Hackney, Hammersmith & Fulham, Haringey, Harlow, Harrow, Hart, Havering, Hertsmere, Hillingdon, Horsham, Hounslow, Islington, Kensington & Chelsea, Kingston-upon-Thames, Lambeth, Lewisham, Littlesford, Medway, Merton, Mid Sussex, Mole Valley, Newham, North Hertfordshire, Reading, Redbridge, Reigate and Banstead, Richmond-upon-Thames, Runnymede District, Rushmoor, Sevenoaks, Slough, South Bedfordshire, South Bucks, South Oxfordshire, Southwark, Spelthorne District, St Albans, Sutton, Surrey Heath, Tandridge, Three Rivers, Thurrock, Tonbridge and Malling, Tower Hamlets, Waltham Forest, Wandsworth, Watford, Waverley, Welwyn Hatfield, West Berkshire, Windsor and Maidenhead, Woking, Wokingham and Wycombe)"

### SCHEDULE 4 U.K.

Regulation 7

### New Annex 4 to the Phytosanitary Conditions Regulation

#### **Commencement Information**

I21 Sch. 4 in force at 31.12.2020 on IP completion day, see reg. 1(2)

"ANNEX 4 U.K.

List of GB regulated non-quarantine pests and their respective plants for planting

In this Annex, 'RNQPs' means GB regulated non-quarantine pests.

### **Table of Contents**

- Part A: RNQPs concerning fodder plant seed
- Part B: RNQPs concerning vine propagating material
- Part C: RNQPs concerning propagating material of ornamental plants and other plants for planting intended for ornamental purposes
- Part D: RNQPs concerning forest reproductive material, other than seeds
- Part E: RNQPs concerning vegetable seed
- Part F: RNQPs concerning seed potatoes
- Part G: RNQPs concerning seed of oil and fibre plants
- Part H: RNQPs concerning vegetable propagating and planting material, other than seeds
- Part I: RNQPs concerning fruit propagating material and fruit plants intended for fruit production
- Part J: RNQPs concerning seeds of Solanum tuberosum
- Part K: RNQPs concerning plants for planting of *Humulus lupulus*, other than seeds

### PART A U.K.

### RNQPs concerning fodder plant seed

(1)	(2)	(3)	(4)	(5)
~	Plants for planting	0 1	J	Thresholds
symptoms caused by RNQPs	(genus or species)	basic seed	basic seed	certified seed
Clavibacter michiganensis ssp. insidiosus (McCulloch 1925) Davis et al. [CORBIN]	Medicago sativa L.	0%	0%	0%

Ditylenchus Medicago sativa L. 0% 0% 0% dipsaci (Kuehn)
Filipjev [DITYDI]

### PART B U.K.

### RNQPs concerning vine propagating material

Insects and mites			
(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting other than seeds (genus or species)	(3) Thresholds for initial propagating material, basic propagating material and certified material	
Daktulosphaira vitifoliae Fitch [VITEVI]	Non-grafted Vitis vinifera L.	0%	0%
Daktulosphaira vitifoliae Fitch [VITEVI]	Vitis L. other than non-grafted Vitis vinifera L.	Practically free	Practically free
Viruses, viroids, virus-li	ke diseases and phytoplas	mas	
(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting other than seeds (genus or species)	(3) Thresholds for initial propagating material, basic propagating material and certified material	v
Arabis mosaic virus [ARMV00]	Vitis L.	0%	0%
Grapevine fanleaf virus [GFLV00]	Vitis L.	0%	0%
Grapevine fleck virus [GFKV00]	Rootstocks of <i>Vitis</i> spp. and their hybrids, except <i>Vitis vinifera</i> L.		Not applicable
Grapevine leafroll associated virus 1 [GLRAV1]	Vitis L.	0%	0%
Grapevine leafroll associated virus 3 [GLRAV3]	Vitis L.	0%	0%

### PART C U.K.

## RNQPs concerning propagating material of ornamental plants and other plants for planting intended for ornamental purposes

Bacteria		
(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting (genus or species)	(3) Thresholds for the propagating material of ornamental plants concerned and other plants for planting intended for ornamental purposes
Erwinia amylovora (Burrill) Winslow et al. [ERWIAM]	Plants for planting, other than seeds, of <i>Amelanchier</i> Medik., <i>Chaenomeles</i> Lindl., <i>Cotoneaster</i> Medik., <i>Crataegus</i> Tourn. ex L., <i>Cydonia</i> Mill., <i>Eriobtrya</i> Lindl., <i>Malus</i> Mill., <i>Mespilus</i> Bosc ex Spach, <i>Photinia davidiana</i> Decne., <i>Pyracantha</i> M. Roem., <i>Pyrus</i> L. and <i>Sorbus</i> L.	0%
Xanthomonas euvesicatoria Jones et al. [XANTEU]	Capsicum annuum L.	0%
Xanthomonas gardneri (ex Šutič) Jones et al. [XANTGA]	Capsicum annuum L.	0%
Xanthomonas perforans Jones et al. [XANTPF]	Capsicum annuum L.	0%
Xanthomonas vesicatoria (ex Doidge) Vauterin et al. [XANTVE]	Capsicum annuum L.	0%
Fungi and oomycetes		
(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting (genus or species)	(3) Thresholds for the propagating material of ornamental plants concerned and other plants for planting intended for ornamental purposes
Dothistroma septosporum (Dorogin) Morelet [SCIRPI]	Plants for planting, other than seeds, of <i>Pinus</i> L.	0%
Phytophthora austrocedri Greslebin & Hansen [PHYTAU]	Plants for planting, other than seeds, of <i>Chamaecyparis lawsoniana</i> (Murr.) Parl., <i>Chamaecyparis nootkatensis</i> (D.Don) Sudw./(Lamb.) Spach, <i>Cupressus sempervirens</i> var. sempervirens L., Juniperus	0%

Changes to legislation: There are currently no known outstanding effects for the The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020. (See end of Document for details)

> communis ssp. communis L. and Libocedrus chilensis (D.Don) Endl.

Phytophthora lateralis T. Jung, Plants [PHYTLI]

for planting, other 0% M.J.C. Stukely & T.I. Burgess than seeds, of Chamaecyparis Matsum., formosensis Chamaecyparis lawsoniana (Murr.) Parl., Chamaecyparis obtusa Sieb. & Zucc. ex Endl., Chamaecyparis pisifera Sieb. & Zucc. ex Endl., Taxus brevifolia Nutt. and Thuja occidentalis L.

Plasmopara halstedii (Farlow) Seeds of Helianthus annuus L. Berlese & de Toni [PLASHA]

0%

(3)

Puccinia horiana P. Hennings Plants for planting, other than 0% [PUCCHN]

seeds, of Chrysanthemum L.

Insects and mites

RNOPs

(2) RNQPs or symptoms caused by Plants for planting (genus or Thresholds species)

for the propagating material of ornamental plants concerned and other plants for planting intended for ornamental purposes

Opogona sacchari [OPOGSC]

Bo Plants for planting, other than 0% seeds, of Beaucarnea Lem., Bougainvillea Comm. ex Juss., Crassula L., Crinum L., Dracaena Vand. ex L., Ficus L., Musa L., Pachira Aubl., Palmae, Sansevieria Thunb. and Yucca L.

Nematodes

(3)

RNQPs

RNQPs or symptoms caused by Plants for planting (genus or Thresholds species)

for the propagating material ornamental plants concerned and other plants for planting intended for ornamental purposes

Ditylenchus dipsaci (Kuehn) Plants for planting, other than 0% Filipjev [DITYDI]

of Camassia Lindl., seeds. Chionodoxa Boiss., Crocus flavus Weston, Galanthus L., Hyacinthus Tourn. ex L, Hymenocallis Salisb., Muscari Mill., Narcissus L., Ornithogalum L., Puschkinia Adams, Scilla L., Sternbergia Waldst. & Kit. and Tulipa L.

Viruses, viroids, virus-like diseases and phytoplasmas

(1) (2) (3)
RNQPs or symptoms caused by Plants for planting (genus or Thresholds for the RNQPs species) propagating material of ornamental plants concerned and other plants for planting intended for ornamental purposes

Candidatus Phytoplasma 'pyri' Plants for planting, other than 0% Seemüller & Schneider seeds, of Pyrus L.

[PHYPPY]

Chrysanthemum stunt viroid Plants for planting, other than 0% [CSVD00] seeds, of Argyranthemum Webb ex Sch.Bip. and Chrysanthemum L.

Impatiens necrotic spot Plants for planting, other than 0% tospovirus [INSV00] seeds, of Begonia x hiemalis
Fotsch, Impatiens L. and New
Guinea Hybrids

Potato spindle tuber viroid *Capsicum annuum* L. 0% [PSTVD0]

Plum pox virus [PPV000]

seeds, of the following species of Prunus L.: Prunus armeniaca L., Prunus blireiana Andre. Prunus brigantina Vill., Prunus cerasifera Ehrh., Prunus cistena Hansen, Prunus curdica Fenzl and Fritsch., Prunus domestica ssp. domestica L., Prunus domestica ssp. insititia (L.) C.K. Schneid, Prunus domestica ssp. italica (Borkh.) Hegi., Prunus dulcis (Mill.) D. A. Webb, Prunus glandulosa Prunus Thunb., holosericea Batal., Prunus hortulana Bailey, Prunus japonica Thunb., Prunus mandshurica (Maxim.) Koehne, Prunus maritima Marsh., Prunus mume Sieb. and Zucc., Prunus nigra Ait., Prunus persica (L.) Batsch, Prunus salicina L., Prunus sibirica L., Prunus simonii Carr., Prunus spinosa L., Prunus tomentosa Thunb., Prunus triloba Lindl. and other species of *Prunus* L. susceptible to Plum pox virus

Plants for planting, other than 0%

Tomato ringspot virus Plants for planting, other than 0% seeds, of *Pelargonium x hortorum*, *Prunus* L. and *Rubus* L.

Tomato spotted wilt tospovirus Plants for planting other than 0%

[TSWV00] seeds, of Begonia x hiemalis

Fotsch, Capsicum annuum L., Chrysanthemum L., Gerbera L., Impatiens L., New Guinea Hybrids and Pelargonium L.

### PART D U.K.

### RNQPs concerning forest reproductive material, other than seeds

Fungi and oomycetes
(1) (2) (3)

RNQPs or symptoms caused by Plants for planting (genus or Thresholds for the RNQPs species) forest reproductive material

concerned

Dothistroma septosporum Pinus L. 0%

(Dorogin) Morelet [SCIRPI]

### PART E U.K.

### RNQPs concerning vegetable seed

Fungi and oomycetes
(1) (2) (3)
RNQPs or symptoms caused by Plants for planting (seeds) (genus Thresholds for the vegetable

RNQPs or symptoms caused by Plants for planting (seeds) (genus Thresholds for the vegetable RNOPs or species) seed concerned

RNQPs or species) seea concernea

Candidatus Liberibacter Solanum lycopersicum L. 0%

'solanacearum' Liefting *et al.* [LIBEPS]

Clavibacter michiganensis ssp. Solanum lycopersicum L. 0%

*michiganensis* (Smith) Davis *et al.* [CORBMI]

Xanthomonas axonopodis pv. Phaseolus vulgaris L. 0%

phaseoli (Smith) Vauterin et al.

[XANTPH]

Xanthomonas fuscans subsp. Phaseolus vulgaris L. 0%

fuscans Schaad et al.

[XANTFF]

Xanthomonas euvesicatoria Capsicum annuum L. and 0%

Jones et al. [XANTEU] Solanum lycopersicum L.

Xanthomonas gardneri (ex Capsicum annuum L. and 0%

Šutič 1957) Jones et al. Solanum lycopersicum L.

[XANTGA]

Xanthomonas perforans Jones Capsicum L. and 0% annuum et al. [XANTPF] Solanum lycopersicum L. Xanthomonas vesicatoria (ex Capsicum annuum and 0% Doidge) Vauterin et al. Solanum lycopersicum L. [XANTVE] Insects and mites RNOPs or symptoms caused by Plants for planting (seeds) (genus Thresholds for the vegetable *RNOPs* or species) seed concerned Acanthoscelides obtectus (Say) Phaseolus coccineus L. and 0% [ACANOB] Phaseolus vulgaris L. 0% Bruchus pisorum (Linnaeus) Pisum sativum L. [BRCHPI] Bruchus rufimanus Boheman Vicia faba L. 0% [BRCHRU] **Nematodes** (3) RNQPs or symptoms caused by Plants for planting (seeds) (genus Thresholds for the vegetable **RNOPs** or species) seed concerned Ditylenchus dipsaci (Kuehn) Allium cepa L., Allium porrum L. 0% Filipjev [DITYDI] Viruses, viroids, virus-like diseases and phytoplasmas (3) RNOPs or symptoms caused by Plants for planting (seeds) (genus Thresholds for the vegetable **RNOPs** or species) seed concerned Pepino 0% virus Solanum lycopersicum L. mosaic [PEPMV0] Potato spindle tuber viroid Capsicum and 0% annuum L. [PSTVD0] Solanum lycopersicum L. 0%Tomato apical stunt viroid Solanum lycopersicum L. [TASVD0] Tomato chlorotic dwarf viroid Solanum lycopersicum L. 0% [TCDVD0]

### PART F U.K.

### RNQPs concerning seed potatoes

(1) RNQPs or	(2) Plants	(3) Thresholds for	(45)hresholds	(5) Thresholds
symptoms caused	for planting	the direct progeny	for the direct	for the direct
by RNQPs	(genus or	of pre-basic seed	progeny of	progeny of
	species)	potatoes	basic seed	certified seed
		PBTC PB	potatoes	potatoes

Symptoms of virus infection	Solanum tuberosum L.	0%	0.5%	4%	10%
Blackleg ( <i>Dickeya</i> Samson <i>et al.</i> spp. [1DICKG]; <i>Pectobacterium</i> Waldee emend. Hauben <i>et al.</i> spp. [1PECBG])	Solanum tuberosum L.	0%	Practically free	Practically free	Practically free
Candidatus Liberibacter 'solanacearum' Liefting et al. [LIBEPS]	Solanum tuberosum L.	0%	0%	0%	0%
Ditylenchusdestructor Thorne [DITYDE]	Solanum tuberosum L.	0%	0%	0%	0%
Black scurf as caused by <i>Thanatephorus</i> cucumeris (A.B. Frank) Donk [RHIZSO]		0%	tubers over more than		tubers over more than 10% of their
J	Solanum tuberosum L.	0%	tubers over more than		tubers over more than 10% of their
Mosaic symptoms caused by viruses and symptoms caused by Potato leaf roll virus [PLRV00]	Solanum tuberosum L.	0%	0.1%	0.8%	6%
Meloidogyne fallax Karssen [MELGFA]		0%	0%	0%	0%
Potato spindle tuber viroid [PSTVD0]	Solanum tuberosum L.	0%	0%	0%	0%

### PART G U.K.

### RNQPs concerning seed of oil and fibre plants

In this Part, 'specified size', in relation to a seed lot, means—

- (a) in the case of seed of Brassica rapa L. var. silvestris (Lam.) Briggs, 70g;
- (b) in the case of seed of Brassica napus L. (partim), 100g;
- (c) in the case of seed of Sinapis alba L., 200g.

Fungi and oomycetes				
symptoms	(2) Plants for planting (genus or species)	(3) Thresholds for pre- basic seed	(4) Thresholds for basic seed	(5) Thresholds for certified seed
Alternaria linicola Groves & Skolko [ALTELI]		5% 5% affected with Alternaria linicola, Boeremia exigua var. linicola, Colletotrichum lini and Fusarium spp.	with Alternaria linicola, Boeremia exigua var. linicola, Colletotrichum	with Alternaria linicola, Boeremia exigua
	Linum usitatissimum L flax	_	with Alternaria linicola, Boeremia exigua var. linicola, Colletotrichum	with Alternaria linicola, Boeremia exigua
	Linum usitatissimum L linseed		with Alternaria linicola, Boeremia exigua var. linicola, Colletotrichum	with Alternaria linicola, Boeremia exigua
Botrytis cinerea de Bary [BOTRCI]	Helianthus L. and Linum usitatissimum L.	5%	5%	5%
Colletotrichum lini Westerdijk [COLLLI]	Linum usitatissimum L.	var. linicola,	with Alternaria linicola, Boeremia exigua var. linicola, Colletotrichum	with Alternaria linicola, Boeremia exigua

Diaporthe caulivora (Athow & Caldwell) J.M. Santos, Vrandecic & A.J.L. Phillips [DIAPPC]; Diaporthe phaseolorum var. sojae Lehman [DIAPPS]	Glycine max (L.) Merr	15 % for infection with the Phomopsis complex		infection with
Fusarium (anamorphic genus) Link [1FUSAG] other than Fusarium oxysporum f. sp. albedinis (Kill. & Maire) W.L. Gordon [FUSAAL] and Fusarium circinatum Nirenberg & O'Donnell [GIBBCI]	Linum usitatissimum L.	Alternaria linicola, Boeremia exigua var. linicola, Colletotrichum lini and Fusarium (anamorphic genus) Link other than Fusarium oxysporum f. sp. albedinis (Kill. & Maire) W.L. Gordon and Fusarium circinatum	Alternaria linicola, Boeremia exigua var. linicola, Colletotrichum lini and Fusarium (anamorphic genus) Link other than Fusarium oxysporum f. sp. albedinis (Kill. & Maire) W.L. Gordon and Fusarium circinatum	var. linicola, Colletotrichum lini and Fusarium (anamorphic genus) Link other than Fusarium oxysporum f. sp. albedinis (Kill. & Maire) W.L. Gordon
Plasmopara halstedii (Farlow) Berlese & de Toni [PLASHA]	Helianthus annuus L.	0%	0%	0%
Sclerotinia sclerotiorum (Libert) de Bary [SCLESC]		5 sclerotia or fragments of sclerotia found in a laboratory examination of	fragments of sclerotia found in a laboratory examination of a representative sample of each seed lot of the	5 sclerotia or fragments of sclerotia found in a laboratory examination of a representative sample of each
Sclerotinia sclerotiorum	Brassica napus L. (partim)	10 sclerotia or	10 sclerotia or	Not more than 10 sclerotia or fragments of

(Libert) de Bary	and <i>Helianthus</i>	sclerotia found	sclerotia found	sclerotia found
[SCLESC]	annuus L.	in a laboratory	in a laboratory	in a laboratory
		examination of	examination of	examination of
		a representative	a representative	a representative
		sample of each seed	sample of each	sample of each
		lot of the specified	seed lot of the	seed lot of the
		size (if any)	specified size (if	specified size (if
			any)	any)
Sclerotinia	Sinapis alba L.	Not more than	Not more than	Not more than
sclerotiorum		5 sclerotia or	5 sclerotia or	5 sclerotia or
(Libert) de Bary		fragments of	fragments of	fragments of
[SCLESC]		sclerotia found	sclerotia found	sclerotia found
		in a laboratory	in a laboratory	in a laboratory
		examination of	examination of	examination of
		-	a representative	-
		sample of each seed	sample of each	sample of each
		lot of a the specified		
		size (if any)	specified size (if	specified size (if
			any)	any)

### PART H U.K.

### RNQPs concerning vegetable propagating and planting material other than seeds

Bacteria		
(1)	(2)	(3)
RNQPs or symptoms caused by RNQPs	Plants for planting	Thresholds for the vegetable propagating and planting material concerned
Candidatus Liberibacter 'solanacearum' Liefting et al. [LIBEPS]	Solanum lycopersicum L.	0%
Clavibacter michiganensis ssp. michiganensis (Smith) Davis et al. [CORBMI]		0%
Xanthomonas euvesicatoria Jones et al. [XANTEU]	Capsicum annuum L. and Solanum lycopersicum L.	1 0%
Xanthomonas gardneri (ex Šutič 1957) Jones <i>et al.</i> [XANTGA]		1 0%
Xanthomonas perforans Jones et al. [XANTPF]	Capsicum annuum L. and Solanum lycopersicum L.	1 0%
Xanthomonas vesicatoria (ex Doidge) Vauterin et al. [XANTVE]	Capsicum annuum L. and Solanum lycopersicum L.	1 0%
Fungi and oomycetes		
(1)	(2)	(3)
	32	

RNQPs or symptoms caused by RNQPs	Plants for planting	Thresholds for the vegetable propagating and planting material concerned
Fusarium Link (anamorphic genus) [1FUSAG] other than Fusarium oxysporum f. sp. albedinis (Kill. & Maire) W.L. Gordon [FUSAAL] and Fusarium circinatum Nirenberg & O'Donnell [GIBBCI]	Asparagus officinalis L.	0%
Helicobasidium brebissonii (Desm.) Donk [HLCBBR]	Asparagus officinalis L.	0%
Stromatinia cepivora Berk. [SCLOCE]	Allium cepa L., Allium fistulosum L., Allium porrum L. and Allium sativum L.	0%
Verticillium dahliae Kleb. [VERTDA] Nematodes	Cynara cardunculus L.	0%
(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting	(3) Thresholds for the vegetable propagating and planting material concerned
Ditylenchus dipsaci (Kuehn) Filipjev [DITYDI]	Allium cepa L., Allium sativum L.	0%
Viruses, viroids, virus-like dise	ases and phytoplasmas	
(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting	(3) Thresholds for the vegetable propagating and planting material concerned
Leek yellow stripe virus [LYSV00]	Allium sativum L.	1%
Onion yellow dwarf virus [OYDV00]	Allium cepa L. and Allium sativum L.	1%
Potato spindle tuber viroid [PSTVD0]	Capsicum annuum L. and Solanum lycopersicum L.	0%
Tobacco mild green mosaic virus [TMGMV0]	Capsicum annuum L. and Solanum lycopersicum L.	0%
Tomato apical stunt viroid [TASVD0]	Solanum lycopersicum L.	0%
Tomato chlorotic dwarf viroid [TCDVD0]	Solanum lycopersicum L.	0%
Tomato spotted wilt tospovirus [TSWV00]	Capsicum annuum L., Lactuca sativa L., Solanum lycopersicum L. and Solanum melongena L.	0%

### PART I U.K.

# RNQPs concerning fruit propagating material and fruit plants intended for fruit production

Bacteria		
(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting (genus or species)	(3) Thresholds for the fruit propagating and fruit plants concerned
Agrobacterium tumefaciens (Smith & Townsend) Conn [AGRBTU]	Cydonia oblonga Mill., Juglans regia L., Malus Mill., Prunus armeniaca L., Prunus avium L., Prunus cerasus L., Prunus domestica L., Prunus dulcis (Mill.) D. A. Webb, Prunus persica (L.) Batsch, Prunus salicina Lindley, Pyrus L. and Vaccinium L.	0%
Agrobacterium spp. Conn [1AGRBG]	Rubus L.	0%
Candidatus Phlomobacter 'fragariae' Zreik, Bové & Garnier [PHMBFR]	Fragaria L.	0%
Erwinia amylovora (Burrill) Winslow et al. [ERWIAM]	Plants for planting, other than seeds, of <i>Cydonia</i> Mill., <i>Malus</i> Mill. and <i>Pyrus</i> L.	0%
Pseudomonas avellanae Janse et al. [PSDMAL]	Corylus avellana L.	0%
Pseudomonas savastanoi pv. savastanoi (Smith) Gardan et al. [PSDMSA]	Olea europaea L.	0%
morsprunorum (Wormald)	Prunus armeniaca L., Prunus avium L., Prunus cerasus L., Prunus domestica L., Prunus dulcis (Mill.) D. A. Webb, Prunus persica (L.) Batsch and Prunus salicina Lindley	0%
<i>Pseudomonas syringae</i> pv. Syringae van Hall [PSDMSY]	Cydonia oblonga Mill., Malus Mill., Pyrus L. and Prunus armeniaca L.	0%
Pseudomonas viridiflava (Burkholder) Dowson [PSDMVF]	Prunus armeniaca L.	0%
Rhodococcus fascians Tilford [CORBFA]	Rubus L.	0%

Xanthomonas arboricola pv. Corylina (Miller, Bollen, Simmons, Gross & Barss) Vauterin, Hoste, Kersters & Swings [XANTCY]	Corylus avellana L.	0%
Xanthomonas arboricola pv. Juglandi (Pierce) Vauterin et al. [XANTJU]	Jugland regia L.	0%
Xanthomonas campestris pv. fici (Cavara) Dye [XANTFI]	Ficus carica L.	0%
Xanthomonas fragariae Kennedy & King [XANTFR]	Plants for planting, other than seeds, of <i>Fragaria</i> L.	0%
Fungi and oomycetes		
(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting (genus or species)	(3) Thresholds for the fruit propagating and fruit plants concerned
Armillariella mellea (Vahl) Kummer [ARMIME]	Corylus avellana L., Cydonia oblonga Mill., Ficus carica L., Juglans regia L., Malus Mill. and Pyrus L	0%
Chondrostereum purpureum Pouzar [STERPU]	Cydonia oblonga Mill., Juglans regia L., Malus Mill. and Pyrus L.	0%
Colletotrichum acutatum Simmonds [COLLAC]	Fragaria L.	0%
Diaporthe strumella (Fries) Fuckel [DIAPST]	Ribes L.	0%
Exobasidium vaccinii (Fuckel) Woronin [EXOBVA]	Vaccinium L.	0%
Glomerella cingulata (Stoneman) Spaulding & von Schrenk [GLOMCI]	Cydonia oblonga Mill., Malus Mill. and Pyrus L.	0%
Godronia cassandrae (anamorph Topospora myrtilli) Peck [GODRCA]	Vaccinium L.	0%
Microsphaera grossulariae (Wallroth) Léveillé [MCRSGR]	Ribes L.	0%
Mycosphaerella punctiformis Verkley & U. Braun [RAMUEN]	Castanea sativa Mill.	0%
<i>Neofabraea alba</i> Desmazières [PEZIAL]	<i>Cydonia oblonga</i> Mill., <i>Malus</i> Mill. and <i>Pyrus</i> L.	0%
Neofabraea malicorticis Jackson [PEZIMA]	<i>Cydonia oblonga</i> Mill., <i>Malus</i> Mill. and <i>Pyrus</i> L.	0%

	Cydonia oblonga Mill., Juglans regia L., Malus Mill. and Pyrus L.	0%
Peronospora rubi Rabenhorst [PERORU]	Rubus L.	0%
	Cydonia oblonga Mill., Fragaria L., Juglans regia L., Malus Mill., Prunus armeniaca L., Prunus avium L., Prunus cerasus L., Prunus domestica L., Prunus dulcis (Mill.) D. A. Webb, Prunus persica (L.) Batsch, Prunus salicina Lindley and Pyrus L.	0%
Phytophthora cambivora (Petri) Buisman [PHYTCM]	Castanea sativa Mill. and Pistacia vera L.	0%
Phytophthora cinnamomi Rands [PHYTCN]	Castanea sativa Mill.	0%
Phytophthora citrophthora (R.E. Smith & E.H. Smith) Leonian [PHYTCO]	Citrus L., Fortunella Swingle and Poncirus Raf.	0%
PhytophthoracryptogeaPethybridge& Lafferty[PHYTCR]	Pistacia vera L.	0%
Phytophthora fragariae C.J. Hickman [PHYTFR]	Plants for planting, other than seeds, of <i>Fragaria</i> L.	0%
Phytophthora nicotianae var. parasitica (Dastur) Waterhouse [PHYTNP]	Citrus L., Fortunella Swingle and Poncirus Raf.	0%
<i>Phytophthora</i> spp. de Bary [1PHYTG]	Rubus L.	0%
Podosphaera aphanis (Wallroth) Braun & Takamatsu [PODOAP]	Fragaria L.	0%
Podosphaera mors-uvae (Schweinitz) Braun & Takamatsu [SPHRMU]	Ribes L.	0%
Rhizoctonia fragariae Hussain & W.E. McKeen [RHIZFR]	Fragaria L.	0%
Rosellinia necatrix Prillieux [ROSLNE]	Pistacia vera L.	0%
Sclerophora pallida Yao & Spooner [SKLPPA]	Cydonia oblonga Mill., Malus Mill. and Pyrus L.	0%

Verticillium albo-atrum Reinke & Berthold [VERTAA]	Corylus avellana L., Cydonia oblonga Mill., Fragaria L., Malus Mill. and Pyrus L.	0%
Verticillium dahliae Kleb [VERTDA]	Corylus avellana L., Cydonia oblonga Mill., Fragaria L., Malus Mill., Olea europaea L., Pistacia vera L., Prunus armeniaca L., Prunus avium L., Prunus cerasus L., Prunus domestica L., Prunus dulcis (Mill.) D. A. Webb, Prunus persica (L.) Batsch, Prunus salicina Lindley and Pyrus L.	0%
Insects and mites		
(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting (genus or species)	(3) Thresholds for the fruit propagating and fruit plants concerned
Cecidophyopsis ribis Westwood [ERPHRI]	Ribes L.	0%
Chaetosiphon fragaefolii Cockerell [CHTSFR]	Fragaria L.	0%
Dasineura tetensi Rübsaamen [DASYTE]	Ribes L.	0%
Epidiaspis leperii Signoret [EPIDBE]	Juglans regia L.	0%
<i>Eriosoma lanigerum</i> Hausmann [ERISLA]	Cydonia oblonga Mill., Malus Mill. and Pyrus L.	0%
Phytoptus avellanae Nalepa [ERPHAV]	Corylus avellana L.	0%
Phytonemus pallidus Banks [TARSPA]	Fragaria L.	0%
Pseudaulacaspis pentagona Targioni-Tozzetti [PSEAPE]	Juglans regia L., Prunus armeniaca L., Prunus domestica L., Prunus dulcis (Mill.) D. A. Webb, Prunus persica (L.) Batsch, Prunus salicina Lindley and Ribes L.	0%
Psylla spp. Geoffroy [1PSYLG]	Cydonia oblonga Mill., Malus Mill. and Pyrus L.	0%
Resseliella theobaldi Barnes [THOMTE]	Rubus L.	0%
Tetranychus urticae Koch [TETRUR]	Ribes L.	0%
Nematodes		

(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting (genus or species)	(3) Thresholds for the fruit propagating and fruit plants concerned
Aphelenchoides blastophthorus Franklin [APLOBL]	Fragaria L.	0%
Aphelenchoides fragariae (Ritzema Bos) Christie [APLOFR]	Fragaria L.	0%
Aphelenchoides ritzemabosi (Schwartz) Steiner & Buhrer [APLORI]	Fragaria L. and Ribes L.	0%
Ditylenchus dipsaci (Kuehn) Filipjev [DITYDI]	Fragaria L. and Ribes L.	0%
<i>Heterodera fici</i> Kirjanova [HETDFI]	Ficus carica L.	0%
Longidorus attenuatus Hooper [LONGAT]	Fragaria L., Prunus avium L., Prunus cerasus L., Prunus domestica L., Prunus persica (L.) Batsch, Prunus salicina Lindley and Rubus L.	0%
	Fragaria L. Prunus avium L., Prunus cerasus L., Prunus domestica L., Prunus persica (L.) Batsch, Prunus salicina Lindley, Ribes L. and Rubus L.	0%
Longidorus macrosoma Hooper [LONGMA]	Fragaria L. Prunus avium L., Prunus cerasus L., Ribes L. and Rubus L.	0%
Meloidogyne arenaria Chitwood [MELGAR]	Ficus carica L. Olea europaea L., Prunus avium L., Prunus armeniaca L., Prunus cerasus L., Prunus domestica L., Prunus dulcis (Mill.) D. A. Webb, Prunus persica (L.) Batsch and Prunus salicina Lindley	0%
Meloidogyne hapla Chitwood [MELGHA]	Cydonia oblonga Mill., Fragaria L., Malus Mill. and Pyrus L.	0%
Meloidogyne javanica Chitwood [MELGJA]	Cydonia oblonga Mill., Ficus carica L., Malus Mill., Olea europaea L., Prunus avium L., Prunus armeniaca L., Prunus cerasus L., Prunus domestica L., Prunus dulcis (Mill.) D.A. Webb, Prunus	0%

persica (L.) Batsch, Prunus salicina Lindley and Pyrus L.

& Filipjev Stekhoven [PRATPE]

Pratylenchus penetrans (Cobb) Cydonia oblonga Mill., Ficus 0% Schuurmans- carica L., Malus Mill., Pistacia vera L., Prunus avium L., Prunus armeniaca L., Prunus cerasus L., Prunus domestica L., Prunus dulcis (Mill.) D.A. Webb, Prunus persica (L.) Batsch, Prunus salicina Lindley and Pyrus L.

Pratylenchus vulnus Allen & Citrus L., Cydonia oblonga 0% Jensen [PRATVU]

Mill.. Ficus carica L., Fortunella Swingle, Fragaria L., Malus Mill., Olea europaea L., Pistacia vera L., Poncirus Raf., Prunus avium L., Prunus armeniaca L., Prunus cerasus L., Prunus domestica L., Prunus dulcis (Mill.) D. A. Webb, Prunus persica(L.) Batsch, Prunus salicina Lindley and Pyrus L.

*Xiphinema* 

diversicaudatum Fragaria L., Juglans regia 0% (Mikoletzky) Thorne [XIPHDI] L., Olea europaea L., Prunus avium L., Prunus cerasus L., Prunus domestica L., Prunus persica (L.) Batsch, Prunus salicina Lindley, Ribes L. and Rubus L.

Xiphinema index Thorne & Pistacia vera L. Allen [XIPHIN]

0%

Viruses, viroids, virus-like diseases and phytoplasmas

RNOPs or symptoms caused by Plants for planting (genus or Thresholds RNOPs

species)

(3) for the fruit propagating and fruit plants concerned

Apple chlorotic leaf spot virus Cydonia oblonga Mill., Malus 0% [ACLSV0]

Mill., Prunus avium L., Prunus armeniaca L., Prunus cerasus L., Prunus domestica L., Prunus dulcis (Mill.) D. A. Webb, Prunus persica (L.) Batsch, Prunus salicina Lindley and Pyrus L.

Apple flat limb agent [AFL000] Malus Mill.

0%

Apple mosaic virus [APMV00] Corylus avellana L., Malus 0% Mill., Prunus avium L., Prunus armeniaca L., Prunus

	cera	sus L.,	Prunus	domes	stica
	L.,	Prunus	dulcis	(Mill.)	D.
	A.	Webb,	Prunu	is per	sica
	(L.)	Batsch	, Pruni	us sali	cina
	Linc	lley and	Rubus I	- ⊿•	
_	1.71	N C 11			

	Lindley and <i>Rubus</i> L.	
Apple star crack agent [APHW00]	Malus Mill.	0%
Apple rubbery wood agent [ARW000]	$Cydonia\ oblonga\ Mill.,\ Malus\ Mill.\ and\ Pyrus\ L.$	0%
Apple scar skin viroid [ASSVD0]	Malus Mill.	0%
Apple stem-grooving virus [ASGV00]	Cydonia oblonga Mill., Malus Mill. and Pyrus L.	0%
Apple stem-pitting virus [ASPV00]	Cydonia oblonga Mill., Malus Mill. and Pyrus L.	0%
Apricot latent virus [ALV000]	Prunus armeniaca L. and Prunus persica (L.) Batsch	0%
Arabis mosaic virus [ARMV00]	Fragaria L., Olea europaea L., Prunus avium L., Prunus cerasus L., Ribes L. and Rubus L.	0%
Aucuba mosaic agent and blackcurrant yellows agent combined	Ribes L.	0%
Black raspberry necrosis virus [BRNV00]	Rubus L.	0%
Blackcurrant reversion virus [BRAV00]	Ribes L.	0%
Blueberry mosaic associated virus [BLMAV0]	Vaccinium L.	0%
Blueberry red ringspot virus [BRRV00]	Vaccinium L.	0%
Blueberry shock virus [BLSHV0]	Vaccinium L.	0%
Candidatus Phytoplasma 'asteris' Lee et al. [PHYPAS]	Fragaria L. and Vaccinium L.	0%
Candidatus Phytoplasma 'fragariae' Valiunas, Staniulis & Davis [PHYPFG]	Fragaria L.	0%
Candidatus Phytoplasma 'pyri' [PHYPPY]	Plants for planting, other than seeds, of <i>Pyrus</i> L.	0%
Candidatus Phytoplasma 'rubi' Malembic-Maher et al. [PHYPRU]	Rubus L.	0%

Cherry green ring mottle virus [CGRMV0]	$\begin{array}{ll} \textit{Prunus avium } L. \ \ \text{and} \ \ \textit{Prunus} \\ \textit{cerasus } L. \end{array}$	0%
Cherry leaf roll virus [CLRV00]	Juglans regia L., Olea europaea L., Prunus avium L. and Prunus cerasus L.	0%
Cherry mottle leaf virus [CMLV00]	$\begin{array}{ll} \textit{Prunus avium } L. \ \text{and} \ \textit{Prunus} \\ \textit{cerasus } L. \end{array}$	0%
Cherry necrotic rusty mottle virus [CRNRM0]	$\begin{array}{ll} \textit{Prunus avium } L. \ \ \text{and} \ \ \textit{Prunus} \\ \textit{cerasus } L. \end{array}$	0%
Chestnut mosaic agent	Castanea sativa Mill.	0%
Citrus cristacortis agent [CSCC00]	Citrus L., Fortunella Swingle and Poncirus Raf.	0%
Citrus impietratura agent [CSI000]	Citrus L., Fortunella Swingle and Poncirus Raf.	0%
Citrus leaf Blotch virus [CLBV00]	Citrus L., Fortunella Swingle and Poncirus Raf.	0%
Citrus variegation virus [CVV000]	Citrus L., Fortunella Swingle and Poncirus Raf.	0%
Clover phyllody phytoplasma [PHYP03]	Fragaria L.	0%
Cranberry false blossom phytoplasma [PHYPFB]	Vaccinium L.	0%
Cucumber mosaic virus [CMV000]	Ribes L. and Rubus L.	0%
Fruit disorders: chat fruit [APCF00], green crinkle [APGC00], bumpy fruit of Ben Davis, rough skin [APRSK0], star crack, russet ring [APLP00], russet wart	Malus Mill.	0%
Gooseberry vein banding associated virus [GOVB00]	Ribes L.	0%
-	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0%
Myrobalan latent ringspot virus [MLRSV0]	Prunus domestica L. and Prunus salicina Lindley	0%
Olive leaf yellowing associated virus [OLYAV0]	Olea europaea L.	0%
Olive yellow mottling and decline associated virus [OYMDAV]	Olea europaea L.	0%
Peach latent mosaic viroid [PLMVD0]	Prunus persica (L.) Batsch	0%

Pear bark necrosis agent [PRBN00]	Cydonia oblonga Mill. and Pyrus L.	0%
Pear bark split agent [PRBS00]	Cydonia oblonga Mill. and Pyrus L.	0%
Pear blister canker viroid [PBCVD0]	Cydonia oblonga Mill. and Pyrus L.	0%
Pear rough bark agent [PRRB00]	Cydonia oblonga Mill. and Pyrus L.	0%
Plum pox virus [PPV000]	Prunus armeniaca L., Prunus avium L., Prunus cerasifera, Prunus cerasus L., Prunus domestica L., Prunus dulcis (Mill.) D.A. Webb, Prunus persica (L.) Batsch and Prunus salicina Lindley.  In the case of Prunus hybrids where material is grafted onto rootstocks, other species of Prunus L. rootstocks susceptible to Plum pox virus.	0%
Prune dwarf virus [PDV000]	Prunus avium L., Prunus armeniaca L., Prunus cerasus L., Prunus domestica L., Prunus dulcis (Mill.) D. A. Webb, Prunus persica (L.) Batsch and Prunus salicina Lindley	0%
Prunus necrotic ringspot virus [PNRSV0]	Prunus avium L., Prunus armeniaca L., Prunus cerasus L., Prunus domestica L., Prunus dulcis (Mill.) D. A. Webb, Prunus persica (L.) Batsch and Prunus salicina Lindley	0%
Quince yellow blotch agent [ARW000]	Cydonia oblonga Mill. and Pyrus L.	0%
Raspberry bushy dwarf virus [RBDV00]	Rubus L.	0%
Raspberry leaf mottle virus [RLMV00]	Rubus L.	0%
Raspberry ringspot virus [RPRSV0]	Fragaria L., Prunus avium L., Prunus cerasus L., Ribes L. and Rubus L.	0%
Raspberry vein chlorosis virus [RVCV00]	Rubus L.	0%

Raspberry yellow [RYS000]	spot	Rubus L.	0%
Rubus yellow net [RYNV00]	virus	Rubus L.	0%
Strawberry crinkle [SCRV00]	virus	Plants for planting, other than seeds, of <i>Fragaria</i> L.	0%
Strawberry latent ringspot [SLRSV0]	virus	Fragaria L., Prunus avium L., Prunus cerasus L., Prunus persica (L.) Batsch, Ribes L. and Rubus L.	0%
Strawberry mild yellow virus [SMYEV0]	edge	Plants for planting, other than seeds, of <i>Fragaria</i> L.	0%
Strawberry mottle [SMOV00]	virus	Fragaria L.	0%
Strawberry multiplier di phytoplasma [PHYP75]	isease	Fragaria L.	0%
Tomato black ring [TBRV00]	virus	Plants for planting, other than seeds, of <i>Fragaria</i> L., <i>Prunus avium</i> L., <i>Prunus cerasus</i> L. and <i>Rubus</i> L.	0%
Tomato ringspot [TORSV0]	virus	Prunus L. and Malus L.	0%

# PART J U.K.

## RNQPs concerning seed of Solanum tuberosum L.

Viruses, viroids, virus-like diseases and phytoplasmas				
(1) RNOP	(2) Plants for planting	(3) Threshold for seed		
	iroid <i>Solanum tuberosum</i> L.	0%		
[PSTVD0]				

# PART K U.K.

## RNQPs concerning plants for planting of *Humulus lupulus*, other than seeds

Fungi and oc	mycetes			
(1)		(2)	(3)	
RNQP		Plants for planting	Threshold for seed	
Verticillium [VERTDA]	dahliae Kle	b. Humulus lupulus L.	0%	
Verticillium Inderbitzin,	nonalfalfo H.W. Pla	ae Humulus lupulus L. tt,	0%"	
		42		

# Bostock, R.M. Davis & K.V. Subbarao [VERTNO]

### SCHEDULE 5 U.K.

Regulation 8

#### New Annex 5 to the Phytosanitary Conditions Regulation

#### **Commencement Information**

Sch. 5 in force at 31.12.2020 on IP completion day, see reg. 1(2)

### "ANNEX 5 U.K.

Measures to prevent the presence of RNQPs on specific plants for planting

- Part A: Measures to prevent the presence of RNQPs on fodder plant seed
- Part B: Measures to prevent the presence of RNQPs on propagating material of *Vitis* sp.
- Part C: Measures to prevent the presence of RNQPs on propagating material of ornamental plants and plants for planting intended for ornamental purposes
- Part D: Measures to prevent the presence of RNQPs on forest reproductive material, other than seeds
- Part E: Measures to prevent the presence of the RNQPs on vegetable seed
- Part F: Measures to prevent the presence of the RNQPs on seed potatoes
- Part G: Measures to prevent the presence of RNQPs on seed of oil and fibre plants
- Part H: Measures to prevent the presence of RNQPs on vegetable propagating and planting material, other than seeds
- Part I: Measures to prevent the presence of the RNQPs on seed of *Solanum tuberosum* L.
- Part J: Measures to prevent the presence of the RNQPs on plants for planting of *Humulus lupulus*, other than seeds

#### Interpretation

#### In this Annex:

'competent authority', in relation to plants for planting originating in a third country, means the national plant protection organisation of the country of origin or any official authority or body acting under the supervision of the national plant protection organisation;

'RNQPs' means GB regulated non-quarantine pests.

# PART A U.K.

#### Measures to prevent the presence of RNQPs on fodder plant seed

- 1. Inspection of the crop
- (1) The competent authority, or the professional operator under the official supervision of the competent authority, must carry out field inspections on the crop from which the fodder plant seed is produced concerning the presence of RNQPs in the crop to ensure that the presence of RNQPs does not exceed the thresholds set out in the table in Part A of Annex 4.
- (2) For the purposes of point (1), the competent authority may authorise inspectors, other than the professional operators, to carry out the field inspections on its behalf and under its official supervision.
- (3) Field inspections may only be carried out when the condition and the stage of development of the crop allow for an adequate inspection. At least one field inspection must be carried out each year, at the most appropriate time for the detection of the respective RNQPs.
- (4) The competent authority must determine the size, the number and the distribution of the portions of the field to be inspected in accordance with appropriate methods.
- (5) The proportion of the crops for the production of seed to be officially inspected by the competent authority must be at least 5%.
  - 2. Sampling and testing of fodder plant seed
  - (1) The competent authority must:
    - (a) officially draw seed samples from lots of fodder plant seed;
    - (b) authorise seed samplers to carry out sampling on its behalf and under its official supervision;
    - (c) compare the seed samples drawn by itself with those of the same seed lot drawn by the seed samplers under official supervision as referred to in point (b);
    - (c) supervise the performance of the seed samplers provided for in point (2).
- (2) The competent authority or the professional operator under official supervision must sample and test the fodder plant seed in accordance with up-to-date international methods.
- (3) Except for automatic sampling, the competent authority must check a proportion of at least 5 % of the seed lots entered for official certification.
- (4) That proportion must be as spread as evenly possible over natural and legal persons entering seed for certification, and the species entered, but may also be aimed at eliminating specific doubts.
- (5) In the case of automatic sampling, appropriate procedures must be applied and the sampling must be officially supervised.
- (6) For the examination of seed for certification, samples must be drawn from homogeneous lots and, as regards the lot and sample weights, in accordance with the table in Annex 3 to Directive 66/401/EEC.
- **3.** The competent authority, or the professional operator under the official supervision of the competent authority, must carry out checks and take any other action which is necessary or appropriate to ensure that the requirements specified in the following table in relation to the respective RNQPs and plants for planting are satisfied:

RNQPs or symptoms Plants for planting Requirements caused by RNQPs (genus or species)

Clavibacter michiganensis Pre-basic, basic and ssp. insidiosus certified seeds of Medicago sativa L.

- (a) the seeds originate in areas known to be free from *Clavibacter michiganensis* spp. *insidiosus*,
- (b) the crop has been grown on land on which no previous Medicago sativa L. crop was present during the last three years prior to sowing, and no symptoms of Clavibacter michiganensis ssp. *insidiosus* have been observed during any field inspection at the site of production or no symptoms of Clavibacter michiganensis ssp. insidiosus have been observed on any Medicago sativa L. crop adjacent to it, during the previous cropping, or
- (c) the crop belongs to a variety recognised as being highly resistant to *Clavibacter michiganensis* ssp. *insidiosus* and the content of inert matter does not exceed 0.1% by weight

Ditylenchus dipsaci

Pre-basic, basic and certified seeds of *Medicago sativa* L.

- no symptoms of (a) Ditylenchus dipsaci have been observed at the site of production during the previous cropping, no main host crops have been grown during the two preceding years on the site production and appropriate hygiene measures have been taken to prevent infestation of the place of production,
- (b) no symptoms of Ditylenchus dipsaci have been observed at the site of production during the previous cropping and no Ditylenchus dipsaci has been found by laboratory tests on a representative sample, or

(c) the seeds have been subjected to an appropriate physical or chemical treatment against *Ditylenchus dipsaci* and have been found to be free of this pest after laboratory tests on a representative sample.

# PART B U.K.

Measures to prevent the presence of RNQPs on propagating material of Vitis sp.

The competent authority, or the professional operator under the official supervision of the competent authority, must carry out checks and take any other action which is necessary or appropriate to ensure that the requirements specified in the following table in relation to the respective RNQPs and plants for planting are satisfied:

Insects and mites

RNQPs or symptoms Plants for planting Requirements caused by RNQPs (genus or species)

Daktulosphaira vitifoliae Vitis vinifera L. Fitch [VITEVI]

- (a) the plants have been produced in areas known to be free from *Daktulosphaira vitifoliae* Fitch,
- (b) the plants have been grafted on rootstocks resistant to *Daktulosphaira vitifoliae* Fitch, or
- (c) in the case where propagating material which is intended for marketing showed signs or symptoms of *Daktulosphaira* vitifoliae Fitch, the entire lot of that material has been subjected to fumigation, hot water treatment or another appropriate treatment in accordance with protocols of the European and Mediterranean Plant Protection Organization, or other protocols which are internationally recognised to ensure freedom from Daktulosphaira vitifoliae Fitch.

(1) (2) (3)
RNQPs or symptoms caused Plants for planting Requirements
by RNQPs (genus or species)

Arabis mosaic virus Vitis vinifera L.
[ARMV00], Grapevine
fanleaf virus [GFLV00],
Grapevine fleck virus
[GFKV00], Grapevine
leafroll associated virus 1
[GLRAV1] and Grapevine
leafroll associated virus 3
[GLRAV3]

Symptoms of all viruses listed in column 1 have been observed on no more than 10% of vines in the stock nurseries and those vines have been eliminated from propagation.

# PART C U.K.

Measures to prevent the presence of RNQPs on propagating material of ornamental plants and other plants for planting intended for ornamental purposes

The competent authority, or the professional operator under the official supervision of the competent authority, must carry out checks and take any other action which is necessary or appropriate to ensure that the requirements specified in the following table in relation to the respective RNQPs and plants for planting are satisfied:

Bacteria

(1) (2) (3)
RNQPs or symptoms caused Plants for planting Requirements by RNQPs (genus or species)

Erwinia amylovora (Burrill) Plants Winslow et al. [ERWIAM other

for planting, other than seeds, of Medik., Amelanchier Chaenomeles Lindl., Cotoneaster Medik., Crataegus Tourn. ex L., Cydonia Mill., Eriobtrya Lindl., Malus Mill., Mespilus Bosc ex Spach, Photinia davidiana Decne., Pyracantha M. Roem., Pyrus L. and Sorbus L.

- (a) the plants have been produced in areas known to be free from *Erwinia amylovora* (Burrill) Winslow *et al.*, or
- (b) the plants have been grown in a production site that has been visually inspected at an appropriate time during the last growing season for the detection of that pest and plants showing symptoms of that pest, and any surrounding host plants, have been immediately rogued out and destroyed.

*Xanthomonas euvesicatoria Capsicum annuum* L. Jones *et al.* [XANTEU]

In the case of seeds:

(a) the seeds originate in areas known to be free from *Xanthomonas euvesicatoria* Jones *et al.*,

- (b) no symptoms of disease caused by *Xanthomonas* euvesicatoria Jones et al. have been observed on visual inspections at appropriate times to detect the pest during the complete cycle of vegetation of the plants at the site of production, or
- (c) the seeds have been subjected to official testing for *Xanthomonas euvesicatoria*Jones *et al.* on a representative sample using appropriate methods (whether or not following an appropriate treatment) and have been found in those tests to be free from *Xanthomonas euvesicatoria* Jones *et al.*

In the case of plants other than seeds:

- (a) the seedlings have been grown from seeds that meet the above requirements, and
- (b) the plants have been maintained in appropriate hygiene conditions to prevent infection.

Xanthomonas gardneri (ex Capsicum annuum L. Šutič) Jones *et al.* [XANTGA]

#### In the case of seeds:

- (a) the seeds originate in areas known to be free from *Xanthomonas gardneri* (ex Šutič) Jones *et al.*,
- (b) no symptoms of disease caused by *Xanthomonas* gardneri (ex Šutič) Jones et al. have been observed on visual inspections at appropriate times during the complete cycle of vegetation of the plants at the site of production, or
- (c) the seeds have been subjected to official testing for *Xanthomonas gardneri* (ex Šutič) Jones *et al.* on a representative sample using appropriate methods (whether or not following an appropriate treatment) and have been found in those tests

to be free from *Xanthomonas* gardneri (ex Šutič) Jones et al.

In the case of plants other than seeds:

- (a) the seedlings have been grown from seeds that meet the above requirements, and
- (b) the plants have been maintained in appropriate hygiene conditions to prevent infection.

*Xanthomonas perforans Capsicum annuum* L. Jones *et al.* [XANTPF]

In the case of seeds:

- (a) the seeds originate in areas known to be free from *Xanthomonas* perforans Jones et al.,
- (b) no symptoms of disease caused by *Xanthomonas perforans* Jones *et al.* have been observed on visual inspections at the site of production at appropriate times during the complete cycle of vegetation of the plants, or
- (c) the seeds have been subjected to official testing for *Xanthomonas* perforans Jones et al. on a representative sample using appropriate methods (whether or not following an appropriate treatment) and have been found in those tests to be free from that pest.

In the case of plants other than seeds:

- (a) the seedlings have been grown from seeds that meet the above requirements, and
- (b) the plants have been maintained in appropriate hygiene conditions to prevent infection.

#### Fungi and oomycetes

(1) (2) (3)
RNQPs or symptoms caused Plants for planting Requirements
by RNQPs (genus or species)

Dothistroma septosporum Pinus L. (Dorogin) Morelet [SCIRPI]

- (a) the plants originate in areas known to be free from *Dothistroma septosporum* (Dorogin) Morelet,
- (b) no symptoms of needle blight, caused by *Dothistroma* septosporum (Dorogin) Morelet, have been observed at the site of production or its immediate vicinity since the

- beginning of the last complete cycle of vegetation, or
- (c) appropriate treatments have been carried out against needle blight, caused by *Dothistroma septosporum* (Dorogin) Morelet and the plants have been inspected before movement and found free from symptoms of needle blight.
- Phytophthora austrocedri Plants for planting, Greslebin & Hansen other than seeds, of [PHYTAU]

  Chamaecyparis
  lawsoniana (Murr.)
  Parl., Chamaecyparis
  - lawsoniana (Murr.)
    Parl., Chamaecyparis
    nootkatensis (D.Don)
    Sudw./(Lamb.) Spach,
    Cupressus sempervirens
    var. sempervirens L.,
    Juniperus communis ssp.
    communis L., and
    Libocedrus chilensis
    (D.Don) Endl.
- Phytophthora lateralis T. Plants for planting, Jung, M.J.C. Stukely & T.I. other than seeds, of Burgess [PHYTLI] Chamaecyparis formosensis Matsum.,

Chamaecyparis lawsoniana (Murr.) Parl., Chamaecyparis obtusa Sieb. & Zucc. ex Endl., Chamaecyparis pisifera Sieb. & Zucc. ex Endl., Taxus brevifolia Nutt. and Thuja occidentalis L.

Plasmopara halstedii Seeds of Helianthus (Farlow) Berlese & de Toni annuus L. [PLASHA]

- (a) the plants originate in areas known to be free from *Phytophthora austrocedri* Greslebin & Hansen, or
- (b) no symptoms of *Phytophthora* austrocedri Greslebin & Hansen have been observed on plants at the site of production since the beginning of the last complete cycle of vegetation.
- (a) the plants originate in areas known to be free from *Phytophthora lateralis* T. Jung, M.J.C. Stukely & T.I. Burgess, or
- (b) no symptoms of *Phytophthora lateralis* T. Jung, M.J.C. Stukely & T.I. Burgess have been observed on plants at the site of production since the beginning of the last complete cycle of vegetation.
- (a) the seeds originate in areas known to be free from *Plasmopara halstedii* (Farlow) Berlese & de Toni,
- (b) no symptoms of *Plasmopara halstedii* (Farlow) Berlese & de Toni have been observed at the seed production site in at least two inspections at appropriate times to detect the pest during the growing season.
- (c) (i) the seed production site has been subject to at

- least two inspections at appropriate times to detect the pest, during the growing season,
- (ii) no more than 5% of plants have shown symptoms of *Plasmopara halstedii* (Farlow) Berlese & de Toni during those inspections, and all plants showing symptoms of *Plasmopara halstedii* (Farlow) Berlese & de Toni have been removed and destroyed immediately after inspection, and
- (iii) at the final inspection no plants have been found showing symptoms of *Plasmopara halstedii* (Farlow) Berlese & de Toni,
- (d) (i) the seed production site
  has been subject to at
  least two inspections
  at appropriate times to
  detect the pest during the
  growing season,
  - (ii) all plants showing symptoms of Plasmopara halstedii (Farlow) Berlese & de Toni have been removed and destroyed immediately after inspection, and
  - (iii) at the final inspection, no plants have been found showing symptoms of *Plasmopara halstedii* (Farlow) Berlese & de Toni, and a representative sample from each lot has been tested and found free from *Plasmopara halstedii* (Farlow) Berlese & de Toni, or

(e) the seeds have been subjected to an appropriate treatment which has been demonstrated to be effective against all known strains of *Plasmopara halstedii* (Farlow) Berlese & de Toni.

Puccinia horiana Hennings [PUCCHN] P. Chrysanthemum L.

- (a) the plants derive from mother plants which have been inspected at least monthly during the previous three months and no symptoms have been seen at the site of production, or
- (b) mother plants showing symptoms have been removed and destroyed, along with plants within a 1 m radius, and an appropriate physical or chemical treatment has been applied to the plants which have been inspected before movement and found free from symptoms.

#### Insects and mites

(1) (2) (3)
RNQPs or symptoms caused Plants for planting Requirements
by RNQPs (genus or species)

Opogona sacchari Bojer Beaucarnea [OPOGSC] Bougainville

Beaucarnea Lem.,
Bougainvillea Comm.
ex Juss., Crassula L.,
Crinum L., Dracaena
Vand. ex L., Ficus L.,
Musa L., Pachira Aubl.,
Palmae, Sansevieria
Thunb. and Yucca L.

- (a) the plants have been produced in areas known to be free from *Opogona sacchari* Bojer,
- (b) the plants have been grown at a production site at which no symptoms or signs of *Opogona sacchari* Bojer have been observed on visual inspections carried out at least every three months during a period of at least six months prior to movement, or
- (c) a regime is applied on the site of production aimed at monitoring and suppressing the population of *Opogona sacchari* Bojer and at removing infested plants and each lot has been visually inspected, at the most appropriate time to detect the

pest, before movement and found free from symptoms of Opogona sacchari Bojer.

#### Nematodes

(2) (3) planting Requirements RNOPs or symptoms caused Plants for by RNOPs (genus or species)

Ditylenchus

dipsaci Plants for planting, other (Kuehn) Filipjev [DITYDI] than seeds, of *Camassia* Lindl., Chionodoxa Boiss., Crocus flavus Weston, Galanthus L., Hyacinthus Tourn. ex L., Hymenocallis Salisb., Muscari Mill., Narcissus L., Ornithogalum L., Puschkinia Adams, Sternbergia Waldst. & Kit., Scilla L., and Tulipa L.

- the plants have been (a) inspected and no symptoms of Ditylenchus dipsaci (Kuehn) Filipjev have been observed on the lot since the beginning of the last complete cycle of vegetation, or
- (b) the bulbs have been found free from symptoms of Ditylenchus dipsaci (Kuehn) Filipjev on the basis of visual inspections carried out at the most appropriate time to detect the pest, and have been packed for sale to the final consumer.

Viruses, viroids, virus-like diseases and phytoplasmas

(2) (3) RNOPs or symptoms caused Plants planting Requirements for by RNOPs (genus or species)

Candidatus Phytoplasma Plants for planting, other 'pyri' Seemüller & than seeds, of *Pyrus* L. Schneider [PHYPPY]

- the plants: (a)
  - (i) derive from mother plants which have been visually inspected and found free from symptoms of Candidatus Phytoplasma 'pyri' Seemüller & Schneider, and
  - (ii) (aa) have been produced in areas known to be free from Candidatus Phytoplasma 'pyri' Seemüller & Schneider, or
    - (bb) the plants have been grown in a site of production found free from the pest over the

last complete growing season by visual inspection, and any symptomatic plants in the immediate vicinity have been rogued out and destroyed immediately, or

(b) no more than 2% of plants in the site of production have shown symptoms during visual inspections at appropriate times during the last growing season, and those symptomatic plants and any symptomatic plants in the immediate vicinity have been rogued out and destroyed immediately.

Chrysanthemum stunt viroid Plants for planting, The plants derive within three generations other than seeds, of of propagation from stock which has been Argyranthemum Webb found to be free from Chrysanthemum ex Sch.Bip. and stunt viroid by testing.

Chrysanthemum L.

Impatiens necrotic spot Plants for planting, other tospovirus [INSV00] than seeds, of Begonia x hiemalis, Fotsch, Impatiens L. and New

Guinea Hybrids

- (a) the plants have been grown in a site of production that has been subjected to a monitoring of relevant thrips vectors (Frankliniella
  - upon their detection, to appropriate treatments to ensure effective suppression of their populations, and no symptoms of *Impatiens* necrotic spot tospovirus have been observed on plants at the site of production during the current growing period, or

occidentalis Pergande) and,

(b) any plants at the production site showing symptoms of *Impatiens* necrotic spot tospovirus during the current growing period have been rogued out and a representative sample of the plants has been tested and

Potato spindle tuber viroid *Capiscum annuum* L. [PSTVD0]

Plum pox virus [PPV000]

Plants for planting, other than seeds, of following species of *Prunus* L.: Prunus armeniaca L., Prunus blireiana Andre, Prunus brigantina Vill., Prunus cerasifera Ehrh., Prunus cistena Hansen, Prunus curdica Fenzl Fritsch., Prunus domestica ssp. domestica L., *Prunus domestica* ssp. insititia (L.) K. Schneid, Prunus domestica ssp. italica (Borkh.) Hegi., Prunus dulcis (Mill.) D. A. Webb, Prunus glandulosa Thunb., Prunus holosericea Batal., Prunus hortulana Bailey, Prunus japonica Thunb., Prunus mandshurica (Maxim.) Koehne, Prunus maritima Marsh., Prunus mume Sieb. and Zucc., Prunus nigra Ait., Prunus persica (L.) Batsch, Prunus salicina L., Prunus sibirica L., Prunus simonii Carr., Prunus spinosa L., Prunus tomentosa Thunb., Prunus triloba Lindl. and all other found free from Impatiens necrotic spot tospovirus.

- (a) no symptoms of diseases caused by Potato spindle tuber viroid have been observed on the plants at the place of production during their complete cycle of vegetation, or
- (b) the plants have been subjected to official testing for Potato spindle tuber viroid, on a representative sample and using appropriate methods, and have been found in those tests to be free from that pest.
- (a) in the case of vegetatively propagated rootstocks of *Prunus* L., they are derived from mother plants which have been sampled and tested within the previous five years and found free from Plum pox virus, and
- (b) (i) the plants have been produced in areas known to be free from Plum pox virus.
  - (ii) no symptoms of Plum pox virus have been observed on the plants at the site of production over the last complete growing season and in the most appropriate period of the year, taking into account the climatic conditions and the growing conditions of the plant and the biology of Plum pox virus, and any symptomatic plants in the immediate vicinity have been rogued out and immediately destroyed, or
  - (iii) where symptoms of Plum pox virus have been observed on no more than 1% of plants

Prunus L. susceptible to Plum pox virus Fotsch

at the site of production over the last complete growing season and in the most appropriate period of the year, taking into account the climatic conditions and the growing conditions of the plant and the biology of Plum pox virus, any symptomatic plants in the immediate vicinity have been rogued out and immediately destroyed, and a representative sample of the remaining asymptomatic plants in the lots in which symptomatic plants were found has been tested and found free from the pest.

Tomato ringspot virus *Pelargonium* L'Herit. ex [TORSV0] Ait.

- (a) the plants originate from places of production known to be free from Tomato ringspot virus, or
- (b) the plants are no more than fourth generation stock, derived from mother plants found to be free from Tomato ringspot virus by testing.
- Tomato ringspot virus Plants for planting, other [TORSV0] than seeds, of Malus L. and *Prunus* L.
- (a) the plants are derived in direct line from material which has been maintained under appropriate conditions and has been subjected, at least once within the last three complete cycles of vegetation, to official testing for at least the pest Tomato ringspot virus, using appropriate indicators or equivalent methods, and has been found free from the pests tested, and
- (b) no symptoms of diseases caused by Tomato ringspot virus item have been observed on plants at the place of production, or on susceptible plants in its immediate

Tomato spotted tospovirus [TSWV00]

wilt Plants for planting, other than seeds, of *Begonia x hiemalis* Fotsch, *Capsicum annuum* L., *Chrysanthemum* L., Gerbera L., *Impatiens* L., New Guinea Hybrids and *Pelargonium* L.

- vicinity, since the beginning of the last complete cycle of vegetation.
- (a) the plants have grown a site of production that has been subjected to a monitoring of relevant thrips vectors (Frankliniella occidentalis and Thrips tabaci) and, upon their detection, to appropriate treatments to ensure effective suppression of their populations, and no symptoms of Tomato spotted wilt tospovirus have been observed on plants at the site of production during the current growing period, or
- (b) any plants at the production site showing symptoms of Tomato spotted wilt tospovirus during the current growing period have been rogued out and a representative sample of the plants to be moved has been tested and found free from Tomato spotted wilt tospovirus.

# PART D U.K.

# Measures to prevent the presence of RNQPs on forest reproductive material, other than seeds

#### 1. Visual inspections

- (1) The competent authority, or the professional operator under the official supervision of the competent authority, must carry out checks and take any other action which is necessary or appropriate to ensure that the requirements in point (2) are satisfied in respect of forest reproductive material, other than seeds, of *Pinus* spp.
- (2) The requirements are that the forest reproductive material is found free from *Dothistroma septosporum* upon visual inspection at the production site or place.
- (3) The visual inspections must take place once a year, in the most appropriate period to detect those pests, taking into account the climatic conditions and the growing conditions of the plant, and the biology of the pest.

#### 2. Other requirements

(1) The competent authority, or the professional operator under the official supervision of the competent authority, must carry out checks and take any other action which is necessary or appropriate to ensure that, the requirements in point (2) are satisfied in respect of forest reproductive material of *Pinus* spp.

- (2) The requirements are that:
  - (a) the forest reproductive material originates in areas known to be free from Dothistroma septosporum;
  - (b) no symptoms of needle blight caused by Dothistroma septosporum have been observed at the place or site of production or its immediate vicinity over the last complete growing season; or
  - (c) appropriate treatments have been carried out in the place or site of production against needle blight caused by *Dothistroma septosporum* and the forest reproductive material has been visually inspected before movement and found free from symptoms of *Dothistroma septosporum*.

# PART E U.K.

Measures to prevent the presence of RNQPs on vegetable seed

The competent authority, or the professional operator under the official supervision of the competent authority, must carry out checks and take any other action which is necessary or appropriate to ensure that the requirements specified in the following table in relation to the respective RNQPs and plants for planting are satisfied:

(3)

Bacteria (2) RNQPs or symptoms caused Plants planting Requirements for by RNQPs (genus or species) Clavibacter michiganensis Solanum lycopersicum L. michiganensis subsp. (Smith) Davis et al. [CORBMI]

- the seeds have been (a) obtained by means of an appropriate acid extraction method or an equivalent method, and
- (i) the seeds originate (b) in areas known to be free from Clavibacter michiganensis ssp. *michiganensis* (Smith) Davis *et al.*,
  - (ii) no symptoms of disease caused by Clavibacter michiganensis ssp. michiganensis (Smith) Davis et al. have been observed on visual inspections at appropriate times to detect the pest during the complete cycle of vegetation of the plants at the site of production, ٥r

(iii) the seeds have been subjected to official testing for Clavibacter michiganensis ssp. michiganensis (Smith) Davis et al. on a representative sample using appropriate methods and have been found in those tests to be free from that pest.

Xanthomonas axonopodis Phaseolus vulgaris L. (Smith) phaseoli Vauterin *et al*. [XANTPH]

- (a) the seeds originate in areas known to be free from Xanthomonas axonopodis pv. phaseoli (Smith) Vauterin et al.,
- (b) the crop from which the seed was harvested has been visually inspected at appropriate times during the growing season and found free from Xanthomonas axonopodis pv. phaseoli (Smith) Vauterin et al., or
- (c) a representative sample of the seeds has been tested and found in those tests to be free from Xanthomonas axonopodis pv. phaseoli (Smith) Vauterin et al..

(a)

- the seeds originate in areas known to be free from Xanthomonas fuscans subsp. fuscans Schaad et al.,
- (b) the crop from which the seed was harvested has been visually inspected at appropriate times during the growing season and found free from Xanthomonas fuscans subsp. fuscans Schaad et al.,
- (c) a representative sample of the seeds has been tested and found in those tests to be free from Xanthomonas fuscans subsp. fuscans Schaad et al.
- the seeds originate in (a) areas known to free from

Xanthomonas fuscans Phaseolus vulgaris L. subsp. fuscans Schaad et al. [XANTFF]

Xanthomonas euvesicatoria Capsicum annuum L. Jones et al. [XANTEU]

- Xanthomonas euvesicatoria Jones et al.,
- (b) no symptoms of disease caused by *Xanthomonas* euvesicatoria Jones et al. have been observed on visual inspections at appropriate times to detect the pest during the complete cycle of vegetation of the plants at the site of production, or
- (c) the seeds have been subjected to official testing for *Xanthomonas euvesicatoria*Jones *et al.* on a representative sample using appropriate methods (whether or not following an appropriate treatment) and have been found in those tests to be free from that pest.
- found in those from that per (a) the s
  - (a) the seeds have been obtained by an appropriate acid extraction, and originate in areas known to free from *Xanthomonas euvesicatoria* Jones *et al.*, and
  - (b) either:
    - (i) no symptoms of disease caused by *Xanthomonas* euvesicatoria Jones et al. have been observed on visual inspections at appropriate times to detect the pest during the complete cycle of vegetation of the plants at the site of production, or
    - (ii) the seeds have been subjected to official testing for *Xanthomonas euvesicatoria* Jones *et al.* on a representative sample using appropriate methods (whether or not following an appropriate treatment) and have been found in those tests to be free from that pest.

Xanthomonas euvesicatoria Solanum lycopersicum L. Jones et al. [XANTEU]

Xanthomonas gardneri (ex Capsicum annuum L. Šutič) Jones *et al.* [XANTGA]

- (a) the seeds originate in areas known to be free from *Xanthomonas gardneri* (ex Šutič) Jones *et al.*,
- (b) no symptoms of disease caused by *Xanthomonas* gardneri (ex Šutič) Jones et al. have been observed on visual inspections at appropriate times to detect the pest during the complete cycle of vegetation of the plants at the site of production, or
- (c) the seeds have been subjected to official testing for *Xanthomonas gardneri* (ex Šutič) Jones *et al.* on a representative sample using appropriate methods (whether or not following an appropriate treatment) and have been found in those tests to be free from that pest.
- Xanthomonas gardneri (ex Solanum lycopersicum L. Šutič) Jones *et al.* [XANTGA]
- (a) the seeds have been obtained by an appropriate acid extraction and originate in areas known to be free from *Xanthomonas gardneri* (ex Šutič) Jones *et al.*, and
- (b) either:
  - (i) no symptoms of disease caused by *Xanthomonas* gardneri (ex Šutič) Jones et al. have been observed on visual inspections at appropriate times during the complete cycle of vegetation of the plants at the site of production, or
  - (ii) the seeds have been subjected to official testing for *Xanthomonas gardneri* (ex Šutič) Jones *et al.* on a representative sample and using appropriate methods (whether or not following an appropriate treatment) and have been

found in those tests to be free from that pest.

Xanthomonas perforans Capsicum annuum L Jones et al. [XANTPF]

- (a) the seeds originate in areas known to be free from *Xanthomonas perforans* Jones *et al.*,
- (b) no symptoms of disease caused by *Xanthomonas* perforans Jones et al. have been observed on visual inspections at appropriate times during the complete cycle of vegetation of the plants at the site of production, or
- (c) the seeds have been subjected to official testing for *Xanthomonas perforans* Jones *et al.* on a representative sample using appropriate methods (whether or not following an appropriate treatment) and have been found in those tests to be free from that pest.

*Xanthomonas perforans Solanum lycopersicum* L. Jones *et al.* [XANTPF]

- (a) the seeds have been obtained by an appropriate acid extraction and originate in areas known to be free from *Xanthomonas perforans Jones et al.*, or
- (b) (i) no symptoms of disease caused by *Xanthomonas* perforans Jones et al have been observed on visual inspections at appropriate times during the complete cycle of vegetation of the plants at the site of production, or
  - (ii) the seeds have been subjected to official testing for *Xanthomonas perforans* Jones *et al.* on a representative sample using appropriate methods (whether or not following an appropriate treatment) and have been

found in those tests to be free from that pest.

Xanthomonas vesicatoria Capsicum annuum L (ex Doidge) Vauterin et al. [XANTVE]

- (a) the seeds originate in areas known to be free from *Xanthomonas vesicatoria* (ex Doidge) Vauterin *et al.*,
- (b) no symptoms of disease caused by *Xanthomonas* vesicatoria (ex Doidge)
  Vauterin et al. have been observed on visual inspections at appropriate times during the complete cycle of vegetation of the plants at the site of production, or
- (c) the seeds have been subjected to official testing for *Xanthomonas vesicatoria* (ex Doidge) Vauterin *et al.* on a representative sample using appropriate methods (whether or not following an appropriate treatment) and have been found in those tests to be free from that pest.

Xanthomonas vesicatoria Solanum lycopersicum L. (ex Doidge) Vauterin et al. [XANTVE]

- (a) the seeds have been obtained by an appropriate acid extraction and originate in areas known to be free from *Xanthomonas vesicatoria* (ex Doidge) Vauterin *et al.*,
- (b) no symptoms of disease caused by *Xanthomonas vesicatoria* (ex Doidge) Vauterin *et al.* have been observed on visual inspections at appropriate times during the complete cycle of vegetation of the plants at the site of production, or
- (c) the seeds have been subjected to official testing for *Xanthomonas vesicatoria* (ex Doidge) Vauterin *et al.* on a representative sample using appropriate methods (whether or not following an appropriate treatment) and have been found in those tests to be free from that pest.

#### Insects and mites

(1) (2) (3)
RNQPs or symptoms caused Plants for planting Requirements by RNQPs (genus or species)

Acanthoscelides obtectus Phaseolus coccineus L. A representative sample of the seed (Say) [ACANOB] and Phaseolus vulgaris has been subject to visual inspection

and *Phaseolus vulgaris* has been subject to visual inspection L. at the most appropriate time to detect *Acanthoscelides obtectus* (Say), which may be following an appropriate treatment, and the seed has been found to

be free from that pest.

Bruchus pisorum (L.) Pisum sativum L. [BRCHPI]

A representative sample of the seed has been subject to visual inspection at the most appropriate time to detect *Bruchus pisorum* (L.), which may be following an appropriate treatment, and the seed has been found to be free from that pest.

Bruchus rufimanus L. Vicia faba L. [BRCHRU]

A representative sample of the seed has been subject to visual inspection at the most appropriate time to detect *Bruchus rufimanus* L., which may be following an appropriate treatment, and the seed has been found to be free from that pest.

#### Nematodes

(1) (2) (3)
RNQPs or symptoms caused Plants for planting Requirements
by RNOPs (genus or species)

Ditylenchus dipsaci Allium cepa L. and (Kuehn) Filipjev [DITYDI] Allium porrum L.

- (a) the crop has been visually inspected at least once at an appropriate time to detect *Ditylenchus dipsaci* (Kuehn) Filipjev since the beginning of the last complete cycle of vegetation and no symptoms of that pest have been observed,
- (b) the harvested seeds have been found to be free of *Ditylenchus dipsaci* (Kuehn) Filipjev after laboratory tests on a representative sample, or
- (c) the planting material has been subjected to an appropriate chemical or physical treatment against *Ditylenchus dipsaci* (Kuehn) Filipjev and the seeds have been found to be free of that pest after laboratory tests on a representative sample.

(1) (2) (3)
RNQPs or symptoms caused Plants for planting Requirements by RNQPs (genus or species)

Pepino mosaic virus *Solanum lycopersicum* L. [PEPMV0]

- (a) the seeds have been obtained by means of an appropriate acid extraction method or an equivalent method, and
- (b) (i) the seeds originate in areas where Pepino mosaic virus is known not to occur,
  - (ii) no symptoms of diseases caused by Pepino mosaic virus have been observed on the plants at the place of production during their complete cycle of vegetation, or
  - (iii) the seeds have been subjected to official testing for Pepino mosaic virus, on a representative sample using appropriate methods, and have been found in those tests to be free from that pest.

Potato spindle tuber viroid Capsicum annuum L., [PSTVD0] and Solanum lycopersicum L.

- (a) the seeds originate in areas where Potato spindle tuber viroid is not known to occur.
- (b) no symptoms of diseases caused by Potato spindle tuber viroid have been observed on the plants at the place of production during their complete cycle of vegetation, or
- (c) the seeds have been subjected to official testing for Potato spindle tuber viroid, on a representative sample using appropriate methods and have been found in those tests to be free from that pest.
- Tomato apical stunt viroid *Solanum lycopersicum* L. [TASVD0]
- (a) the seeds originate in areas where Tomato apical stunt viroid is not known to occur.

- (b) no symptoms of diseases caused by Tomato apical stunt viroid have been observed on the plants at the place of production during their complete cycle of vegetation,
- (c) the seeds have been subjected to official testing for Tomato apical stunt viroid on a representative sample using appropriate methods and have been found in those tests to be free from that pest.

Tomato chlorotic dwarf Solanum lycopersicum L. viroid [CSVS0]

- the seeds originate in areas (a) where Tomato chlorotic dwarf viroid is not known to occur.
- (b) no symptoms of diseases caused by Tomato chlorotic dwarf viroid have been observed on the plants at the place of production during their complete cycle of vegetation, or
- (c) the seeds have been subjected to official testing for Tomato chlorotic dwarf viroid on a representative sample using appropriate methods and have been found in those tests to be free from that pest.

## PART F U.K.

#### Measures to prevent the presence of RNQPs on seed potatoes

The competent authority, or the professional operator under the official supervision of the competent authority, must carry out checks and take any other action which is necessary or appropriate to ensure that the requirements specified in the following table in relation to the respective RNQPs and plants for planting are satisfied:

# (1) RNQPs or symptoms caused by RNQPs

### (genus or species) Blackleg (Dickeya Samson Solanum tuberosum L.

(2) Plants for planting

# (3) Requirements

et al. spp. [1DICKG]; Pectobacterium Waldee emend. Hauben et al. spp. [1PECBG])

In the case of pre-basic seed potatoes, official inspections show that they derive from mother plants which are free from Dickeya Samson et al. spp. and Pectobacterium Waldee emend. Hauben et al. spp.

Candidatus Liberibacter Solanum tuberosum L. 'solanacearum' Liefting et al. [LIBEPS]

In the case of pre-basic seed potatoes, official inspections show that they derive from mother plants which are free from *Candidatus* Liberibacter 'solanacearum' Liefting *et al*.

In the case of all categories, the growing plants have been subjected to official field inspections by the competent authority.

In the case of all categories:

- (a) the plants have been produced in areas known to be free from *Candidatus* Liberibacter 'solanacearum' Liefting *et al.*, taking into account the possible presence of the vectors, or
- (b) no symptoms of *Candidatus*Liberibacter 'solanacearum'
  Liefting *et al.*, have been seen during official inspections by the competent authority of growing plants at the site of production since the start of the last complete cycle of vegetation.

Mosaic symptoms caused *Solanum tuberosum* L. by viruses and symptoms caused by Potato leaf roll virus

In the case of pre-basic seed potatoes, they derive from mother plants which are free from Potato virus A, Potato virus M, Potato virus S, Potato virus X, Potato virus Y and Potato leaf roll virus.

Where methods of micro-propagation are used, compliance with this requirement must be established by official testing, or testing under official supervision, of the mother plant.

Where methods of clonal selection are used, compliance with this requirement must be established by official testing, or testing under official supervision, of the clonal stock.

In the case of all categories, the growing plants have been subjected to official inspection by the competent authority.

- (a) the tubers originate in an area in which *Meloidogyne* fallax Karssen is known not to occur, or
- (b) where they originate in an area in which *Meloidogyne fallax*Karssen is known to occur:
  - (i) that the tubers originate from a place of production which has

Meloidogyne fallax Karssen Solanum tuberosum L. [MELGFA]

been found free from *Meloidogyne fallax*Karssen based on an annual survey of host crops, by visual inspection of host plants at appropriate times and by visual inspection both externally and by cutting of tubers after harvest from potato crops grown at the place of production, or

(ii) that after harvest the tubers have been randomly sampled and checked for the presence of symptoms after an appropriate method to induce symptoms or laboratory tested, as well as inspected visually, both externally and by cutting the tubers, at appropriate times, and no symptoms of Meloidogyne fallax Karssen have been found.

Potato spindle tuber viroid *Solanum tuberosum* L. [PSTVD0]

In the case of clonal stock, official testing, or testing under official supervision, has shown that they derive from mother plants which are free from Potato spindle tuber viroid.

In the case of pre-basic and basic seed potatoes, no symptoms of Potato spindle tuber viroid have been found, or for each lot, official post-harvest testing of tubers have been performed and those tubers have been found free from Potato spindle tuber viroid.

In the case of certified seed potatoes, official visual inspection has shown that they are free from Potato spindle tuber viroid, and if any symptoms of the pest were seen, testing was carried out.

Symptoms of virus infection Solanum tuberosum L.

During official inspection of the direct progeny, the number of symptomatic plants did not exceed the threshold specified in Part F of Annex 4.

Candidatus Liberibacter Solanum tuberosum L. 'solanacearum' Liefting et al. [LIBEPS]	The competent authority has subjected the lots to official inspection and confirms that they do not exceed the threshold specified in Part F of Annex 4.
Ditylenchus destructor Solanum tuberosum L. Thorne [DITYDE]	The competent authority has subjected the lots to official inspection and confirms that they do not exceed the threshold specified in Part F of Annex 4.
Black scurf affecting tubers Solanum tuberosum L. over more than 10% of their surface, as caused by Thanatephorus cucumeris (A.B. Frank)  Donk [RHIZSO]	The competent authority has subjected the lots to official inspection and confirms that they do not exceed the threshold specified in Part F of Annex 4.
Powdery scab affecting <i>Solanum tuberosum</i> L. tubers over more than 10% of their surface as caused by <i>Spongospora subterranea</i>	The competent authority has subjected the lots to official inspection and confirms that they do not exceed the threshold specified in Part F of Annex 4.

In addition, the competent authority must carry out official inspections to ensure that the presence of the RNQPS on the growing plants specified in any entry of the table below do not exceed the thresholds in the corresponding entries of the table:

(Wallr.) Lagerh. [SPONSU].

(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting (genus or species)	the di		' '	•
Symptoms of virus infection	Solanum tuberosum L.	0%	0.5%	4%	10%
Blackleg ( <i>Dickeya</i> Samson <i>et al.</i> spp. [1DICKG]; <i>Pectobacterium</i> Waldee emend. Hauben <i>et al.</i> spp. [1PECBG])	Solanum tuberosum L.	0%	Practically free	Practically free	Practically free
Candidatus Liberibacter solanacearum Liefting et al. [LIBEPS]	Solanum tuberosum L.	0%	0%	0%	0%
Ditylenchuslestructor Thorne [DITYDE]		0%	0%	0%	0%
Black scurf as caused by <i>Thanatephorus</i> cucumeris (A.B.		0%	tubers over	5% affecting tubers over more than	5% affecting tubers over more

Frank) Donk [RHIZSO]			10% of their surface	10% of their surface	than 10% of their surface
Powdery scab as caused by Spongospora subterranea (Wallr.) Lagerh. [SPONSU]	Solanum tuberosum L.	0%	tubers over more than	tubers over	3% affecting tubers over more than 10% of their surface
Mosaic symptoms caused by viruses and symptoms caused by Potato leaf roll virus [PLRV00]		0%	0.1%	0.8%	6%
Meloidogyne fallax Karssen [MELGFA]		0%	0%	0%	0%
Potato spindle tuber viroid [PSTVD0]	Solanum tuberosum L.	0%	0%	0%	0%

# PART G U.K.

Measures to prevent the presence of RNQPS on seed of oil and fibre plants

- 1. Inspection of the crop
- (1) The competent authority, or the professional operator under the official supervision of the competent authority, must carry out field inspections on the crop from which the seed of *Helianthus annuus* L. is produced concerning the presence of *Plasmopara halstedii* (Farlow) Berlese & de Toni in the crop to ensure that the presence of that pest does not exceed the thresholds set out in the table in Part G of Annex 4.
- (2) For the purposes of point (1), the competent authority may authorise inspectors, other than the professional operators, to carry out the field inspections on its behalf and under its official supervision.
- (3) Those field inspections must be carried out when the condition and the stage of development of the crop allow for an adequate inspection. At least one field inspection must be carried out each year, at the most appropriate time for the detection of the respective RNQPs.
- (4) The competent authority must determine the size, the number and the distribution of the portions of the field to be inspected in accordance with appropriate methods.
- (5) The proportion of the crops for the production of seed to be officially inspected by the competent authority must be at least 5%.
  - 2. Sampling and testing of oil and fibre plants
  - (1) The competent authority must:
    - (a) officially draw seed samples from lots of oil and fibre plants;
    - (b) authorise seed samplers to carry out sampling on its behalf and under its official supervision;
    - (c) compare the seed samples drawn by itself with those of the same seed lot drawn by the seed samplers under official supervision as referred to in point (b);
    - (c) supervise the performance of the seed samplers.

- (2) The competent authority or the professional operator under official supervision must sample and test oil and fibre plants in accordance with up-to-date international methods.
- (3) Except for automatic sampling, the competent authority must check a proportion of at least 5 % of the seed lots entered for official certification.
- (4) That proportion must be spread as evenly as possible over natural and legal persons entering seed for certification and the species entered, but may also be aimed at eliminating specific doubts.
- (5) In the case of automatic sampling, appropriate procedures must be applied and the sampling must be officially supervised.
- (6) For the examination of seed for certification, samples must be drawn from homogeneous lots and, as regards the lot and sample weights, in accordance with the table in Annex 3 to Directive 66/401/EEC.
- **3.** The competent authority, or the professional operators under the official supervision of the competent authority, must carry out additional inspections and take any other action which is necessary or appropriate to ensure that the requirements specified in the following table in relation to the respective RNQPs and plants for planting are satisfied:

# (1) RNQPs or symptoms (2) Plants for (3) Requirements caused by RNQPs planting (genus or species)

Plasmopara halstedii Seeds of Helianthus (Farlow) Berlese & de annuus L Toni

- (a) the seeds of *Helianthus* annuus L. originate in areas known to be free from *Plasmopara halstedii* (Farlow) Berlese & de Toni,
- (b) no symptoms of Plasmopara halstedii (Farlow) Berlese & de Toni have been observed at the production site in at least two inspections at appropriate times during the growing season, or
- (c) (i) the production site has been subject to at least two field inspections at appropriate times to detect *Plasmopara halstedii* Farlow)

  Berlese & de Toni during the growing season,
  - (ii) no more than 5
    % of plants have
    shown symptons of
    Plasmopara halstedii
    (Farlow) Berlese
    & de Toni during
    field inspection and
    all plants showing

- symptoms of that pest have been removed and destroyed immediately after inspection, and
- (iii) at the final inspection no plants have been found showing symptoms of *Plasmopara halstedii* (Farlow) Berlese & de Toni,
- (d) (i) the production site has been subject to at least two field inspections at appropriate times during the growing season,
  - (ii) all plants showing symptoms of *Plasmopara halstedii* (Farlow) Berlese & de Toni have been removed and destroyed immediately after inspection, and
  - (iii) at the final inspection, no plants have been found showing symptoms of *Plasmopara*. *Halstedii* (Farlow) Berlese & de Toni, and a representative sample from each lot has been tested and found free from that plant pest, or
- (e) the seeds have been subjected to an appropriate treatment which has been demonstrated to be effective against all known strains of *Plasmopara halstedii* (Farlow) Berlese & de Toni.
- Seeds of *Helianthus* annuus L. and *Linum*

usitatissimum L

- (a) seed treatment authorised for use against *Botrytis cinerea* has been applied, or
- (b) the set tolerance on the seed is not exceeded on the basis

Botrytis cinerea

of a laboratory test of a representative sample.

Diaporthe caulivora Seeds of Glycine max (Diaporthe phaseolorum (L.) Merryl var. caulivora)

- (a) seed treatment authorised for use against *Diaporthe caulivora* (*Diaporthe phaseolorum* var. *caulivora*) has been applied, or
- (b) the set tolerance on the seed is not exceeded on the basis of a laboratory test of a representative sample.

Diaporthe var. sojae Seeds of Glycine max (L.) Merryl

- (a) seed treatment authorised for use against *Diaporthe* var. *sojae* has been applied, or
- (b) the set tolerance on the seed is not exceeded on the basis of a laboratory test of a representative sample.

Alternaria linicola Seeds of Linum usitatissimum L.

- (a) seed treatment authorised for use against *Alternaria linicola* has been applied, or
- (b) the set tolerance on the seed is not exceeded on the basis of a laboratory test of a representative sample.

Boeremia exigua var. Seeds of Linum linicola usitatissimum L.

- (a) seed treatment authorised for use against *Boeremia exigua* var. *linicola* has been applied, or
- (b) the set tolerance on the seed is not exceeded on the basis of a laboratory test of a representative sample.

Colletotrichum lini Seeds of Linum usitatissimum L.

- (a) seed treatment authorised for use against *Colletotrichum lini* has been applied, or
- (b) the set tolerance on the seed is not exceeded on the basis of a laboratory test of a representative sample.

Fusarium (anamorphic Seeds of Linum genus), other than usitatissimum L.
Fusarium oxysporum f.
sp. albedinis (Kill. &

(a) seed treatment authorised for use against *Fusarium* (anamorphic genus), other than *Fusarium* 

Changes to legislation: There are currently no known outstanding effects for the The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020. (See end of Document for details)

Maire) W.L. Gordon and *Fusarium circinatum* Nirenberg & O'Donnell

- oxysporum f. sp. albedinis (Kill. & Maire) W.L. Gordon and Fusarium circinatum Nirenberg & O'Donnell, has been applied, or
- (b) the set tolerance on the seed is not exceeded based on laboratory test of a representative sample.

# PART H U.K.

Measures to prevent the presence of RNQPs on vegetable propagating and planting material, other than seeds

- 1. The competent authority, or the professional operator under the official supervision of the competent authority, must carry out checks and take any other action which is necessary or appropriate to ensure that:
  - (a) the plants appear at least, on visual inspection, to be practically free from pests listed in the table below, in respect of the genera or species concerned;
  - (b) any plants showing visible signs or symptoms of the pests listed in the table below, at the stage of the growing crop, have been treated properly immediately upon their appearance or, where appropriate, have been eliminated;
  - (c) in the case of bulbs of shallots and garlic, the plants derive directly from material which, at the stage of the growing crop, has been checked and found to be practically free from any pest listed in the table below.
- **2.** In addition, the competent authority, or the professional operator under the official supervision of the competent authority, must carry out checks and take any other action which is necessary or appropriate to ensure that the requirements specified in the following table in relation to the respective RNQPs and plants for planting, are satisfied:

Bacteria
(1) (2) (3)
RNQPs or symptoms Plants for planting Requirements caused by RNQPs (genus or species)

Candidatus Liberibacter Solanum lycopersicum 'solanacearum' Liefting et L. al. [LIBEPS]

- (a) the plants have been produced in areas known to be free from *Candidatus* Liberibacter 'solanacearum' Liefting *et al.*, taking into account the possible presence of the vectors, or
- (b) no symptoms of *Candidatus*Liberibacter 'solanacearum'
  Liefting *et al.*, have
  been seen during official
  inspections by the
  competent authority of
  growing plants at the site of

production since the start of the last complete cycle of vegetation.

Clavibacter michiganensis Solanum lycopersicum The plants have been grown from seeds michiganensis L. subsp. (Smith) Davis et al. [CORBMI]

which comply with the requirements specified in Part E of Annex 5 and have been maintained free from infection by appropriate hygiene measures.

Xanthomonas Capsicum euvesicatoria Jones et al. L. and [XANTEU] lycopersicum L.

annuum The seedlings have been grown Solanum from seeds which comply with the requirements specified in Part E of Annex 5 and the plants have been maintained free from infection by appropriate hygiene measures.

Xanthomonas gardneri (ex Capsicum Šutič) Jones etal. L. [XANTGA] lycopersicum L.

annuum The seedlings have been grown Solanum from seeds which comply with the requirements specified in Part E of Annex 5 and the plants have been maintained free from infection by appropriate hygiene measures.

Xanthomonas perforans Capsicum Jones et al. [XANTPF] and lycopersicum L.

annuum The seedlings have been grown Solanum from seeds which comply with the requirements specified in Part E of Annex 5 and the plants have been maintained free from infection by appropriate hygiene measures.

Xanthomonas Capsicum euvesicatoria Jones et al. L. and [XANTEU] lycopersicum L.

annuum The seedlings have been grown Solanum from seeds which comply with the requirements specified in Part E of Annex 5 and the plants have been maintained free from infection by appropriate hygiene measures.

### Fungi and oomycetes

(1) (3) (2) RNOPs orsymptoms Plants for planting Requirements caused by RNQPs (genus or species)

Fusarium Link Asparagus officinalis L. (anamorphic genus), other than Fusarium oxysporum sp. albedinis (Kill. f. & Maire) W.L. Gordon and Fusarium circinatum Nirenberg & O'Donnell ("the pest")

- the crop has (a) been visually inspected as follows:
  - (i) it has been inspected at an appropriate time for the detection of the pest during the growing season, a representative sample of the plants have been uprooted and no symptoms of the pest

Document Generated: 2024-05-05

Changes to legislation: There are currently no known outstanding effects for the The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020. (See end of Document for details)

- have been observed, or
- (ii) it has been inspected at least twice at appropriate times for the detection of the pest during the growing season and plants showing symptoms of the pest have been rogued out immediately with no symptoms seen at a final inspection of the growing crop, and
- (b) the crowns have been visually inspected before movement and no symptoms of the pest have been seen.

Helicobasidium Asparagus officinalis L. brebissonii (Desm.) Donk [HLCBBR]

- (a) the crop has been visually inspected as follows:
  - (i) it has been inspected at an appropriate time for the detection of *Helicobasidium brebissonii (Desm.)*Donk during the growing season, a representative sample of the plants have been uprooted and no symptoms of that pest have been observed, or
  - (ii) it has been inspected at least twice at appropriate times for the detection of Helicobasidium brebissonii (Desm.) Donk during the growing season and plants showing symptoms of that pest have been rogued out immediately with no symptoms seen at a final inspection of the growing crop, and

Stromatinia cepivora Allium cepa L., Allium Berk. [SCLOCE] fistulosum L. and Allium porrum L.

- (b) the crowns have been visually inspected before movement and no symptoms of *Helicobasidium brebissonii* (Desm.) Donk have been seen.
- (a) the plants are moduleraised transplants grown in medium free from Stromatinia cepivora Berk., or
- (b) the crop has been visually inspected at an appropriate time for the detection of *Stromatinia cepivora* Berk. during the growing season, and
  - (i) no symptoms of that pest have been observed, or
  - (ii) plants showing symptoms of *Stromatinia cepivora* Berk. have been rogued out immediately with no symptoms seen at an additional final inspection of the growing crop, and
- (c) the plants have been visually inspected before movement and no symptoms of *Stromatinia cepivora* Berk. have been seen.
- Stromatinia cepivora Allium sativum L. Berk. [SCLOCE]
- (a) the crop has been visually inspected as follows:
  - (i) it has been inspected at an appropriate time for the detection of *Stromatinia cepivora* Berk. during the growing season and no symptoms of that pest have been observed, or

Changes to legislation: There are currently no known outstanding effects for the The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020. (See end of Document for details)

- (ii) it has been inspected at an appropriate time for the detection of *Stromatinia cepivora*Berk, during the growing season and plants showing symptoms of that pest have been rogued out immediately with no symptoms seen at an additional final inspection of the growing crop, and
- (b) the plants have been visually inspected before movement and no symptoms of *Stromatinia cepivora* Berk. have been seen.

Verticillium dahlia Kleb. Cynara cardunculus L. [VERTDA]

- (a) mother plants derive from pathogen-tested material,
- (b) the plants have been grown in a site of production of which the cropping history is known, with no records of the occurrence of *Verticillium dahliae* Kleb., and
- (c) the plants have been visually inspected at appropriate times since the beginning of the last complete cycle of vegetation and found to be free from symptoms of *Verticillium dahliae* Kleb.

### Nematodes

(1) (2) (3)
RNQPs or symptoms Plants for planting Requirements caused by RNQPs (genus or species)

Ditylenchus dipsaci Allium cepa L. and In the case of plants, other than plants (Kuehn) Filipjev Allium sativum L. for the production of a commercial crop:

(a) the crop has been visually inspected at least once at an appropriate time for the detection of the pest since the beginning of

- the last complete cycle of vegetation and no symptoms of *Ditylenchus dipsaci* (Kuehn) Filipjev have been observed,
- (b) (i) the crop has been visually inspected at least once at an appropriate time for the detection of the pest since the beginning of the last complete cycle of vegetation and not more than 2% of plants have shown symptoms of Ditylenchus dipsaci (Kuehn) Filipjev infestation,
  - (ii) the plants found to be infected by that pest have been rogued out immediately, and
  - (iii) the plants have subsequently been found to be free from that pest through laboratory tests on a representative sample, or
- (c) the plants have been subjected to an appropriate chemical or physical treatment against *Ditylenchus dipsaci* (Kuehn) Filipjev and have been found to be free from that pest after laboratory tests on a representative sample.

In the case of plants for production of a commercial crop:

(a) the crop has been visually inspected at least once at an appropriate time for the detection of the pest since the beginning of the last complete cycle of vegetation and no symptoms of *Ditylenchus* 

Changes to legislation: There are currently no known outstanding effects for the The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020. (See end of Document for details)

dipsaci (Kuehn) Filipjev have been observed,

- (b) (i) the crop has been inspected at least once at an appropriate time for the detection of the pest since the beginning of the last complete cycle of vegetation,
  - (ii) plants showing symptoms of *Ditylenchus dipsaci* (Kuehn) Filipjev have been rogued out immediately, and
  - (iii) the plants have subsequently been found to be free from that pest after laboratory tests on a representative sample, or
- (c) the plants have been subject to an appropriate physical or chemical treatment and have been found to be free of *Ditylenchus dipsaci* (Kuehn) Filipjev after laboratory tests on a representative sample.

Viruses, viroids, virus-like diseases and phytoplasmas

(1) (2) (3)
RNQPs or symptoms Plants for planting Requirements
caused by RNQPs (genus or species)

Leek yellow stripe virus *Allium sativum* L. [LYSV00]

- (a) the crop has been visually inspected at least once at an appropriate time for the detection of Leek yellow stripe virus since the beginning of the last complete cycle of vegetation and no symptoms of that pest have been seen, or
- (b) (i) the crop has been visually inspected at least once at an appropriate time for the detection of Leek yellow stripe virus since the beginning of the last complete cycle of vegetation on which inspection not more than 10%

- of the plants showed symptoms of that pest,
- (ii) the plants found infected by that pest were rogued out immediately, and
- (iii) not more than 1% of plants showed symptoms of that pest on a final inspection.

Onion yellow dwarf virus *Allium cepa* L. and [OYDV00] *Allium sativum* L.

- (a) the crop has been visually inspected at least once at an appropriate time since the beginning of the last complete cycle of vegetation and no symptoms of Onion yellow dwarf virus have been seen, or
- (b) (i) the crop has been visually inspected at least once at an appropriate time for the detection of Onion yellow dwarf virus since the beginning of the last complete cycle of vegetation on which inspection not more than 10% of the plants showed symptoms of that pest, and
  - (ii) the plants found infected by that pest were rogued out immediately, and
  - (iii) not more than 1% of plants showed symptoms of that pest on a final inspection.

Potato spindle tuber viroid Capsicum annuum [PSTVD0] L. and Solanum lycopersicum L.

- (a) no symptoms of diseases caused by Potato spindle tuber viroid have been observed on the plants at the place of production during their complete cycle of vegetation, or
- (b) the plants have been subjected to official testing for Potato spindle tuber

viroid on a representative sample using appropriate methods and have been found to be in those tests, free from that pest.

Tomato apical stunt viroid *Solanum lycopersicum* [TASVD0] L.

- (a) no symptoms of diseases caused by Tomato apical stunt viroid have been observed on the plants at the place of production during their complete cycle of vegetation, or
- (b) the plants have been subjected to official testing for Tomato apical stunt viroid on a representative sample using appropriate methods and have been found in those tests to be free from that pest.

Tomato chlorotic dwarf *Solanum lycopersicum* viroid [TCDVD0] L.

- (a) no symptoms of diseases caused by Tomato chlorotic dwarf viroid have been observed on the plants at the place of production during their complete cycle of vegetation, or
- (b) the plants have been subjected to official testing for Tomato chlorotic dwarf viroid on a representative sample using appropriate methods and have been found in those tests to be free from that pest.
- Tobacco mild green *Solanum lycopersicum* mosaic virus [TMGMV0] L. and *Capsicum annuum* L.
- (a) no symptoms of diseases caused by Tobacco mild green mosaic virus have been observed on the plants at the place of production during their complete cycle of vegetation, or
- (b) the plants have been subjected to official testing for Tobacco mild green mosaic virus on a representative sample using appropriate methods and have been found in those

Tomato spotted wilt Capsicum annuum L., tospovirus [TSWV00] Lactuca sativa L., Solanum lycopersicum L. and Solanum melongena L.

tests to be free from that pest.

- (a) the plants have been grown in a site of production that has been subjected to a monitoring regime of relevant thrips vectors (Frankliniella occidentalis Pergande and Thrips tabaci Lindeman), and upon detection of those vectors appropriate treatments have been carried out to ensure effective suppression of populations, and
- (b) (i) no symptoms of
  Tomato spotted wilt
  tospovirus have been
  observed on plants at
  the site of production
  during the current
  growing period, or
  - (ii) any plants at the production site showing symptoms of Tomato spotted wilt tospovirus during the current growing period have been rogued out and a representative sample of the plants has been tested and found to be free from that pest.

# PART I U.K.

Measures to prevent the presence of RNQPs on seed of Solanum tuberosum L.

The competent authority, or the professional operator under the official supervision of the competent authority, must carry out checks and take any other action which is necessary or appropriate to ensure that the following requirements are satisfied in relation to seed of *Solanum tuberosum*:

- (a) the seeds originate in areas where Potato spindle tuber viroid is not known to occur;
- (b) no symptoms of diseases caused by Potato spindle tuber viroid have been observed on the plants at the place of production during their complete cycle of vegetation; or
- (c) the plants have been subjected to official testing for Potato spindle tuber viroid, on a representative sample using appropriate methods and have been found in those tests to be free from that pest.

# PART J U.K.

# Measures to prevent the presence of RNQPs on plants for planting of *Humulus lupulus* L., other than seeds

The competent authority, or the professional operator under the official supervision of the competent authority, must carry out checks and take any other action which is necessary or appropriate to ensure that the requirements specified in the following table in relation to the respective RNQPs and plants for planting are satisfied:

Fungi
(1) (2) (3)
RNQPs or symptoms caused Plants for planting Requirements
by RNQPs (genus or species)

Verticillium dahlige Kleb Plants for planting other (a)

- Verticillium dahliae Kleb. Plants for planting, other [VERTDA] than seeds, of Humulus lupulus L.
- (a) the plants for planting derive from mother plants which have been visually inspected at the most appropriate time and found to be free from symptoms of *Verticillium dahlia*, and
- (b) the plants for planting have been:
  - (i) produced in a place of production known to be free from *Verticilium dahlia*, or
  - (ii) isolated from production crops of *Humulus lupulus*, and:
    - (aa) the production site has been found to be free from Verticillium dahliae over the last complete growing season at appropriate times by visual inspection of the foliage at the most appropriate time, and
    - (bb) the cropping and soil-borne disease history of fields has

been recorded and there has been a rest period from host plants of at least four years between findings of Verticillium dahliae and the next planting.

Verticillium nonalfalfae Humulus lupulus L. Inderbitzin, H.W. Platt, Bostock, R.M. Davis & K.V. Subbarao [VERTNO]

- (a) the plants for planting derive from mother plants which have been visually inspected at the most appropriate time and found to be free from symptoms of *Verticillium nonalfalfae*, and
- (b) the plants for planting have been:
  - (i) produced in a place of production known to be free from *Verticillium* nonalfalfae, or
  - (ii) isolated from production crops of *Humulus lupulus*, and
    - (aa) the production site has been found to be free from Verticillium nonalfalfae over the last complete growing season at appropriate times by visual inspection of the foliage, and
    - (bb) the cropping and soil-borne disease history of fields have been recorded and there has been a rest period from host plants of at least four years between

findings of Verticillium nonalfalfae and the next planting."

### SCHEDULE 6 U.K.

Regulation 9

New Annex 6 to the Phytosanitary Conditions Regulation

### **Commencement Information**

Sch. 6 in force at 31.12.2020 on IP completion day, see reg. 1(2)

"ANNEX 6 U.K.

List of plants, plant products and other objects which may not be introduced into Great Britain if originating or dispatched from certain third countries

# PART A U.K.

List of plants, plant products and other objects from third countries, other than high-risk plants, plant products and other objects, which may not be introduced into Great Britain

### (1) Description of plants, plant products or other objects

1. Carr.

### (2) Third country, group of third countries or specific area of third country

Plants, other than fruit and seeds, of Abies Any third country other than: Albania, Mill., Cedrus Trew, Chamaecyparis Spach, Andorra, Armenia, Azerbaijan, Belarus, Juniperus L., Larix Mill., Picea A. Dietr., Bosnia and Herzegovina, Canary Islands, Pinus L., Pseudotsuga Carr. and Tsuga EU Member States, Faroe Islands, Georgia, Iceland, Liechtenstein, Moldova, Monaco, Montenegro, North Macedonia, Norway, Russia (only the following parts: Central Federal District (Tsentralny federalny Northwestern Federal District okrug), (Severo-Zapadny federalny okrug), Southern Federal District (Yuzhny federalny okrug), North Caucasian Federal District (Severo-Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug)), San Marino, Serbia, Switzerland, Turkey and Ukraine

2.

Plants, other than fruit and seeds, of Any third country other than: Albania, Castanea Mill. and Quercus L., with leaves Andorra, Armenia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canary Islands, EU Member States, Faroe Islands, Georgia,

Iceland, Liechtenstein, Moldova, Monaco, Montenegro, North Macedonia, Norway, Russia (only the following parts: Central District (Tsentralny federalny okrug), Northwestern Federal District (Severo-Zapadny federalny okrug), Southern Federal District (Yuzhny federalny okrug), North Caucasian Federal District (Severo-Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug)), San Marino, Serbia, Switzerland, Turkey and Ukraine

- 3. Plants, other than fruit and seeds, of Canada, Mexico and the USA Populus L., with leaves
- 4 Isolated bark of Castanea Mill.

Any third country other than EU Member States, Liechtenstein and Switzerland

- 5. Isolated bark of *Quercus* L., other than Canada, Mexico and the USA Quercus suber L.
- 6. Isolated bark of Acer saccharum Marsh.

Canada, Mexico and the USA

7. Isolated bark of *Populus* L.

The Americas

8. Pyrus L. and Rosa L.

Plants for planting, other than dormant Any third country other than: Albania, plants free from leaves, flowers and Andorra, Armenia, Azerbaijan, Belarus, fruits, of Chaenomeles Ldl., Crataegus L., Bosnia and Herzegovina, Canary Islands, Cydonia Mill., Malus Mill., Prunus L., EU Member States, Faroe Islands, Georgia, Iceland, Liechtenstein, Moldova, Monaco, Montenegro, North Macedonia, Norway, Russia (only the following parts: Central Federal District (Tsentralny federalny Northwestern Federal District okrug), (Severo-Zapadny federalny okrug), Southern Federal District (Yuzhny federalny okrug), North Caucasian Federal District (Severo-Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug)), San Marino, Serbia, Switzerland, Turkey and Ukraine

9. Plants for planting, other than seeds, of Any Cydonia Mill., Malus Mill., Prunus L., Albania,

third than: country other Algeria, Andorra, Armenia. Pyrus L. and their hybrids, and Fragaria L. Australia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canada, Canary Islands, Egypt, EU Member States, Faroe Islands, Georgia, Iceland, Israel, Jordan, Lebanon, Libya, Liechtenstein, Moldova, Monaco, Montenegro, Morocco, New Zealand, North Macedonia, Norway, Russia (only the following parts: Central Federal District (Tsentralny federalny okrug), Northwestern Federal District (Severo-Zapadny federalny okrug), Southern Federal District (Yuzhny

federalny okrug), North Caucasian Federal District (Severo-Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug)), San Marino, Serbia, Switzerland, Syria, Tunisia, Turkey, Ukraine and the USA, other than Hawaii

- 10. Plants, other than fruits, of Vitis L.
- Any third country other than EU Member States, Liechtenstein and Switzerland
- 11. Citrus L., Fortunella Swingle and Poncirus States, Liechtenstein and Switzerland Raf., and their hybrids
- Plants for planting, other than seeds, of Any third country other than EU Member
- 12. Plants for planting, other than dormant China, Democratic People's Republic of plants free from leaves, flowers and fruits, Korea, Japan, Republic of Korea and the USA of *Photinia* Ldl.
- 13. Plants, other than fruit and seeds, of Algeria and Morocco *Phoenix* spp.
- 14. Uniola L.

Plants for planting, other than seeds, Any third country other than: Albania, of the family Poaceae, other than Algeria, Andorra, Armenia, Azerbaijan, plants of ornamental perennial grasses Belarus, Bosnia and Herzegovina, Canary of the subfamilies Bambusoideae and Islands, Egypt, EU Member States, Faroe Panicoideae and of the genera Buchloe, Islands, Georgia, Iceland, Israel, Jordan, Bouteloua Lag., Calamagrostis, Cortaderia Lebanon, Libya, Liechtenstein, Moldova, Stapf., Glyceria R. Br., Hakonechloa Mak. Monaco, Montenegro, Morocco, North ex Honda, Hystrix, Molinia, Phalaris L., Macedonia, Norway, Russia (only the Shibataea, Spartina Schreb., Stipa L. and following parts: Central Federal District (Tsentralny federalny okrug), Northwestern Federal District (Severo-Zapadny federalny okrug), Southern Federal District (Yuzhny federalny okrug), North Caucasian Federal District (Severo-Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug)), San Marino, Serbia, Switzerland, Syria, Tunisia, Turkey and Ukraine

- 15. potatoes
- Tubers of Solanum tuberosum L., seed Any third country other than EU Member States, Liechtenstein and Switzerland
- 16. forming species of Solanum L. and their States, Liechtenstein and Switzerland hybrids, other than tubers of Solanum tuberosum L. specified in entry 15
- Plants for planting of stolon- or tuber- Any third country other than EU Member
- 17. Tubers of species of Solanum L., and their Any third country other than Algeria, Bosnia 15 and 16
  - hybrids, other than those specified in entries and Herzegovina, Egypt, EU Member States, Israel, Libya, Liechtenstein, Morocco, Serbia, Syria, Switzerland, Tunisia and Turkey
- 18.
- Plants for planting of Solanaceae other than Any third country other than: Albania, seeds and the plants specified in entries 15, Algeria, Andorra, Armenia, Azerbaijan, 16 and 17 Belarus, Bosnia and Herzegovina, Canary Islands, Egypt, EU Member States, Faroe

Islands, Georgia, Iceland, Israel, Jordan, Lebanon, Libya, Liechtenstein, Moldova, Monaco, Montenegro, Morocco, North Macedonia, Norway, Russia (only the following parts: Central Federal District (Tsentralny federalny okrug), Northwestern Federal District (Severo-Zapadny federalny okrug), Southern Federal District (Yuzhny federalny okrug), North Caucasian Federal District (Severo-Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug)), San Marino, Serbia, Switzerland, Syria, Tunisia, Turkey and Ukraine

- 19. substances
- Soil consisting in part of solid organic Any third country other than EU Member States, Liechtenstein and Switzerland
- 20. Growing medium, other than consisting in whole or in part of States, Liechtenstein and Switzerland solid organic substances, other than any composed entirely of peat or fibre of Cocos nucifera L., previously not used for growing of plants or for any agricultural purposes

soil, Any third country other than EU Member

# PART B U.K.

List of high-risk plants, plant products and other objects from third countries which may not be introduced into Great Britain pending a risk assessment

- 1. Plants for planting, other than seeds, in vitro material and naturally or artificially dwarfed woody plants for planting, originating from any third country, other than EU Member States, Liechtenstein and Switzerland, and belonging to the following genera or species:
  - Acacia Mill.
  - Acer L.
  - *Albizia* Durazz.
  - Alnus Mill.
  - Annona L.
  - Bauhinia L.
  - Berberis L.
  - Betula L.
  - Caesalpinia L.
  - Cassia L.
  - Castanea Mill.
  - Cornus L.
  - Corylus L.
  - Crataegus L.

- Diospyros L.
- Fagus L.
- Ficus carica L
- Fraxinus L
- Hamamelis L.
- Jasminum L.
- Juglans L.
- Ligustrum L.
- Lonicera L.
- Malus Mill.
- Nerium L.
- Persea Mill.
- Populus L.
- Prunus L.
- Quercus L.
- Robinia L.
- Salix L.
- Sorbus L.
- Taxus L.
- Tilia L.
- Ulmus L.
- **2.** Plants of *Ullucus tuberosus* Loz., originating from any third country, other than EU Member States, Liechtenstein and Switzerland.
- **3.** Fruits of *Momordica* L. originating from any third country or area of a third country where *Thrips palmi* Karny is known to occur and where effective mitigation measures for that pest are lacking.
- **4.** Wood of *Ulmus* L. originating from any third country or area of a third country where *Saperda tridentata* Olivier is known to occur.

## PART C U.K.

Other plants, plant products and other objects from third countries which are subject to emergency control measures and may not be introduced into Great Britain

- (1) Description of plants, plant products or ther objects (2) Third country, group of third countries or specific area of third country
- 1. Plants for planting, other than seeds, of Costa Rica and Honduras *Coffea*
- 2. Isolated bark of *Acer macrophyllum* The USA" Pursh, *Aesculus californica* (Spach) Nutt., *Lithocarpus densiflorus* (Hook. & Arn.)

Rehd., *Quercus* spp. L. and *Taxus brevifolia* Nutt.

### SCHEDULE 7 U.K.

Regulation 10

New Annex 7 to the Phytosanitary Conditions Regulation

#### **Commencement Information**

I24 Sch. 7 in force at 31.12.2020 on IP completion day, see reg. 1(2)

"ANNEX 7 U.K.

List of plants, plant products and other objects originating from third countries and the corresponding special requirements for their introduction into Great Britain

# PART A U.K.

Plants, plant products and other objects originating in third countries which may only be introduced into Great Britain if special requirements are met

### Interpretation

### In this Annex:

'associated controlled dunnage', in entry 109, 111, 112, 113, 120, 123, 125, 130, 132, 135, 136, 138 or 140 of Part A, means wood which supports a consignment of wood of a genus or species specified in that entry and which—

- (i) is constructed from wood of the same type and quality as the wood in the consignment;
- (ii) meets the requirements specified in column (3) of that entry;

M3 EPPO PM 9/2' means the standard describing a national regulatory control system for *Clavibacter michiganensis* subsp. *sepedonicus* that provides guidance on surveillance for the pathogen and its containment and eradication if found, approved by the European and Mediterranean Plant Protection Organization;

<sup>M4</sup> EPPO PM 9/5' means the standard describing the procedures for official control of *Synchytrium endobioticum*, approved by the European and Mediterranean Plant Protection Organization;

M5°EPPO PM 9/26' means the standard describing a national regulatory control system for *Globodera pallida* and *Globodera rostochiensis*, approved by the European and Mediterranean Plant Protection Organization;

'list of Xylella host plants' means the list, published by the national plant protection organisation of the United Kingdom from time to time, of plants that may host *Xylella fastidiosa* (Wells et al.).

(1) Description (2) Origin of plants, plant

(3) Special requirements

Changes to legislation: There are currently no known outstanding effects for the The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020. (See end of Document for details)

### products or other objects

- Growing 1. attached associated plants, intended to Liechtenstein sustain the vitality of Switzerland the plants, with the exception of sterile medium of in-vitro plants
  - or other than States. with Member and
  - medium, Any third country The plants must be accompanied by an EU official statement:
    - (a) that the growing medium at the time of their planting:
      - (i) was free from soil and organic matter and had not been previously used for growing plants or for any other agricultural purposes,
      - (ii) was composed entirely of peat or fibre of Cocos nucifera L. and had not been previously used for growing plants or for any other agricultural purposes,
      - (iii) was subjected to effective fumigation or heat treatment\* to ensure freedom from pests, or
      - (iv) was subjected to an effective systems approach\* to ensure freedom from pests, and in all the cases mentioned in points (i) to (iv) was stored and maintained under appropriate conditions to keep it free from GB quarantine pests, and
    - (b) that since planting:
      - (i) appropriate measures have been taken to ensure that the growing medium has been kept free from GB quarantine pests, including at least:
      - (aa) physical isolation of the growing medium from soil and other possible sources of contamination,
      - (bb) hygiene measures,

- (cc) using water free from GB quarantine pests, or
- (ii) in the two weeks prior to export, the growing medium including, where appropriate, soil was completely removed by washing using water free from GB quarantine pests, and where replanting occurred, the the growing medium used met the requirements specified in point (a) and the measures described in point (b) (i) were taken to ensure that it remains free from GB quarantine pests.
- \* Details of the treatment or the use of a systems approach must also be included on the phytosanitary certificate under the heading "Additional declaration".
- 2. Machinery and Any third country vehicles which have other than EU been operated for Member States, agricultural or Liechtenstein and forestry purposes Switzerland
- 3. Machinery and EU Member States, vehicles which have Liechtenstein and been operated for Switzerland agricultural or forestry purposes

and Any third country The machinery or vehicles must be have other than EU accompanied by an official statement for Member States, that the machinery or vehicles have or Liechtenstein and been cleaned and are free from soil and Switzerland plant debris.

and EU Member States, The machinery or vehicles must be ave Liechtenstein and accompanied by an official statement that the machinery or vehicles have been.

- (a) moved from an area established by the national plant protection organisation of the country of export in accordance with ISPM4 as an area that is free from *Ceratocystis platani* (Walter) Engelbrecht & Harrington, or
- (b) in the case of machinery or vehicles moved from an area infected with *Ceratocystis platani* (Walter) Engelbrecht & Harrington, they have been cleaned and made free from soil and plant debris prior to their movement out of the infected area.

Changes to legislation: There are currently no known outstanding effects for the The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020. (See end of Document for details)

4. Plants for planting Any third country with roots, grown in open air

The plants must be accompanied by an official statement that the place of production has been established by the national plant protection organisation accordance with ISPM10 as place of production that is free from Clavibacter sepedonicus (Spieckermann & Kotthoff) Li et al. and Synchytrium endobioticum (Schilbersky) Percival.

- 5. Plants for planting Any third country The plants must be accompanied by with roots, grown in other than EU open air Member Liechtenstein Switzerland
  - an official statement that the plants States, originate from a field known to be and free from Globodera pallida (Stone) Behrens and Globodera rostochiensis (Wollenweber) Behrens.
- Plants for planting, Any third country The plants must be accompanied by an 6. other than bulbs, other than rhizomes, Member corms, seeds, tubers, and Liechtenstein and plants in tissue culture Switzerland

EU official statement that they have been States, grown in a nursery and:

- (a) that they originate in:
  - (i) an area\* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from Thrips palmi Karny, or
  - (ii) a place of production\*\* established by the national plant protection organisation in accordance with ISPM10 as an area that is free from *Thrips* palmi Karny, on the basis of official inspections carried out at least monthly during the three months prior to export, or
- (b) that immediately prior to export, they have been subjected to an appropriate treatment† against Thrips palmi Karny and have been officially inspected and found free from Thrips palmi Karny.
- \* The name of the area(s) must be included in the phytosanitary certificate

"Additional under the heading declaration".

The name of the place of production(s) must be included in the phytosanitary certificate under the heading "Additional declaration". † Details of the treatment must also

be included on the phytosanitary certificate.

7. Plants for planting, Any third country The plants must be accompanied by an other than seeds other than:

> Albania. Algeria, Andorra, Armenia, Azerbaijan,

> Belarus. Bosnia and Herzegovina, Canary Islands, Egypt, EU Member States. Faroe Islands, Georgia, Iceland, Israel, Jordan. Lebanon, Libya, Liechtenstein,

Moldova, Monaco, Montenegro,

Morocco, North Macedonia,

Norway. Russia (only the following Central parts: Federal District (Tsentralny

federalny okrug), Northwestern

Federal District (Severo-Zapadny

federalny okrug), Southern Federal

District (Yuzhny federalny okrug), North

Caucasian Federal District (Severo-Kavkazsky

federalny okrug) and Volga Federal

District

(Privolzhsky

federalny okrug)), San Marino, Serbia,

Switzerland, Syria,

official statement:

- (a) that they have been grown in a nursery,
- (b) that they are free from plant debris, flowers and fruits, and
- (c) that they have been inspected at appropriate times and have been found prior to their export to be:
  - (i) free from symptoms of harmful bacteria. viruses and virus-like organisms, and
  - (ii) free from signs or symptoms of harmful nematodes, insects, mites and fungi or have been subjected to appropriate treatment to eliminate such organisms.

Changes to legislation: There are currently no known outstanding effects for the The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020. (See end of Document for details)

> Tunisia, Turkey, and Ukraine.

- 8. other than dormant where plants, plants in tissue the following GB culture, seeds, bulbs, quarantine tubers, corms and are rhizomes
- any pests known occur ("the relevant pests"):
  - —Begomoviruses, —Cowpea
  - mottle virus.
  - —Cucumber vein vellowing virus,
  - —Cucurbit yellow stunting disorder virus,
  - —Lettuce infectious yellows virus,
  - —Melon yellowing-
  - associated virus,
  - —Squash vein yellowing virus,
  - potato —Sweet chlorotic stunt virus,
  - —Sweet potato mild mottle virus.
  - —Tomato mild mottle virus.
  - —Tomato leaf curl New Delhi virus

Plants for planting, Any third country The plants must be accompanied by an of official statement:

- (a) in all cases, that no symptoms of the relevant pests have been observed on the plants during their complete cycle of vegetation, and
- (b) in the case of plants originating in any third country where Bemisia tabaci (Gennadius) or other vectors of the relevant pests are known to occur, that no symptoms of the relevant pests have been observed on the plants during their complete cycle of vegetation and:
  - (i) that the plants originate in areas which, in accordance with the measures specified in ISPM4, are known to be free from *Bemisia* tabaci (Gennadius) and other vectors of the relevant pests,
  - (ii) that the site of production has been found free from Bemisia tabaci (Gennadius) and other vectors of the relevant plant pests on official inspections carried out at appropriate times to detect those pests, or
  - (iii) that the plants have been subjected to an effective treatment ensuring the eradication of Bemisia tabaci (Gennadius) and the other vectors of the relevant pests and have been found free from those pests prior to export.
- 9. Plants for planting, Any third country other than seeds,

The plants must be accompanied by an official statement:

(a) in all cases:

of Cucurbitaceae and Solanaceae

- (i) that the plants originate in an area which, in accordance with the measures specified in ISPM4, is known to be free from Tomato leaf curl New Delhi Virus, or
- (ii) that no symptoms of Tomato leaf curl New Delhi Virus have been observed on the plants during their complete cycle of vegetation, and
- (b) in the case of any plants originating in an area where *Bemisia tabaci* (Gennadius) or other vectors of Tomato leaf curl New Delhi Virus are known to occur:
  - (i) that their site of production has been found free from *Bemisia tabaci* (Gennadius) and other vectors of Tomato leaf curl New Delhi Virus on official inspections carried out at appropriate times to detect the pest, or
  - (ii) that the plants have been subjected to an effective treatment ensuring the eradication of *Bemisia tabaci* (Gennadius) and other vectors of Tomato leaf curl New Delhi Virus.
- 10. Unrooted cuttings for Any third country planting of *Euphorbia* pulcherrima Klotzsch

The plants must be accompanied by an official statement:

- (a) that they originate in an area which, in accordance with the measures specified in ISPM4, is known to be free from *Bemisia tabaci* (Gennadius),
- (b) that no signs of *Bemisia tabaci* (Gennadius) have been observed on the cuttings, or on plants from which the cuttings were derived and held or produced,

Changes to legislation: There are currently no known outstanding effects for the The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020. (See end of Document for details)

- at the place of production on official inspections carried out at least once every three weeks during the whole production period of the plants at that place of production, or
- (c) in cases where *Bemisia tabaci* (Gennadius) has been found at the place of production:
  - (i) that the cuttings and the plants from which the cuttings were derived and held and produced at the place of production have undergone an appropriate treatment to ensure freedom from *Bemisia tabaci* (Gennadius), and
  - (ii) that subsequently the place of production has been found free from Bemisia tabaci (Gennadius) as a consequence of the implementation of appropriate procedures aimed at eradicating Bemisia tabaci (Gennadius), in both official inspections carried out weekly during the three weeks prior to the movement from that place of production, the last of which was carried out immediately prior to their movement, and in monitoring procedures throughout the period.
- 11. Plants for planting, Any third country other than seeds, of 

  Euphorbia 
  pulcherrima Klotzsch 
  and unrooted cuttings 
  for planting of 
  Euphorbia 
  pulcherrima

Klotzsch.

The plants must be accompanied by:
(a) an official statement:

(i) that they originate in an area which, in accordance with the measures specified in ISPM4, is known to be free from *Bemisia* tabaci (Gennadius), and

- (aa) that no signs of *Bemisia*tabaci (Gennadius)

  have been observed on

  plants at the place of

  production on official

  inspections carried out

  at least once every three

  weeks during the nine

  weeks prior to export, or
- (bb) in cases where Bemisia tabaci (Gennadius) has been found at the place of production, that the plants held or produced at the place of production have undergone an appropriate treatment to ensure freedom from Bemisia tabaci and subsequently this place of production has been found free from Bemisia tabaci (Gennadius) as a consequence of the implementation of appropriate procedures aimed at eradicating Bemisia tabaci (Gennadius) in official inspections carried out weekly during the three weeks prior to the movement from this place of production, the last of which was carried out immediately prior to movement, and
- (ii) that evidence is available that they have been produced from cuttings which:
- (aa) originate in an area which, in accordance with the measures specified in ISPM4, is known to be free from *Bemisia tabaci* (Gennadius),
- (bb) have been grown at a place of production

Changes to legislation: There are currently no known outstanding effects for the The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020. (See end of Document for details)

- where no signs of *Bemisia tabaci* (Gennadius) have been observed on official inspections carried out at least once every three weeks during the whole production period of these plants, or
- (cc) in cases where Bemisia tabaci (Gennadius) has been found at the place of production, have been grown on plants held or produced at the place of production having undergone an appropriate treatment to ensure freedom from Bemisia tabaci (Gennadius) and subsequently this place of production has been found free from Bemisia tabaci (Gennadius) as a consequence of the implementation of appropriate procedures aimed at eradicating Bemisia tabaci (Gennadius), in official inspections carried out weekly during the three weeks prior to the movement from this place of production, the last of which was carried out immediately prior to movement, and in monitoring procedures throughout the period, or
- (b) in the case of plants for which there is evidence from their packing or their flower (or bract) development or by other means that they are intended for direct sale to final consumers not involved in professional plant production, an official statement that the plants have been officially inspected and

found free from *Bemisia tabaci* (Gennadius) prior to their movement.

12. Plants for planting Any third country of *Begonia* L., other than seeds, tubers and corms, and plants for planting, other than seeds, of *Ajuga* L., *Crossandra* Salisbury, *Dipladenia* A.DC., *Ficus* L., *Hibiscus* L., *Mandevilla* Lindl. and *Nerium oleander* L.

The plants must be accompanied by:

- (a) an official statement that they originate in an area which, in accordance with the measures specified in ISPM4, is known to be free from *Bemisia tabaci* (Gennadius),
- (b) an official statement that no signs of *Bemisia tabaci* (Gennadius) have been observed on plants at the place of production on official inspections carried out at least once every three weeks during the nine weeks prior to marketing,
- (c) where Bemisia tabaci (Gennadius) has been found at the place of production, an official statement that the plants, held or produced at the place of production, have undergone an appropriate treatment to ensure freedom from Bemisia tabaci (Gennadius) and subsequently the place of production has been found free from Bemisia tabaci (Gennadius) as a consequence of the implementation of appropriate procedures aiming at eradicating Bemisia tabaci (Gennadius), in both official inspections carried out weekly during the three weeks prior to the movement from the place of production, the last of which was carried out immediately prior to their movement from the place of production, and in monitoring procedures throughout the period, or
- (d) in the case of plants for which there is evidence from their packing or their flower development or from other means that they are intended for direct sale to final consumers not involved in professional plant

Changes to legislation: There are currently no known outstanding effects for the The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020. (See end of Document for details)

> production, an official statement that they have been officially inspected and found free from Bemisia tabaci (Gennadius) immediately prior to their movement.

13. Plants for planting Any third country The plants must be accompanied by of herbaceous species, where other than bulbs, sativae of and corms. plants *Nemorimyza* originate: the family Poaceae, maculosa (Malloch) rhizomes, seeds, are known to occur tubers, and plants in tissue culture

Liriomyza an official statement that they have Blanchard been grown in a nursery, and that they

- (a) in an area\* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from Liriomyza sativae Blanchard and Nemorimyza maculosa (Malloch),
- (b) in a place of production\*\* established by the national plant protection organisation in accordance with ISPM10 as a place of production that is free from Liriomyza sativae Blanchard and Nemorimyza maculosa (Malloch), on the basis of official inspections carried out at least monthly during the three months prior to export,
- (c) an official statement that immediately prior to export, they have been subjected to an appropriate treatment† against Liriomyza sativae Blanchard and Nemorimyza maculosa (Malloch) and have been officially inspected and found free from Liriomyza sativae Blanchard and Nemorimyza maculosa (Malloch).
- \* The name of the area(s) must be included in the phytosanitary certificate heading "Additional under the declaration".
- The name of the place of production(s) must be included in the phytosanitary certificate under the heading "Additional declaration".
- † Details of the treatment must be mentioned on the phytosanitary certificate.

14. planting, other than other than: seeds and plants in Albania, tissue culture

Algeria, Andorra, Armenia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canary Islands, Egypt, EU Member Faroe States, Islands, Georgia, Iceland. Israel, Jordan, Lebanon, Libya, Liechtenstein, Moldova, Monaco, Montenegro, Morocco, North Macedonia, Norway, Russia (only the following parts: Central Federal District (Tsentralny federalny okrug), Northwestern Federal District (Severo-Zapadny federalny okrug), Southern Federal District (Yuzhny federalny okrug), Caucasian North Federal District (Severo-Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug)), San Marino, Serbia, Switzerland, Syria,

Trees and shrubs for Any third country The plants must be accompanied by an official statement:

- (a) that have been grown in a nursery,
- (b) that they are free from plant debris, flowers and fruits, and
- (c) that they have been inspected at appropriate times and prior to export and have been found to be free from:
  - (i) symptoms of harmful bacteria, viruses and virus-like organisms, and
  - (ii) signs or symptoms of harmful nematodes, insects, mites and fungi or have been subjected to appropriate treatment to eliminate such organisms.

15. shrubs for planting, other than: other than seeds and Albania.

plants in tissue culture Andorra, Armenia, leaves. Azerbaijan, Belarus, Bosnia and Herzegovina, Islands, Canary

Tunisia, Turkey, and

Ukraine.

Deciduous trees and Any third country The trees and shrubs must be accompanied by an official statement Algeria, that they are dormant and free from

Changes to legislation: There are currently no known outstanding effects for the The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020. (See end of Document for details)

> Egypt, EU Member States, Faroe Islands, Georgia, Iceland. Israel. Jordan. Lebanon, Libya, Liechtenstein, Moldova, Monaco, Montenegro, Morocco, North Macedonia, Norway, Russia (only the following parts: Central Federal District (Tsentralny federalny okrug), Northwestern Federal District (Severo-Zapadny federalny okrug), Southern Federal District (Yuzhny federalny okrug), North Caucasian Federal District (Severo-Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug)), San Marino, Serbia, Switzerland, Syria, Tunisia, Turkey, and Ukraine.

- 16. vegetables, other than other tubers of Solanum Member tuberosum L.
  - than Liechtenstein Switzerland

Root and tubercle Any third country The vegetables must be accompanied EU by an official statement that the States, consignment or lot does not contain and more than 1% by net weight of soil and growing medium.

- 17. Bulbs, rhizomes and tubers, other intended for planting, Member other than tubers of Liechtenstein Solanum tuberosum Switzerland L.
- than

corms, Any third country The bulbs, corms, rhizomes or tubers, EU must be accompanied by an official States, statement that the consignment or lot and does not contain more than 1% by net weight of soil and growing medium.

- 18. tuberosum L.
- other than Member

Tubers of Solanum Any third country The tubers must be accompanied by an EU official statement that the consignment States, or lot does not contain more than 1% by net weight of soil and growing medium.

#### Liechenstein and Switzerland

19. Tubers of Solanum Anythird country tuberosum L.

The tubers must be accompanied by:

- (a) an official statement that they originate in a country where Tecia solanivora (Povolný) is not known to occur, or
- (b) an official statement that they originate in an area\* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from Tecia solanivora (Povolný).
- \* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".
- 20. Tubers of Solanum EU Member States, The tubers must be accompanied by an L., for Liechtenstein tuberosum planting Switzerland

and official statement:

- (a) that:
- (i) they originate in an area, which in accordance with the measures specified in ISPM4, is known to be free from Clavibacter sepedonicus (Spieckermann & Kotthoff) Li et al., or
- (ii) they originate in a place of production established by the national plant protection organisation in accordance with ISPM10 as a place of production that is free from Clavibacter sepedonicus (Spieckermann & Kotthoff) Li et al. or is considered to be free from Clavibacter sepedonicus (Spieckermann & Kotthoff) Li et al. as a consequence of the implementation of the

# procedures set out in EPPO PM 9/2,

- (b) that they originate in a place of production established by the national plant protection organisation in accordance with ISPM10 as a place of production that is free from *Synchytrium endobioticum* (Schilbersky) Percival or is considered to be free from *Synchytrium endobioticum* (Schilbersky) Percival as a consequence of the implementation of the procedures set out in EPPO PM 9/5,
- (c) that they originate in an area in which *Ralstonia solanacearum* (Smith) Yabuuchi *et al.* emend. Safni *et al.* 
  - (i) is known not to occur, or
  - (ii) is known to occur, and the tubers originate from a place of production found free from Ralstonia solanacearum (Smith) Yabuuchi et al. emend. Safni et al. or considered to be free from Ralstonia solanacearum (Smith) Yabuuchi et al. emend. Safni et al. as a consequence of the implementation of an appropriate procedure aimed at eradicating Ralstonia solanacearum (Smith) Yabuuchi et al. emend. Safni et al.,
- (d) that they either originate in an area in which *Meloidogyne chitwoodi* Golden *et al.* (all populations) is known not to occur or in an area in which *Meloidogyne chitwoodi* Golden *et al.* (all populations) is known to occur and:

- (i) they originate from a place of production which has been found free from Meloidogvne chitwoodi Golden et al. (all populations) based on an annual survey of host crops by visual inspection of host plants at appropriate times and by visual inspection both externally and by cutting of tubers after harvest from potato crops grown at the place of production, or
- (ii) after harvest, they have been randomly sampled and checked for the presence of symptoms after an appropriate method to induce symptoms has been applied or laboratory tested, as well as inspected visually both externally and by cutting tubers at appropriate times to detect the presence of Meloidogyne chitwoodi Golden et al., and in all cases at the time of closing of the packages or containers before movement, and found to be free from symptoms of that pest, and
- (e) they originate in a place of production established by the national plant protection organisation in accordance with ISPM10 as a place of production that is free from *Globodera* pallida (Stone) Behrens and *Globodera rostochiensis* (Wollenweber) or is considered to be free from *Globodera pallida* (Stone) Behrens and *Globodera rostochiensis* (Wollenweber) as a consequence of the implementation of the

> procedures set out in EPPO PM 9/26.

М6 21.

> Tubers of Solanum Liechtenstein tuberosum L., for Switzerland planting, other than tubers of those officially varieties accepted on to the GB Variety List pursuant to the Seeds (National Lists of Varieties) Regulations 2001

- EU Member States, The tubers must be accompanied by an and official statement that:
  - (a) they belong to advanced selections.
  - (b) they have been produced in an EU Member State or Switzerland, and
  - (c) they have been derived in direct line from material which has been maintained under appropriate conditions and has been subjected in an EU Member State or Switzerland to official quarantine testing and has been found in those tests to be free from GB quarantine pests.
- 22. Tubers of Solanum EU Member States, There must be a registration number tuberosum L., other Liechtenstein than those mentioned Switzerland in column (1) of entry 20

and on the packaging, or in the case loose-loaded tubers transported bulk, on the accompanying documents, demonstrating that the tubers have been grown by an officially registered producer, or originate from officially registered collective storage or dispatching centres located in the area of production, indicating that:

- (a) the tubers are free from Ralstonia solanacearum (Smith) Yabuuchi et al. emend. Safni et
- (b) they originate in a place of production which has been found to be free from Synchytrium endobioticum (Schilbersky) Percival or is considered to be free from Synchytrium endobioticum (Schilbersky) Percival as a consequence of the implementation of the procedures set out in EPPO PM 9/5,
- (c) they originate in a place of production which had been found to be free from Clavibacter sepedonicus (Spieckermann & Kotthoff) Li et al. or is considered to be free

- from *Clavibacter sepedonicus* (Spieckermann & Kotthoff) Li *et al.* as a consequence of the implementation of the procedures set out in EPPO PM9/2(2), and
- (d) they originate in a place of production which has been found to be free *Globodera* pallida (Stone) Behrens and *Globodera* rostochiensis (Wollenweber) or is considered to be free *Globodera* pallida (Stone) Behrens and *Globodera* rostochiensis (Wollenweber) as a consequence of the implementation of the procedures set out in EPPO PM 9/26.
- 23. Tubers of *Solanum* Third countries tuberosum L. where Epitrix cucumeris (Harris), Epitrix papa Orlova-Bienkowskaja, Epitrix subcrinita (Leconte) or Epitrix

Third countries The tubers must be accompanied by where *Epitrix* an official statement in relation to each *cucumeris* (Harris), pest listed in column (2) of this entry *Epitrix* papa that is known to be present in the third country concerned ("the relevant plant Bienkowskaja, pests"):

- (a) that:
- (i) they have been grown in an area\* established by the national plant protection organisation in accordance with ISPM No. 4 as an area that is free from the relevant plant pests, or
- (ii) they have been washed or brushed so that there is no more than 0.1% of soil remaining, or have undergone an equivalent method specifically applied in order to achieve the same outcome and remove the relevant plant pests and to ensure that there is no risk of the relevant plant pests spreading.
- (b) that they have been found in an official examination carried out immediately prior to export to be

tuberis Gentner is

known to be present

free from the relevant plant pests and from the signs of infestation by those plant pests on potato tubers, and do not contain more than 0.1% of soil, and

- (c) that the packaging material in which the potato tubers are exported is clean.
- \* The name of the area must be included in the phytosanitary certificate under the heading "Additional declaration".
- 24. Tubers of *Solanum* Spain other than the The tubers must accompanied by an *tuberosum* L. Balearic Islands official statement that they have been

The tubers must accompanied by an official statement that they have been washed so that there is no more than 0.1% of soil remaining.

25. Tubers of *Solanum* Poland *tuberosum* L.

The tubers must be accompanied by an official statement that they have been found to be free from *Clavibacter sepedonicus* (Spieckermann & Kotthoff) Li *et al.* 

26. Tubers of *Solanum* Egypt *tuberosum* L.

The tubers must be accompanied by an official statement:

- (a) that the tubers have been subjected to an intensive control regime to ensure the absence of *Ralstonia solanacearum* (Smith) Yabuuchi *et al.* emend. Safni *et al.*, covering growing conditions, field inspections, transport, packing, pre-export inspections and testing,
- (b) that each lot\* is made up of tubers of *Solanum tuberosum* L. which have been harvested in a single pest free area\*\*, and
- (c) that each bag of tubers was sealed under the control of the competent Egyptian authorities. In addition, each bag of tubers in the consignment must be clearly labelled with an indelible indication of the relevant individual official code number of the area from which they have been harvested and the relevant lot number, and each consignment must indicate the name or trademark of the officially registered exporter.
- \* The lot number(s) must be included in the phytosanitary certificate under the heading "Distinguishing marks".

- \*\* The official code number for the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration". A phytosanitary certificate may not include any such official statement unless the national plant protection organisation of Egypt has previously provided the national plant protection organisation of the United Kingdom with written details of the area or areas.
- 27. Tubers of *Solanum* Any third country *tuberosum* L.

The tubers must be accompanied by an official statement:

- (a) that:
- (i) they originate in a country which, in accordance with the measures specified in ISPM4, is known to be free from *Clavibacter sepedonicus* (Spieckermann & Kotthoff) Li *et al.*, or
- (ii) they originate in a place of production established by the national plant protection organisation in accordance with ISPM10 as a place of production that is free from Clavibacter sepedonicus (Spieckermann & Kotthoff) Li et al. or is considered to be free from Clavibacter sepedonicus (Spieckermann & Kotthoff) Li et al. as a consequence of the implementation of the procedures set out in EPPO PM 9/2,
- (b) that:
- (i) they originate in an area which, in accordance with the measures specified in ISPM4, is known to be free from *Synchytrium*

- endobioticum
  (Schilbersky) Percival
  (all races other than
  Race 1, the common
  European race),
  and no symptoms
  of Synchytrium
  endobioticum
  (Schilbersky) Percival
  have been observed at
  the place of production
  or in its immediate
  vicinity since the
  beginning of an
  adequate period,
- (ii) they originate in a place of production established by the national plant protection organisation in accordance with ISPM10 as a place of production that is free from Synchytrium endobioticum (Schilbersky) Percival or is considered to be free from Synchytrium endobioticum (Schilbersky) Percival as a consequence of the implementation of the procedures set out in EPPO PM 9/5, and
- (c) that they originate in an area in which *Ralstonia solanacearum* (Smith) Yabuuchi *et al.*, *emend.* Safni *et al.*, *Ralstonia pseudosolanacearum* Safni *et al.*, *Ralstonia syziygii* subsp. *celebensis* Safni *et al.* and *Ralstonia syziygii* subsp. *indonesiensis* Safni *et al.* are known not to occur.
- 28. Plants for planting, Any third country other than seeds, of *Fragaria* L., *Lavandula* L., Solanaceae, *Vitis* L. and *Vaccinium* L.
- The plants must be accompanied by:
  - (a) an official statement that they originate in an area established by the national plant protection organisation in accordance with ISPM4 as an area that is free

- from Candidiatus Phytoplasma 'solani' Quaglino et al., or
- (b) an official statement that no symptoms of Candidatus Phytoplasma 'solani' Quaglino et al. have been observed on the plants at the place of production since the beginning of the last complete cycle of vegetation.
- Seeds of Solanum EU Member States, The seeds must be accompanied by an 29. tuberosum L., ('true Liechtenstein potato seed') Switzerland

and official statement that the seeds derive from plants complying, as applicable, with the requirements set out in entry 20, and

- (a) that the seeds:
  - (i) originate in areas known to be free from Synchytrium endobioticum (Schilbersky) Percival, Clavibacter sepedonicus (Spieckermann & Kotthoff) Li et al., and Ralstonia solanacearum (Smith) Yabuuchi et al. emend. Safni et al., or
  - (ii) have been produced in a site where, since the beginning of the last cycle of vegetation, no symptoms of disease caused by the GB quarantine pests referred to in point (i) have been observed and where the following actions have been taken:
  - (aa) staff and other items, such as tools, machinery, vehicles, vessels and packaging material, from other sites producing solanaceous plants and other host plants of Potato spindle tuber viroid have been prevented from coming into contact with the site or other appropriate hygiene measures

> have been taken to prevent infection by staff working, or items used, at other sites producing solanaceous plants and other host plants of Potato spindle tuber viroid, and

- (bb) only water free from those pests has been used.
- 30. other than seeds, of where Capsicum annuum L., solanacearum Solanum lycopersicum Musa L., Nicotiana et al., Ralstonia and melongena L.

Ralstonia (Smith) Yabuuchi et L., al. emend. Safni Solanum pseudosolanacearum Safni et al., Ralstonia syzygii subsp. celebensis Safni et al. or Ralstonia syzygii subsp. indonesiensis Safni et al. is known to occur

- Plants for planting, Any third country The plants must be accompanied by:
  - (a) an official statement that they originate in an area which, in accordance with the measures specified in ISPM4, has been found to be free from Ralstonia solanacearum (Smith) Yabuuchi et al. emend. Safni et al., Ralstonia pseudosolanacearum Safni et al., Ralstonia syzygii subsp. celebensis Safni et al. and Ralstonia syzygii subsp. indonesiensis Safni et al., or
  - (b) an official statement that no symptoms of Ralstonia solanacearum (Smith) Yabuuchi et al. emend. Safni et al.. Ralstonia pseudosolanacearum Safni et al., Ralstonia syzygii subsp. celebensis Safni et al. and Ralstonia syzygii subsp. indonesiensis Safni et al. have been observed on the plants at the place of production since the beginning of the last complete cycle of vegetation.
- 31. with of Liechtenstein roots, and Capsicum spp., Switzerland Solanum lycopersicum L. and Solanum melongena L.

for planting EU Member States, The plants must be accompanied by an official statement that they originate in a place of production which has been found to be free from Globodera pallida (Stone) Behrens and Globodera rostochiensis (Wollenweber) or is considered to be free from Globodera pallida (Stone) Behrens and Globodera rostochiensis (Wollenweber) as a consequence of the implementation of the procedures set out in EPPO PM 9/26.

32. with roots, grown in Liechtenstein the open air, of *Allium* Switzerland porrum L., Asparagus officinalis L., Beta vulgaris L., Brassica spp. L., and Fragaria L.

Plants for planting EU Member States, The plants must be accompanied by and an official statement that they originate in a place of production which has been found to be free from Globodera pallida (Stone) Behrens and Globodera rostochiensis (Wollenweber) or is considered to be free from Globodera pallida (Stone) Behrens and Globodera rostochiensis (Wollenweber) as a consequence of the implementation of the procedures set out in EPPO PM 9/26.

33. of bulbs, tubers and Liechtenstein rhizomes, grown in Switzerland the open air, of Allium ascalonicum L.. Allium cena L., Dahlia spp., Gladiolus Tourn. ex L., Hyacinthus spp. Ex L, *Iris* spp. L , Lilium spp. Ex L, Narcissus L. and Tulipa L.

Plants for planting EU Member States, The plants must be accompanied by and an official statement that they originate in a place of production which has been found to be free from Globodera pallida (Stone) Behrens and Globodera rostochiensis (Wollenweber) or is considered to be free from Globodera pallida (Stone) Behrens and Globodera rostochiensis (Wollenweber) as a consequence of the implementation of the procedures set out in EPPO PM 9/26.

34. Plants, other than Any third country The plants must be accompanied by: fruits and seeds, of other than EU Solanum Member States, lycopersicum L. and Liechtenstein and Solanum melongena Switzerland L.

- (a) an official statement that they originate in a country which, in accordance with the measures specified in ISPM4, is known to be free from *Keiferia* lycopersicella (Walsingham), or
- (b) an official statement they originate in an area\* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from Keiferia lycopersicella (Walsingham).
- \* The name of the area(s) must be included in the phytosanitary certificate heading "Additional under the declaration".
- 35. Plants for planting, Any third country The plants must be accompanied by other than seeds, of where Beet curly an official statement that no symptoms Beta vulgaris L. to occur

top virus is known of Beet curly top virus have been observed at place of production since the beginning of the last complete cycle of vegetation.

36. Plants. other seeds. of other than EU L., Member Chrysanthemum States. and Liechtenstein Dianthus L. and Pelargonium l'Hérit. Switzerland ex Ait.

than Any third country The plants must be accompanied by:

- (a) an official statement that they originate in an area\* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from *Spodoptera eridania* (Cramer), *Spodoptera frugiperda* (Smith) and *Spodoptera litura* (Fabricius),
- (b) an official statement that no signs of *Spodoptera eridania* (Cramer), *Spodoptera frugiperda* (Smith) or *Spodoptera litura* (Fabricius) have been observed at the place of production since the beginning of the last complete cycle of vegetation, or
- (c) an official statement that the plants have undergone appropriate treatment\*\* to protect them from those pests.
- \* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".
- \*\* The active ingredient, concentration and date of application of these treatments must be mentioned on the phytosanitary certificate under the heading "disinfestation and/or disinfection treatment".
- 37. Plants for planting, Any third country other than seeds, other than EU of Chrysanthemum Member States, L. and Solanum Liechtenstein and lycopersicum L. Switzerland

The plants must be accompanied by:

- (a) an official statement that they have been grown throughout their life in a country which, in accordance with the measures specified in ISPM4, is known to be free from Chrysanthemum stem necrosis virus,
- (b) an official statement that they have been grown throughout their life in an area\* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from Chrysanthemum stem necrosis virus, or
- (c) an official statement that they have been grown

- throughout their life in a place of production\*\* established by the national plant protection organisation in accordance with ISPM10 as a place of production that is free from Chrysanthemum stem necrosis virus and verified through official inspections and, where appropriate, testing.
- \* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".
- \*\* The name of the place of production(s) must be included in the phytosanitary certificate under the heading "Additional declaration".

The plants must be accompanied by:

- (a) an official statement that they originate in an area\* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from *Helicoverpa armigera* (Hübner) and *Spodoptera littoralis* (Boisduval),
- (b) an official statement that no signs of *Helicoverpa armigera* (Hübner) or *Spodoptera littoralis* (Boisd.) have been observed at the place of production since the beginning of the last complete cycle of vegetation, or
- (c) an official statement that the plants have undergone appropriate treatment\*\* to protect them from those pests.
- \* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".
- \*\* The active ingredient, concentration and date of application of these treatments must be mentioned on the phytosanitary certificate under the heading "disinfestation and/or disinfection treatment".
- 39. Cut flowers of Any third country *Chrysanthemum* L., other than EU Dianthus L., Member States, *Gypsophila* L. and

Plants for planting, Any third country

than seeds.

of Chrysanthemum L.

Dianthus L. and

Pelargonium l'Hérit.

38.

other

ex Ait.

of Any third country The cut flowers and leafy vegetables L., other than EU must be accompanied by:

Solidago L., and leafy Liechtenstein and vegetables of Apium Switzerland graveolens L. and Ocimum L.

- (a) an official statement that they originate in a country which, in accordance with the measures specified in ISPM4, is known to be free from *Liriomyza sativae* Blanchard and *Nemorimyza maculosa* (Malloch), or
- (b) an official statement that immediately prior to their export, they have been officially inspected and found free from *Liriomyza sativae* Blanchard and *Nemorimyza maculosa* (Malloch).
- 40. Plants of herbaceous Any third country species for planting, other than bulbs, corms, plants of the family Gramineae, rhizomes, seeds, tubers

The plants must be accompanied by:

- (a) an official statement that they originate in an area\* which, in accordance with the measures specified in ISPM4, is known to be free from *Liriomyza huidobrensis* (Blanchard) and *Liriomyza trifolii* (Burgess),
- (b) an official statement that no signs of *Liriomyza huidobrensis* (Blanchard) or *Liriomyza trifolii* (Burgess) have been observed at the place of production, on official inspections carried out at least monthly during the three months prior to harvesting,
- (c) an official statement that immediately prior to their export, they have been officially inspected and found free from *Liriomyza huidobrensis* (Blanchard) and *Liriomyza trifolii* (Burgess) and have been subjected to an appropriate treatment\*\* against those pests, or
- (d) an official statement that they originate from plant material (explant) which is free from *Liriomyza huidobrensis* (Blanchard) and *Liriomyza trifolii* (Burgess), are grown in vitro in a sterile medium under sterile conditions that preclude the possibility of infestation with *Liriomyza huidobrensis* (Blanchard) or *Liriomyza trifolii*

- (Burgess) and are exported in transparent containers under sterile conditions.
- \* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".
- \*\* The active ingredient, concentration and date of application of these treatments must be mentioned on the phytosanitary certificate under the heading "disinfestation and/or disinfection treatment".

- 41. Cut flowers *Orchidaceae*
- of Any third country The other than EU by: Member States, (a Liechtenstein and Switzerland

of Any third country The cut flowers must be accompanied other than EU by

- (a) an official statement that they originate in a country which, in accordance with the measures specified in ISPM4, is known to be free from *Thrips palmi* Karny, or
- (b) an official statement that immediately prior to their export, they have been officially inspected and found free from *Thrips palmi* Karny.
- 42. Naturally or Any thi artificially dwarfed other that plants for planting Albania, other than seeds Armenia

dwarfed other than: Andorra, Armenia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canary Islands, EU Member States, Faroe Islands, Georgia, Iceland, Liechtenstein, Moldova, Monaco, Montenegro, North Macedonia, Norway, Russia (only the following parts: Central Federal District (Tsentralny federalny okrug), Northwestern

or Any third country The plants must be accompanied by an ed other than:

official statement:

- (a) that the plants, including those collected directly from natural habitats, have been grown, held and trained for at least two consecutive years prior to dispatch in officially registered nurseries, which are subject to an officially supervised control regime,
- (b) that the plants have at least during the period referred to in point (a):
  - (i) been potted, in pots which are placed on shelves at least 50 cm above ground,
  - (ii) have been subjected to appropriate treatments\* to ensure freedom from non-European rusts,

(Severo-Zapadny

District

okrug),

Federal

federalny

Southern Federal District (Yuzhny federalny okrug), Caucasian North Federal District (Severo-Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug)), San Marino, Serbia, Switzerland, Turkey and Ukraine

- (iii) have been officially inspected at least six times a year at appropriate intervals for the presence of GB quarantine pests of concern and these inspections have also been carried out on plants in the immediate vicinity of the nurseries referred to in point (a), at least by visual examination of each row in the field or nursery and by visual examination of all parts of the plant above the growing medium, using a random sample of at least 300 plants from a given genus where the number of plants of that genus is not more than 3000 plants, or 10 % of the plants if there are more than 3000 plants from that genus,
- (iv) have been found to be free, in those inspections, from the relevant GB quarantine pests of concern, infested plants have been removed and the remaining plants, where appropriate, have been effectively treated, and have been held for an appropriate period and inspected to ensure freedom from those pests.
- (v) have been planted either in an unused artificial growing medium or in a natural growing medium, which has been treated by fumigation or by appropriate heat treatment and has been

- found free of any GB quarantine pests, and
- (vi) have been kept under conditions which ensure that the growing medium has been maintained free from GB quarantine pests and within two weeks prior to dispatch, have been:
- (aa) shaken and washed with clean water to remove the original growing medium and kept bare rooted,
- (bb) shaken and washed with clean water to remove the original growing medium and replanted in growing medium which meets the conditions in point (v), or
- (cc) subjected to appropriate treatments\* to ensure that the growing medium is free from plant pests, and
- (c) that the plants have been packed in closed containers which have been officially sealed and bear the registration number\*\* of the registered nursery.
- \* The active ingredient, concentration and date of application of these treatments must be mentioned on the phytosanitary certificate under the heading "disinfestation and/or disinfection treatment".
- \*\* The registration number must be indicated on the phytosanitary certificate under the heading "Additional declaration".
- 43. Plants, other than fruit Any third country and seeds, of Pinales other than EU Member States, Liechtenstein and Switzerland

ntry The plants must be accompanied by an EU official statement that the plants have ates, been produced in a nursery and that and they originate in a place of production which has been established by the national plant protection organisation in accordance with ISPM10 as a place of production that is free from *Pissodes* 

> cibriani O'Brien, Pissodes fasciatus Leconte, Pissodes nemorensis Germar, Pissodes nitidus Roelofs, Pissodes punctatus Langor & Zhang, Pissodes strobi (Peck), Pissodes terminalis Hopping, Pissodes yunnanensis Langor & Zhang and Pissodes zitacuarense Sleeper.

> an official statement that they have

they originate in a place of production which has been established by the

44. Pinales, Any third country The plants must be accompanied by Plants of other than fruit and other than: seeds, over 3 m in Albania, height

Andorra, been produced in a nursery and that Armenia, Azerbaijan,

Bosnia national plant protection organisation Belarus, Herzegovina, in accordance with ISPM10 as a and Canary Islands, EU place of production that is free from Member States, Scolytidae spp. (non-European).

Faroe Islands, Georgia, Iceland. Liechtenstein,

Moldova, Monaco, Montenegro, North Macedonia,

Norway, Russia (only the following

parts: Central District Federal

(Tsentralny federalny okrug),

Northwestern

Federal District (Severo-Zapadny

federalny okrug), Southern Federal

District (Yuzhny

federalny okrug), North Caucasian

Federal District (Severo-Kavkazsky

federalny okrug)

and Volga Federal

District (Privolzhsky

federalny okrug)).,

San Marino, Serbia, Switzerland,

Turkey, and Ukraine

45. Plants, other than Any third country fruit and seeds, of Castanea Mill. and Quercus L.

The plants must be accompanied by an official statement that no symptoms of *Cronartium* spp., with the exception of Cronartium gentianeum Thümen, Cronartium pini (Willdenow) Jørstad

and *Cronartium ribicola* Fischer, have been observed at the place of production or its immediate vicinity since the beginning of the last complete cycle of vegetation.

46. Plants for planting of Any third country *Castanea* Mill.

The plants must be accompanied by:

- (a) an official statement that they have been grown throughout their life in places of production in countries where *Cryphonectria parasitica* (Murrill) Barr is not known to occur, or
- (b) an official statement that they have been grown throughout their life in an area which, in accordance with the measures specified in ISPM4, is known to be free from *Cryphonectria parasitica* (Murrill) Barr.
- 47. Plants for planting, Any third country other than seeds, of *Quercus* L.

The plants must be accompanied by:

- (a) an official statement that they have been grown throughout their life in places of production in countries where *Cryphonectria parasitica* (Murrill) Barr is not known to occur,
- (b) an official statement that they have been grown throughout their life in an area which, in accordance with the measures specified in ISPM4, is known to be free from *Cryphonectria* parasitica (Murrill) Barr, or
- (c) an official statement that no symptoms of *Cryphonectria parasitica* (Murrill) Barr have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation.
- 48. Plants for planting, North America other than fruit and seeds, of *Quercus* L.

The plants must be accompanied by an official statement that the plants originate in an area\* which, in accordance with the measures specified in ISPM4, is known to be free from *Bretziella fagacearum* ((Bretz) Z.W. de

> Beer, Marincowitz, T.A. Duong & M.J. Wingfield.

> \* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".

49. Plants for planting, Canada other than seeds, of USA Corylus L.

- the The plants must be accompanied by:
  - (a) an official statement that the plants have been grown in a nursery and that they originate in an area\* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from Anisogramma anomala (Peck) E. Müller, or
  - (b) an official statement that the plants have been grown in a nursery and that they originate in a place of production\*\* established by the national plant protection organisation in accordance with ISPM10 as a place of production that is free from Anisogramma anomala (Peck) E. Müller on the basis of official inspections carried out at the place of production and in its immediate vicinity since the beginning of the last three complete cycles of vegetation.
  - \* The name of the area(s) must be included in the phytosanitary certificate under heading "Additional the declaration".
  - The name of the place of production(s) must be included in the phytosanitary certificate under the heading "Additional declaration".
- 50. Plants, other than Belarus, fruit and seeds, of China, Fraxinus L., Juglans Democratic ailantifolia Carrière., People's Juglans mandshurica of Korea, Maximowicz., Ulmus Kazakhstan, davidiana Planchon. Mongolia, rhoifolia Siebold & Russia, Zuccarini.
- Ukraine **USA**
- Canada. The plants must be accompanied by the an official statement that the plants originate in an area established by the Republic national plant protection organisation Japan, in accordance with ISPM4 as an area that is free from Agrilus planipennis the Fairmaire and that no part of the area Pterocarva Republic of Korea, lies within 100 km of a known outbreak Taiwan, of Agrilus planipennis Fairmaire. the A phytosanitary certificate may not include any such official statement unless the national plant protection

51. Plants for planting, Any third country other than seeds, of Ulmus L.

The plants must be accompanied by an official statement that no symptoms of Candidatus Phytoplasma 'ulmi' Lee, Martini, Marcone & Zhu have been observed at the place of production or in the immediate vicinity of the place of production since the beginning of the

last complete cycle of vegetation.

area or areas

organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of the

52. Plants, other than fruit Any third country and seeds, of Abies Mill. Larix Mill., Picea Mill. and Pinus L., over 3 m in height

The plants must be accompanied by an official statement that the plants originate in a place of production which has been established by the national plant protection organisation in accordance with ISPM10 as a place of production that is free from Ips duplicatus (Sahlberg).

53 Plants, other than fruit Any third country and seeds, of Abies Mill. Larix Mill.. Picea Mill. and Pinus L. and Pseudotsuga Carrière., over 3 m in height

The plants must be accompanied by an official statement that the plants originate in a place of production which has been established by the national plant protection organisation in accordance with ISPM10 as a place of production that is free from Ips typographus L.

54. Plants, other than fruit Any third country and seeds, of Abies Mill. Larix Mill.. Picea Mill. and Pinus L. over 3 m in height

The plants must be accompanied by an official statement that the plants originate in a place of production which has been established by the national plant protection organisation in accordance with ISPM10 as a place of production that is free from Ips amitinus (Eichhoff).

55 other than Any third country The plants: fruit or seeds, of where Abies Mill., Cedrus Bursaphelenchus Trew, Larix Mill., xylophilus (Steiner Picea Mill.., Pinus L., & Bührer) Nickle is Pseudotsuga Carr. and known to occur Tsuga Carr.

- (a) must be accompanied by an official statement:
  - (i) that they have been grown in places of production where Bursaphelenchus xylophilus (Steiner & Bührer) Nickle and its symptoms have not been observed since the beginning of the last complete growing cycle,

- (ii) that they have been grown throughout their life under complete physical protection to prevent Monochamus spp. reaching the plants,
- (iii) that they have been officially inspected, tested and found free from any Bursaphelenchus xylophilus (Steiner & Bührer) Nickle and Monochamus spp., and
- (b) must only be transported from those places of production and through areas in which the pest is known to occur outside the flight season of Monochamus spp. or in closed containers or packaging to prevent infestation with Bursaphelenchus xylophilus (Steiner & Bührer) Nickle or Monochamus spp.
- 56. Plants Pinus Any third country The plants must be accompanied by an L. or Pseudotsuga where (Mirbel) circinatum menziesii Franco Nirenberg & O'Donnell is known to occur

Fusarium official statement:

- (a) that the plants originate in a place of production which is registered and supervised by the national plant protection organisation and,
- (b) that they:
  - (i) have been grown throughout their life in a country where Fusarium circinatum Nirenberg & O'Donnell is known not to occur.
  - (ii) have been grown throughout their life in an area\* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from Fusarium circinatum Nirenberg & O'Donnell, or
  - (iii) originate in a place of production where

no signs of Fusarium circinatum Nirenberg & O'Donnell, including its vicinity of at least 1 km radius, have been observed during official inspections carried out within a period of two years prior to export and that they were tested immediately prior to export for Fusarium circinatum Nirenberg & O'Donnell.

\* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".

The plants must be accompanied by:

- (a) an official statement that the plants have been grown throughout their life in a place of production in a country in which *Thaumetopoea pityocampa* (Denis & Schiffermüller) is not known to occur.
- (b) an official statement that the plants have been grown throughout their life in an area\* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from *Thaumetopoea pityocampa* (Denis & Schiffermüller),
- (c) an official statement that the plants have been produced in nurseries which, along with their vicinity, have been found free from *Thaumetopoea pityocampa* (Denis & Schiffermüller) on the basis of official inspections and official surveys carried out at appropriate times, or
- (d) an official statement that they have been grown throughout their life in a site with complete physical protection against the introduction of *Thaumetopoea pityocampa* (Denis & Schiffermüller) and have been

57. Plants for planting, Any third country other than seeds, of *Cedrus* Trew and *Pinus* L.

- inspected at appropriate times and found to be free from Thaumetopoea pityocampa (Denis & Schiffermüller).
- \* The name of the area(s) must be included in the phytosanitary certificate "Additional heading under the Declaration".
- 58. Plants for planting, Any third country other than seeds, of Pinus L.
- The plants must be accompanied by:
  - (a) an official statement that they originate in areas known to be free from *Dothistroma pini* Hulbary and Lecanosticta acicola (von Thümen) Sydow, or
  - (b) an official statement that no symptoms of needle blight, caused by Dothistroma pini Hulbary or Lecanosticta acicola (von Thümen) Sydow have been observed at the site of production or its immediate vicinity since the beginning of the last complete cycle of vegetation.
- 59. Plants for planting, EU Member States The plants must be accompanied by: than seeds, and the USA other of Juglans L. and Pterocarya Kunth
  - - (a) an official statement that the plants have been grown throughout their life in an area\* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from Geosmithia morbida Kolarík, Freeland, Utley & Tisserat and its vector, Pityophthorus juglandis Blackman,
    - (b) an official statement:
      - (i) that the plants originate in a place of production, including its vicinity of at least 5 km radius, where neither symptoms of Geosmithia morbida Kolarík, Freeland, Utley & Tisserat nor the presence of its vector, Pityophthorus juglandis Blackman have been observed during official inspections within a

- period of two years prior to export, and
- (ii) that the plants have been inspected immediately prior to export and handled and packaged in ways to prevent infestation after leaving the place of production,
- (c) an official statement that the plants originate in a place of production with complete physical isolation and have been inspected immediately prior to export and handled and packaged in ways to prevent infestation after leaving the place of production.
- \* The name of the area(s) must be included in the phytosanitary certificate heading "Additional under the declaration".
- 60. Plants, other than fruit Any third country The plants must be accompanied by an and seeds, of *Betula* L. other than Member Liechtenstein Switzerland
  - EU official statement that they originate in States, a country which, in accordance with the and measures specified in ISPM4, is known to be free from Agrilus anxius Gory.
- 61. Plants for planting, Albania, Armenia, The plants must be accompanied by an other than seeds, of EU Member States, official statement that the plants have Platanus L. and the USA
  - Switzerland, Turkey been grown throughout their life in an area\* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from Ceratocystis platani (J.M. Walter) Engelbr. & T.C. Harr.
    - \* The name of the area(s) must be included in the phytosanitary certificate "Additional under the heading declaration".
- 62. other than seeds, of other than Populus L. Member Liechtenstein Switzerland
- Plants for planting, Any third country The plants must be accompanied by an EU official statement that no symptoms of States, Melampsora medusae f.sp. tremuloidis and Shain have been observed at their place of production or in the immediate vicinity of the place of production since the beginning of the last complete cycle of vegetation.

and

63. Plants, other than fruit Americas and seeds, of *Populus* L.

The plants must be accompanied by an official statement that no symptoms of *Sphaerulina musiva* (Peck) Quaedvlieg, Verkley & Crous have been observed at their place of production or in the immediate vicinity of the place of production since the beginning of the last complete cycle of vegetation.

64. Plants for planting, Canada other than scions, USA cuttings, plants in tissue culture, pollen and seeds, Amelanchier Medikus.. Aronia Medikus.. Cotoneaster Medikus., Crataegus L., Cydonia Mill., Malus Mill., Prunus L., Pyracantha M. Roem., Pyrus L. and Sorbus L.

the The plants must be accompanied by:

(a) an official statement that they

have been grown throughout

- a) an official statement that they have been grown throughout their life in an area\* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from *Saperda candida* Fabricius, or
- (b) an official statement that they have been grown during a period of at least two years prior to export, or in the case of plants which are younger than two years, have been grown throughout their life:
  - (i) in a place of production established as a place of production that is free from *Saperda candida* Fabricius in accordance with ISPM10:
  - (aa) which is registered and supervised by the national plant protection organisation in the country of origin and has been subjected annually to two official inspections for any signs of Saperda candida Fabricius carried out at appropriate times, and
  - (bb) where they have been grown in a site with complete physical protection against the introduction of *Saperda candida*Fabricius or a site

with the application of appropriate preventive treatments which was surrounded by a buffer zone with a width of at least 500 m in which the absence of *Saperda candida* Fabricius has been confirmed by official surveys carried out annually at appropriate times, and

- (ii) immediately prior to export, the plants, and in particular their stems, have been subjected to a meticulous inspection for the presence of *Saperda candida*Fabricius, which included destructive sampling, where appropriate.
- \* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".

The plants must be accompanied by:

- (a) an official statement:
  - (i) that the plants originate in an area\* in which non-European isolates of *Phytophthora* ramorum Werres, De Cock & Man in 't Veld are known not to occur, and
  - (ii) that prior to export, they were inspected and found free from non-European isolates of *Phytophthora ramorum* Werres, De Cock & Man in 't Veld, or
- (b) an official statement:
  - (i) that no signs of non-European isolates of *Phytophthora ramorum* Werres, De Cock & Man in 't Veld have

macrophyllum Pursh, Acer pseudoplatanus L., Adiantum aleuticum (Ruprecht) C.A. Paris, Adiantum iordanii Muell., Aesculus californica (Spach) Nuttall, Aesculus hippocastanum L., Arbutus menziesii Pursh., Arbutus unedo Arctostaphylos L., spp. Calluna vulgaris (L.) Hull, Camellia spp., Castanea sativa Mill., Fagus sylvatica Frangula L., californica

(Eschscholtz) A. Gray

Frangula purshiana

Fraxinus excelsior L.,

Cooper,

(DC.)

Plants, other than fruit The USA

and seeds, of Acer

65.

Griselinia littoralis (Raoul), Hamamelis virginiana L., Heteromeles arbutifolia (Lindl) Roemer, Kalmia latifolia L., Laurus nobilis L., Leucothoe Lithocarpus spp., densiflorus (Hooker & Arnott) Rehder, Lonicera hispidula Dougl. ex Torr. & Gray, Magnolia spp., Magnolia doltsopa (de Candolle) Figlar, Nothofagus obliqua (Mirbel) Ørsted Oerst., Osmanthus heterophyllus (G. Don) P. S. Green, Parrotia persica (de Candolle) von Meyer, Photinia x fraseri Dress, Pieris Pseudotsuga spp., menziesii (Mirbel) Franco, Quercus spp., Rhododendron other than spp., Rhododendron simsii Planchon., Rosa gymnocarpa Nuttall., caprea Salix Seguoia sempervirens (D. Don) Endl., Syringa vulgaris L., Taxus spp., Trientalis latifolia Hooker., Umbellularia californica (Hooker & Arnott) Nuttall Vaccinium ovatum Pursh and Viburnum spp.

66. Plants for planting, China other than seeds, that have a stem or root collar diameter of 1 cm or more at their thickest point, of *Acer* spp. L., *Aesculus* 

been observed on any plants listed in column (1) at the place of production during official inspections, which included laboratory testing of any suspicious symptoms carried out since the beginning of the last complete cycle of vegetation, and

- (ii) that prior to export, they were inspected and found free from non-European isolates of *Phytophthora ramorum* Werres, De Cock & Man in 't Veld.
- \* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".

The plants must be accompanied by:

(a) an official statement that the plants have been grown throughout their life in a place of production which is registered and supervised by national plant protection organisation in

hippocastanum Alnus spp. Miller, Betula spp. L., Carpinus spp., Citrus spp.L., Cornus spp., Corylus spp., Cotoneaster spp., Crataegus spp. L., Fagus spp., Lagerstroemia spp., Malus spp., Platanus spp.L., **Populus** spp.L., Prunus laurocerasus L., Pyrus spp., Rosa spp. L., Salix spp. L., and *Ulmus* spp. L.

- China and which is situated in an area\* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from *Anoplophora chinensis* (Forster),
- (b) an official statement that the plants have been grown during a period of at least two years prior to export, or in the case of plants, which are younger than two years, have been grown throughout their life, in a place of production established as free from *Anoplophora chinensis* (Forster) in accordance with ISPM10:
  - (i) which is registered and supervised by the national plant protection organisation of China,
  - (ii) which has been subjected annually to at least two official meticulous inspections for any signs of *Anoplophora chinensis* (Forster) carried out at appropriate times and no signs of the pest have been found,
  - (iii) where the plants have been grown in a site with complete physical protection against the introduction of Anoplophora chinensis (Forster) or in a site with the application of appropriate preventive treatments which was surrounded by a buffer zone with a radius of at least 2 km where official surveys for the presence or signs of Anoplophora chinensis (Forster) are carried out annually at appropriate times; and where signs of Anoplophora

- chinensis (Forster) have been found, eradication measures were taken immediately to restore the pest freedom of the buffer zone, and
- (iv) where immediately prior to export, the plants, and in particular their roots and stems, were subjected to an official meticulous inspection for the presence of Anoplophora chinensis (Forster), which included targeted destructive sampling using samples to enable at least the detection of 1% level of infestation with a confidence of 99%, or
- (c) an official statement that the plants have been grown from rootstocks which were grown in accordance with the requirements specified in point (b), grafted with scions which at the time of export were no more than 1 cm in diameter at their thickest point and have been subject to an official meticulous inspection for the presence of Anoplophora chinensis (Forster), which included targeted destructive sampling using samples to enable at least the detection of 1% level of infestation with a confidence of 99%.

A phytosanitary certificate may not include any of the official statements referred to in points (a) to (c) unless the national plant protection organisation of China has previously provided the national plant protection organisation of the United Kingdom with written details of the unique registration number of the place(s) of production. The phytosanitary certificate must also include the registration number of the

place of production under the heading "Additional declaration".

\* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".

67. Plants for planting, Any third country, The plants must be accompanied by: other than seeds, that other than China, have a stem or root where Anoplophora collar diameter of chinensis (Forster) 1 cm or more at is known to occur their thickest point, of Acer spp. L., Aesculus hippocastanum Alnus spp. Miller, Betula L., spp. Carpinus spp., Citrus L., Cornus spp. spp., Corylus spp., Cotoneaster spp.,

spp.,

spp.,

Populus

Prunus

L.,

Crataegus spp. L.,

Malus spp., Platanus

Pyrus spp., Rosa spp.

L., Salix spp. L., and

Lagerstroemia

L.,

L.,

laurocerasus

*Ulmus* spp. L.

Fagus

spp.

spp.

- (a) an official statement that the plants have been grown throughout their life in a place of production which is registered and supervised by the national plant protection organisation in the country of origin and which is situated in an area\* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from Anoplophora chinensis (Forster),
- (b) an official statement:
  - (i) that the plants have been grown during a period of at least two years prior to export, or in the case of plants, which are younger than two vears, have been grown throughout their life, in a place of production established as free from Anoplophora chinensis (Forster) in accordance with ISPM No. 10:
  - (aa) which is registered and supervised by the national plant protection organisation in the country of origin,
  - (bb) which has been subject annually to at least two official meticulous inspections for any signs of Anoplophora chinensis (Forster) carried out at appropriate times and no signs of the plant pest have been found,

- (cc) where the plants have been grown in a site with complete physical protection against the introduction of Anoplophora chinensis (Forster) or in a site with the application of appropriate preventative treatments which was surrounded by a buffer zone with a radius of at least 2 km where official surveys for the presence or signs of Anoplophora chinensis (Forster) are carried out annually at appropriate times; and where signs of Anoplophora chinensis (Forster) have been found, eradication measures were taken immediately to restore the pest freedom of the buffer zone, and
- (ii) that immediately prior to export, the plants, and in particular their roots and stems, were subjected to an official meticulous inspection for the presence of Anoplophora chinensis (Forster), which included targeted destructive sampling using samples to enable at least the detection of 1% level of infestation with a confidence of 99%, or
- (c) an official statement that
  the plants have been grown
  from rootstocks which were
  grown in accordance with the
  requirements specified in point
  (b), grafted with scions which
  at the time of export were no
  more than 1 cm in diameter at
  their thickest point and which
  have been subject to an official

- meticulous inspection for the presence of Anoplophora chinensis (Forster), which included targeted destructive sampling using samples to enable at least the detection of 1% level of infestation with a confidence of 99%.
- \* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration"

Plants for planting, EU Member States The plants must be accompanied by:

- (a) an official statement that the plants have been grown throughout their life in a place of production which is registered and supervised by national plant protection organisation in the country of origin and is situated in an area\* established by that organisation in accordance with ISPM4 as an area that is free from Anoplophora glabripennis (Motschulsky),
- (b) an official statement that the plants have been grown during a period of at least two years prior to export, or in the case of plants, which are younger than two years, have been grown throughout their life, in a place of production established as free from Anoplophora glabripennis (Motschulsky) in accordance with ISPM10:
  - (i) which is registered and supervised by the national plant protection organisation in the country of origin,
  - (ii) which has been subject annually to at least two official meticulous inspections for any signs of Anoplophora glabripennis (Motschulsky) carried out at appropriate times and no signs of the pest have been found,

- 68. other than seeds, that other have a stem diameter EU Member State of 1 cm or more at where Anoplophora their thickest point, glabripennis Acer spp. L., (Motschulsky) Aesculus spp., Alnus known spp. Miller, Betula occur spp. spp., Cercidiphyllum where Anoplophora L., spp. Fagus spp., Fraxinus spp Koelreuteria spp. Platanus Medikus, spp. L., Populus spp. L., Salix spp. L., Tilia spp. and Ulmus spp. L.
- than is not to and anv L., Carpinus other third country Corylus glabripennis spp., (Motschulsky) L., known to be present

- (iii) where the plants have been grown in a site:
- (aa) with complete physical protection against the introduction of *Anoplophora* glabripennis (Motschulsky), or
- (bb) with the application of appropriate preventative treatments and which was surrounded by a buffer zone with a radius of at least 2 km where official surveys for the presence or signs of Anoplophora glabripennis (Motschulsky) are carried out annually at appropriate times and where signs of Anoplophora glabripennis (Motschulsky) have been found, eradication measures were taken immediately to restore the pest freedom of the buffer zone, and
- (iv) that immediately prior to export, the plants, and in particular their branches and stems, were subjected to a meticulous official inspection for the presence of Anoplophora glabripennis (Motschulsky), which included targeted destructive sampling and, in the case of plants originating in sites which at the time of their production were located in a buffer zone where the presence or signs of Anoplophora glabripennis

(Motschulsky) have been found, targeted destructive sampling at the appropriate level, or

- (c) an official statement that the plants have been grown from rootstocks which were grown in accordance with the requirements specified in point (b), grafted with scions which at the time of export were no more than 1 cm in diameter at their thickest point and which have been subject to a meticulous official inspection for the presence of Anoplophora glabripennis (Motschulsky), in the manner specified in point (b)
- \* The name of the area(s) must be included in the phytosanitary certificate "Additional under the heading declaration".

For the purpose of point (b)(iv), the appropriate level is 10% of the plants where the number of plants is 4,500 or less, and 450 plants where the number of plants is more than 4,500 plants.

69. Plants for planting, Canada, Mexico and The plants must be accompanied by: other than plants in the USA tissue culture and seeds, of Crataegus L., Cydonia Mill., Malus Mill., Prunus L., Pvrus L. and Vaccinium L.

(a) an official statement that they have been grown throughout their life in an area\* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from Grapholita packardi Zeller,

- (b) an official statement that they have been grown throughout their life in a place of production established as a place of production that is free from Grapholita packardi Zeller in accordance with ISPM10:
  - (i) which is registered and supervised by the national plant protection organisation of the country of origin,
  - (ii) which has been subjected to annual inspections for any

- signs of Grapholita packardi Zeller carried out at appropriate times of the year to detect the presence of the pest,
- (iii) where the plants have been grown in a site with the application of appropriate preventive treatments and where the absence of Grapholita packardi Zeller was confirmed by official surveys carried out annually at appropriate times of the year to detect the presence of the pest, and
- (iv) immediately prior to export the plants have been subjected to a meticulous inspection for the presence of Grapholita packardi Zeller, or
- (c) an official statement that they originate in an insect proof site of production to prevent the introduction of *Grapholita* packardi Zeller.
- \* The name of the area(s) must be included in the phytosanitary certificate heading under the "Additional declaration".

A phytosanitary certificate may not include the official statement referred to in point (a) unless the national plant protection organisation of the country of origin has previously notified the national plant protection organisation of the United Kingdom of this information in writing.

- 70. Plants for planting, Any third country The plants must be accompanied by an other than seeds, of where Phyllosticta official statement that no symptoms of Crataegus L. to occur
  - solitaria Ellis & Phyllosticta solitaria Ell. & Ev. have Everhart is known been observed on plants at the place of production since the beginning of the last complete cycle of vegetation.
- 71. Live pollen of Any third country Actinidia Lindl. plants for planting,

The plants must be accompanied by:

other than seeds, of *Actinidia* Lindl., ("the specified plants")

- (a) an official statement that the plants have been grown throughout their life in a country where *Pseudomonas syringae* pv. actinidiae Takikawa, Serizawa, Ichikawa, Tsuyumu & Goto is known not to occur,
- (b) an official statement that the plants have been grown throughout their life in a place of production which is registered and supervised by the national plant protection organisation in the country of origin and is situated in an area\* established by that organisation in accordance with ISPM4 as an area that is free from *Pseudomonas syringae* pv. actinidiae Takikawa, Serizawa, Ichikawa, Tsuyumu & Goto,
- (c) an official statement that the plants have been produced in a place or site of production which is registered and supervised by the national plant protection organisation in the country of origin and established in accordance with the ISPM10 as a place of production that is free from *Pseudomonas syringae* pv. actinidiae Takikawa, Serizawa, Ichikawa, Tsuyumu & Goto where:
  - (i) they have been grown in a structure with a degree of isolation and protection from the outside environment that effectively excluded Pseudomonas syringae pv. actinidiae Takikawa, Serizawa, Ichikawa, Tsuyumu & Goto and have been officially inspected twice at the most appropriate times for detecting symptoms of infection during the last complete cycle of vegetation prior to their

- movement and found free from that pest, and
- (ii) the place or site of production was surrounded by a zone with a radius of at least 100 m, where:
- (aa) official inspections
  were carried out twice
  at the place or site and
  in the zone at the most
  appropriate times for
  detecting symptoms
  of infection during the
  last complete cycle of
  vegetation prior to their
  movement, and
- (bb) where any plants showing symptoms of infection were found during those inspections, those plants were immediately destroyed,
- (d) an official statement that the specified plants have been produced in a place of production established in accordance with ISPM10 as a place of production that is free from *Pseudomonas syringae* pv. actinidiae Takikawa, Serizawa, Ichikawa, Tsuyumu & Goto and which is surrounded:
  - (i) by a zone with a radius of 500 m where:
  - (aa) official inspections, sampling and testing have been carried out at that place of production and throughout that zone twice at the most appropriate times for detecting symptoms of infection during the last complete cycle of vegetation prior to their movement,
  - (bb) where any plants showing symptoms

- of infection were found during those inspections, those plants were immediately destroyed and all specified plants in the zone were immediately destroyed or have been regularly tested at the most appropriate times and found free from that pest, and
- (ii) by a further zone lying between 500 m and 4,500 m of that place of production where:
- (aa) official inspections, sampling and testing have been carried out twice at the most appropriate times throughout the area for detecting symptoms of infection during the last complete cycle of vegetation prior to their movement, and
- (bb) where any plants showing symptoms of infection were found during those inspections, those plants were immediately destroyed and all specified plants in the further zone were immediately destroyed or have been tested according to a sampling scheme that is able to confirm with 99% reliability that the level of presence of pest in the specified plants is below 0.1%.

Where point (b) or (c) applies, the official statement must also confirm that:

—the specified plants have been derived directly from mother plants under conditions which comply with

> the requirements specified in points (a) or (b),

> —the specified plants have been directly derived from mother plants. which were subject to prior individual testing confirming their freedom from Pseudomonas syringae pv. actinidiae Takikawa, Serizawa, Ichikawa, Tsuyumu & Goto, or —the specified plants have been tested according to a sampling scheme that is able to confirm with 99% reliability that the level of presence of Pseudomonas syringae pv. actinidiae Takikawa, Serizawa, Ichikawa, Tsuyumu & Goto in the specified plants is below 0.1%.

- 72. other than seeds, where of *Cydonia* Mill., European Fragaria L., Malus viroids Mill., Prunus L., phytoplasmas Pyrus L., Ribes L. and Phyllosticta Rubus L.
  - solitaria Ell. & Ev. of vegetation. are known to occur on the genera listed in column (1)

Plants for planting, Any third country The plants must be accompanied by an non- official statement that no symptoms of viruses, diseases caused by the pests listed in and column (2) have been observed on the or plants at the place of production since the beginning of the last complete cycle

73. other than seeds, of where Cherry rasp official statement: Malus Mill.

leaf virus is known to occur

Plants for planting, Any third country The plants must be accompanied by an

- (a) that they have been:
  - (i) officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and has been subjected to official testing for at least Cherry rasp leaf virus using appropriate indicators or equivalent methods and has been found free from the pests tested, or
  - (ii) derived in direct line from material which has been maintained under appropriate conditions and has been subjected, at least once within the last three complete

cycles of vegetation, to official testing for at least Cherry rasp leaf virus using appropriate indicators or equivalent methods and has been found free from the pests tested, and

- (b) that no symptoms of diseases caused by Cherry rasp leaf virus have been observed on plants at the place of production, or on susceptible plants in its immediate vicinity, since the beginning of the last complete cycle of vegetation.
- 74. Plants for planting, Any third country The plants must be accompanied by: other than seeds, of where Candidatus Malus Mill. Phytoplasma 'mali' Seemüller Schneider is known to occur

- (a) an official statement that they originate in an area\* which, in accordance with the measures specified in ISPM4, is known to be free from Candidatus Phytoplasma 'mali' Seemüller & Schneider, or
- (b) an official statement that the plants, other than plants raised from seeds:
  - (i) have been officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and has been subjected to official testing for at least Candidatus Phytoplasma 'mali' Seemüller & Schneider using appropriate indicators or equivalent methods and has been found free from that pest, or
  - (ii) have been derived in direct line from material which has been maintained under appropriate conditions and has been subjected,

> at least once within the last six complete cycles of vegetation, to official testing for at least Candidatus Phytoplasma 'mali' Seemüller & Schneider using appropriate indicators or equivalent methods and has been found free in those tests from that pest, and

- (iii) in either case, no symptoms of diseases caused by Candidatus Phytoplasma 'mali' Seemüller & Schneider have been observed on plants at the place of production, or on susceptible plants in its immediate vicinity, since the beginning of the last three complete cycles of vegetation.
- \* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".
- 75. other than seeds, of where Prunus L. plum line pattern

virus, Cherry rasp leaf virus, Peach mosaic virus, North American Grapevine Yellows (16SrIII-A) and Peach rosette mosaic virus are known to occur

Plants for planting, Any third country The plants must be accompanied by an American official statement:

- (a) that they have been:
  - (i) officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and has been subjected to official testing for at least the pests listed in column (2) of this entry using appropriate indicators or equivalent methods and has been found free from those pests, or
  - (ii) derived in direct line from material which has been maintained under

appropriate conditions and has been subjected, at least once within the last three complete cycles of vegetation, to official testing for at least the pests listed in column (2) of this entry using appropriate indicators or equivalent methods and has been found free from those pests, and

- (b) that in either case, no symptoms of diseases caused by the pests listed in column (2) have been observed on the plants at the place of production, or on susceptible plants in its immediate vicinity, since the beginning of the last three complete cycles of vegetation.
- 76. Plants for planting, Any third country other than seeds, of *Prunus* L.

The plants must be accompanied by an official statement:

- (a) that they have been:
  - (i) officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and has been subjected to official testing for Candidatus Phytoplasma 'pruni' (16SrIII-A) Davis, Zhao, Dally, Lee, Jomantiene & Douglas. using appropriate indicators or equivalent methods and has been found free from that pest, or
  - (ii) derived in direct line from material which has been maintained under appropriate conditions and has been subjected, at least once within the last three

complete cycles of vegetation, to official testing for *Candidatus* Phytoplasma 'pruni' (16SrIII-A) Davis, Zhao, Dally, Lee, Jomantiene & Douglas. using appropriate indicators or equivalent methods and has been found free from that pest, and

- (b) that in either case, no symptoms of diseases caused by *Candidatus* Phytoplasma 'pruni' (16SrIII-A) Davis, Zhao, Dally, Lee, Jomantiene & Douglas have been observed on the plants at the place of production, or on susceptible plants in its immediate vicinity, since the beginning of the last three complete cycles of vegetation.
- 77. Plants for planting, Any third country other than seeds, of *Prunus* L.

The plants must be accompanied by:

- (a) an official statement that they originate in areas known to be free from *Candidatus* Phytoplasma 'prunorum' Seemüller & Schneider, or
- (b) an official statement that no symptoms of diseases caused by *Candidatus* Phytoplasma 'prunorum' Seemüller & Schneider have been observed on plants at the place of production since the beginning of the last complete cycle of vegetation.
- 78. Plants for planting, Any third country other than seeds, of *Prunus persica* (L.) Batsch and *Prunus salicina* Lindley

The plants must be accompanied by:

- (a) an official statement that they originate in an area which, in accordance with the measures specified in ISPM4, is known to be free from *Pseudomonas syringae* pv. *persicae* (Prunier, Luisetti & Gardan) Young, Dye & Wilkie, or
- (b) an official statement no symptoms of diseases caused

by the *Pseudomonas syringae* pv. *persicae* (Prunier, Luisetti &. Gardan) Young, Dye & Wilkie have been observed on plants at the place of production, since the beginning of the last complete cycle of vegetation and any symptomatic plants in the immediate vicinity have been rogued out and destroyed immediately.

79. Plants for planting, Any third country other than seeds, of *Prunus* L.

The plants must be accompanied by:

- (a) an official statement that they have been grown throughout their life in a place of production in a country where *Xanthomonas arboricola* pv. *pruni* (Smith) Vauterin *et al.* is not known to occur.
- (b) an official statement that they have been grown throughout their life in an area\* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from *Xanthomonas arboricola pv. pruni* (Smith) Vauterin *et al.*,
- (c) an official statement that they have been derived in direct line from mother plants which have shown no symptoms of *Xanthomonas arboricola* pv. *pruni* (Smith) Vauterin *et al.* during the last complete cycle of vegetation and no symptoms of that pest have been observed on the plants at the place of production since the beginning of the last complete cycle of vegetation, or
- (d) in the case of plants of *Prunus laurocerasus* L. or *Prunus lusitanica* L. for which there is evidence from their packing or from other means that they are intended for sale to final consumers not involved in professional plant production, an official statement that no symptoms of *Xanthomonas*

> arboricola pv. pruni (Smith) Vauterin et al. have been observed on plants at the place of production since the beginning of the last complete growing season.

\* The name of the area(s) must be included in the phytosanitary certificate "Additional under the heading declaration".

80. Plants for planting, EU Member States The plants must be accompanied by: other than seeds, of other than any Prunus L. EU Member State

where Aromia bungii (Faldermann) is known not to occur and other any third country where bungii Aromia (Faldermann) known to occur

- (a) an official statement that the plants have been grown throughout their life in a place of production which is registered and supervised by the national plant protection organisation in the country of origin and is situated in an area\* established in accordance with ISPM4 as an area that is free from Aromia bungii (Faldermann),
- (b) an official statement:
  - (i) that the plants have been grown during a period of at least two years prior to export or, in the case of plants which are younger than two years, have been grown throughout their life, in a place of production established as free from Aromia bungii (Faldermann) in accordance with ISPM10:
  - (aa) which is registered and supervised by the national plant protection organisation in the country of origin,
  - (bb) which has been subjected annually to at least two official meticulous inspections for any signs of Aromia bungii (Faldermann) carried out at appropriate times which, in the case of

- any increased level of suspicion of infestation by that pest, included targeted destructive sampling of the stems and branches of the plants, and no signs of infestation by that pest were found on those inspections,
- (cc) which has complete physical protection against the introduction of *Aromia bungii* (Faldermann) or has been subjected to appropriate preventive treatments, and
- (ii) that immediately prior to export, the plants were subjected to a meticulous official inspection for the presence of *Aromia bungii* (Faldermann) which included targeted destructive sampling at the appropriate level, or
- (c) in the case of plants which have been grafted with scions that have not been grown in accordance with the requirements specified in point (a), an official statement that:
  - (i) the plants have been grown from rootstocks which were grown in accordance with the requirements specified in point (a),
  - (ii) at the time of export, the scions were no more than 1 cm in diameter at their thickest point, and
  - (iii) the plants have been subjected to a meticulous official inspection for the presence of *Aromia* bungii (Faldermann, in

> the manner specified in point (a)(i)(bb).

For the purpose of point (a)(ii), the appropriate level is 10% of the plants where the number of plants is 4,500 or less, and 450 plants where the number of plants is more than 4,500.

\* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".

81 Plants for planting of Any third country The plants must: Rubus L., other than where seeds originating in streak virus black third countries where raspberry Raspberry leaf curl strain, virus and Cherry rasp leaf curl virus or leaf virus are known Cherry rasp leaf to occur.

Tobacco latent Raspberry virus is known to occur

- (a) be free from aphids, including their eggs, and
- (b) be accompanied by an official statement:
  - (i) that the plants have been:
  - (aa) officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and subjected to official testing at least for the pests referred to in column (2), using appropriate indicators for the presence of those pests or equivalent methods and has been found to be free in those tests, from those pests, or
  - (bb) derived in direct line from material which is maintained under appropriate conditions and has been subjected, within the last three complete cycles of vegetation, at least once, to official testing at least for the pests referred to in column (2), using appropriate indicators for the presence of those pests or equivalent methods and has been

- found to be free in those tests from those pests, and
- (ii) that no symptoms of diseases caused by the pests referred to in column (2) have been observed on plants at the place of production, or on susceptible plants in its immediate vicinity, since the beginning of the last complete cycle of vegetation.
- 82. Plants for planting, Any third country The plants must be accompanied by an other than seeds, of where Fragaria L. vein banding virus Strawberry or witches' broom phytoplasma is known to occur

Strawberry official statement:

- (a) that the plants, other than those raised from seed, have been:
  - (i) officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and has been subjected to official testing for at least Strawberry vein banding virus and Strawberry witches' broom phytoplasma, using appropriate indicators or equivalent methods, and has been found to be free from those pests, or
  - (ii) derived in direct line from material which has been maintained under appropriate conditions and has been subjected, at least once within the last three complete cycles of vegetation, to official testing for Strawberry vein banding virus and Strawberry witches' broom phytoplasma, using appropriate

> indicators or equivalent methods, and has been found to be free from those pests, and

- (b) that no symptoms of diseases caused by Strawberry vein banding virus and Strawberry witches' broom phytoplasma have been observed on plants at the place of production, or on susceptible plants in its immediate vicinity, since the beginning of the last complete cycle of vegetation.
- 83. Plants for planting, Any third country The plants must be accompanied by an other than seeds, of other than Fragaria L., Rosa Member spp. and Rubus spp. Liechtenstein Switzerland

EU official statement that they originate in States, an area which, in accordance with the and measures specified in ISPM4, is known to be free from Anthonomus bisignifer Schenkling.

84. Plants for planting, Any third country The plants must be accompanied by: other than seeds, of where Fragaria L. **Aphelenchoides** besseyi Christie is known to occur

- (a) an official statement that no symptoms of *Aphelenchoides* besseyi Christie have been observed on plants at the place of production since the beginning of the last complete cycle of vegetation,
- (b) in the case of plants in tissue culture, an official statement that the plants have been derived from plants which complied with point (a) or have been officially tested by appropriate nematological methods and have been found free from Aphelenchoides besseyi Christie,
- (c) in the case of plants originating in any EU Member State, an official statement that they originate in an area which, in accordance with the measures specified in ISPM4, is known to be free from from Aphelenchoides besseyi Christie.
- 85. Plants for planting, Any third country other than seeds, of Vaccinium L.

The plants must be accompanied by:

(a) an official statement that the plants originate in an area, which in accordance with the measures

- specified in ISPM4, is known to be free from Diaporthe vaccinii Shear, or
- (b) an official statement that no symptoms of Diaporthe vaccinii Shear have been observed at the production site over the last complete growing season.
- 86. other than seeds, of Liechtenstein Vitis L. Switzerland
- Plants for planting, EU Member States, The plants must be accompanied by an and official statement that no symptoms of *Xylophilus ampelinus* (Panagopoulos) Willems, Gillis, Kersters, van den Broeke & De Ley have been observed on the mother stock plants at the place of production since the beginning of the last two complete cycles of vegetation.

87. Plants for planting, EU Member States, The plants must be accompanied by: other than seeds, of Liechtenstein Vitis L. Switzerland

- (a) an official statement that the plants originate in an area, which in accordance with the measures specified in ISPM4, is known to be free from Grapevine flavescence dorée phytoplasma,
- (b) an official statement that the plants originate in a site of production where:
  - (i) no symptoms of Grapevine flavescence dorée phytoplasma on Vitis spp. have been observed at the site of production and in its immediate vicinity since the beginning of the last complete cycle of vegetation and, in the case of plants used for the propagation of Vitis spp., no symptoms of Grapevine flavescence dorée phytoplasma on Vitis spp. have been observed at the site of production and in its immediate vicinity since the beginning of the last two complete cycles of vegetation,
  - (ii) monitoring of the vectors is conducted and

- appropriate treatments are carried out to control the vectors of Grapevine flavescence dorée phytoplasma, and
- (iii) abandoned Vitis L. from the immediate vicinity of the site of production have been monitored during the growing season for symptoms of Grapevine flavescence dorée phytoplasma and, in case of symptoms, have been rogued out or tested and found free of Grapevine flavescence dorée phytoplasma, or
- (c) an official statement that they have undergone hot water treatment according to international standards.
- 88. Plants, other than Canada, seeds and plants in Mexico tissue culture, of *Rosa* USA spp., L.

India, The plants must be accompanied by an and the official statement:

- (a) that they have been grown throughout entire their life in an area\* established by the national plant protection organisation in the country of origin in accordance with ISPM4 as free from Rose Rosette Virus and *Phyllocoptes fructiphilus* Keifer, and
- (b) that they have been packed to prevent infestation by *Phyllocoptes fructiphilus* Keifer during transport.
- \* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".
- 89. Plants, of *Rosa* spp. L. Canada, India, in tissue culture Mexico and the USA
  - India, The plants must be accompanied by an the official statement that they have been produced from mother plants tested and found free from Rose Rosette Virus.
- 90. Plants for planting of Any third country *Arecaceae* (*Palmae*) having a diameter of the stem at the base of over 5 cm
- The plants must be accompanied by:
  - (a) an official statement that they have been grown throughout their life in a place of production in a country where *Paysandisia*

- *archon* (Burmeister) is not known to occur,
- (b) an official statement that they have been grown throughout their life in an area\* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from *Paysandisia archon* (Burmeister), or
- (c) an official statement that they have, during a period of at least two years prior to export, been grown in a place of production:
  - (i) which is registered and supervised by the national plant protection organisation in the country of origin,
  - (ii) where the plants were placed in a site with complete physical protection against the introduction of *Paysandisia archon* (Burmeister), and
  - (iii) where, during three official inspections per year carried out at appropriate times, including immediately prior to export, no signs of *Paysandisia archon* (Burmeister) have been observed.
- \* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".
- 91. Plants for planting Any third country of *Aeraceae* (*Palmae*) having a diameter of the stem at the base of over 5 cm
- The plants must be accompanied by:
  - (a) an official statement they have been grown throughout their life in a place of production in a country where *Rhynchophorus ferrugineus* (Olivier) is known not to occur,
  - (b) an official statement that they have been grown throughout their life in an area\* established by the national plant protection

- organisation in accordance with ISPM4 as an area that is free from *Rhynchophorus ferrugineus* (Olivier), or
- (c) an official statement that they have, during a period of at least two years prior to export, been grown in a place of production:
  - (i) which is registered and supervised by the national plant protection organisation in the country of origin,
  - (ii) where the plants were placed in a site with complete physical protection against the introduction of Rhynchophorus ferrugineus (Olivier), and
  - (iii) where, during three official inspections per year carried out at appropriate times, including immediately prior to export, no signs of Rhynchophorus ferrugineus (Olivier) have been observed.
- \* The name of the area(s) must be included in the phytosanitary certificate under "Additional the heading declaration".
- 92. Plants for planting, Any third country The plants must be accompanied by: other than seeds, of other than: Aeraceae (Palmae)

Albania, Andorra, Armenia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canary Islands, EU Member States, Faroe Islands, Georgia, Iceland, Liechtenstein, Moldova, Monaco, Montenegro, North Macedonia, Russia Norway, (only the following

- (a) an official statement that the plants originate in an area known to be free from Palm lethal yellowing phytoplasmas and no symptoms have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation,
- (b) an official statement that no symptoms of Palm lethal yellowing phytoplasmas have been observed on the plants since the beginning of the last complete cycle of vegetation,

parts: Central Federal District (Tsentralny federalny okrug), Northwestern Federal District (Severo-Zapadny federalny okrug), Southern Federal District (Yuzhny federalny okrug), North Caucasian Federal District (Severo-Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug))., San Marino, Serbia, Switzerland, Turkey and Ukraine

- and plants at the place of production which have shown symptoms giving rise to the suspicion of contamination by those pests have been rogued out at that place and the plants have undergone appropriate treatment to rid them of Haplaxius crudus (Van Duzee), or
- (c) in the case of plants in tissue culture, an official statement that the plants are derived from plants which have met the requirements in point (a) or (b).

93. Plants Cryptocoryne sp. other than Fischer ex Wydler Member spp., Hygrophila sp. Liechtenstein R. Brown spp. and Switzerland Vallisneria spp.

of Any third country The plants must be accompanied by an EU official statement that the roots have States, been subjected to testing for at least and nematode pests, of a representative sample, using appropriate methods for the detection of the pests and have been found on those tests to be free from the nematode pests.

94. (L.) African continent, Cape Verde, Saint Helena, Madagascar, Reunion, Mauritius, Israel

Fruits of *Capsicum* Any country of the The fruits must be accompanied by:

- (a) an official statement that they originate in a country which, in accordance with the measures specified in ISPM4, is known to be free from Thaumatotibia leucotreta (Meyrick),
- (b) an official statement that they originate in an area\* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from Thaumatotibia leucotreta (Meyrick),
- (c) an official statement:
  - (i) that they originate in a place of production established by the national plant protection organisation in

- accordance with ISPM10 as a place of production that is free from *Thaumatotibia leucotreta* (Meyrick), and
- (ii) that they are free from that pest as shown from official inspections carried out in the place of production at appropriate times during the growing season, which included a visual examination on representative samples of fruit, and
- (iii) which includes information on traceability, or
- (d) in the case of fruits which have been subjected to an effective treatment, an effective systems approach or another effective post-harvest treatment\*\* to ensure freedom from *Thaumatotibia leucotreta* (Meyrick), an official statement they have been subjected to such a treatment.
- \* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".
- \*\* The use of a systems approach or details of the treatment method must be included in the phytosanitary certificate.

A phytosanitary certificate may not include:

- —the official statement referred to in point (a) unless the national plant protection organisation of the country of origin has previously notified the national plant protection organisation of the United Kingdom of this information in writing,
- —the official statement referred to in point (b) unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation

of the United Kingdom with written details of area or areas, —the official statement referred to in point (d) unless the national plant protection organisation of the country

of origin has previously provided the national plant protection organisation of the United Kingdom with written details of the treatment or approach.

95. L., Momordica L., other Solanum aethiopicum Member L., macrocarpon L. and Switzerland Solanum melongena L., and plants, other than live pollen, plant tissue cultures, seeds and grains, of Zea mays L.

than EU States. Solanum Liechtenstein and

Fruits of *Capsicum* Any third country The fruits must be accompanied by:

- (a) an official statement that they originate in a country where Spodoptera frugiperda (Smith) is not known to be present,
- (b) an official statement that they originate in an area\* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from Spodoptera frugiperda (Smith), or
- (c) an official statement that they originate in areas other than those referred to in point (b), and they comply with the following conditions:
  - (i) the plants have been produced in a production site which is registered and supervised by the national plant protection organisation in the country of origin,
  - (ii) official inspections have been carried out in the production site during the three months prior to export, and no presence of Spodoptera frugiperda (Smith) has been detected on the plants, and
  - (iii) prior to their export, the plants have been subject to an official inspection.
- 96. Fruits of *Malus* Mill., Canada, Mexico and The fruits must be accompanied by: Prunus L., Pyrus L. the USA (a) an official statement that they and Vaccinium L. originate in an area\* established

- by the national plant protection organisation in accordance with ISPM4 as an area that is free from Grapholita packardi Zeller.
- (b) an official statement that they originate in a place of production where official inspections and surveys for the presence of Grapholita packardi Zeller have been carried out at appropriate times during the growing season, including an inspection of a representative sample of fruits, which have shown the fruits to be free of that pest, and which includes information on traceability is included in the phytosanitary certificate, or
- (c) an official statement that they have been subjected to an effective systems approach or an effective post-harvest treatment\*\* to ensure freedom from Grapholita packardi Zeller.
- \* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".
- \*\* The use of a systems approach or details of the treatment method must be included in the phytosanitary certificate.

A phytosanitary certificate may not include:

- —the official statement referred to in point (a) unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of area or areas.
- —the official statement referred to in point (c) unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of the approach or treatment.
- 97. Fruits of *Malus* Mill. Any third country The fruits must be accompanied by: and Pyrus L other than EU Member States,

(a) an official statement that they originate in a country which, in

## Liechtenstein and Switzerland

- accordance with the measures specified in ISPM4, is known to be free from *Botryosphaeria kuwatsukai* (Hara) G.Y. Sun and E. Tanaka,
- (b) an official statement that they originate in an area\* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from *Botryosphaeria kuwatsukai* (Hara) G.Y. Sun and E. Tanaka,
- (c) an official statement that they originate in a place of production where official inspections and surveys for the presence of *Botryosphaeria kuwatsukai* (Hara) G.Y. Sun and E. Tanaka, have been carried out at appropriate times during the growing season, including a visual inspection of a representative sample of fruits, which has shown the fruits to be free of that pest, and which includes information on traceability, or
- (d) an official statement that they have been subjected to an effective systems approach or an effective post-harvest treatment\*\* to ensure freedom from *Botryosphaeria kuwatsukai* (Hara) G.Y. Sun and E. Tanaka.
- \* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".
- \*\* The use of a systems approach or details of the treatment method must be included in the phytosanitary certificate.

A phytosanitary certificate may not include:

—the official statement referred to in point (a) unless the national plant protection organisation of the country of origin has previously notified the national plant protection organisation of the United Kingdom of this information in writing,

> —the official statement referred to in point (b) unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of area or areas.

> —the official statement referred to in point (d) unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of the approach or treatment.

98. Fruits of *Malus* Mill. Any third country The fruits must be accompanied by: and Pyrus L. other than EU Member States, Liechtenstein and Switzerland

- (a) an official statement that they originate in a country which, in accordance with the measures specified in ISPM4, is known to be free from from Anthonomus quadrigibbus Say,
- (b) an official statement that they originate in an area\* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from Anthonomus quadrigibbus Say,
- (c) an official statement that they originate in a place of production where official inspections and surveys for the presence of Anthonomus quadrigibbus Say, are carried out at appropriate times during the growing season, including a visual inspection of a representative sample of fruits, which has shown the fruits to be free of the pest and which includes information on traceability, or
- (d) an official statement that they have been subjected to an effective systems approach or an effective post-harvest treatment\*\* to ensure freedom from Anthonomus quadrigibbus
- \* The name of the area(s) must be included in the phytosanitary certificate

under the heading "Additional declaration".

\*\* The use of a systems approach or details of the treatment method must be included in the phytosanitary certificate.

A phytosanitary certificate may not include:

- —the official statement referred to in point (a) unless the national plant protection organisation of the country of origin has previously notified the national plant protection organisation of the United Kingdom of this information in writing,
- —the official statement referred to in point (b) unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of area or areas,
- —the official statement referred to in point (d) unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of the approach or treatment.

99. Fruits of *Malus* Mill.

Any third country other than EU Member States, Liechtenstein and Switzerland

Any third country The fruits must be accompanied by:

- (a) an official statement that they originate in a country which, in accordance with the measures specified in ISPM4, is known to be free from *Grapholita prunivora* (Walsh), *Grapholita inopinata* (Heinrich) and *Rhagoletis pomonella* (Walsh),
- (b) an official statement that they originate in an area\* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from *Grapholita prunivora* (Walsh), *Grapholita inopinata* (Heinrich) and *Rhagoletis pomonella* (Walsh),
- (c) an official statement that they originate in a place of production where official inspections and surveys for the presence

- of Grapholita prunivora
  (Walsh), Grapholita inopinata
  (Heinrich) and Rhagoletis
  pomonella (Walsh) have been
  carried out at appropriate times
  during the growing season,
  including a visual inspection
  of a representative sample of
  fruits, which has shown the
  fruits to be free of that pest, and
  which includes information on
  traceability, or
- (d) an official statement that they have been subjected to an effective systems approach or an effective post-harvest treatment\*\* to ensure freedom from *Grapholita prunivora* (Walsh), *Grapholita inopinata* (Heinrich) and *Rhagoletis pomonella* (Walsh).
- \* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".
- \*\* The use of a systems approach or details of the treatment method must be included in the phytosanitary certificate.

A phytosanitary certificate may not include:

- —the official statement referred to in point (a) unless the national plant protection organisation of the country of origin has previously notified the national plant protection organisation of the United Kingdom of this information in writing,
- —the official statement referred to in point (b) unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of area or areas,
- —the official statement referred to in point (d) unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of the treatment or approach.

100. Fruits of Solanaceae

Australia, the Americas and New Zealand

the The fruits must be accompanied by:

- (a) an official statement that they originate in a country which, in accordance with the measures specified in ISPM4, is known to be free from from *Bactericera cockerelli* (Šulc.),
- (b) an official statement that they originate in an area\* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from *Bactericera cockerelli* (Šulc.),
- (c) an official statement that:
  - (i) they originate in a place of production where official inspections and surveys for the presence of Bactericera cockerelli (Šulc.) have been carried out during the last three months prior to export at the place of production and its immediate vicninty, including a visual inspection of a representative sample of fruits, which has shown the fruits to be free of that pest, and which includes information on traceability, and
  - (ii) in the case of fruit of Solanum lycopersicumL. that all green parts have been removed, or
- (d) an official statement that they originate in an insect proof site of production, established by the national plant protection organisation in the country of origin, as being free from *Bactericera cockerelli* (Šulc.), on the basis of official inspections and surveys carried out during the three months prior to export, and which includes information on traceability.

> \* The name of the area(s) must be included in the phytosanitary certificate "Additional the heading under declaration".

> A phytosanitary certificate may not include:

- —the official statement referred to in point (a) unless the national plant protection organisation of the country of origin has previously notified the national plant protection organisation of the United Kingdom of this information in writing,
- —the official statement referred to in point (b) unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of area or areas.
- 101. Fruits of *Capsicum* Any third country The fruits must be accompanied by: annuum L., Solanum other than EU aethiopicum L., Member States. Solanum Liechtenstein and lycopersicum L. and Switzerland Solanum melongena L.

- (a) an official statement that they originate in a country which, in accordance with the measures specified in ISPM4, is known to be free from from Neoleucinodes elegantalis (Guenée),
- (b) an official statement that they originate in an area\* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from Neoleucinodes elegantalis (Guenée), or
- (c) an official statement:
  - (i) that they originate in a place of production\*\* established by the national plant protection organisation in accordance with ISPM10 as a place of production that is free from Neoleucinodes elegantalis (Guenée), and
  - (ii) that they are free from that pest as shown from official inspections carried out in the place of production

at appropriate times during the growing season, which included an examination on representative samples of fruit, and

- (iii) which includes information on traceability, or
- (d) an official statement that they originate in an insect proof site of production, established by the national plant protection organisation in the country of origin, as being free from Neoleucinodes elegantalis (Guenée), on the basis of official inspections and surveys carried out during the three months prior to export, and which includes information on traceability.
- \* The name of the area(s) must be included in the phytosanitary certificate heading "Additional under the declaration".
- \*\* The name of the place of production(s) must be included in the phytosanitary certificate under the heading "Additional declaration".

A phytosanitary certificate may not include:

- —the official statement referred to in point (a) unless the national plant protection organisation of the country of origin has previously notified the national plant protection organisation of the United Kingdom of this information in writing,
- -the official statement referred to in point (b) unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of area or areas.
- 102. Fruits of *Solanum* Any third country The fruits must be accompanied by: lycopersicum L. and other Solanum melongena Member L.

than EU States. Liechtenstein and Switzerland

(a) an official statement that they originate in a country which, in accordance with the measures specified in ISPM4, is

- known to be free from Keiferia lycopersicella (Walsingham),
- (b) an official statement that they originate in an area\* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from Keiferia lycopersicella (Walsingham), or
- (c) an official statement that they originate in a place of production\*\* established by the national plant protection organisation in accordance with ISPM10 as a place of production that is free from Keiferia lycopersicella (Walsingham) on the basis of official inspections and surveys carried out during the last three months prior to export.
- \* The name of the area(s) must be included in the phytosanitary certificate "Additional under the heading declaration".
- \*\* The name of the place(s) of production must be included in the phytosanitary certificate under the heading "Additional declaration".
- 103. Fruits of Solanum Any third country The fruits must be accompanied by: melongena L. other than EU Member States, Liechtenstein and Switzerland

- (a) an official statement that they originate in a country which, in accordance with the measures specified in ISPM4, is known to be free from *Thrips palmi* Karny,
- (b) an official statement that they originate in an area\* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from Thrips palmi Karny, or
- (c) an official statement that immediately prior to their export, they have been officially inspected and found free from Thrips palmi Karny.
- \* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".

104. Fruits of *Momordica* Any third country The fruits must be accompanied by: other than EU States. Member Liechtenstein and Switzerland

- (a) an official statement that they originate in a country which, in accordance with the measures specified in ISPM4, is known to be free from Thrips palmi Karny,
- (b) an official statement that they originate in an area\* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from Thrips palmi Karny.
- \* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration"
- 105. Fruits of *Capsicum* L. Belize, Costa Rica, The fruits must be accompanied by: Dominican El Republic, Salvador, French Polynesia, Guatemala, Honduras, Jamaica, Mexico, Nicaragua, Panama, Puerto

Rico and the USA

- (a) an official statement that they originate in an area\* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from Anthonomus eugenii Cano,
- (b) an official statement that they originate in a place of production\*\* established by the national plant protection organisation in accordance with ISPM10 as a place of production that is free from *Anthonomus* eugenii Cano, on the basis of official inspections carried out at least monthly during the two months prior to export at the place of production and its immediate vicinity.
- \* The name of the area(s) must be included in the phytosanitary certificate heading "Additional under the declaration".
- The name of the place(s) of production must be included in the phytosanitary certificate under the heading "Additional declaration".

106. Seeds of *Zea mays* L. Any third country where Pantoea subsp. stewartii stewartii (Smith)

The seeds must be accompanied by:

(a) an official statement that they originate in an area which, in accordance with the measures

> Mergaert, Verdonck & Kersters is known to occur

- specified in ISPM4, is known to be free from *Pantoea stewartii* subsp. *stewartii* (Smith) Mergaert, Verdonck & Kersters,
- (b) an official statement that a representative sample of the seeds has been tested and found free from Pantoea stewartii subsp. stewartii (Smith) Mergaert, Verdonck & Kersters.

107. and *x Triticosecale* 

Nepal, USA

Seeds of the genera Afghanistan, India, The seeds must be accompanied by an Triticum L., Secale L. Iran, Iraq, Mexico, official statement that they originate in Pakistan, an area\* where Tilletia indica Mitra is South Africa and the known not to occur.

- \* The name of the area(s) must be included in the phytosanitary certificate heading "Additional under the declaration".
- 108. Triticum L., Secale L. Iran, Iraq, Mexico, and *x Triticosecale*

Nepal, Pakistan, South Africa and the USA

Grain of the genera Afghanistan, India, The grain must be accompanied by:

- (a) an official statement that it originates in an area\* where Tilletia indica Mitra is known not to occur, or
- (b) an official statement that no symptoms of Tilletia indica Mitra have been observed on the plants at the place of production during their last complete cycle of vegetation and representative samples of the grain have been taken both at the time of harvest and before export and have been tested and found free from Tilletia indica Mitra.
- \* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".

Where the phytosanitary certificate official includes the statement mentioned in point (b), the statement "tested and found free from Tilletia indica Mitra" must be included under the heading "name of produce".

109. Wood of conifers Canada, (Pinales), other than Japan, Republic wood of Thuja L. and of Korea, Mexico, Taxus L. and wood in Taiwan, the USA the form of: and EU Member

China, The wood must be accompanied by:

- (a) an official statement:
  - (i) that it has undergone an appropriate heat treatment to achieve a

—chips, sawdust, wood waste and scrap State obtained in whole Bursaphelenchus or part from these xylophilus (Steiner conifers, —wood material. except associated controlled dunnage, —wood of Libocedrus decurrens where there Torr. is evidence that the wood has been processed or manufactured for pencils using heat treatment to achieve a minimum temperature of 82 °C for a seven to eight-day period, but including wood which has not kept its natural round surface

particles, States other than shavings, any EU Member where & Bührer) Nickle is packaging known not to occur

- minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood (including at its core), and
- (ii) that subsequent to its treatment, it was transported, until its export from the country issuing the statement, outside the flight season of its vectors, Monochamus spp., taking into account a safety margin of four additional weeks at the beginning and at the end of the expected flight season or, in the case of wood which is not free from bark, with a protective covering to prevent infestation with *Bursaphelenchus* xylophilus (Steiner & Bührer) Nickle or its vectors, Monochamus spp., or

## (b) an official statement:

- (i) that it has undergone an appropriate heat treatment to achieve a minimum temperature of 56°C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, and
- (ii) kiln-drying to below 20% moisture content expressed as a percentage of dry matter, achieved through an appropriate time/ temperature schedule.

There must also be evidence of the heat treatment by a mark "HT" put

> on the wood or on any wrapping in accordance with current usage and on the phytosanitary certificate and, in the case of point (b), evidence of the kilndrying by a mark "kiln-dried" or "KD" or another internationally recognised mark.

110. Wood of conifers Canada, (Pinales) in the form Japan, of chips, particles, of Korea, Mexico, sawdust. wood waste and scrap and EU Member obtained in whole States other than or part from these those EU Member conifers

Republic shavings, Taiwan, the USA States where Bursaphelenchus xylophilus (Steiner & Bührer) Nickle is known not to occur

China, The wood must be accompanied by:

- (a) an official statement:
  - (i) that it has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood (including at its core), and
  - (ii) that subsequent to its treatment, it was transported, until its export from the country issuing the statement, outside the flight season of its vectors, Monochamus spp., taking into account a safety margin of four additional weeks at the beginning and at the end of the expected flight season or, in the case of wood which is not free from bark, with a protective covering to prevent infestation with Bursaphelenchus xylophilus (Steiner & Bührer) Nickle et al. or its vectors, Monochamus spp., or
- (b) an official statement:
  - (i) that it has undergone an appropriate heat treatment to achieve a minimum temperature of 56°C for a minimum duration of 30 continuous minutes

- throughout the entire profile of the wood, and
- (ii) kiln-drying to below 20% moisture content expressed as a percentage of dry matter, achieved through an appropriate time/ temperature schedule.

There must also be evidence of the heat treatment by a mark "HT" put on the wood or on any wrapping in accordance with current usage and on the phytosanitary certificate and, in the case of point (b), evidence of the kilndrying by a mark "kiln-dried" or "KD" or another internationally recognised mark

- 111. Wood of *Thuja* L. and Canada, *Taxus* L., other than in Japan, the form of: of Kore
  - chips, particles, sawdust, shavings, wood waste and scrap obtained in whole or part from these conifers, wood packaging material, except associated controlled dunnage,

but including wood which has not kept its natural round surface

Republic of Korea, Mexico, Taiwan and the (where **USA** Bursaphelenchus xylophilus (Steiner & Bührer) Nickle is known to occur) and EU Member States other than those EU Member States where **Bursaphelenchus** xylophilus (Steiner & Bührer) Nickle is known not to occur

China, The wood must be accompanied by:

- (a) an official statement that it is bark-free,
- (b) an official statement that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/temperature schedule, or
- (c) an official statement that it has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood (including at its core).

Where the phytosanitary certificate includes the official statement referred to in point (b), there must also be evidence of that kiln-drying by a mark "kiln-dried" or "KD" or another internationally recognised mark, put on the wood or on any wrapping in accordance with current usage.

Where the phytosanitary certificate includes the official statement referred to in point (c), there must also be evidence of that heat treatment by a mark "HT" put on the wood or on any wrapping in accordance with

current usage and on the phytosanitary certificate.

112. of conifers Kazakhstan, Russia The wood must be accompanied by: (Pinales), other than and Turkey in the form of:

- chips,

particles,

sawdust,

shavings, wood

waste and scrap

obtained in

whole or part

from these

conifers,

- wood

packaging

material, except

associated

controlled

dunnage,

but including wood which has not kept its natural round surface

- (a) an official statement that it originates in an area\* known to be free from:
  - (i) Monochamus spp.
  - (ii) Pissodes cibriani O'Brien, Pissodes fasciatus Leconte. Pissodes nemorensis Germar, Pissodes nitidus Roelofs, Pissodes punctatus Langor & Zhang, Pissodes strobi (Peck), Pissodes terminalis Hopping, Pissodes yunnanensis Langor & Zhang and Pissodes zitacuarense Sleeper, and
  - (iii) Scolytidae spp. (non-European),
- (b) an official statement that it is bark-free and free from grub holes, caused by its vectors, Monochamus spp., which are larger than 3 mm across,
- (c) an official statement that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/temperature schedule, or
- (d) an official statement that it has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood (including at its core).
- \* The name of the area(s) must be included in the phytosanitary certificate heading "Additional under the declaration".

Where the phytosanitary certificate includes the official statement referred to in point (c), there must also be

evidence of that kiln-drying by a mark "kiln-dried" or "KD" or another internationally recognised mark, put on the wood or on any wrapping in accordance with current usage.

Where the phytosanitary certificate includes the official statement referred to in point (d), there must also be evidence of that heat treatment by a mark "HT" put on the wood or on any wrapping in accordance with current usage and on the phytosanitary certificate.

113. (Pinales), other than other than: in the form of:

— chips, particles, sawdust, shavings, wood waste and scrap obtained in whole or part from these conifers. — wood packaging material, except Kazakhstan, associated controlled dunnage,

Albania, Andorra, Armenia, Azerbaijan, Belarus. Bosnia and Herzegovina, Canada, Canary Islands, China, EU Member States, Faroe Islands, Georgia, Iceland, Japan, Liechtenstein, Mexico. Moldova. Monaco. Montenegro, North but including wood Macedonia, which has not kept its Norway, Republic natural round surface. of Korea, Russia, San Marino, Serbia,

Switzerland,

Taiwan.

Ukraine

USA

of conifers Any third country The wood must be accompanied by:

- (a) an official statement that it is bark-free and free from grub holes, caused by its vectors, Monochamus spp., which are larger than 3 mm across,
- (b) an official statement that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/temperature schedule, or
- (c) an official statement that has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood (including at its core).

Where the phytosanitary certificate includes the official statement referred Turkey, to in point (b), there must also be and the evidence of that kiln-drying by a mark "kiln-dried" or "KD" or another internationally recognised mark, put on the wood or on any wrapping in accordance with current usage.

> Where the phytosanitary certificate includes the official statement referred to in point (c), there must also be evidence of that heat treatment by a mark "HT" put on the wood or on any wrapping in accordance with current usage and on the phytosanitary certificate.

Wood in the form Any third country The wood must be accompanied by: 114. of chips, particles, other than:

Albania,

sawdust. shavings, Albania, wood waste and scrap Andorra, Armenia, obtained in whole or Azerbaijan, in part from conifers Belarus, (Pinales)

Bosnia and Herzegovina, Canada, Canary Islands, China, EU Member States. Faroe Islands, Georgia, Iceland, Japan, Liechtenstein, Kazakhstan, Mexico, Moldova, Monaco. Montenegro, North Macedonia, Norway, Republic of Korea, Russia, San Marino, Serbia, Switzerland, Taiwan, Turkey, Ukraine and the USA

- (a) an official statement that the wood originates in areas\* which, in accordance with the measures specified in ISPM4, are known to be free from:
  - (i) Monochamus spp.
  - (ii) Pissodes cibriani O'Brien, Pissodes fasciatus Leconte, Pissodes nemorensis Germar, Pissodes nitidus Roelofs, Pissodes punctatus Langor & Zhang, Pissodes strobi (Peck), Pissodes terminalis Hopping, Pissodes yunnanensis Langor & Zhang and Pissodes zitacuarense Sleeper, and
  - (iii) Scolytidae spp. (non-European),
- (b) an official statement that it has been produced from debarked round wood,
- (c) an official statement that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/temperature schedule, or
- (d) an official statement that it has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood (including at its core).
- \* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".

- 115. Isolated bark conifers (Pinales)
- other than: Albania, Andorra, Armenia, Azerbaijan, Belarus, Bosnia

of Any third country The bark must be accompanied by an official statement:

> (a) that it has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration

and Herzegovina, Canary Islands, Faroe Islands, Georgia. Iceland. Liechtenstein. Moldova, Monaco, Montenegro, North Macedonia, Norway, Russia (only the following parts: Central Federal District (Tsentralny federalny okrug), Northwestern Federal District (Severo-Zapadny federalny okrug), Southern Federal District okrug), federalny North Caucasian Federal District (Severo-Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug), San Marino, Serbia, Switzerland, Turkey and Ukraine; and EU Member States where *Bursaphelenchus* xylophilus (Steiner & Bührer) Nickle is known not to occur

- of 30 continuous minutes throughout the entire profile of the bark, and
- (b) that subsequent to its treatment, it was transported, until its export from the country issuing the statement, outside the flight season of its vectors, Monochamus spp., taking into account a safety margin of four additional weeks at the beginning and at the end of the expected flight season or with a protective covering ensuring that infestation with *Bursaphelenchus xylophilus* (Steiner & Bührer) Nickle et al. or its vectors, Monochamus spp. cannot occur.

(Yuzhny okrug), heat treatment by a mark "HT" on the aucasian phytosanitary certificate.

116. Wood of conifers (Pinales)

Any third country [F5, other than EU Member States] where Fusarium circinatum

Nirenberg & O'Donnell is known not to occur
F6

...

conifers Any third country The wood must be accompanied by:

- (a) an official statement that it originates in a country\* which, in accordance with the measures specified in ISPM4, is known to be free from *Fusarium circinatum* Nirenberg & O'Donnell,
- (b) an official statement that it originates in an area\* which, in accordance with the measures specified in ISPM4, is known to be free from *Fusarium*

- *circinatum* Nirenberg & O'Donnell, or
- (c) an official statement that it has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood (including at its core).
- \* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".

Where the phytosanitary certificate includes the official statement referred to in point (c), there must also be evidence of that heat treatment by a mark "HT" put on the wood or on any wrapping in accordance with current usage and on the phytosanitary certificate.

117. Wood of conifers Any third country (Pinales)

The wood must:

- (a) be bark-free,
- (b) be accompanied by an official statement that it originates in an area\* which, in accordance with the measures specified in ISPM4, is known to be free from *Ips amitinus* (Eichhoff), *Ips duplicatus* (Sahlberg) and *Ips typographus* (L.), or
- (c) have evidence by a mark "kilndried" or "KD" or another internationally recognised mark, put on the wood or on any wrapping in accordance with current usage that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/temperature schedule.
- \* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".

118. Isolated bark of Any third country conifers (Pinales)

The bark must be accompanied by:

(a) an official statement that it has been subjected to fumigation

- or other appropriate treatments against bark beetles, or
- (b) an official statement that it originates in an area\* which, in accordance with the measures specified in ISPM4, is known to be free from *Ips amitinus* (Eichhoff), *Ips duplicatus* (Sahlberg) and *Ips typographus* (L.).
- \* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".

119. Isolated bark conifers (Pinales)

[F5], other than EU Member States] where Fusarium circinatum
Nirenberg & O'Donnell is known not to occur

...

of Any third country The bark must be accompanied by:

- (a) an official statement that it originates in a country which, in accordance with the measures specified in ISPM4, is known to be free from *Fusarium circinatum* Nirenberg & O'Donnell,
- (b) an official statement that it originates in an area\* which, in accordance with the measures specified in ISPM4, is known to be free from *Fusarium circinatum* Nirenberg & O'Donnell, or
- (c) an official statement that it has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood (including at its core).
- \* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".

A phytosanitary certificate may not include the official statement referred to in point (a) unless the national plant protection organisation of the country of origin has previously notified the national plant protection organisation of the United Kingdom of this information in writing.

Where the phytosanitary certificate includes the official statement referred

> to in point (c), there must also be evidence of that heat treatment by a mark "HT" put on the wood or on any wrapping in accordance with current usage and on the phytosanitary certificate.

120. Wood of Juglans EU Member States The wood must be accompanied by: L. and Pterocarya and the USA Kunth, other than in

the form of:

— chips. particles, sawdust, shavings, wood waste and scrap obtained in whole or part from these plants, — wood packaging material, except associated controlled dunnage,

but including wood which has not kept its

natural round surface

- (a) an official statement that it originates in an area\* which, in accordance with the measures specified in ISPM4, is known to be free from Geosmithia morbida Kolarík, Freeland, Utley & Tisserat and its vector Pityophthorus juglandis Blackman,
- (b) an official statement that it has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 40 continuous minutes throughout the entire profile of the wood (including at its core), or
- (c) an official statement that it has been squared to entirely remove the natural rounded surface.
- \* The name of the area(s) must be included in the phytosanitary certificate "Additional under the heading declaration".

Where the phytosanitary certificate includes the official statement referred to in point (b), there must also be evidence of that heat treatment by a mark "HT" put on the wood or on any wrapping in accordance with current usage and on the phytosanitary certificate.

121 Isolated bark and EU Member States The wood or the isolated bark must be wood of Juglans and the USA

L. and Pterocarya Kunth, in the form of chips, particles, sawdust. shavings, wood waste and scrap obtained in whole or part from these plants

accompanied by:

(a) an official statement that it originates in an area\* which, in accordance with the measures specified in ISPM4, is known to be free from Geosmithia morbida Kolarík, Freeland, Utley & Tisserat and its vector Pityophthorus juglandis Blackman, or

- (b) an official statement that it has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 40 continuous minutes throughout the entire profile of the bark or the wood.

  The name of the area(s) must be
- \* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".

The wood must be accompanied by:

- (a) an official statement that it originates in an area\* in which non- European isolates of *Phytophthora ramorum* Werres, De Cock & Man in 't Veld are known not to occur,
- (b) an official statement that the wood has been stripped of its bark and:
  - (i) that it has been squared so as to entirely remove the rounded surface,
  - (ii) that the water content of the wood does not exceed 20% expressed as a percentage of the dry matter, or
  - (iii) that the wood has been disinfected by an appropriate hotair or hot water-water treatment, or
- (c) in the case of sawn wood with or without residual bark attached, an official statement that it has undergone kiln drying to below 20% moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/temperature schedule.
- \* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".

Where the phytosanitary certificate includes the official statement referred to in point (c), there must also be

122. Wood of Acer The USA
macrophyllum Pursh,
Aesculus californica
(Spach) Nutt.,
Lithocarpus
densiflorus (Hook &
Arn.) Rehd., Quercus
spp. L. and
Taxus brevifolia Nutt.

evidence of that kiln-drying by a mark "kiln-dried" or "KD" or another internationally recognised mark, put on the wood or its packaging in accordance with current usage.

123. Wood of *Acer* Canada and *saccharum* Marsh., USA other than in the form of:

— wood intended for the production of veneer sheets, — chips, particles, sawdust, shavings, wood waste and scrap, — wood packaging material, except associated controlled dunnage, including wood which the The wood must be accompanied by an official statement that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/temperature schedule, and there must be evidence of that kiln drying by a mark "kiln-dried" or "KD" or other internationally recognised mark, put on the wood or on any wrapping in accordance with current usage.

round surface

124. Wood of *Acer* Canada and *saccharum* Marsh., USA intended for the production of veneer

has not kept its natural

sheets

- the The wood must be accompanied by an official statement that it originates in an area\* which, in accordance with the measures specified in ISPM4, is known to be free from *Davidsoniella virescens* (R.W. Davidson) Z.W. de Beer, T.A. Duong & M.J. Wingf Moreau and is intended for the production of veneer sheets.
  - \* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".

125. Wood of Fraxinus L., Belarus, Canada,
Juglans ailantifolia China, the
Carr., Juglans Democratic
mandshurica Maxim., People's
Ulmus davidiana Republic of Korea,
Planch. and Japan, Kazakhstan,
Pterocarya rhoifolia Mongolia, the
Siebold & Zucc., Republic of Korea,
other than in the form Russia, Taiwan,
of

The wood must be accompanied by:

- (a) an official statement that it has undergone ionizing irradiation to achieve a minimum absorbed dose of 1 kGy throughout the wood, or
- (b) an official statement that the wood originates in an area\* established by the national plant protection organisation

— chips, particles, sawdust, shavings, wood waste and scrap, obtained in whole or part from these trees, — wood packaging material, except associated controlled dunnage. but including wood which has not kept its natural round surface. furniture and other objects made of Ukraine and the USA

in accordance with ISPM4 an area that is free from Agrilus planipennis Fairmaire and that no part of the area lies within 100 km of a known outbreak of Agrilus planipennis Fairmaire.

\* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".

A phytosanitary certificate may not include any such official statement unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of the area or areas.

126. of chips, particles, China, the sawdust, wood waste and scrap People's obtained in whole Republic of Korea, or Fraxinus L., Juglans Mongolia, the ailantifolia Juglans mandshurica Russia, Taiwan, Maxim., davidiana Planch. and USA Pterocarva rhoifolia Siebold & Zucc.

untreated wood

Wood in the form Belarus, Canada, shavings, Democratic in part from Japan, Kazakhstan, Carr., Republic of Korea, Ulmus Ukraine and the

The official statement must confirm that the wood originates in an area\* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from Agrilus planipennis Fairmaire and that no part of the area lies within 100 km of a known outbreak of Agrilus planipennis Fairmaire.

\* The name of the area(s) must be included in the phytosanitary certificate under heading "Additional the declaration".

A phytosanitary certificate may not include any such official statement unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of the area or areas.

127. Isolated bark and Belarus, Canada, objects made of China, the bark of Fraxinus L., Democratic ailantifolia People's Juglans Juglans Republic of Korea, Carr.. mandshurica Maxim., Japan, Kazakhstan, Ulmus davidiana Mongolia, the Planch. and Republic of Korea, Pterocarya rhoifolia Russia, Taiwan, Siebold & Zucc.

The official statement must confirm that the bark originates in an area\* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from Agrilus planipennis Fairmaire and that no part of the area lies within 100 km of a known outbreak of Agrilus planipennis Fairmaire.

> Ukraine USA

and the \* The name of the area(s) must be included in the phytosanitary certificate "Additional under the heading declaration".

> A phytosanitary certificate may not include any such official statement unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of the area or areas.

128. Wood of *Castanea* Any third country Mill.

The wood must:

- (a) be bark-free, or
- (b) be accompanied by an official statement:
  - (i) that it originates in areas known to be free from Cryphonectria parasitica (Murrill.) Barr., or
  - (ii) that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/temperature schedule.
- 129. Isolated of Any third country bark Castanea Mill.

The isolated bark must be accompanied by an official statement that it originates in areas known to be free from Cryphonectria parasitica (Murrill.) Barr.

130. Wood of Quercus L., Canada and other than in the form USA of:

> — chips, particles, sawdust, shavings, wood waste and scrap, — casks, barrels, vats, tubs and other coopers' products and

parts thereof,

the The wood must be accompanied by:

- (a) an official statement that it is squared so as to remove entirely the rounded surface,
- (b) an official statement that it is bark-free and the water content is less than 20% expressed as a percentage of the dry matter,
- (c) an official statement that it is bark-free and has been disinfected by an appropriate hot air or hot water treatment, or
- (d) in the case of sawn wood, with or without residual bark

including staves, where there is documented evidence that the wood has been produced or manufactured using heat treatment to achieve a minimum temperature of 176 °C for 20 minutes — wood packaging material, except associated controlled dunnage, but including wood which has not kept its natural round surface

attached, an official statement that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/temperature schedule.

Where the phytosanitary certificate includes the official statement referred to in point (d), there must also be evidence of that kiln-drying by a mark "kiln-dried" or "KD" or other internationally recognised mark, put on the wood or on any wrapping in accordance with current usage.

131. Wood in the form Canada of chips, particles, USA sawdust, shavings, wood waste and scrap and obtained in whole or part from Quercus L.

and

the The wood must be accompanied by:

- (a) an official statement that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/temperature schedule, or
- (b) an official statement that it has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood (including at its core).

Where the phytosanitary certificate includes the official statement referred to in point (b), there must also be evidence of that heat treatment by a mark "HT" on the phytosanitary certificate.

132 Wood of Betula L., Canada other than in the form USA (where Agrilus of:

— chips, particles,

and anxius Gory known to occur)

the The wood must be accompanied by:

(a) an official statement that its bark and at least 2.5 cm of the outer sapwood have been removed in a facility authorised and

sawdust, shavings, wood waste and scrap obtained in whole or part from these trees. — wood packaging material, except associated controlled dunnage, but including wood which has not kept its

- supervised by the national plant protection organisation in the country of origin, or
- (b) an official statement that it has undergone ionizing irradiation to achieve a minimum absorbed dose of 1 kGy throughout the wood.

- natural round surface. and furniture and other objects made of untreated wood
- 133. sawdust. shavings, other wood waste and scrap Member obtained in whole or Liechtenstein in part from Betula L. Switzerland
- 134 objects Canada and Betula L.
- 135 L., other than wood EU Member States, packaging except controlled dunnage, but including wood which has not kept its natural round surface, and wood in the form of chips, particles, sawdust. shavings. wood waste and scrap obtained in whole or in part from *Platanus* L.

than

Gory anxius known to occur)

material, Switzerland, Turkey associated and the USA

Wood chips, particles, Any third country The wood must be accompanied by a EU an official statement that it originates in States, a country which, in accordance with the and measures specified in ISPM4, is known to be free from Agrilus anxius Gory.

the The bark or objects made out of bark made of bark of USA (where Agrilus must be accompanied by an official is statement confirming that it is free from wood.

Wood of *Platanus* Albania, Armenia, The wood must be accompanied by:

- (a) an official statement that it originates in an area\* which, in accordance with the measures specified in ISPM4, is known to be free from Ceratocystis platani (J.M. Walter) Engelbr. & T.C. Harr., or
- (b) an official statement that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/temperature schedule.

Where the phytosanitary certificate includes the official statement referred to in point (b), there must also and there must be evidence of that kiln-drying by a mark "kiln-dried" or "KD" or other internationally recognised mark, put on the wood or on any wrapping in accordance with current usage.

and

136. Wood of *Populus* L., Americas other than in the form of:

chips,
particles,
sawdust,
shavings, wood
waste and
scrap,
wood
packaging
material, except
associated
controlled
dunnage,

but including wood which has not kept its natural round surface

137. Wood in the form Canada of chips, particles, USA sawdust, shavings, wood waste and scrap and obtained in whole or in part from *Acer saccharum* Marsh., or *Populus* L.

\* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".

The wood must be accompanied by:

- (a) an official statement that it is bark-free, or
- (b) an official statement that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/temperature schedule.

Where the phytosanitary certificate includes the official statement referred to in point (b), there must also be evidence of that kiln-drying by a mark "kiln-dried" or "KD" or other internationally recognised mark, put on the wood or on any wrapping in accordance with current usage.

the The wood must be accompanied by:

- (a) an official statement that it has been produced from debarked round wood,
- (b) an official statement that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/temperature schedule,
- (c) an official statement that it has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood (including at its core).

Where the phytosanitary certificate includes the official statement referred to in point (c), there must also be evidence of that heat treatment by a mark "HT" on the phytosanitary certificate.

138. Wood of *Amelanchier* Canada and Medik., *Aronia* USA Medik.. *Cotoneaster* 

Medik., Crataegus

the The wood must be accompanied by:

(a) an official statement that it originates in an area\* which, in accordance with the measures

L., Cydonia Mill., Malus Mill., Prunus L., Pyracantha M. Roem., Pyrus L. and Sorbus L., other than in the form of:

— chips. sawdust and shavings, obtained in whole or part from these plants, - wood packaging material, except associated controlled dunnage. but including wood which has not kept its natural round surface

- specified in ISPM4, is known to be free from *Saperda candida* Fabricius,
- (b) an official statement that it has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, or
- (c) an official statement that it has undergone appropriate ionizing irradiation to achieve a minimum absorbed dose of 1 kGy throughout the wood.

Where the phytosanitary certificate includes the official statement referred to in point (b), there must also be evidence of that heat treatment by a mark "HT" put on the wood or on any wrapping in accordance with current usage and on the phytosanitary certificate.

\* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".

- 139. Wood in the form Canada of chips obtained in USA whole or part from Amelanchier Medik., Aronia Medik., Cotoneaster Medik., L., Crataegus Cydonia Mill., Malus Mill., Prunus L., Pyracantha Roem., Pyrus L. and Sorbus L.
- the The wood must be accompanied by:
  - (a) an official statement that it originates in an area\* which, in accordance with the measures specified in ISPM4, is known to be free from Saperda candida Fabricius,
  - (b) an official statement that it has been processed into pieces of not more than 2.5 cm thickness and width, or
  - (c) an official statement that it has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood.

Where the phytosanitary certificate includes the official statement referred to in point (c), there must also be evidence of that heat treatment by a mark "HT" on the phytosanitary certificate.

and

140. other than in the form People's Republic

> - chips, particles, sawdust, shavings, wood waste and scrap, obtained in whole or part from these plants, — wood packaging material, except associated controlled dunnage. but including wood

> which has not kept its

natural round surface

of Korea, Mongolia, Japan, Republic of Korea, Vietnam and EU Member States other than any EU Member State where Aromia bungii (Faldermann) known not to occur

141 of chips, particles, People's wood waste and scrap Japan, obtained in whole or of Korea, Vietnam part from *Prunus* L.

Republic shavings, of Korea, Mongolia, Republic Member and EU States other than any EU Member State where Aromia bungii (Faldermann) is known not to occur

\* The name of the area(s) must be included in the phytosanitary certificate the heading "Additional under declaration".

Wood of *Prunus* L., China, Democratic The wood must be accompanied by:

- (a) an official statement that it originates in an area\* which, in accordance with the measures specified in ISPM4, is known to be free from Aromia bungii (Faldermann),
- (b) an official statement that it has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, or
- (c) an official statement that it has undergone appropriate ionizing irradiation to achieve a minimum absorbed dose of 1 kGy throughout the wood.

Where the phytosanitary certificate includes the official statement referred to in point (b), there must also be evidence of that heat treatment by a mark "HT" put on the wood or on any wrapping in accordance with current usage and on the phytosanitary certificate.

\* The name of the area(s) must be included in the phytosanitary certificate heading "Additional under the declaration".

Wood in the form China, Democratic The wood must be accompanied by:

- (a) an official statement that it originates in an area\* which, in accordance with the measures specified in ISPM4, is known to be free from Aromia bungii (Faldermann),
- (b) an official statement that it has been processed into pieces of not more than 2.5 cm thickness and width, or
- (c) an official statement that it has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C

for a minimum duration of 30 continuous minutes throughout the entire profile of the wood.

Where the phytosanitary certificate includes the official statement referred to in point (c), there must also be evidence of that heat treatment by a mark "HT" on the phytosanitary certificate.

\* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".

142. Wood, obtained whole or in part, from Acer spp. L. EU Member State Aesculus spp., Alnus Miller, Betula spp. L. (Motschulsky) Carpinus Cercidiphyllum spp. occur L., Corylus Fagus spp., Fraxinus where Anoplophora spp. L., Koelreuteria glabripennis spp. Platanus spp.L., Populus spp. L., Salix spp. L., Tilia spp. and Ulmus spp.L., other than packaging wood material, but including wood which

has not retained its

natural round surface.

in EU Member States In the case of wood: other than where Anoplophora spp. glabripennis is spp., known not to and spp., other third country Medikus, (Motschulsky) is known to occur

- (a) in the form of chips, particles, shavings, wood waste or scrap, the wood must be accompanied
  - (i) an official statement that it originates in an area\* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from Anoplophora glabripennis (Motschulsky),
  - (ii) an official statement that it is debarked and has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood (including at its core), or
  - (iii) an official statement that the wood has been processed into pieces of not more than 2.5 cm thickness and width.
- (b) in any other form, the wood must be accompanied by:
  - (i) an official statement that it originates in

an area\* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from *Anoplophora* glabripennis (Motschulsky), or

(ii) an official statement that it is debarked and has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood (including at its core).

Where the phytosanitary certificate includes the official statement referred to in point (b)(ii), there must also be evidence of that heat treatment by a mark "HT" put on the wood or on any wrapping in accordance with current usage.

\* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".

# PART B U.K.

Plants, plant products and other objects originating in third countries which are subject to emergency measures and may only be introduced into Great Britain if special requirements are met

<sup>M7</sup>In this Part, 'ISPM31' means International Standard for Phytosanitary Measures No 31 of April 2008 on methodogies for sampling of consignments prepared by the Secretariat of the IPPC established by the Food and Agriculture Organisation of the United Nations .

- (1) Description of (2) Origin (3) Special requirements plants, plant products or other objects
- 1. Plants for planting, EU Member States, The plants must be accompanied by: other than seeds, Liechtenstein of Viburnum spp. Switzerland (a) an official statement that the plants originate in an area\*

L., Camellia spp. L. or Rhododendron spp. L., other than Rhododendron simsii Planch

- established by the national plant protection organisation in accordance with ISPM4 as an area that is free from *Phytophthora ramorum* Werres, De Cock & Man in 't Veld;
- (b) an official statement that since the beginning of the last complete cycle of vegetation no signs of Phytophthora ramorum Werres, De Cock & Man in 't Veld have been observed on the plants at the place of production during official inspections, including laboratory testing of any suspicious symptoms, carried out at least twice during the growing season at appropriate times when the plants were in active growth and with an intensity which took into account the particular production system of the plants, or
- (c) where signs of *Phytophthora* ramorum Werres, De Cock & Man in 't Veld have been found on the plants at the place of production, an official statement that appropriate procedures have been implemented for the purpose of eradicating that pest and the plants have been found free from the pest following those procedures, which consisted of at least:
  - (i) destruction of the infected plants and all susceptible plants within a 2 m radius of the infected plants, including associated growing media and plant debris,
  - (ii) in the case of plants listed in column (1) of this entry within a 10 m radius of the infected plants and any remaining

plants from the infected lot:

- (aa) they have been retained at the place of production,
- (bb) additional official inspections have been carried out at least twice in the three months after the eradication measures have been taken when the plants are in active growth,
- (cc) no treatments
  that may
  suppress
  symptoms of the
  plant pest have
  been carried
  out in that three
  month period,
  and
- (dd) the plants have been found free from the pest on these official inspections,
- (iii) in the case of all other plants listed in column (1) of this entry at the place of production, the plants have been subjected to intensive official re-inspection and have been found free from the pest on those inspections, and
- (iv) appropriate phytosanitary measures have been taken on the growing surface within a 2 m radius of infected plants.
- \* The name of the area(s) must be included in the phytosanitary

certificate under the heading "Additional declaration".

2. for planting, Any third other than seeds, which where belong to the genera fastidiosa (Wells et and species listed in al.) is known not the list of Xylella host to be present, other plants

than EU Member States, Liechtenstein and Switzerland

country The plants must be accompanied by an Xylella official statement

- (a) that Xylella fastidiosa (Wells et al.) is not present in the country,
- (b) in the case of plants, other than seeds, intended for planting, of Coffea, Lavandula dentata L., Nerium oleander L., Olea europaea L., Polygala myrtifolia L., or Prunus dulcis (Mill.) D.A. Webb, that they have been grown in a site that is subject to annual official inspection, with sampling and testing carried out at the appropriate times on those plants for the presence of *Xylella* fastidiosa (Wells et al.) and in accordance with international standards, using a sampling scheme able to identify with 99% reliability the level of presence of infected plants of 5%, in which the absence of *Xylella fastidios*a (Wells et al.) was confirmed, and
- (c) in the case of plants, other than seeds, intended for planting, of *Polygala* myrtifolia L., that prior to their movement out of their production site and as close to that time as possible, each lot of plants was subjected in addition to official visual inspection and sampling, as well as testing, in line with international standards for the presence of Xylella fastidiosa (Wells et al.), using a sampling scheme able to identify with 99% reliability the level of presence of infected plants of 5%, in which the absence of *Xylella fastidiosa* (Wells et al.) was confirmed.

A phytosanitary certificate may not include any such official statement unless the national plant protection organisation of the country of origin has notified the national plant protection organisation of the United Kingdom in writing that Xylella fastidiosa (Wells et al.) is not present in the country.

3. other than seeds, which where belong to the genera fastidiosa (Wells et and species listed in al.) is known to the list of Xylella host be present, other plants

Xvlella than EU Member States, Liechtenstein and Switzerland

for planting, Any third country The plants must be accompanied by:

- (a) in the case of plants originating in an area which has been established by the national plant protection organisation in accordance with ISPM4 as as area\* that is free from Xylella fastidiosa (Wells et al.), an official statement that they originate in such an area,
- (b) in the case of plants which originate in an area where Xvlella fastidiosa (Wells et al.) is known to be present and have not been grown for their entire production cycle in vitro, an official statement:
  - (i) that the plants have been produced in a site\*\*:
    - (aa) that is authorised by the national plant protection organisation in accordance with ISPM10 as a site that is free from Xvlella fastidiosa (Wells et al.) and its vectors,
    - (bb) that is physically protected against the introduction of Xylella fastidiosa by its vectors,
    - (cc) that is surrounded by

a zone with a width of 100 m which has been subject to official inspections twice a year and where all of the plants found to be infected with, or to have symptoms of, Xylella fastidiosa (Wells et al.) have been immediately removed and appropriate phytosanitary treatments against the vectors of Xylella fastidiosa (Wells et al.) have been applied before that removal,

- (dd) that at appropriate times throughout the year, is subject to phytosanitary treatments to maintain freedom from the vectors of *Xylella fastidiosa* (Wells et al.), including the removal of plants,
- (ee) that is subject annually, together with the zone referred to in point (cc), to at least two official inspections during the flight season

- of the vectors of *Xylella* fastidiosa (Wells et al.),
- (ff) where throughout the production time of the plants, neither symptoms of Xylella fastidiosa (Wells et al.) nor its vectors were found in the site or if suspect symptoms were observed, testing was carried out and the absence of Xylella fastidiosa (Wells et al.) confirmed, and
- (gg) where throughout the production time of the plants, no symptoms of Xylella fastidiosa (Wells et al.) were found in the zone referred to in point (cc) or if suspect symptoms were observed, testing was carried out and the absence of Xylella fastidiosa (Wells et al.) confirmed,
- (ii) that representative samples of each species of the plants from the site have been subject to annual testing, at the most appropriate

- time, and the absence of *Xylella fastidiosa* (Wells et al.) has been confirmed on the basis of tests carried out in accordance with internationally validated testing methods,
- (iii) that the plants have been transported in closed containers or packaging, to prevent infection with *Xylella fastidiosa* (Wells et al.) or any of its known vectors,
- (iv) that as practically close to the time of export as possible, the lots of the plants were subject to official visual inspection, sampling and molecular testing, carried out in accordance with internationally validated testing methods, using a sampling scheme able to identify with 99% reliability the level of presence of infected plants of 1% and targeting in particular plants displaying symptoms of Xylella fastidiosa (Wells et al.), which confirmed the absence of Xylella fastidiosa (Wells et al.), and
- (v) that immediately prior to export, the lots of the plants were subject to phytosanitary treatments against any known vectors of *Xylella* fastidiosa (Wells et al.), or
- (c) in the case of plants which originate in an area where *Xylella fastidiosa* (Wells et al.) is known to be present and have been grown for their

entire production cycle *in vitro*, an official statement:

- (i) that the plants have been grown in a site\*\* of production:
  - (aa) that is authorised by the national plant protection organisation in the country of origin in accordance with ISPM10 as site of production that is free from *Xylella fastidiosa* (Wells et al.) and its vectors,
  - (bb) that is physically protected against the introduction of *Xylella fastidiosa* (Wells et al.) by its vectors,
  - (cc) that is subjected annually to at least two official inspections carried out at appropriate times, and
  - (dd) where
    throughout
    the production
    time of the
    plants, neither
    symptoms
    of Xylella
    fastidiosa (Wells
    et al.) nor its
    vectors were
    found in the site
    or, if suspect
    symptoms
    were observed,
    testing was

carried out, and the absence of *Xylella* fastidiosa (Wells et al.) confirmed,

- (ii) that the plants have been transported under sterile conditions in a transparent container that precludes the possibility of infection by *Xylella fastidiosa* (Wells et al.) through its vectors, and
- (iii) that the plants have been grown from seeds, propagated under sterile conditions from mother plants which have spent their entire lives in an area free from Xylella fastidiosa (Wells et al.) and have been tested and found free from Xylella fastidiosa (Wells et al.) or have been propagated under sterile conditions from mother plants which have been grown in a site which meets the requirements in point (b) (i) and have been tested and found free from Xylella fastidiosa (Wells et al.).

A phytosanitary certificate may not include any of the official statements referred to in point (a) to (c) unless the national plant protection organisation in the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of the area(s) or the site(s) (as the case may be).

- \* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".
- \*\* The name of the site(s) must be included in the phytosanitary

certificate under the heading "Additional declaration".

4. other than seeds, which Liechtenstein belong to the genera Switzerland and species listed in the list of Xylella host plants and have never been grown in an area where Xylella fastidiosa (Wells et al.) is known to occur

and

for planting, EU Member States, The plants must be accompanied by:

- (a) M8an official statement that they have been grown in a site that is subject to annual official inspection, and in the case of symptoms of Xylella fastidiosa (Wells et al.), sampling, taking into account the technical guidelines for the survey of Xylella fastidiosa (Wells et al.) published by the European Commission from time to time, and testing in line with international standards for the presence of *Xylella fastidiosa* (Wells et al.), in which the absence of *Xylella fastidiosa* (Wells et al.) was confirmed, or
- (b) in the case of plants for planting, other than seeds, of Coffea, Lavandula dentata L., Nerium oleander L., Olea europaea L., Polygala myrtifolia L. and Prunus dulcis (Mill.) D.A. Webb, an official statement:
  - (i) that they have been grown in a site that is subject to annual official inspection and sampling, taking into account the technical guidelines for the survey of Xvlella fastidiosa (Wells et al.) published by the **European Commission** from time to time, and testing in line with international standards for the presence of *Xylella fastidiosa* (Wells et al.), using a sampling scheme able to identify with 99% reliability the level of presence of infected plants of 5%, in which the absence of *Xylella fastidiosa* (Wells

- et al.) was confirmed, and
- (ii) in respect of any plants for planting, other than seeds, of Polygala *myrtifolia* L., that prior to their movement out of their production site and as close to that time as possible, each lot of plants was subjected in addition to official visual inspection and sampling, as well as testing, in line with international standards for the presence of Xylella fastidiosa (Wells et al.), using a sampling scheme able to identify with 99% reliability the level of presence of infected plants of 5%, in which the absence of Xylella fastidiosa (Wells et al.) was confirmed.

For the purposes of point (b), the presence of Xylella fastidiosa (Wells et al.) must have been screened by one test, and in the case of positive results, its presence must have been identified by carrying out, in line with international standards, at least one positive molecular test.

5. other than seeds, which Liechtenstein belong to the genera Switzerland and species listed in the list of Xylella host plants and have been grown for at least part of their life in an area in the European Union, Liechtenstein or Switzerland where Xylella fastidiosa (Wells et al.) is known to occur

- Plants for planting, EU Member States, In the case of plants which have not been and grown for their entire production cycle in vitro, the plants must:
  - (a) be accompanied by an official statement:
    - (i) that they have been grown in a site that:
      - (aa) is registered and authorised by the national plant protection organisation in the country of origin in accordance with ISPM10 as a site that is free from Xylella

fastidiosa (Wells et al.) and its vectors, and is physically protected against the introduction of *Xylella fastidiosa* (Wells et al.) by its vectors,

- (bb) is surrounded by a zone with a width of 100 m which has been subject to official inspections twice a year and where all of the plants found to be infected with, or to have symptoms of, Xylella fastidiosa (Wells et al.) have been immediately removed and appropriate phytosanitary treatments against the vectors of Xylella fastidiosa (Wells et al.) have been applied before that removal,
- (cc) is subject to phytosanitary treatments, which may include the removal of plants, at appropriate times of the year to maintain freedom from vectors of *Xylella*

fastidiosa (Wells et al.),

- (dd) is subject annually, together with the zone referred to in point (bb) to at least two official inspections, taking into account the technical guidelines for the survey of Xylella fastidiosa (Wells et al.) published by the European Commission from time to time,
- (ee) where throughout the time of growth of the plants, neither symptoms of Xylella fastidiosa (Wells et al.) nor its vectors were found in the site or, if suspect symptoms were observed, tests were carried out confirming the absence of Xylella fastidiosa (Wells et al.), and
- (ff) where
  throughout the
  time of growth
  of the plants,
  no symptoms
  of *Xylella*fastidiosa (Wells
  et al.) were
  found in the
  zone referred

to in point (bb) or, if suspect symptoms were observed, testing has been undertaken and absence of *Xylella fastidiosa* (Wells et al.) confirmed,

- (ii) that representative samples of each species of the plants from the site have been subject to annual testing, at the most appropriate time, and the absence of *Xylella fastidiosa* (Wells et al.) has been confirmed on the basis of tests carried out in accordance with internationally validated testing methods,
- (iii) that as practically close to the time of export as possible, the lots of the plants were subject to official visual inspection, sampling and molecular testing, carried out in accordance with internationally validated testing methods, using a sampling scheme able to identify with 99% reliability a level of presence of infected plants of 1% or above and targeting in particular plants displaying symptoms of *Xylella fastidiosa* (Wells et al.), in accordance with ISPM31, and
- (iv) that prior to their movement from the area, the lots of the plants were subject to phytosanitary treatments against the vectors of

*Xylella fastidiosa* (Wells et al.), and

(b) be moved in closed containers or packaging from the area to prevent infection with *Xylella fastidiosa* (Wells et al.) or any of its vectors.

In the case of dormant plants, other than seeds, of *Vitis* intended for planting, the plants must:

- (a) be accompanied by an official statement:
  - that they have been grown in a site that is registered by the national plant protection organisation in the country of origin and that as practically close to the time of export as possible, the plants have undergone an appropriate thermotherapy treatment in an authorised treatment facility authorised and supervised by that national plant protection organisation for that purpose, where the dormant plants were submerged for 45 minutes in water heated to 50°C in accordance with EPPO PM 10/18, and
  - (ii) that prior to their movement from the area, the lots of the plants were subject to phytosanitary treatments against the vectors of *Xylella fastidiosa* (Wells et al.), and
- (b) be transported in closed containers or packaging from the area to prevent infection with *Xylella fastidiosa* (Wells et al.) or any of its vectors.

In addition, the plants must not have been moved through any other area where *Xylella fastidiosa* is known to occur unless they were transported into and through the area in closed containers or packaging to prevent infection with *Xylella fastidiosa* (Wells et al.) or any of its vectors,

- (c) in the case of plants which originate in an area where *Xylella fastidiosa* (Wells et al.) is known to be present and have been grown for their entire production cycle *in vitro*, an official statement that:
  - (i) the plants have been grown in a site\*\* of production:
    - (aa) that is authorised by the national plant protection organisation in the country of origin in accordance with ISPM10 as a site of production that is free from *Xylella fastidiosa* (Wells et al.) and its vectors,
    - (bb) that is physically protected against the introduction of *Xylella fastidiosa* (Wells et al.) by its vectors,
    - (cc) that is subjected annually to at least two official inspections carried out at appropriate times, and
    - (dd) where throughout the production time of the plants, neither symptoms of *Xylella fastidiosa* (Wells et al.) nor its vectors were found in the site or, if suspect symptoms were observed, testing has been undertaken and the absence of *Xylella fastidiosa* (Wells et al.) confirmed,
  - (ii) that the plants have been transported under sterile conditions in a transparent container that precludes the possibility of infection by *Xylella fastidiosa* (Wells et al.) by its vectors, and
  - (iii) that the plants have been grown from seeds, propagated under sterile conditions from mother

plants which have spent their entire lives in an area free from *Xylella fastidiosa* (Wells et al.) and have been tested and found free from *Xylella fastidiosa* (Wells et al.) or have been propagated under sterile conditions from mother plants which have been grown in a site which meets the requirements in point (c)(i) and have been tested and found free from *Xylella fastidiosa* (Wells et al.).

M9In the second paragraph, in point (a)(i), 'EPPO PM 10/18' means the standard describing a long-duration hot water treatment of grapevine material against flavescence dorée phytoplasma, approved by the European and Mediterranean Plant Protection Organization.

The seeds must be accompanied by:

- (a) an official statement that they are of *Capsicum* spp. varieties which are known to be resistant to Tomato brown rugose fruit virus, or
- (b) an official statement:
  - (i) that the mother plants of seeds have been produced in a production site\* where Tomato brown rugose fruit virus is known not to occur on the basis of official inspections carried out at the appropriate time to detect that pest, and
  - (ii) that the seeds or their mother plants have undergone official sampling and testing for Tomato brown rugose fruit virus and have been found, according to those tests, to be free from that pest.

\*The name of the site(s) of production must be included in the phytosanitary

6. Seeds of *Solanum* Any third country *lycopersicum* L. and *Capsicum* spp., intended for planting

certificate under the heading "Additional declaration".

For the purposes of point (b)(ii), the official sampling and testing of the seeds must be carried out in accordance with the paragraphs below.

The official sampling of seeds for testing must be carried out in accordance with the following sampling schemes referred to in the relevant table of ISPM31:

- —in the case of seed lots which include 3000 or fewer seeds, a hypergeometric sampling scheme that is able to identify with 95% reliability a level of presence of infected plants of 10% or above,
- —in the case of seed lots which include 30000 or fewer seeds, but more than 3000 seeds, a sampling scheme that is able to identify with 95% reliability a level of presence of infected plants of 1% or above,
- —in the case of seed lots which include more than 30000 seeds, a sampling scheme that is able to identify with 95% reliability a level of presence of infected plants of 0.1% or above.

Sub samples must consist of nor more tha 1000 seeds for Polymerase Chain Reaction (PCR) methods.

The testing of seeds must be carried out using one of the following methods and the method used must be included in the phytosanitary certificate under the heading "Additional declaration":

- —real-time RT-PCR using the primers and probes described in the ISF protocol (2020), or
- —real-time RT-PCR using primers and probe of Menzel and Winter (Acta Horticulturae, in press).

7. Plants for planting of Any third country Solanum lycopersicum

L. and *Capsicum* spp.

The plants must be accompanied by:

- (a) an official statement that they are of *Capsicum* spp. varieties which are known to be resistant to Tomato brown rugose fruit virus, or
- (b) an official statement that:
  - (i) the plants are derived from seeds which have undergone sampling and testing for Tomato

- brown rugose fruit virus in the manner set out in column (3) of entry 6 which has shown them to be free from that pest, and
- (ii) the plants have been produced in a production site\* which is registered and supervised by the national plant protection organisation in the country of origin and is known to be free from Tomato brown rugose fruit virus on the basis of official inspections carried out at the appropriate time to detect that pest, and where the plants have shown symptoms of Tomato brown rugose fruit virus, the plants have undergone official sampling and testing for Tomato brown rugose fruit virus and have been found, according to those tests, to be free from that pest.

\*The name of the site(s) of production must be included in the phytosanitary certificate under the heading "Additional declaration".

For the purposes of point (b)(ii), the official sampling and testing of the seeds must be carried out in accordance with the paragraphs below.

In the case of plants for planting, 200 leaves must be collected per site of production and cultivar.

In case of symptomatic plants, sampling for testing must be performed on at least 3 symptomatic leaves.

One of the following testing methods must be carried out for the detection of Tomato brown rugose fruit virus:

- —in the case of symptomatic material only, ELISA,
- —conventional RT-PCR using the primers of Alkowni et al. (2019),

- —conventional RT-PCR using the primers of Rodriguez-Mendoza et al. (2019),
- —real-time RT-PCR using the primers and probes described in the ISF protocol (2020),
- —real-time RT-PCR using primers and probe of Menzel and Winter (Acta Horticulturae, in press).

In case of a positive result of the detection test, a second testing method, different from the one used for detection, must be carried out with one of the RT-PCR methods mentioned above, using the same sample to confirm the identification."

#### **Textual Amendments**

- F5 Words in Sch. 7 inserted (31.12.2020 immediately before IP completion day) by The Official Controls (Animals, Feed and Food, Plant Health etc.) (Amendment) (EU Exit) (No. 2) Regulations 2020 (S.I. 2020/1631), regs. 1(2), 9(4)(a)
- **F6** Words in Sch. 7 omitted (31.12.2020 immediately before IP completion day) by virtue of The Official Controls (Animals, Feed and Food, Plant Health etc.) (Amendment) (EU Exit) (No. 2) Regulations 2020 (S.I. 2020/1631), regs. 1(2), **9(4)(b)**

### **Marginal Citations**

- M3 First approved by the European and Mediterranean Plant Protection Organization in September 2003 and available from its Secretariat at 21 Boulevard Richard Lenoir, 75011, Paris, France and at https://onlinelibrary.wiley.com/doi/epdf/10.1111/j.1365-2338.2011.02488.x.
- M4 First approved by the European and Mediterranean Plant Protection Organization in September 2006 and available from its Secretariat at 21 Boulevard Richard Lenoir, 75011, Paris, France and at http://onlinelibrary.wiley.com/doi/10.1111/epp.12440/epdf.
- M5 Approved by the European and Mediterranean Plant Protection Organization in September 2018 and available from its Secretariat at 21 Boulevard Richard Lenoir, 75011, Paris, France and at https://onlinelibrary.wiley.com/doi/epdf/10.1111/epp.12510.
- **M6** S.I. 2001/3510, amended by S.I. 2004/2949, 2007/1871, 2009/1273, 2010/1195, 2011/464, 1043, 2014/487, 2018/942, 2019/162; there are other amending instruments but none is relevant.
- M7 Available from the IPPC Secretariat, AGPP-FAO, Viale Delle Terme di Caracalla, 00153, Rome, Italy and at https://www.ippc.int/int.
- M8 https://www.efsa.europa.eu/en/supporting/pub/en-1873.
- **M9** Approved by the European and Mediterranean Plant Protection Organization in September 2012 and available from its Secretariat at 21 Boulevard Richard Lenoir, 75011, Paris, France and at https://onlinelibrary.wiley.com/doi/epdf/10.1111/epp.2594.

# SCHEDULE 8 U.K.

Regulation 11

New Annex 8 to the Phytosanitary Conditions Regulation

#### **Commencement Information**

Sch. 8 in force at 31.12.2020 on IP completion day, see reg. 1(2)

## "ANNEX 8 U.K.

List of plants, plant products and other objects originating in a CD territory or Great Britain and the special requirements for their introduction into Great Britain from a CD territory or their movement within Great Britain

# PART A U.K.

List of plants, plant products and other objects originating in a CD territory or Great Britain and the special requirements for their introduction into Great Britain from a CD territory or their movement within Great Britain

### Interpretation

In this Part—

'relevant PCN provisions' means—

- M10 in relation to potatoes produced in England, Part 4 of Schedule 2 to the Official Controls (Plant Health and Genetically Modified Organisms) (England) Regulations
- (ii) MII in relation to potatoes produced in Wales, Part 4 of Schedule 2 to the Official Controls (Plant Health and Genetically Modified Organisms) (Wales) Regulations 2020;
- (iii) M12in relation to potatoes produced in Scotland, paragraphs 4 and 5 of Part 2, and Part 4, of Schedule 2 to the Plant Health (Official Controls and Miscellaneous Provisions) (Scotland) Regulations 2019;

'relevant Potato Wart Disease provisions' means-

- in relation to potatoes produced in England, Part 3 of Schedule 2 to the Official Controls (Plant Health and Genetically Modified Organisms) Regulations 2019;
- in relation to potatoes produced in Wales, Part 3 of Schedule 2 to the Official Controls (Plant Health and Genetically Modified Organisms) (Wales) Regulations 2020;
- (iii) in relation to potatoes produced in Scotland, Part 3 of Schedule 2 to the Plant Health (Official Controls and Miscellaneous Provisions) (Scotland) Rgulations 2019.

## (1) Description of plants, plant (2) Special requirements products or other objects

1. in the open air

Plants for planting with roots, grown There must be evidence that the place of production is known to be free from Synchytrium endobioticum (Schilbersky) Percival.

- 2. collections
- 3. forming species of Solanum L., or their hybrids, other than:
  - those tubers of *Solanum* tuberosum L. specified in entries 4, 5 and 6; and — seeds of Solanum tuberosum L. specified in entry 18

Plants for planting of stolon, or The plants must be accompanied by an tuber-forming species of *Solanum* official statement that the plants have been L., or their hybrids, being stored held under quarantine conditions and have in gene banks or genetic stock been found free from any GB quarantine pests by laboratory testing, as described in entry 3, before release from quarantine. Each organisation or research body holding such material must inform the competent authority of the material held.

Plants for planting of stolon or tuber- The plants must be accompanied by an official statement that they have been held under quarantine conditions and:

- (a) have been found free from GB quarantine pests by laboratory testing before release from quarantine, using methods described in EPPO PM 3/21, which was:
- (i) supervised by the competent authority and executed by scientifically trained staff of that authority or of any officially approved body,
- (ii) executed at a site provided with appropriate facilities sufficient to contain GB quarantine pests and maintain the material, including indicator plants, in such a way as to eliminate any risk of spreading GB quarantine pests;
- (iii) executed on each unit of the material:
- (aa) by visual examination at regular intervals during the full length of at least one vegetative cycle, having regard to the type of material and its stage of development during the testing programme, for symptoms caused by any GB quarantine pests, and
- (bb) by laboratory testing:
- in the case of all potato material at least
- Andean potato latent virus,
- Andean potato mild mottle virus,
- Andean potato mottle virus,
- Arracacha virus B. oca strain,
- Potato black ringspot virus,
- Potato virus T,

- Potato yellowing virus,
- Potato yellow vein virus,
- non-European isolates of potato viruses A, M, S, V, X and Y (including Yo, Yn and Yc) and Potato leafroll virus (including Yo),
- Clavibacter sepedonicus (Spieckermann & Kotthoff) Li et al.,
- Ralstonia solanacearum Yabuuchi et al. emend. Safni et al., Ralstonia pseudosolanacearum Safni et al., Ralstonia syzygii subsp. celebensis Safni et al. and Ralstonia syzygii subsp. indonesiensis Safni et al.,
- in the case of seeds of Solanum tuberosum L., other than those specified in entry 18, at least for the viruses and viroids listed above, with the exception of Andean potato mottle virus, and non-European isolates of potato viruses A, M, S, V, X and Y (including Yo, Yn and Yc) and Potato leafroll virus, and
  - (iv) included appropriate testing on any other symptoms observed in the visual examination in order to identify the GB quarantine pests having caused such symptoms.

M13In point (a), 'EPPO PM 3/21' means the standard describing inspection and tests for detection of pests infecting Solanum species or hybrids imported for germplasm, conservation, breeding or research purposes in post-entry quarantine, approved by the European and Mediterranean Plant Protection Organization.

4.

Tubers of Solanum tuberosum L., for The tubers must be accompanied by an planting, originating in Great Britain official statement that the relevant Potato Wart provisions to combat Synchytrium endobioticum (Schilbersky) Percival have been complied with.

5.

Tubers of Solanum tuberosum L., for The tubers must be accompanied by an planting, originating in Great Britain official statement that they originate in an area in which Ralstonia solanacearum (Smith) Yabuuchi et al. emend. Safni et al.:

- (a) is known not to occur; or
- (b) is known to occur, and the tubers originate from a place of production found free from Ralstonia solanacearum (Smith) Yabuuchi et al. emend. Safni et

al. or considered to be free of Ralstonia solanacearum (Smith) Yabuuchi et al. emend. Safni et al. as a consequence of the implementation of an appropriate procedure aimed at eradicating *Ralstonia solanacearum* (Smith) Yabuuchi et al. emend. Safni et al

- 6. Great Britain
- 7. territory
- Tubers of Solanum tuberosum L., The tubers must be accompanied by an 8. for planting, other than tubers of official statement: those varieties accepted on to the GB Variety List pursuant to the Seeds (National Lists of Varieties)
- Regulations 2001

9. Britain

Tubers of Solanum tuberosum L., The tubers must be accompanied by for planting, other than those which an official statement that the relevant are authorised to be planted for PCN provisions to combat Globodera the purposes of this entry by the pallida (Stone) Behrens and Globodera competent authority, originating in *rostochiensis* (Wollenweber) Behrens have been complied with.

Tubers of Solanum tuberosum L., The tubers must be accompanied by for planting, originating in a CD an official statement that they originate an area in which Synchytrium endobioticum (Schilbersky) Percival. Ralstonia solanacearum (Smith) Yabuuchi et al. emend. Safni et al., Globodera pallida (Stone) Behrens and Globodera rostochiensis (Wollenweber) Behrens are known not to occur.

- (a) that they belong to advanced selections,
- (b) that they have been produced within Great Britain, and
- (c) that they have been derived in direct line from material which has been maintained under appropriate conditions and has been subjected within Great Britain to official quarantine testing in accordance with appropriate methods and has been found free from pests.

Tubers of Solanum tuberosum L., There must be evidence by a registration other than those mentioned in entries number put on the packaging, or in the 2 to 6 or 8, originating in Great case of loose-loaded potatoes transported in bulk, on the accompanying documents, demonstrating that the tubers have been grown by an officially registered producer, or originate from officially registered collective storage or dispatching centres located in the area of production, indicating:

- (a) that the tubers are free from Ralstonia solanacearum (Smith) Yabuuchi et al. emend. Safni et al.. and
- (b) that the relevant Potato Wart provisions to combat Synchytrium endobioticum (Schilbersky) Percival and the relevant PCN provisions to combat Globodera pallida (Stone) Behrens and Globodera rostochiensis (Wollenweber) Behrens have been complied with.
- 10. 7, originating in a CD territory

Tubers of Solanum tuberosum L., There shall be evidence by a registration other than those mentioned in entry number put on the packaging, or in the case of loose-loaded potatoes transported in bulk, on the accompanying documents, demonstrating that the tubers have been grown by an officially registered producer, or originate from officially registered collective storage or dispatching centres located in the area of production, indicating that the tubers are free from Ralstonia solanacearum (Smith) Yabuuchi et al. emend. Safni et al., Synchytrium endobioticum (Schilbersky) Percival, Globodera pallida (Stone) Behrens and Globodera rostochiensis (Wollenweber) Behrens.

- 11. Capsicum spp., for the purposes of this entry by the been complied with. competent authority, originating in Great Britain
- Plants for planting with roots The plants must be accompanied by Solanum an official statement that the relevant lycopersicum L. and Solanum PCN provisions to combat Globodera melongena L., other than those pallida (Stone) Behrens and Globodera which are authorised to be planted *rostochiensis* (Wollenweber) Behrens have
- 12. Capsicum spp., lycopersicum L. and territory
- Plants for planting with roots The plants must be accompanied by an Solanum official statement that they originate in an Solanum area in which Globodera pallida (Stone) melongena L., originating in a CD Behrens and Globodera rostochiensis (Wollenweber) Behrens are known not to occur.

13. Plants for planting, other than seeds. The plants must be accompanied by: of Capsicum annuum L., Solanum lycopersicum L., Musa L., Nicotiana L. and Solanum melongena L.

(a) an official statement that they originate in an area which, in accordance with the measures specified in ISPM4, is known to be free from Ralstonia

- solanacearum (Smith) Yabuuchi et al. emend. Safni et al., or
- (b) an official statement that no symptoms of Ralstonia solanacearum (Smith) Yabuuchi et al. emend. Safni et al. have been observed on the plants at the place of production since the beginning of the last complete cycle of vegetation.
- 14. Fragaria L., other than those which been complied with. are authorised to be planted for the purposes of this entry by the competent authority, originating in Great Britain

Plants for planting with roots grown There must be evidence that the relevant in the open air of Allium porrum PCN provisions to combat Globodera L., Asparagus officinalis L., Beta pallida (Stone) Behrens and Globodera vulgaris L., Brassica spp. and rostochiensis (Wollenweber) Behrens have

Plants for planting with roots grown The plants must be accompanied by an territory

in the open air of Allium porrum official statement that they originate in an L., Asparagus officinalis L., Beta area in which Globodera pallida (Stone) vulgaris L., Brassica spp. and Behrens and Globodera rostochiensis Fragaria L., originating in a CD (Wollenweber) Behrens are known not to occur

16. spp., Iris spp., Lilium spp., Narcissus been complied with. L. or Tulipa L., other than those which are authorised to be planted for the purposes of this entry by the competent authority, originating in Great Britain

Bulbs, tubers or rhizomes, grown in There must be evidence that the relevant the open air, of Allium ascalonicum PCN provisions to combat Globodera L., Allium cepa L., Dahlia spp., pallida (Stone) Behrens and Globodera Gladiolus Tourn. ex L., Hyacinthus rostochiensis (Wollenweber) Behrens have

17. Bulbs, tubers or rhizomes, grown in The plants must be accompanied by an L. or *Tulipa* L., originating in a CD occur. territory

the open air, of Allium ascalonicum official statement that they originate in an L., Allium cepa L., Dahlia spp., area in which Globodera pallida (Stone) Gladiolus Tourn. ex L., Hyacinthus Behrens and Globodera rostochiensis spp., Iris spp., Lilium spp., Narcissus (Wollenweber) Behrens are known not to

18. other than those specified in entry 2 official statement:

Seeds of Solanum tuberosum L., The seeds must be accompanied by an

- (a) that they derive from plants which comply with the requirements set out in entries 4 to 6, 8 and 9, and
- (b) that they:

- (i) originate in an area known to be free from *Synchytrium* endobioticum (Schilbersky) Percival and *Ralstonia* solanacearum (Smith) Yabuuchi et al. emend. Safni et al.; or
- (ii) comply with all of the following requirements:
- (aa) they have been produced in a site where, since the beginning of the last cycle of vegetation, no symptoms of disease caused by the GB quarantine pests referred to in point (b)(i) have been observed;
- (bb) they have been produced at a site where all of the following actions have been taken: -staff and other items, such as tools, machinery, vehicles, vessels and packaging material, from other sites producing solanaceous plants have been prevented from coming into contact with the site or other appropriate hygiene measures have been taken to prevent infection by staff working, or items used, at other sites producing solanaceous plants, and -only water free from all GB quarantine pests referred to point (b)(i) has been used
- 19. Plants for planting, other than seeds, The plants must be accompanied by of *Prunus* L. official statement that:
  - (a) they originate in an area known to be free from *Candidatus*Phytoplasma 'prunorum'
    Seemüller & Schneider, or
  - (b) no symptoms of diseases caused by *Candidatus* Phytoplasma 'prunorum' Seemüller & Schneider have been observed on plants at the place of production since the beginning of the last complete cycle of vegetation.

# PART B U.K.

List of plants, plant products or other objects originating in a CD territory or Great Britain that are subject to emergency measures and may only be introduced into Great Britain from a CD territory or moved within Great Britain if special requirements are met

In this Part, "ISPM 31" has the same meaning as in Part B of Annex 7.

#### Description of plants, plant (2) Special requirements products or other objects

Plants for planting, other than seeds, The plants must be accompanied by: 1. of Viburnum spp. L., Camellia spp. L. and *Rhododendron* spp. L., other than Rhododendron simsii Planch.

- (a) an official statement that the plants originate in an area in which Phytophthora ramorum Werres, De Cock & Man in 't Veld is known not to occur,
- (b) an official statement that since the beginning of the last complete cycle of vegetation no signs of Phytophthora ramorum Werres, De Cock & Man in 't Veld have been observed on the plants at the place of production during official inspections, including laboratory testing of any suspicious symptoms, carried out at least twice during the growing season at appropriate times when the plants were in active growth and with an intensity which took into account the particular production system of the plants, or
- (c) where signs of *Phytophthora* ramorum Werres, De Cock & Man in 't Veld have been found on the plants at the place of production, an official statement that appropriate procedures have been implemented for the purpose of eradicating that pest and the plants have been found free from the pest following those procedures, which consisted of at least:
  - (i) destruction of the infected plants and all susceptible plants within a 2 m radius of the infected plants, including associated growing media and plant debris,

- (ii) in the case of plants listed in column (1) of this entry within a 10 m radius of the infected plants and any remaining plants from the infected lot:
  - (aa) they have been retained at the place of production,
  - (bb) additional official inspections have been carried out at least twice in the three months after the eradication measures have been taken when the plants are in active growth,
  - (cc) no treatments that may suppress symptoms of the pest have been carried out in that three month period, and
  - (dd) the plants have been found free from the pest on these official inspections,
- (iii) in the case of all other plants listed in column (1) of this entry at the place of production, the plants have been subjected to intensive official reinspection and have been found free from the pest on those inspections, and
- (iv) appropriate phytosanitary measures have been taken on the growing surface within a 2 m radius of infected plants.
- 2. Capsicum spp., intended for planting, statement: other than plants for planting of Capsicum spp. varieties which are known to be resistant to Tomato brown rugose fruit virus

Seeds of Solanum lycopersicum L. and The seeds must be accompanied by an official

- (a) that the mother plants of seeds have been produced in a production site where Tomato brown rugose fruit virus is known not to occur on the basis of official inspections carried out at the appropriate time to detect that pest,
- (b) that the seeds or their mother plants have undergone sampling and testing

- for Tomato brown rugose fruit virus by the competent authority, or have been subjected to sampling and testing by professional operators under official supervision of the competent authority, and have been found, according to those tests, to be free from that pest, and
- (c) in the case of any seeds which were in storage prior to 15th August 2020, that the seeds have been sampled and tested for Tomato brown rugose fruit virus by the competent authority and found in those tests to be free from that pest.

For the purposes of point (b), the sampling and testing of the seeds must be carried out in accordance with the paragraphs below.

The official sampling of seeds for testing must be carried out in accordance with the following sampling schemes referred to in the relevant table of ISPM31:

- —in the case of seed lots which include 3000 or fewer seeds, a hypergeometric sampling scheme that is able to identify with 95% reliability a level of presence of infected plants of 10% or above, —in the case of seed lots which include 30000 or fewer seeds, but more than 3000 seeds, a sampling scheme that is able to identify with 95% reliability a level of presence of infected plants of 1% or above,
- —in the case of seed lots which include more than 30000 seeds, a sampling scheme that is able to identify with 95% reliability a level of presence of infected plants of 0.1% or above. Sub samples must consist of no more than 1000 seeds for Polymerase Chain Reaction (PCR) methods.

The testing of seeds must be carried out using one of the following methods and the method used must be included in the phytosanitary certificate under the heading "Additional declaration":

—real-time RT-PCR using the primers and probes described in the ISF protocol (2020), or —real-time RT-PCR using primers and probe of Menzel and Winter (Acta Horticulturae, in press).

3. Plants for planting of *Solanum* The plants *lycopersicum* L. and *Capsicum* spp., other statement: than plants for planting of *Capsicum* spp.

Solanum The plants must be accompanied by an official pp., other statement:

(a) that the plants are derived from seeds which have undergone sampling and

varieties which are known to be resistant to Tomato brown rugose fruit virus

- testing for Tomato brown rugose fruit virus in the manner set out in column (2) of entry 2 which has shown them to be free from that pest, and
- (b) that the plants have been produced in a production site where Tomato brown rugose fruit virus is known not to occur on the basis of official inspections carried out at the appropriate time to detect that pest, and, where the plants have shown symptoms of Tomato brown rugose fruit virus, the plants have undergone official sampling and testing for Tomato brown rugose fruit virus and have been found, according to those tests, to be free from that pest.

For the purposes of point (b)(ii), the sampling and testing of the seeds must be carried out in accordance with the paragraphs below.

In the case of plants for planting, 200 leaves must be collected per site of production and cultivar. In case of symptomatic plants, sampling for testing must be performed on at least 3 symptomatic leaves.

One of the following testing methods must be carried out for the detection of Tomato brown rugose fruit virus:

- —in the case of symptomatic material only, ELISA,
- —conventional RT-PCR using the primers of Alkowni et al. (2019),
- —conventional RT-PCR using the primers of Rodriguez-Mendoza et al. (2019),
- —real-time RT-PCR using the primers and probes described in the ISF protocol (2020),
- —real-time RT-PCR using primers and probe of Menzel and Winter (Acta Horticulturae, in press).

In case of a positive result of the detection test, a second testing method, different from the one used for detection, must be carried out with one of the RT-PCR methods mentioned above, using the same sample to confirm the identification."

# **Marginal Citations**

M10 S.I. 2019/1517 to which there are amendments not relevant to these Regulations.

M11 S.I. 2020/206 (W. 48).

M12 S.S.I. 2019/421, amended by S.S.I. 2020/152, 176.

M13 First approved by the European and Mediterranean Plant Protection Organization in September 1983 and available from its Secretariat at 21 Boulevard Richard Lenoir, 75011, Paris, France and at

https://onlinelibrary.wiley.com/doi/epdf/10.1111/epp.12613.

# SCHEDULE 9 U.K.

Regulation 13

# New Annex 10 to the Phytosanitary Conditions Regulation

#### **Commencement Information**

Sch. 9 in force at 31.12.2020 on IP completion day, see reg. 1(2)

# "ANNEX 10 U.K.

List of plants, plant products and other objects to be introduced into, or moved within, GB pest-free areas and corresponding special requirements

#### (1) Description of plants, plant products or other objects

# (2) Special requirements

# (3) Description of GB pestfree area

1. other than fruits and by: seeds, of Quercus L., other than Quercus suber L., of a girth of at least 8 cm measured at a height of 1.2 m from the root collar

Plants for planting, The plants must be accompanied Great

- (a) an official statement that the plants have been grown throughout their life in places of production in countries where Thaumetopoea processionea L. is not known to occur,
- (b) an official statement that the plants have been grown throughout their life in an area free from Thaumetopoea processionea L. established by the national plant protection organisation in accordance with ISPM4 as an area that is free from Thaumetopoea processionea L., or
- (c) an official statement that he plants have been grown throughout their life in a site with complete physical protection against

Britain (excluding the local authority areas of Barking and Dagenham, Barnet, Basildon, Basingstoke and Deane, Bexley, Bracknell Forest, Brent, Brentwood, Bromley, Broxbourne, Castle Camden, Point, Chelmsford, Chiltern, City of London, City of Westminster, Crawley, Croydon, Dacorum, Dartford, Ealing, East Hertfordshire, Elmbridge Enfield, District, **Epping** Forest, Epsom and Ewell Gravesham, District, Greenwich, Guildford, Hackney, Hammersmith & Haringey, Fulham, Harlow, Harrow, Hart, Havering, Hillingdon, Hertsmere, Horsham, Hounslow, Islington, Kensington Chelsea, & Kingston-upon-Thames, Lambeth, Lewisham, Littlesford, Medway, Merton, Mid Sussex, Mole Valley, Newham, North Hertfordshire, Reading, Redbridge, Reigate Richmond-

and

Banstead,

> the introduction of Thaumetopoea processionea L. and have been inspected at appropriate times and found to be free from Thaumetopoea processionea L.

upon-Thames, Runnymede District, Rushmoor, Sevenoaks, Slough, South Bedfordshire, Bucks, South Southwark, Oxfordshire. Spelthorne District, Albans, Sutton, Surrey Heath, Tandridge, Three Rivers. Tonbridge Thurrock, and Malling, Tower Hamlets, Waltham Forest, Wandsworth, Watford, Waverley, Welwyn Hatfield, West Berkshire, Windsor and Maidenhead. Woking. Wokingham Wycombe)"

# SCHEDULE 10 U.K.

Regulation 14

New Annex 11 to the Phytosanitary Conditions Regulation

# **Commencement Information**

Sch. 10 in force at 31.12.2020 on IP completion day, see reg. 1(2)

"ANNEX 11 U.K.

List of plants, plant products and other objects and the respective third countries of origin or dispatch in respect of which phytosanitary certificates are required

# PART A U.K.

List of plants, plant products and other objects and the respective third countries of origin or dispatch, which may not be introduced into Great Britain unless they are accompanied by a phytosanitary certificate, as referred to in Article 72(1) of Regulation (EU) 2016/2031

- **Description** plants, plant products or other objects
- CNcode and its respective description under Council Regulation (EEC) No.2658/87
- (3) Country of origin or dispatch

### Miscellaneous

1. which have operated for agricultural preparation or forestry purposes

Machinery and vehicles Agricultural, horticultural or Anythird country been forestry machinery for soil or cultivation already having been operated; lawn or sports-ground rollers already operated:

```
-Ploughs:
ex 8432 10 00
                   scarifiers,
-Harrows,
cultivators, weeders and hoes:
ex 8432 21 00
ex 8432 29 10
ex 8432 29 30
ex 8432 29 50
ex 8432 29 90
-Seeders,
             planters
                         and
transplanters:
ex 8432 31 00
ex 8432 39 11
ex 8432 39 19
ex 8432 39 90
-Manure
            spreaders
                         and
fertiliser distributors:
ex 8432 41 00
ex 8432 42 00
-Other machinery:
ex 8432 80 00
-Parts:
ex 8432 90 00
Harvesting
                    threshing
              or
machinery, including straw
or fodder balers; grass or
hay mowers; machines for
cleaning, sorting or grading
eggs, fruit or other agricultural
produce, other than machinery
of heading 8437 - already
operated:
-Straw or fodder balers,
including pick-up balers:
ex 8433 40 00
-Combine
              harvesters
threshers:
ex 8433 51 00
-Root or tuber harvesting
machines:
ex 8433 53 10
ex 8433 53 30
ex 8433 53 90
Other
                 agricultural,
horticultural, forestry, poultry-
keeping
                 bee-keeping
           or
                    including
machinery,
germination
               plant
                        fitted
with mechanical or thermal
equipment; poultry incubators
and brooders –
operated:
```

-Forestry machinery:

ex 8436 80 10

Tractors (other than tractors of heading 8709) - already operated:

-Road tractors for semi-

trailers:

ex 8701 20 90

Other than single axle tractors, road tractors or track-laying

tractors:

-Agricultural tractors and

forestry tractors, wheeled:

ex 8701 9110

ex 8701 9210

ex 8701 9310

ex 8701 9410

ex 8701 9510

2. Growing attached to or associated with plants, intended to sustain the vitality of the plants

medium, Not applicable

Any third country

Africa and the USA

Mexico, Nepal, Pakistan, South

Grain of the genera Wheat and meslin, other than Afghanistan, India, Iran, Iraq, 3. Triticum L., Secale L. and seeds for sowing: x Triticosecale Wittm. ex 1001 19 00 A. Camus

1001 99 00

Rye, other than seed for

sowing: 1002 90 00

Triticale, other than seed for

sowing: ex 1008 60 00

General categories

Plants for planting, other Bulbs, tubers, tuberous roots, Any third country than seeds

corms, crowns and rhizomes, dormant, in growth or in flower; chicory plants and roots other than roots of heading

1212:

0601 10 10

0601 10 20

0601 10 30

0601 10 40

0601 10 90

0601 20 10

0601 20 30 0601 20 90

Other live plants (including their roots), cuttings and slips;

other than mushroom spawn:

0602 10 90

ex 0705 11 00

substrate:

ex 0704 90 10 ex 0704 90 90

ex 0705 19 00

ex 0705 21 00

ex 0705 29 00

Celery other than celeriac, planted in a growing substrate:

Lettuce (*Lactuca sativa*) and chicory (*Cichorium* spp.), fresh, planted in a growing

ex 0709 40 00

Salad vegetables, other than lettuce (*Lactuca sativa*) and chicory (*Cichorium* spp.), planted in a growing substrate:

ex 0709 99 10

Other vegetables, planted in a growing substrate:

ex 0709 99 90

Ginger, saffron, turmeric (curcuma), and other spices, for planting or planted in a growing substrate:

ex 0910 11 00

ex 0910 20 10

ex 0910 30 00 ex 0910 99 31 ex 0910 99 33

5. Root and vegetables

tubercle Carrots, turnips, salad beetroot, Any third country salsify, celeriac, radishes and similar edible roots, fresh or

chilled:

0706 10 00

0706 90 10

0706 90 30

0706 90 90

Other root and tubercle vegetables, fresh or chilled:

ex 0709 99 90

Manioc, arrowroot, salep, Jerusalem artichokes, sweet potatoes and similar roots and tubers with high starch or inulin content, fresh, chilled, not frozen nor dried, not sliced or in the form of pellets:

ex 0714 10 00

ex 0714 20 10

ex 0714 20 90

ex 0714 30 00

ex 0714 40 00

ex 0714 50 00

ex 0714 90 20

ex 0714 90 90

Ginger, saffron, turmeric (curcuma), and other spices in the form of root or tubercle plant parts, fresh or chilled,

other than dried:

ex 0910 11 00

ex 0910 30 00

ex 0910 99 91

Sugar beet, not ground, fresh and chilled:

ex 1212 91 80

Chicory roots, fresh and chilled:

ex 1212 94 00

Other root and tubercle vegetables, fresh and chilled:

ex 1212 99 95

Swedes, mangolds, fodder roots, similar forage products, not in the form of pellets, fresh or chilled, other than dried:

ex 1214 90 10

ex 1214 90 90

6. sp Fischer ex Wydler, their roots), cuttings and slips;

Plants of Cryptocoryne Other live plants (including Anythird country

Hygrophila sp R. Brown other than mushroom spawn:

and Vallisneria sp L.

ex 0602 10 90 ex 0602 90 50

Foliage, branches and other parts of tomato or eggplant plants, without flowers or flower buds, being goods of a kind suitable for bouquets or for ornamental purposes, fresh:

ex 0604 20 90

Parts of plants, other than fruit and seeds of:

Solanum lycopersicum L. Foliage, branches and other Anythird country and Solanum melongena parts of tomato or eggplant plants, without flowers or flower buds, being goods of a

> kind suitable for bouquets or for ornamental purposes, fresh:

ex 0604 20 90

Vegetable products of tomato eggplant plants, elsewhere specified

included, fresh: ex 1404 90 00

8. Zea mays L. Other vegetables, fresh or Any third country

chilled: -Sweetcorn: ex 0709 99 60 Maize (corn), other: 1005 90 00

Vegetable products of maize (Zea mays), not elsewhere specified or included, fresh:

ex 1404 90 00

9. and Solanaceae Juss.

Convolvulus L., Ipomoea Cut flowers and flower buds of Americas, Australia and New L., Micromeria Benth a kind suitable for bouquets or Zealand for ornamental purposes, fresh:

ex 0603 19 70

Foliage, branches and other parts of plants, without flowers or flower buds, being goods of a kind suitable for bouquets or for ornamental purposes, fresh:

ex 0604 20 90

Vegetable products not elsewhere specified or

included, fresh: ex 1404 90 00

10. Leafy vegetables of Other vegetables, fresh or Anythird country Apium graveolens L. chilled:

Eryngium Tournier ex 0709 40 00 Linnaeus. Limnophila ex 0709 99 10

ex 0709 99 90

R.Br. and *Ocimum* L.

Plants and parts of plants (including seeds and fruits), of a kind used primarily in perfumery, in pharmacy or for insecticidal, fungicidal or similar purposes, fresh not cut, crushed nor powdered:

ex 1211 90 86

Vegetable products not elsewhere specified or

included, fresh: ex 1404 90 00

11. Leaves of Manihot Leaves of cassava (Manihot Any third country esculenta Crantz

esculenta), fresh or chilled:

ex 0709 99 90

Vegetable products of cassava (Manihot esculenta), elsewhere specified or

included, fresh: ex 1404 90 00

12. Conifers (Pinales) Foliage, branches and other Anythird country

> parts of conifer (Pinales) plants, without flowers or flower buds, being goods of a kind suitable for bouquets or for ornamental

purposes, fresh: ex 0604 20 20 ex 0604 20 40

13. Mill., Cut flowers and flower buds of Any third country Castanea

Dendranthema (DC.) a kind suitable for bouquets or Moul., *Dianthus* for ornamental purposes, fresh: Des

Gypsophila L., L., 0603 12 00 Pelargonium l'Herit. ex 0603 14 00 Ait, *Phoenix* spp. L, ex 0603 19 70

and Solidago L.

Populus L., Quercus L. Foliage, branches and other parts of plants, without flowers or flower buds, being goods of a kind suitable for bouquets or for ornamental purposes, fresh:

ex 0604 20 90

Vegetable products not specified elsewhere or

included, fresh: ex 1404 90 00

14. Acer saccharum Foliage, branches and other Canada and the USA Marshall parts of plants of sugar maple

(Acer saccharum), without flowers or flower buds, being goods of a kind suitable for bouquets or for ornamental purposes, fresh: ex 0604 20 90 Vegetable products of plants of sugar maple (Acer saccharum), not elsewhere specified or included, fresh: ex 1404 90 00

15 Prunus L. Cut flowers and flower buds of Any *Prunus* spp. of a kind suitable than: purposes, fresh: ex 0603 19 70 Foliage, branches and other Member parts of plants of *Prunus* spp., Islands, without flowers or flower buds, Liechtenstein, purposes, fresh: ex 0604 20 90 specified or included, fresh: ex 1404 90 00

third country other Albania, Andorra, for bouquets or for ornamental Armenia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canary Islands, EU States, Faroe Georgia, Iceland, Moldova. being goods of a kind suitable Monaco, Montenegro, North for bouquets or for ornamental Macedonia, Norway, Russia (only the following parts: Central Federal District Vegetable products of plants (Tsentralny federalny okrug), of Prunus spp. not elsewhere Northwestern Federal District (Severo-Zapadny federalny okrug), Southern Federal District (Yuzhny federalny okrug). North Caucasian Federal District (Severo-Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug)), San Marino, Serbia, Switzerland, Turkey and Ukraine

16 Betula L. Foliage, branches and other Anythird country parts of plants of birch (Betula spp.), without flowers or flower buds, being goods of a kind suitable for bouquets or for ornamental purposes, fresh: ex 0604 20 90 Vegetable products of plants birch (Betula spp.) not elsewhere specified or included, fresh:

17.

Fraxinus L., Juglans Foliage, branches and other Belarus, Canada, China. L., Pterocarya Kunth parts of plants, without flowers Democratic People's Republic or flower buds, being goods of of Korea, Japan, Kazakhstan,

ex 1404 90 00

and *Ulmus davidiana* a kind suitable for bouquets or Mongolia, the Planchon. for ornamental purposes, fresh: Republic of Korea, ex 0604 20 90 Russia, Taiwan, Vegetable products not Ukraine and the USA elsewhere specified ٥r included, fresh:

18. Acer Pursh, pseudoplatanus Adiantum jordanii C. Aesculus hippocastanum Arbutus (L.) Hull. spp. L., Mill., sativa sylvatica L., Frangula fresh: californica Frangula Vegetable Gray, purshiana (DC.) Cooper, elsewhere Fraxinus excelsior L., included, fresh: Griselinia Hamamelis (Raoul), virginiana L., Heteromeles arbutifolia (Lindley) M. Roemer, latifolia Kalmia L., Laurus nobilis Leucothoe spp. D. Don, Lithocarpus densiflorus (Hook. & Arn.) Rehd., Lonicera hispidula (Lindl.) Dougl. ex Torr.& Gray, Magnolia spp. L., Michelia doltsopa (de Candolle) Figlar Nothofagus obliqua (Mirbel) Orsted, Osmanthus heterophyllus (G. Don) P. Green, Parrotia persica C.A. (DC) Meyer, *Photinia x fraseri* Dress, Pieris spp. D. Don,

Pseudotsuga

menziesii

ex 1404 90 00 macrophyllum Cut flowers and flower buds of The USA Acer a kind suitable for bouquets or L., for ornamental purposes, fresh: aleuticum ex 0603 19 70 (Rupr.) Paris, Adiantum Foliage, branches and other Muell., parts of plants, without flowers californica or flower buds, being goods of (Spach) Nutt., Aesculus a kind suitable for bouquets or L., for ornamental purposes, fresh: menziesii ex 0604 20 90 Pursch., Arbutus unedo Vegetable materials of a kind L., Arctostaphylos spp. used primarily for plaiting Adans, Calluna vulgaris (for example, bamboos, rattans, Camellia reeds, rushes, osier, raffia, Castanea cleaned, bleached or dyed Fagus cereal straw, and lime bark), (Eschsch.) ex 1401 90 00 products not specified or littoralis ex 1404 90 00

(Mirbel) Franco, Quercus spp. L., Rhododendron other spp. L., than Rhododendron simsii Planch.. Rosa gymnocarpa Nutt., Salix caprea L., Seguoia sempervirens (Lamb. ex D. Don) Endl., Syringa vulgaris L., Taxus spp. L., Trientalis latifolia Umbellularia(Hook), californica (Hook. & Arn.) Nutt., Vaccinium ovatum Pursh Viburnum spp. L

## Fruits of:

19. Momordica and Tomatoes, fresh or chilled: Any third country L. 0702 00 00 Solanaceae Juss. Other vegetables, of Solanaceae, fresh or chilled: 0709 30 00 0709 60 10 0709 60 91 0709 60 95 0709 60 99 ex 0709 99 90 Other fruit, fresh or chilled: ex 0810 90 75

20. Carica papaya L., Avocados, fresh or chilled: Any third country Cydonia Mill., Fragaria ex 0804 40 00 L., Malus Mill., Persea Guavas, mangoes and americana Mill., Prunus mangosteens, fresh or chilled: L., Pyrus L., Ribes ex 0804 50 00 L., Rubus L., Syzygium Grapes, fresh or chilled: Gaertn., Vaccinium L. 0806 10 10 and Vitis L. 0806 10 90 (including Melons

Melons (including watermelons) and papaws (papayas), fresh or chilled:
-Papaws (papayas):

0007 20 00

fresh or chilled:

0807 20 00

Apples, pears and quinces,

Apricots, cherries, peaches (including nectarines), plums and sloes, fresh or chilled:

> 0809 10 00 0809 21 00 0809 29 00 0809 30 10 0809 30 90 0809 40 05 0809 40 90 Strawberries, fresh or chilled: 0810 10 00 Raspberries, blackberries, mulberries and loganberries, fresh or chilled: 08010 20 10 ex 0810 20 90 Black-, white- or redcurrants and gooseberries, fresh or chilled: 0810 30 10 0810 30 30 0810 30 90 Cranberries, bilberries and other fruit of the genus Vaccinium, fresh or chilled: 0810 40 10 0810 40 30 0810 40 50 0810 40 90 Kiwifruit, fresh or chilled: 0810 50 00 Persimmons, fresh or chilled: 0810 70 00 Other, fresh or chilled: ex 0810 90 20

Cut flowers of:

21. Orchidaceae Orchids, fresh: Any third country 0603 13 00

ex 0810 90 75

22. Linnaeus., Lisianthus L., 0603 11 00 Rosa L. and Trachelium ex 0603 1970

Aster spp. L., Eryngium Cut flowers and flower buds of Any Tournier ex Linnaeus., a kind suitable for bouquets or than: Hypericum Tournier ex for ornamental purposes, fresh: Armenia, Azerbaijan, Belarus,

third country Albania, Andorra, Bosnia and Herzegovina, Islands, Canary EU Member States, Faroe Islands, Georgia, Iceland, Liechtenstein, Moldova, Monaco, Montenegro, North Macedonia, Norway, Russia (only the following parts: Central Federal District (Tsentralny federalny okrug), Northwestern Federal District (Severo-Zapadny federalny

Southern Federal okrug), District (Yuzhny federalny okrug), North Caucasian Federal District (Severo-Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug)), San Marino, Serbia, Switzerland, Turkey and Ukraine

Argentina, Australia, Bolivia,

Brazil, Chile, New Zealand,

Uruguay

# Tubers of:

23. Solanum tuberosum L. Potatoes, fresh or chilled, other Any third country

than seed potatoes: ex 0701 90 10 ex 0701 90 50 ex 0701 90 90

## Seeds of:

24. *Brassicaceae*, *Poaceae* Seeds of wheat and meslin: and *Trifolium* spp. 1001 11 00

and *Trifolium* spp. 1001 11 (1001 91 1

1001 91 10

1001 91 20

1001 91 90

Seed of rye:

1002 10 00

Seed of barley:

1003 10 00

Seed of oats:

1004 10 00

Seed of maize (corn):

1005 10 13

1005 10 15

1005 10 18

1005 10 90

Seed of rice:

1006 10 10

Seed of sorghum:

1007 10 10

1007 90 00

Seed of millet:

1008 21 00

Canary seed for sowing:

ex 1008 30 00

Fonio (Digitaria spp.) seed for

sowing:

ex 1008 40 00

Seed of triticale:

ex 1008 60 00

Seed of other cereals for

sowing:

ex 1008 90 00

Rape or colza seeds, for

sowing:

238

1205 10 10 ex 1205 90 00 Mustard seed, for sowing: 1207 50 10 Clover (Trifolium spp.) seeds for sowing: 1209 22 10 1209 22 80 Fescue seeds for sowing: 1209 23 11 1209 23 15 1209 23 80 Kentucky blue grass (Poa pratensis L.) seed for sowing: 1209 24 00 Ryegrass (Lolium multiflorum Lam., *Lolium* perenne L.) seeds for sowing: 1209 25 10 1205 25 90 Timothy grass seed; seeds of the genus Poa (Poa palustris L., Poa trivialis L.); cocksfoot grass (Dactylis glomerata L.) and bent grass (Agrostis) seeds, for sowing: ex 1209 29 45 Seeds of other grasses for sowing: ex 1209 29 80 Seeds of ornamental grasses for sowing: ex 1209 30 00 Other brassicas' (Brassicaceae) seeds for sowing: ex 1209 91 80

25. Genera *Triticum* L., Seeds of wheat and meslin: *Secale* L. and x 1001 11 00

*Triticosecale* Wittm. ex 1001 91 10 A. Camus 1001 91 20

1001 91 20 1001 91 90

Seeds of rye: 1002 10 00 Seeds of triticale:

ex 1008 60 00

26. Capsicum spp. L., Sweetcorn for sowing:

Castanea Mill., ex 0709 99 60

Helianthus annuus L., Beans (Phaseolus spp.) for

Solanum lycopersicum sowing: L., Medicago sativa L., 0713 33 10

Prunus L., Rubus L., Zea Almonds, for sowing:

mays L., Allium cepa ex 0802 11 10

Any third country

Africa and the USA

Afghanistan, India, Iran, Iraq,

Mexico, Nepal, Pakistan, South

L., Allium porrum L., ex 0802 11 90 Phaseolus cocineus. and ex 0802 12 10 Phaseolus vulgaris L. ex 0802 12 90

Maize (corn) seeds, for sowing:

1005 10 13 1005 10 15 1005 10 18 1005 10 90 Rice, for sowing: 1006 10 10

Sunflower seeds, for sowing:

1206 00 10

Lucerne (alfalfa) seeds, for

sowing: 1209 21 00

Other vegetable seeds, for

sowing: ex 1209 91 80

Other seeds, for sowing:

ex 1209 99 99

Chestnuts (Castanea spp.)

seeds, for sowing: ex 1209 99 10

Chestnuts (Castanea spp.) in

shells, for sowing: ex 0802 41 00

27. Solanum tuberosum L. Potato true seeds, for sowing: Any third country

ex 1209 91 80

Vegetable seeds of:

28. *Pisum sativum* L. Peas (*Pisum sativum*) seeds, for Any third country

sowing: 0713 10 10

29. Vicia faba L. Broad beans and horse beans Any third country

seeds, for sowing: ex 0713 50 00

Other, seeds for sowing:

ex 0713 90 00

Seeds of oil and fibre plants of:

30. Brassica napus L. Rape or colza seeds, for Any third country

sowing: 1205 10 10 ex 1205 90 00

31. Brassica rapa L., Seeds of Brassica rapa, for Any third country

sowing: ex 1209 91 80

32. Glycine max (L.) Merrill Soya bean seeds for sowing: Any third country

1201 10 00

33. Linum usitatissimum L. Linseed, for sowing: Any third country

1204 00 10

34. Sinapis alba L. Mustard seeds, for sowing: 1207 50 10

Any third country

Isolated bark of:

35. Conifers (Pinales) Vegetable products of bark, Any third country not elsewhere specified or included: ex 1404 90 00 Fuel wood, in logs, in billets,

in twigs, in faggots or in similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms:

-Wood waste and scrap, not

agglomerated: ex 4401 40 90

36. L. other than Quercus included: suber L.

Acer saccharum Marsh, Vegetable products of bark, Anythird country Populus L., and Quercus not elsewhere specified or ex 1404 90 00

> Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar

forms:

-Wood waste and scrap, not

agglomerated: ex 4401 40 90

37. Ulmus davidiana Planch. included:

Fraxinus L., Juglans L., Vegetable products of bark, Belarus, Pterocarya Kunth and not elsewhere specified or Democratic People's Republic

ex 1404 90 00

Fuel wood, in logs, in billets, Republic of Korea, in twigs, in faggots or in Russia, Taiwan, similar forms; wood in chips Ukraine and the USA or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms:

-Wood waste and scrap, not agglomerated:

ex 4401 40 90

38. Betula L. Vegetable products of bark Canada and the USA of birch (Betula spp.),

Canada, China, of Korea, Japan, Kazakhstan, Mongolia, the

not elsewhere specified or included: ex 1404 90 00 Fuel wood, in logs, in billets, in twigs, in faggots or in

similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms:

-Wood waste and scrap, not agglomerated: ex 4401 40 90

39. Acer Pursh, californica (Spach) Nutt., included: Lithocarpus densiflorus ex 1404 90 00 Nutt.

macrophyllum Vegetable products of bark The USA Aesculus not elsewhere specified or

(Hook. & Arn.) Rehd. Fuel wood, in logs, in billets, Taxus brevifolia in twigs, in faggots or in similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms:

> -Wood waste and scrap, not agglomerated: ex 4401 40 90

40. Juglans L. Pterocarya Kunth. and Vegetable products of bark EU Member States not elsewhere specified or included:

ex 1404 90 00

Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms:

-Wood waste and scrap, not agglomerated: ex 4401 40 90

## Wood of:

41. other Fuel wood, in logs, in billets, The USA L, than wood packaging in twigs, in faggots or in material, but including similar forms; wood in chips wood which has not kept or particles; sawdust and wood its natural round surface, waste and scrap, whether or except where the wood not agglomerated in logs,

barrels, vats, tubs or other forms: and there is documented forms: evidence that the wood -Non-coniferous: has been processed or ex 4401 12 00 manufactured using a -Wood in chips or particles: heat treatment to achieve -Non-coniferous: a minimum temperature ex 4401 22 00

is in the form of casks, briquettes, pellets or similar

coopers' products or parts -Fuel wood, in logs, in billets, thereof, including staves, in twigs, in faggots or in similar

of 176°C for 20 minutes –Sawdust and wood waste and scrap, not agglomerated:

-Sawdust:

ex 4401 40 10

-Wood waste and scrap (other than sawdust):

ex 4401 40 90

Wood in the rough, not stripped of bark or sapwood, or roughly squared:

-Treated with paint, stains, creosote or other preservatives:

-Non-coniferous:

ex 4403 12 00

Wood in the rough, whether or not stripped of bark or sapwood, or roughly squared:

-Other than treated with paint, stains, creosote or other preservatives:

-Of oak (*Quercus* spp.):

4403 91 00

Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise:

-Non-coniferous:

ex 4404 20 00

Non-coniferous railway tramway sleepers (cross-ties) of wood:

-Not impregnated

ex 4406 12 00

-Other (than not impregnated) ex 4406 92 00

Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness

exceeding 6 mm:

-Of oak (*Quercus* spp.):

4407 91 15

4407 91 31

4407 91 39

4407 91 90

Sheets for veneering (including those obtained by slicing laminated wood), for plywood similar laminated ٥r for wood and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness not exceeding 6 mm:

-Other:

ex 4408 90 15

ex 4408 90 35

ex 4408 90 85

ex 4408 90 95

Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves:

ex 4416 00 00

Prefabricated buildings of

wood:

ex 9406 10 00

42. **Platanus** L.,

other Fuel wood, in logs, in billets, Albania, Armenia, the EU than wood packaging in twigs, in faggots or in Member States, Switzerland, material, but including similar forms; wood in chips Turkey and the USA wood which has not kept or particles; sawdust and wood its natural round surface waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms:

-Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms:

-Non-coniferous:

ex 4401 12 00

–Wood in chips or particles:

-Non-coniferous:

ex 4401 22 00

-Sawdust and wood waste and scrap, not agglomerated:

-Sawdust:

ex 4401 40 10

-Wood waste and scrap (other than sawdust):

ex 4401 40 90

Wood in the rough, not stripped of bark or sapwood, or roughly squared:

-Treated with paint, stains, creosote or other preservatives:

-Non-coniferous:

ex 4403 12 00

Wood in the rough, whether or not stripped of bark or sapwood, or roughly squared:

-Other than treated with paint, stains, creosote or other preservatives:

ex 4403 9900

Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise:

-Non-coniferous:

ex 4404 20 00

Non-coniferous railway or tramway sleepers (cross-ties) of wood:

–Not impregnated

ex 4406 12 00

-Other (than not impregnated)

ex 4406 92 00

Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm:

ex 4407 99 27

ex 4407 99 40

ex 4407 99 90

Sheets for veneering (including those obtained by slicing laminated wood), for plywood or for similar laminated wood and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness not exceeding 6 mm:

ex 4408 90 15

ex 4408 90 35

ex 4408 90 85

ex 4408 90 95

Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves:

ex 4416 00 00

Prefabricated buildings of wood:

ex 9406 10 00

43. *Populus* L., other Fuel wood, in logs, in billets, Americas than wood packaging in twigs, in faggots or in material, but including similar forms; wood in chips

wood which has not kept or particles; sawdust and wood its natural round surface waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms:

> -Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms:

-Non-coniferous:

ex 4401 12 00

-Wood in chips or particles:

-Non-coniferous:

ex 4401 22 00

-Sawdust and wood waste and scrap, not agglomerated:

-Sawdust:

ex 4401 40 10

-Wood waste and scrap (other than sawdust):

ex 4401 40 90

Wood in the rough, not stripped of bark or sapwood, or roughly squared:

-Treated with paint, stains, creosote or other preservatives:

-Non-coniferous:

ex 4403 12 00

Wood in the rough, whether or not stripped of bark or sapwood, or roughly squared:

-Other than treated with paint, stains, creosote or other preservatives:

-Of poplar and aspen (Populus spp.):

4403 97 00

Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise:

-Non-coniferous:

ex 4404 20 00

Non-coniferous railway or tramway sleepers (cross-ties) of wood:

-Not impregnated

ex 4406 12 00

-Other (than not impregnated) ex 4406 92 00

Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm:

-Of poplar and aspen (Populus

spp.):

4407 97 10

4407 97 91

4407 97 99

Sheets for veneering (including those obtained by slicing laminated wood), for plywood for similar laminated or wood and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness not exceeding 6 mm:

ex 4408 90 15

ex 4408 90 35

ex 4408 90 85

ex 4408 90 95

Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves:

ex 4416 00 00

Prefabricated buildings of wood:

ex 9406 10 00

44. other than round surface

Acer saccharum Marsh., Fuel wood, in logs, in billets, Canada and the USA wood in twigs, in faggots or in packaging material, but similar forms; wood in chips including wood which or particles; sawdust and wood has not kept its natural waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms:

> -Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms:

-Non-coniferous:

ex 4401 12 00

-Wood in chips or particles:

-Non-coniferous:

ex 4401 22 00

-Sawdust and wood waste and scrap, not agglomerated:

-Sawdust:

ex 4401 40 10

-Wood waste and scrap (other than sawdust):

ex 4401 40 90

Wood in the rough, not stripped of bark or sapwood, or roughly squared:

-Treated with paint, stains, creosote or other preservatives:

-Non-coniferous:

ex 4403 12 00

Wood in the rough, whether or not stripped of bark or sapwood, or roughly squared:

-Other than treated with paint, stains, creosote or other preservatives:

ex 4403 99 00

Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise:

-Non-coniferous:

ex 4404 20 00

Non-coniferous railway or tramway sleepers (cross-ties) of wood:

-Not impregnated

ex 4406 12 00

-Other (than not impregnated) ex 4406 92 00

Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm:

-Of maple (*Acer* spp.):

4407 93 10

4407 93 91

4407 93 99

Sheets for veneering (including those obtained by slicing laminated wood), for plywood or for similar laminated wood and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness not exceeding 6 mm:

ex 4408 90 15

ex 4408 90 35

ex 4408 90 85

ex 4408 90 95

Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves:

ex 4416 00 00

Prefabricated buildings of wood:

ex 9406 10 00

45. surface

Conifers (Pinales), other Fuel wood, in logs, in billets, Any third country than wood packaging in twigs, in faggots or in material, but including similar forms; wood in chips wood which has not kept or particles; sawdust and wood its natural round surface waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms:

- -Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms:
- -Coniferous
- 4401 11 00
- -Wood in chips or particles:
- -Coniferous
- 4401 21 00
- -Sawdust and wood waste and scrap, not agglomerated:
- -Sawdust:
- ex 4401 40 10
- -Wood waste and scrap (other than sawdust):
- ex 4401 40 90

Wood in the rough, not stripped of bark or sapwood, or roughly squared:

- -Treated with paint, stains, creosote or other preservatives:
- -Coniferous:
- 4403 11 00

Wood in the rough, not stripped of bark or sapwood, or roughly squared:

- -Coniferous, other than treated with paint, stains, creosote or other preservatives:
- -Of pine (*Pinus* spp.):
- ex 4403 21 10
- ex 4403 21 90
- ex 4403 22 00
- -Of fir (Abies spp.) and spruce
- (*Picea* spp.):
- ex 4403 23 10
- ex 4403 23 90
- ex 4403 24 00
- -Other, coniferous:
- ex 4403 25 10
- ex 4403 25 90
- ex 4403 26 00

Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise:

-Coniferous:

ex 4404 10 00

Coniferous railway or tramway sleepers (cross-ties) of wood:

–Not impregnated:

4406 11 00

-Other (than not impregnated):

4406 91 00

Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm:

-Coniferous:

-Of pine (*Pinus* spp.):

4407 11 10

4407 11 20

4407 11 90

-Of fir (Abies spp.) and spruce

(*Picea* spp.):

4407 12 10

4407 12 20

4407 12 90

-Other, coniferous:

4407 19 10

4407 19 20

4407 19 90

Sheets for veneering (including those obtained by slicing laminated wood), for plywood or for similar laminated wood and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness not exceeding 6 mm:

-Coniferous:

4408 10 15

4408 10 91

4408 10 98

Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves:

ex 4416 00 00

Prefabricated buildings of wood:

ex 9406 10 00

46.

Fraxinus L., Juglans Fuel wood, in logs, in billets, Belarus, packaging material, but waste and scrap, whether or

Canada, China, L., Pterocarya Kunth in twigs, in faggots or in Democratic People's Republic and *Ulmus davidiana* similar forms; wood in chips of Korea, Japan, Kazakhstan, Planch., other than wood or particles; sawdust and wood Mongolia, Republic of Korea,

including wood which not agglomerated in logs, Russia, Taiwan, Ukraine and has not kept its natural briquettes, pellets or similar the USA round surface forms:

-Fuel wood, in logs, in billets, in twigs, in faggots or in similar

forms:

-Non-coniferous:

ex 4401 12 00

-Wood in chips or particles:

-Non-coniferous:

ex 4401 22 00

-Sawdust and wood waste and scrap, not agglomerated:

-Sawdust:

ex 4401 40 10

-Wood waste and scrap (other

than sawdust):

ex 4401 40 90

Wood in the rough, not stripped of bark or sapwood, or roughly squared:

-Treated with paint, stains, creosote or other preservatives:

-Non-coniferous:

ex 4403 12 00

Wood in the rough, whether or not stripped of bark or sapwood, or roughly squared:

-Other than treated with paint, stains, creosote or other preservatives:

ex 4403 99 00

Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise:

-Non-coniferous:

ex 4404 20 00

Non-coniferous railway or tramway sleepers (cross-ties) of wood:

-Not impregnated:

ex 4406 12 00

-Other (than not impregnated):

ex 4406 92 00

Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm:

-Of ash (*Fraxinus* spp.):

4407 95 10

4407 95 91

4407 95 99

-Other:

ex 4407 99 27

ex 4407 99 40

ex 4407 99 90

Sheets for veneering (including those obtained by slicing laminated wood), for plywood for similar laminated wood and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness not exceeding 6 mm:

ex 4408 90 15

ex 4408 90 35

ex 4408 90 85

ex 4408 90 95

Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves:

ex 4416 00 00

Prefabricated buildings of wood:

ex 9406 10 00

47. Betula L.,

other Fuel wood, in logs, in billets, Canada and the USA than wood packaging in twigs, in faggots or in material, but including similar forms; wood in chips wood which has not kept or particles; sawdust and wood its natural round surface waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms:

-Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms:

-Non-coniferous:

ex 4401 12 00

-Wood in chips or particles:

-Non-coniferous:

ex 4401 22 00

-Sawdust and wood waste and scrap, not agglomerated:

-Sawdust:

ex 4401 40 10

-Wood waste and scrap (other

than sawdust): ex 4401 40 90

Wood in the rough, not stripped of bark or sapwood, or roughly

squared:

> -Treated with paint, stains, creosote or other preservatives:

-Non-coniferous:

ex 4403 12 00

Wood in the rough, whether or not stripped of bark or sapwood, or roughly squared:

-Other than treated with paint, stains, creosote or other preservatives:

-Of birch (*Betula* spp.):

4403 95 10

4403 95 90

4403 96 00

Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise:

-Non-coniferous:

ex 4404 20 00

Non-coniferous railway or tramway sleepers (cross-ties) of wood:

-Not impregnated:

ex 4406 12 00

-Other (than not impregnated):

ex 4406 92 00

Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm:

-Of birch (*Betula* spp.):

4407 96 10

4407 96 91

4407 96 99

Sheets for veneering (including those obtained by slicing laminated wood), for plywood similar laminated for wood and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness not exceeding 6 mm:

ex 4408 90 15

ex 4408 90 35

ex 4408 90 85

ex 4408 90 95

Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves:

ex 4416 00 00

Prefabricated buildings wood: ex 9406 10 00

48. Amelanchier Aronia Cotoneaster Mill., Malus L., other than wood forms: has not kept its natural forms: round surface, except -Non-coniferous: sawdust or shavings

Medik., Fuel wood, in logs, in billets, Canada and the USA Medik., in twigs, in faggots or in Medik., similar forms; wood in chips Crataegus L., Cydonia or particles; sawdust and wood Mill., waste and scrap, whether or Pyracantha M. Roem., not agglomerated in logs, Pyrus L. and Sorbus briquettes, pellets or similar packaging material, but -Fuel wood, in logs, in billets,

including wood which in twigs, in faggots or in similar

ex 4401 12 00

-Wood in chips or particles:

-Non-coniferous: ex 4401 22 00

-Wood waste and scrap (other

than sawdust): ex 4401 40 90

Wood in the rough, not stripped of bark or sapwood, or roughly squared:

-Treated with paint, stains, creosote or other preservatives:

-Non-coniferous:

ex 4403 12 00

Wood in the rough, whether or not stripped of bark or sapwood, or roughly squared:

-Other than treated with paint, stains, creosote or other preservatives:

ex 4403 99 00

Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise:

-Non-coniferous:

ex 4404 20 00

Non-coniferous railway or tramway sleepers (cross-ties)

of wood:

-Not impregnated:

ex 4406 12 00

-Other (than not impregnated):

ex 4406 92 00

Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded

> or end-jointed, of a thickness exceeding 6 mm: ex 4407 99 27

ex 4407 99 40

ex 4407 99 90

Sheets for veneering (including those obtained by slicing laminated wood), for plywood for similar laminated or wood and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness not exceeding 6 mm:

ex 4408 90 15

ex 4408 90 35

ex 4408 90 85

ex 4408 90 95

Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves:

ex 4416 00 00

Prefabricated buildings of wood:

ex 9406 10 00

49 Prunus L.,

other Fuel wood, in logs, in billets, Canada, China, Democratic than wood packaging in twigs, in faggots or in People's Republic of Korea, material, but including similar forms; wood in chips EU Member States, Japan, wood which has not kept or particles; sawdust and wood Mongolia, Republic of Korea, its natural round surface waste and scrap, whether or the USA and Vietnam not agglomerated in logs, briquettes, pellets or similar

> -Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms:

-Non-coniferous:

ex 4401 12 00

forms:

-Wood in chips or particles:

-Non-coniferous:

ex 4401 22 00

-Sawdust and wood waste and scrap, not agglomerated:

-Sawdust:

ex 4401 40 10

-Wood waste and scrap (other than sawdust):

ex 4401 40 90

Wood in the rough, not stripped of bark or sapwood, or roughly squared:

-Treated with paint, stains, creosote or other preservatives:

-Non-coniferous:

ex 4403 12 00

Wood in the rough, whether or not stripped of bark or sapwood, or roughly squared:

-Other than treated with paint, stains, creosote or other preservatives:

ex 4403 99 00

Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise:

-Non-coniferous:

ex 4404 20 00

Non-coniferous railway or tramway sleepers (cross-ties) of wood:

-Not impregnated:

ex 4406 12 00

-Other (than not impregnated): ex 4406 92 00

Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm:

-Of cherry (*Prunus* spp.):

4407 94 10

4407 94 91

4407 94 99

-Other:

ex 4407 99 27

ex 4407 99 40

ex 4407 99 90

Sheets for veneering (including those obtained by slicing laminated wood), for plywood or for similar laminated wood and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness not exceeding 6 mm:

ex 4408 90 15

ex 4408 90 35

ex 4408 90 85

ex 4408 90 95

Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves:

> ex 4416 00 00 Prefabricated buildings of wood: ex 9406 10 00

50. Acer L., Carpinus Platanus L., Populus forms: than wood packaging forms: material, but including -Non-coniferous: wood which has not kept ex 4401 12 00

Aesculus Fuel wood, in logs, in billets, Any third country where L., Alnus L., Betula in twigs, in faggots or in Anoplophora glabripennis is L., similar forms; wood in chips known to be present Cercidiphyllum Siebold or particles; sawdust and wood & Zucc., Corylus L., waste and scrap, whether or Fagus L., Fraxinus L., not agglomerated in logs, Koelreuteria Medikus., briquettes, pellets or similar L., Salix L., Tilia L. -Fuel wood, in logs, in billets,

and *Ulmus* L., other in twigs, in faggots or in similar

its natural round surface —Wood in chips or particles:

-Non-coniferous:

ex 4401 22 00

-Sawdust and wood waste and scrap, not agglomerated:

-Sawdust:

ex 4401 40 10

-Wood waste and scrap (other than sawdust):

ex 4401 40 90

Wood in the rough, not stripped of bark or sapwood, or roughly squared:

-Treated with paint, stains, creosote or other preservatives:

-Non-coniferous:

ex 4403 12 00

Wood in the rough, whether or not stripped of bark or sapwood, or roughly squared:

-Other than treated with paint, stains, creosote or other preservatives:

-Of beech (*Fagus* spp.):

4403 93 00

4403 94 00

-Of birch (Betula spp.):

4403 95 10

4403 95 90

4403 96 00

-Of poplar and aspen (Populus

spp.):

4403 97 00

-Of other:

ex 4403 99 00

```
Split poles; piles, pickets and
stakes of wood, pointed but not
sawn lengthwise:
-Non-coniferous:
ex 4404 20 00
Non-coniferous railway or
tramway sleepers (cross-ties)
of wood:
-Not impregnated:
ex 4406 12 00
-Other (than not impregnated):
ex 4406 92 00
Wood sawn
                    chipped
                or
lengthwise, sliced or peeled,
whether or not planed, sanded
or end-jointed, of a thickness
exceeding 6 mm:
-Of beech (Fagus spp.):
4407 92 00
-Of maple (Acer spp.):
4407 93 10
4407 93 91
4407 93 99
-Of ash (Fraxinus spp.):
4407 95 10
4407 95 91
4407 95 99
Of birch (Betula spp.):
4407 96 10
4407 96 91
4407 96 99
Of poplar and aspen (Populus
spp.):
4407 97 10
4407 97 91
4407 97 99
Of other:
4407 99 27
4407 99 40
4407 99 90
Sheets for veneering (including
those obtained by slicing
laminated wood), for plywood
or for
          similar laminated
wood and other wood, sawn
lengthwise, sliced or peeled,
whether or not planed, sanded,
spliced or end-jointed, of a
thickness not exceeding 6 mm:
ex 4408 90 15
ex 4408 90 35
ex 4408 90 85
ex 4408 90 95
```

> Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves: ex 4416 00 00 Prefabricated buildings of wood: ex 9406 10 00

51 of Wood macrophyllum Aesculus (Spach) Nutt., other than wood forms: packaging material

Acer Fuel wood, in logs, in billets, The USA Pursh, in twigs, in faggots or in californica similar forms; wood in chips Nutt., or particles; sawdust and wood Lithocarpus densiflorus waste and scrap, whether or (Hook. & Arn.) Rehd. not agglomerated in logs, and Taxus brevifolia briquettes, pellets or similar

-Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms:

-Coniferous:

ex 4401 11 00

-Non-coniferous:

ex 4401 12 00

-Wood in chips or particles:

-Coniferous:

ex 4401 21 00

-Non-coniferous:

ex 4401 22 00

-Sawdust and wood waste and scrap, not agglomerated:

-Sawdust:

ex 4401 40 10

-Wood waste and scrap (other than sawdust):

ex 4401 40 90

Wood in the rough, not stripped of bark or sapwood, or roughly squared:

-Treated with paint, stains, creosote or other preservatives:

-Coniferous:

ex 4403 11 00

-Non-coniferous:

ex 4403 12 00

Wood in the rough, not stripped of bark or sapwood, or roughly squared:

-Other than treated with paint, stains, creosote or other preservatives:

-Other, coniferous:

ex 4403 25 10

ex 4403 25 90

ex 4403 26 00

Wood in the rough, whether or not stripped of bark or sapwood, or roughly squared:

-Other than treated with paint, stains, creosote or other preservatives:

-Other, of non-coniferous:

ex 4403 99 00

Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise:

-Coniferous:

ex 4404 10 00

-Non-coniferous:

ex 4404 20 00

Railway or tramway sleepers (cross-ties) of wood:

-Not impregnated:

-Coniferous:

ex 4406 11 00

-Non-coniferous:

ex 4406 12 00

-Other (than not impregnated):

-Coniferous:

ex 4406 91 00

-Non-coniferous

ex 4406 92 00

chipped Wood sawn or lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness

exceeding 6 mm:

-Coniferous:

ex 4407 19 10

ex 4407 19 20

ex 4407 19 90

-Of maple (*Acer* spp.):

4407 93 10

4407 93 91

4407 93 99

–Of other:

ex 4407 99 27

ex 4407 99 40

ex 4407 99 90

Sheets for veneering (including those obtained by slicing laminated wood), for plywood or for similar laminated wood and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded,

spliced or end-jointed, of a thickness not exceeding 6 mm:

-Coniferous:

ex 4408 10 15

ex 4408 10 91

ex 4408 10 98

-Other:

ex 4408 90 15

ex 4408 90 35

ex 4408 90 85

ex 4408 90 95

Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves:

ex 4416 00 00

Prefabricated buildings of

wood:

ex 9406 10 00

52. Wood of *Juglans* L. and Fuel wood, in logs, in billets, EU Member States *Pterocarya* Kunth. in twigs, in faggots or in

in twigs, in faggots or in similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar

forms:

-Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms:

-Non-coniferous:

ex 4401 12 00

-Wood in chips or particles:

-Non-coniferous:

ex 4401 22 00

-Sawdust and wood waste and scrap, not agglomerated:

-Sawdust:

ex 4401 40 10

-Wood waste and scrap (other than sawdust):

ex 4401 40 90

Wood in the rough, not stripped of bark or sapwood, or roughly squared:

-Treated with paint, stains, creosote or other preservatives:

-Non-coniferous:

ex 4403 12 00

Wood in the rough, whether or not stripped of bark or sapwood, or roughly squared:

-Other than treated with paint, stains, creosote or other preservatives:

-Other, non-coniferous:

ex 4403 99 00

Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise:

-Non-coniferous:

ex 4404 20 00

Non-coniferous railway or tramway sleepers (cross-ties) of wood:

-Not impregnated:

ex 4406 12 00

-Other (than not impregnated):

ex 4406 92 00

Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm:

-Of other:

ex 4407 99 27

ex 4407 99 40

ex 4407 99 90

Sheets for veneering (including those obtained by slicing laminated wood), for plywood or for similar laminated wood and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness not exceeding 6 mm:

-Other:

ex 4408 90 15

ex 4408 90 35

ex 4408 90 85

ex 4408 90 95

Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves:

ex 4416 00 00

Prefabricated buildings of

wood:

ex 9406 10 00

# PART B U.K.

List of other plants which may not be introduced into Great Britain unless they are accompanied by a phytosanitary certificate, as referred to in Article 73(1) of Regulation (EU) 2016/2031

*(1)* Description of plants, plant products or other objects

(2) CNcode and its respective description under Council Regulation (EEC) No.2658/87

(3) Country of origin or dispatch

1. Regulation those specified in Parts A planting: and C of this Annex

All plants within the Bulbs, tubers, tuberous roots, Any third country meaning of Article 2(1) corms, crowns and rhizomes, (EU) dormant, and chicory plants 2016/2031, other than and roots, other than for

ex 0601 10 90 ex 0601 20 10

Cut flowers and flower buds of a kind suitable for bouquets or for ornamental purposes, fresh:

0603 15 00

0603 19 10

0603 19 20

ex 0603 19 70

Foliage, branches and other parts of plants, without flowers or flower buds, and grasses, not mosses or lichens, being goods of a kind suitable for bouquets or for ornamental purposes, fresh:

ex 0604 20 90

Onions, shallots, garlic, leeks and other alliaceous vegetables, fresh or chilled, other than for planting:

ex 0703 10 19

ex 0703 10 90

ex 0703 20 00

ex 0703 90 00

Cabbages, cauliflowers, kohlrabi, kale and similar edible brassicas, fresh chilled, other than planted in a growing substrate:

ex 0704 10 00

ex 0704 90 10

ex 0704 90 90

Lettuce (Lactuca sativa) and chicory (Cichorium spp.), fresh or chilled, other than planted in a growing substrate:

263

ex 0705 11 00

ex 0705 19 00

ex 0705 21 00

ex 0705 29 00

Cucumbers and gherkins, fresh

or chilled:

0707 00 05

0707 00 90

Leguminous vegetables, shelled or unshelled, fresh or chilled:

0708 10 00

0708 20 00

0708 90 00

Asparagus, celery other than celeriac, spinach, New Zealand spinach and orache spinach (garden spinach), globe artichokes, olives, pumpkins, squash and gourds (Cucurbita spp.), salad vegetables, (other than lettuce (Lactuca sativa) and chicory (Cichorium spp.)), chard (or white beet) and cardoons, capers, fennel and other vegetables, fresh or chilled, other than planted in a growing substrate:

0709 20 00

ex 0709 40 00

ex 0709 70 00

0709 91 00

0709 92 10

0709 92 90

0709 93 10

0709 93 90

ex 0709 99 10

ex 0709 99 20

0709 99 40

ex 0709 99 50

ex 0709 99 90

Dried leguminous vegetables, shelled, not skinned or split, for

sowing:

ex 0713 20 00

ex 0713 31 00

ex 0713 32 00

ex 0713 34 00

ex 0713 35 00 ex 0713 39 00

ex 0713 40 00

ex 0713 60 00

ex 0713 90 00

> Brazil nuts and cashew nuts, fresh, whole, not shelled, not peeled, also for ssowing:

ex 0801 21 00

ex 0801 31 00

Other nuts, fresh, whole not shelled, not peeled, also for sowing:

ex 0802 11 10

ex 0802 11 90

ex 0802 21 00

ex 0802 31 00

ex 0802 41 00

ex 0802 51 00

ex 0802 61 00

ex 0802 70 00

ex 0802 80 00

ex 0802 90 10

ex 0802 90 50 ex 0802 90 85

Figs, fresh or chilled:

0804 20 10

Melons, fresh or chilled:

0807 11 00

0807 19 00

Other fruit, fresh or chilled:

ex 0810 20 90

ex 0810 90 20

ex 0810 90 75

Coffee berries (other than beans), fresh, whole in husk, not roasted:

ex 0901 11 00

Tea leaves, fresh, whole, not cut, not fermented, not flavoured:

ex 0902 10 00

ex 0902 20 00

Thyme and fenugreek seeds for

sowing:

ex 0910 99 10

ex 0910 99 31

ex 0910 99 33

Bay leaves, fresh:

ex 0910 99 50

Barley, seed for sowing:

1003 10 00

Oats, seed for sowing:

1004 10 00

Grain sorghum, seed for

sowing:

1007 10 10

1007 10 90

Buckwheat, millet and canary seed, other cereals, seed for sowing: ex 1008 10 00 1008 21 00 ex 1008 30 00 ex 1008 40 00 ex 1008 50 00 ex 1008 90 00 Groundnuts, fresh, not roasted or otherwise cooked, whole, not shelled, not broken, also seed for sowing: 1202 30 00 ex 1202 41 00 Other oil seeds for sowing and oleaginous fruits, fresh, not broken: ex 1207 10 00 1207 21 00 ex 1207 30 00 1207 40 10 ex 1207 60 00 ex 1207 70 00 1207 91 10 1207 99 20 Seeds and fruit, of a kind used for sowing: 1209 10 00 1209 22 10 1209 22 80 1209 23 11 1209 23 15 1209 23 80 1209 24 00 1209 25 10 1209 25 90 1209 29 45 1209 29 50 1209 29 60 1209 29 80 1209 30 00 1209 91 30 1209 91 80 1209 99 10 1209 99 91 1209 99 99 Hop cones, fresh: ex 1210 10 00 Plants, other than for planting, and parts of plants (including seeds for sowing and fruits), fresh or chilled, not cut nor crushed or powdered:

ex 1211 30 00

ex 1211 40 00

ex 1211 50 00

ex 1211 90 30

ex 1211 90 86

Locust beans for sowing, and sugar cane, fresh or chilled, not ground; fruit stones and kernels for sowing and other fresh vegetable products not elsewhere specified or included:

ex 1212 92 00

ex 1212 93 00

ex 1212 94 00

ex 1212 99 41

ex 1212 99 95

Vegetable materials of a kind used primarily for plaiting, fresh:

ex 1401 90 00

Vegetable products not elsewhere specified or included, fresh:

ex 1404 90 00

# PART C U.K.

List of plants, together with the respective third countries of origin or dispatch, which do not require phytosanitary certificates pursuant to Article 73(2) of Regulation (EU) 2016/2031

# (1) Description of plants, plant (2) Country of origin or dispatch products or other objects

- 1. Fruits of *Ananas comosus* (L.) Any third country Merrill
- 2. Fruits of Actinidia sp. Lindl Any third country
- 3. Fruits of *Cocos nucifera* L. Any third country
- 4. Fruit and leaves of *Citrus* sp. L. Any third country
- 5. Fruit of Fortunella sp. Swingle Any third country
- 6. Fruit of *Poncirus* L. Raf Any third country
- 7. Fruit of *Diospyros* sp. L. Any third country
- 8. Fruits of *Durio zibethinus* Any third country Murray

10.	Grain of <i>Oryza</i> spp. L.	Any third country
11.	Leaves of Murraya spp.	Any third country
12.	Fruits of Musa	Any third country

Fruits (bolls) of Gossypium spp. Any third country

13. Fruits of *Mangifera* sp. L. Any third country

14 Fruits of *Phoenix dactylifera* L. Any third country

15. Fruits of Passiflora sp. L Any third country

16. Fruits of Psidium sp. Any third country"

# SCHEDULE 11 U.K.

Regulation 16

New Annex 13 to the Phytosanitary Conditions Regulation

#### **Commencement Information**

Sch. 11 in force at 31.12.2020 on IP completion day, see reg. 1(2)

## *"ANNEX 13* U.K.

List of plants, plant products and other objects for which a UK plant passport is required for their movement within Great Britain or for their introduction into Great Britain from a CD territory

#### In this Annex:

9.

- (a) M14'Seeds Marketing Regulations' has the meaning given in regulation 2(1) of the Seeds (National Lists of Varieties) Regulations 2001;
- (b) the references to seed in paragraphs 2, 4, 5 and 6 do not include seed where it is subject to an exception described in Article 6(3) and the special requirements in Annex 8 or 10 do not apply in relation to the seed.
  - 1. All plants for planting, other than seeds.
- 2. Seed of the following species, where the seed is permitted to be marketed under the Seeds Marketing Regulations and the movement of the seed relates to its marketing:
  - (a) Allium cepa L.,
  - (b) Allium porrum L.,
  - (c) Phaseolus coccineus L.,
  - (d) Phaseolus vulgaris L.,
  - (e) Pisum sativum L.,
  - (f) Vicia faba L.
  - **3.** Seeds of the following species:
    - (a) Castanea Mill.,
    - (b) Capsicum spp L.,

- (c) Solanum lycopersicum L.,
- (d) Solanum tuberosum L.
- **4.** Seed of *Medicago sativa* L, where the seed is permitted to be marketed under the Seeds Marketing Regulations and the movement of the seed relates to its marketing.
- **5.** Seed of the following species, where the seed is permitted to be marketed under the Seeds Marketing Regulations and the movement of the seed relates to its marketing:
  - (a) Brassica napus L.,
  - (b) Brassica rapa L.,
  - (c) Glycine max (L.) Merrill,
  - (d) Helianthus annuus L.,
  - (e) Linum usitatissimum L.,
  - (f) Sinapis alba L.
- **6.** M15Seed of the following species, where the seed is permitted to be marketed under the Marketing of Ornamental Propagating Material Regulations 1999 and the movement of the seed relates to its marketing:
  - (a) Capsicum annuum L.;
  - (b) Helianthus annuus L.
- 7. Plants of *Abies* Mill., *Larix* Mill., *Picea* A. Dietr., *Pinus* L. and *Pseudotsuga* Carr over three metres in height, including felled or fallen trees, other than fruit, seeds, leaves or foliage.
- **8.** Wood, where it is considered to be a plant product and has been obtained in whole or in part from the following genera or species, other than wood which is bark-free:
  - (a) conifers (Pinales),
  - (b) Castanea Mill.
- **9.** Wood, where it is considered to be a plant product and has been obtained in whole or part from the following species, including wood which has not kept its natural round surface:
  - (a) Juglans L.,
  - (b) Platanus L.,
  - (c) Pterocarya L.
  - 10. Isolated bark of the following genera or species:
    - (a) conifers (Pinales),
    - (b) Castanea Mill."

#### **Marginal Citations**

**M14** S.I. 2001/3510; relevant amending instruments are S.I. 2011/464, 2016/106 (W.52), S.S.I. 2015/395, 2018/942.

**M15** S.I. 1999/1801.

### **EXPLANATORY NOTE**

(This note is not part of the Regulations)

These Regulations are made in exercise of the powers conferred by the European Union (Withdrawal) Act 2018 (c. 16) in order to address failures of retained EU law to operate effectively and other deficiencies (in particular the deficiencies referred to in paragraphs (a), (d) and (g) of section 8(2)) arising from the withdrawal of the United Kingdom from the European Union.

The Regulations make amendments to Commission Implementing Regulation (EU) 2019/2072 establishing uniform conditions for the implementation of Regulation (EU) 2016/2031 of the European Parliament and the Council, as regards protective measures against pests of plants. An impact assessment has not been produced for this instrument as no, or no significant, impact on the private or voluntary sector is foreseen.

Changes to legislation:
There are currently no known outstanding effects for the The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020.