

SCHEDULE 4

Regulation 7

New Annex 4 to the Phytosanitary Conditions Regulation

“ANNEX 4

List of GB regulated non-quarantine pests and their respective plants for planting
In this Annex, ‘RNQPs’ means GB regulated non-quarantine pests.

Table of Contents

Part A: RNQPs concerning fodder plant seed
Part B: RNQPs concerning vine propagating material
Part C: RNQPs concerning propagating material of ornamental plants and other plants for planting intended for ornamental purposes
Part D: RNQPs concerning forest reproductive material, other than seeds
Part E: RNQPs concerning vegetable seed
Part F: RNQPs concerning seed potatoes
Part G: RNQPs concerning seed of oil and fibre plants
Part H: RNQPs concerning vegetable propagating and planting material, other than seeds
Part I: RNQPs concerning fruit propagating material and fruit plants intended for fruit production
Part J: RNQPs concerning seeds of <i>Solanum tuberosum</i>
Part K: RNQPs concerning plants for planting of <i>Humulus lupulus</i> , other than seeds

PART A

RNQPs concerning fodder plant seed

(1)	(2)	(3)	(4)	(5)
<i>RNQPs or symptoms caused by RNQPs</i>	<i>Plants for planting (genus or species)</i>	<i>Thresholds for pre-basic seed</i>	<i>Thresholds for basic seed</i>	<i>Thresholds certified seed</i>
<i>Clavibacter michiganensis</i> ssp. <i>insidiosus</i> (McCulloch 1925) Davis et al. [CORBIN]	<i>Medicago sativa</i> L.	0%	0%	0%
<i>Ditylenchus dipsaci</i> (Kuehn) Filipjev [DITYDI]	<i>Medicago sativa</i> L.	0%	0%	0%

Status: This is the original version (as it was originally made).

PART B

RNQPs concerning vine propagating material

Insects and mites			
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>
<i>RNQPs or symptoms caused by RNQPs</i>	<i>Plants for planting other than seeds (genus or species)</i>	<i>Thresholds for initial propagating material, basic propagating material and certified material</i>	<i>Thresholds for standard material</i>
<i>Daktulosphaira vitifoliae</i> [VITEVI]	Non-grafted Fitch <i>vinifera</i> L.	<i>Vitis</i> 0%	0%
<i>Daktulosphaira vitifoliae</i> [VITEVI]	Fitch <i>Vitis</i> L. other than non-grafted <i>Vitis vinifera</i> L.	Practically free	Practically free
Viruses, viroids, virus-like diseases and phytoplasmas			
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>
<i>RNQPs or symptoms caused by RNQPs</i>	<i>Plants for planting other than seeds (genus or species)</i>	<i>Thresholds for initial propagating material, basic propagating material and certified material</i>	<i>Thresholds for standard material</i>
<i>Arabis</i> mosaic virus [ARMV00]	<i>Vitis</i> L.	0%	0%
Grapevine fanleaf virus [GFLV00]	<i>Vitis</i> L.	0%	0%
Grapevine fleck virus [GFKV00]	Rootstocks of <i>Vitis</i> spp. and their hybrids, except <i>Vitis vinifera</i> L.	0% for initial propagating material. Not applicable for basic propagating material and certified material.	Not applicable
Grapevine associated leafroll virus 1 [GLRAV1]	<i>Vitis</i> L.	0%	0%
Grapevine associated leafroll virus 3 [GLRAV3]	<i>Vitis</i> L.	0%	0%

PART C

RNQPs concerning propagating material of ornamental plants
and other plants for planting intended for ornamental purposes

Bacteria		
(1)	(2)	(3)
<i>RNQPs or symptoms caused by RNQPs</i>	<i>Plants for planting (genus or species)</i>	<i>Thresholds for the propagating material of ornamental plants concerned and other plants for planting intended for ornamental purposes</i>
<i>Erwinia amylovora</i> (Burrill) Winslow <i>et al.</i> [ERWIAM]	Plants for planting, other than seeds, of <i>Amelanchier</i> Medik., <i>Chaenomeles</i> Lindl., <i>Cotoneaster</i> Medik., <i>Crataegus</i> Tourn. ex L., <i>Cydonia</i> Mill., <i>Eriobrya</i> Lindl., <i>Malus</i> Mill., <i>Mespilus</i> Bosc ex Spach, <i>Photinia davidiana</i> Decne., <i>Pyracantha</i> M. Roem., <i>Pyrus</i> L. and <i>Sorbus</i> L.	0%
<i>Xanthomonas euvesicatoria</i> Jones <i>et al.</i> [XANTEU]	<i>Capsicum annuum</i> L.	0%
<i>Xanthomonas gardneri</i> (ex Šutić) Jones <i>et al.</i> [XANTGA]	<i>Capsicum annuum</i> L.	0%
<i>Xanthomonas perforans</i> Jones <i>et al.</i> [XANTPF]	<i>Capsicum annuum</i> L.	0%
<i>Xanthomonas vesicatoria</i> (ex Doidge) Vauterin <i>et al.</i> [XANTVE]	<i>Capsicum annuum</i> L.	0%
Fungi and oomycetes		
(1)	(2)	(3)
<i>RNQPs or symptoms caused by RNQPs</i>	<i>Plants for planting (genus or species)</i>	<i>Thresholds for the propagating material of ornamental plants concerned and other plants for planting intended for ornamental purposes</i>
<i>Dothistroma septosporum</i> (Dorogin) Morelet [SCIRPI]	Plants for planting, other than seeds, of <i>Pinus</i> L.	0%
<i>Phytophthora austrocedri</i> Greslebin & Hansen [PHYTAU]	Plants for planting, other than seeds, of <i>Chamaecyparis lawsoniana</i> (Murr.) Parl., <i>Chamaecyparis nootkatensis</i> (D. Don) Sudw./ (Lamb.) Spach,	0%

Status: This is the original version (as it was originally made).

Cupressus sempervirens var. *sempervirens* L., *Juniperus communis* ssp. *communis* L. and *Libocedrus chilensis* (D.Don) Endl.

Phytophthora lateralis T. Jung, M.J.C. Stukely & T.I. Burgess [PHYTLI] Plants for planting, other than seeds, of *Chamaecyparis formosensis* Matsum., *Chamaecyparis lawsoniana* (Murr.) Parl., *Chamaecyparis obtusa* Sieb. & Zucc. ex Endl., *Chamaecyparis pisifera* Sieb. & Zucc. ex Endl., *Taxus brevifolia* Nutt. and *Thuja occidentalis* L. 0%

Plasmopara halstedii (Farlow) Berlese & de Toni [PLASHA] Seeds of *Helianthus annuus* L. 0%

Puccinia horiana P. Hennings [PUCCHN] Plants for planting, other than seeds, of *Chrysanthemum* L. 0%

Insects and mites

(1)	(2)	(3)
<i>RNQP</i> s or symptoms caused by <i>RNQP</i> s	Plants for planting (genus or species)	Thresholds for the propagating material of ornamental plants concerned and other plants for planting intended for ornamental purposes

Opogona sacchari Bo [OPOGSC] Plants for planting, other than seeds, of *Beaucarnea* Lem., *Bougainvillea* Comm. ex Juss., *Crassula* L., *Crinum* L., *Dracaena* Vand. ex L., *Ficus* L., *Musa* L., *Pachira* Aubl., *Palmae*, *Sansevieria* Thunb. and *Yucca* L. 0%

Nematodes

(1)	(2)	(3)
<i>RNQP</i> s or symptoms caused by <i>RNQP</i> s	Plants for planting (genus or species)	Thresholds for the propagating material of ornamental plants concerned and other plants for planting intended for ornamental purposes

Ditylenchus dipsaci (Kuehn) Filipjev [DITYDI] Plants for planting, other than seeds, of *Camassia* Lindl., *Chionodoxa* Boiss., *Crocus flavus* Weston, *Galanthus* L., *Hyacinthus* Tourn. ex L., *Hymenocallis* Salisb., *Muscari*

Mill., *Narcissus* L., *Ornithogalum* L., *Puschkinia* Adams, *Scilla* L., *Sternbergia* Waldst. & Kit. and *Tulipa* L.

Viruses, viroids, virus-like diseases and phytoplasmas

(1)	(2)	(3)
<i>RNQPs</i> or symptoms caused by <i>RNQPs</i>	Plants for planting (genus or species)	Thresholds for the propagating material of ornamental plants concerned and other plants for planting intended for ornamental purposes
<i>Candidatus</i> Seemüller & Schneider [PHYPPY]	Phytoplasma ‘pyri’ Plants for planting, other than seeds, of <i>Pyrus</i> L.	0%
Chrysanthemum stunt [CSVD00]	stunt viroid Plants for planting, other than seeds, of <i>Argyranthemum</i> Webb ex Sch.Bip. and <i>Chrysanthemum</i> L.	0%
<i>Impatiens</i> necrotic tospovirus [INSV00]	spot Plants for planting, other than seeds, of <i>Begonia x hiemalis</i> Fotsch, <i>Impatiens</i> L. and New Guinea Hybrids	0%
Potato spindle tuber [PSTVD0]	tuber viroid <i>Capsicum annuum</i> L.	0%
Plum pox virus [PPV000]	Plants for planting, other than seeds, of the following species of <i>Prunus</i> L.: <i>Prunus armeniaca</i> L., <i>Prunus blireiana</i> Andre, <i>Prunus brigantina</i> Vill., <i>Prunus cerasifera</i> Ehrh., <i>Prunus cistena</i> Hansen, <i>Prunus curdica</i> Fenzl and Fritsch., <i>Prunus domestica</i> ssp. <i>domestica</i> L., <i>Prunus domestica</i> ssp. <i>insititia</i> (L.) C.K. Schneid, <i>Prunus domestica</i> ssp. <i>italica</i> (Borkh.) Hegi., <i>Prunus dulcis</i> (Mill.) D. A. Webb, <i>Prunus glandulosa</i> Thunb., <i>Prunus holosericea</i> Batal., <i>Prunus hortulana</i> Bailey, <i>Prunus japonica</i> Thunb., <i>Prunus mandshurica</i> (Maxim.) Koehne, <i>Prunus maritima</i> Marsh., <i>Prunus mume</i> Sieb. and Zucc., <i>Prunus nigra</i> Ait., <i>Prunus persica</i>	0%

Status: This is the original version (as it was originally made).

	(L.) Batsch, <i>Prunus salicina</i> L., <i>Prunus sibirica</i> L., <i>Prunus simonii</i> Carr., <i>Prunus spinosa</i> L., <i>Prunus tomentosa</i> Thunb., <i>Prunus triloba</i> Lindl. and other species of <i>Prunus</i> L. susceptible to Plum pox virus	
Tomato ringspot virus [TORSV0]	Plants for planting, other than seeds, of <i>Pelargonium x hortorum</i> , <i>Prunus</i> L. and <i>Rubus</i> L.	0%
Tomato spotted wilt tospovirus [TSWV00]	Plants for planting other than seeds, of <i>Begonia x hiemalis</i>	0%
	Fotsch, <i>Capsicum annuum</i> L., <i>Chrysanthemum</i> L., <i>Gerbera</i> L., <i>Impatiens</i> L., New Guinea Hybrids and <i>Pelargonium</i> L.	

PART D

RNQPs concerning forest reproductive material, other than seeds

Fungi and oomycetes		
(1)	(2)	(3)
<i>RNQPs or symptoms caused by RNQPs</i>	<i>Plants for planting (genus or species)</i>	<i>Thresholds for the forest reproductive material concerned</i>
<i>Dothistroma septosporum</i> (Dorogin) Morelet [SCIRPI]	<i>Pinus</i> L.	0%

PART E

RNQPs concerning vegetable seed

Fungi and oomycetes		
(1)	(2)	(3)
<i>RNQPs or symptoms caused by RNQPs</i>	<i>Plants for planting (seeds) (genus or species)</i>	<i>Thresholds for the vegetable seed concerned</i>
<i>Candidatus Liberibacter 'solanacearum'</i> Liefting <i>et al.</i> [LIBEPS]	<i>Solanum lycopersicum</i> L.	0%
<i>Clavibacter michiganensis</i> ssp. <i>michiganensis</i> (Smith) Davis <i>et al.</i> [CORBMI]	<i>Solanum lycopersicum</i> L.	0%

<i>Xanthomonas axonopodis</i> pv. <i>Phaseolus vulgaris</i> L. <i>phaseoli</i> (Smith) Vauterin <i>et al.</i> [XANTPH]		0%
<i>Xanthomonas fuscans</i> subsp. <i>Phaseolus vulgaris</i> L. <i>fuscans</i> Schaad <i>et al.</i> [XANTFF]		0%
<i>Xanthomonas euvesicatoria</i> <i>Capsicum annuum</i> L. Jones <i>et al.</i> [XANTEU]	<i>Solanum lycopersicum</i> L.	and 0%
<i>Xanthomonas gardneri</i> (ex <i>Capsicum annuum</i> L. Šutić 1957) Jones <i>et al.</i> <i>Solanum lycopersicum</i> L. [XANTGA]		and 0%
<i>Xanthomonas perforans</i> Jones <i>Capsicum annuum</i> L. <i>et al.</i> [XANTPF]	<i>Solanum lycopersicum</i> L.	and 0%
<i>Xanthomonas vesicatoria</i> (ex <i>Capsicum annuum</i> L. Doidge) Vauterin <i>et al.</i> <i>Solanum lycopersicum</i> L. [XANTVE]		and 0%
Insects and mites		
(1)	(2)	(3)
<i>RNQPs</i> or symptoms caused by <i>RNQPs</i>	Plants for planting (seeds) (genus or species)	Thresholds for the vegetable seed concerned
<i>Acanthoscelides obtectus</i> (Say) <i>Phaseolus coccineus</i> L. [ACANOB]	<i>Phaseolus vulgaris</i> L.	and 0%
<i>Bruchus pisorum</i> (Linnaeus) <i>Pisum sativum</i> L. [BRCHPI]		0%
<i>Bruchus rufimanus</i> Boheman <i>Vicia faba</i> L. [BRCHRU]		0%
Nematodes		
(1)	(2)	(3)
<i>RNQPs</i> or symptoms caused by <i>RNQPs</i>	Plants for planting (seeds) (genus or species)	Thresholds for the vegetable seed concerned
<i>Ditylenchus dipsaci</i> (Kuehn) <i>Allium cepa</i> L., <i>Allium porrum</i> L. Filipjev [DITYDI]		0%
Viruses, viroids, virus-like diseases and phytoplasmas		
(1)	(2)	(3)
<i>RNQPs</i> or symptoms caused by <i>RNQPs</i>	Plants for planting (seeds) (genus or species)	Thresholds for the vegetable seed concerned
Pepino mosaic virus [PEPMV0]	<i>Solanum lycopersicum</i> L.	0%
Potato spindle tuber viroid [PSTVD0]	<i>Capsicum annuum</i> L. <i>Solanum lycopersicum</i> L.	and 0%
Tomato apical stunt viroid [TASVD0]	<i>Solanum lycopersicum</i> L.	0%

Status: This is the original version (as it was originally made).

Tomato chlorotic dwarf viroid *Solanum lycopersicum* L. 0%
[TCDVD0]

PART F

RNQPs concerning seed potatoes

(1)	(2)	(3)	(4)	(5)	
<i>RNQPs or symptoms caused by RNQPs</i>	<i>Plants for planting (genus or species)</i>	<i>Thresholds for the direct progeny of pre-basic seed potatoes</i> PBTC PB	<i>Thresholds for the direct progeny of basic seed potatoes</i>	<i>Thresholds for the direct progeny of certified seed potatoes</i>	
Symptoms of virus infection	<i>Solanum tuberosum</i> L.	0%	0.5%	4%	10%
Blackleg (Dickeya Samson <i>et al.</i> spp. [1DICKG]; <i>Pectobacterium</i> Waldee emend. Hauben <i>et al.</i> spp. [1PECBG])	<i>Solanum tuberosum</i> L.	0%	Practically free	Practically free	Practically free
<i>Candidatus</i> Liberibacter 'solanacearum' Liefiting <i>et al.</i> [LIBEPS]	<i>Solanum tuberosum</i> L.	0%	0%	0%	0%
<i>Ditylenchus destructor</i> Thorne [DITYDE]	<i>Solanum tuberosum</i> L.	0%	0%	0%	0%
Black scurf as caused by <i>Thanatephorus cucumeris</i> (A.B. Frank) Donk [RHIZSO]	<i>Solanum tuberosum</i> L.	0%	1% affecting tubers over more than 10% of their surface	5% affecting tubers over more than 10% of their surface	5% affecting tubers over more than 10% of their surface
Powdery scab as caused by <i>Spongospora subterranea</i> (Wallr.) Lagerh. [SPONSU]	<i>Solanum tuberosum</i> L.	0%	1% affecting tubers over more than 10% of their surface	3% affecting tubers over more than 10% of their surface	3% affecting tubers over more than 10% of their surface
Mosaic symptoms caused by viruses	<i>Solanum tuberosum</i> L.	0%	0.1%	0.8%	6%

and

symptoms caused by
Potato leaf roll virus
[PLRV00]

(1)	(2)	(3)		(4)	(5)
RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Thresholds for the direct progeny of pre-basic seed potatoes		Thresholds for the direct progeny of basic seed potatoes	Thresholds for the direct progeny of certified seed potatoes
		PBTC	PB		
<i>Meloidogyne fallax</i> Karssen [MELGFA]	<i>Solanum tuberosum</i> L.	0%	0%	0%	0%
Potato spindle tuber viroid [PSTVD0]	<i>Solanum tuberosum</i> L.	0%	0%	0%	0%

PART G

RNQPs concerning seed of oil and fibre plants

In this Part, 'specified size', in relation to a seed lot, means—

- (a) in the case of seed of *Brassica rapa* L. var. *silvestris* (Lam.) Briggs, 70g;
- (b) in the case of seed of *Brassica napus* L. (*partim*), 100g;
- (c) in the case of seed of *Sinapis alba* L., 200g.

Fungi and oomycetes

(1)	(2)	(3)	(4)	(5)
RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Thresholds for pre-basic seed	Thresholds for basic seed	Thresholds for certified seed
<i>Alternaria linicola</i> & [ALTELI]	<i>Linum usitatissimum</i> Groves & Skolko L.	5% 5% affected with <i>Alternaria linicola</i> , <i>Boeremia exigua</i> var. <i>linicola</i> , <i>Colletotrichum lini</i> and <i>Fusarium</i> spp.	5% 5% affected with <i>Alternaria linicola</i> , <i>Boeremia exigua</i> var. <i>linicola</i> , <i>Colletotrichum lini</i> and <i>Fusarium</i> spp.	5% 5% affected with <i>Alternaria linicola</i> , <i>Boeremia exigua</i> var. <i>linicola</i> , <i>Colletotrichum lini</i> and <i>Fusarium</i> spp.
<i>Boeremia exigua</i> var. (<i>Naumov Vassiljevsky</i>) Aveskamp, Gruyter & Verkley [PHOMEL]	<i>Linum usitatissimum</i> L. - flax &	1% 5% affected with <i>Alternaria linicola</i> , <i>Boeremia exigua</i> var. <i>linicola</i> , <i>Colletotrichum lini</i> and <i>Fusarium</i> spp.	1% 5% affected with <i>Alternaria linicola</i> , <i>Boeremia exigua</i> var. <i>linicola</i> , <i>Colletotrichum lini</i> and <i>Fusarium</i> spp.	1% 5% affected with <i>Alternaria linicola</i> , <i>Boeremia exigua</i> var. <i>linicola</i> , <i>Colletotrichum lini</i> and <i>Fusarium</i> spp.

Status: This is the original version (as it was originally made).

<i>Boeremia exigua</i> Linum var. <i>linicola</i> usitatissimum (Naumov & L. - linseed Vassiljevsky) Aveskamp, Gruyter & Verkley [PHOMEL]		5%	5%	5%
		5% affected with <i>Alternaria linicola</i> , <i>Boeremia exigua</i> var. <i>linicola</i> , <i>Colletotrichum lini</i> and <i>Fusarium</i> spp.	5% affected with <i>Alternaria</i> <i>linicola</i> , <i>Boeremia exigua</i> var. <i>linicola</i> , <i>Colletotrichum</i> <i>lini</i> and <i>Fusarium</i> spp.	5% affected with <i>Alternaria</i> <i>linicola</i> , <i>Boeremia exigua</i> var. <i>linicola</i> , <i>Colletotrichum</i> <i>lini</i> and <i>Fusarium</i> spp.
<i>Botrytis cinerea</i> Helianthus de Bary <i>annuus</i> L. [BOTRCI] and <i>Linum</i> <i>usitatissimum</i> L.		5%	5%	5%
<i>Colletotrichum</i> Linum <i>lini</i> Westerdijk <i>usitatissimum</i> [COLLLI] L.		5% affected with <i>Alternaria linicola</i> , <i>Boeremia exigua</i> var. <i>linicola</i> , <i>Colletotrichum lini</i> and <i>Fusarium</i> spp.	5% affected with <i>Alternaria</i> <i>linicola</i> , <i>Boeremia exigua</i> var. <i>linicola</i> , <i>Colletotrichum</i> <i>lini</i> and <i>Fusarium</i> spp.	5% affected with <i>Alternaria</i> <i>linicola</i> , <i>Boeremia exigua</i> var. <i>linicola</i> , <i>Colletotrichum</i> <i>lini</i> and <i>Fusarium</i> spp.
<i>Diaporthe caulivora</i> Glycine max (Athow & (L.) Merr Caldwell) 15 % for infection J.M. Santos, with the Phomopsis Vrandecic & complex A.J.L. Phillips [DIAPPC];		15 % for infection with the Phomopsis complex	15 % for infection with the Phomopsis complex	15 % for infection with the Phomopsis complex
<i>Diaporthe phaseolorum</i> var. <i>sojae</i> Lehman [DIAPPS]				
<i>Fusarium</i> Linum (anamorphic <i>usitatissimum</i> genus) Link L. [1FUSAG] other than <i>Fusarium</i> <i>oxysporum</i> f. sp. <i>albedinis</i> (Kill. & Maire) W.L. Gordon [FUSAAL] and <i>Fusarium</i> <i>circinatum</i> Nirenberg &		5 % affected with <i>Alternaria linicola</i> , <i>Boeremia exigua</i> var. <i>linicola</i> , <i>Colletotrichum</i> <i>lini</i> and <i>Fusarium</i> (anamorphic genus) Link other than <i>Fusarium</i> <i>oxysporum</i> f. sp. <i>albedinis</i> (Kill. & Maire) W.L. Gordon	5 % affected with <i>Alternaria</i> <i>linicola</i> , <i>Boeremia exigua</i> var. <i>linicola</i> , <i>Colletotrichum</i> <i>lini</i> and <i>Fusarium</i> (anamorphic genus) Link other than <i>Fusarium</i> <i>oxysporum</i> f. sp. <i>albedinis</i>	5 % affected with <i>Alternaria</i> <i>linicola</i> , <i>Boeremia exigua</i> var. <i>linicola</i> , <i>Colletotrichum</i> <i>lini</i> and <i>Fusarium</i> (anamorphic genus) Link other than <i>Fusarium</i> <i>oxysporum</i> f. sp. <i>albedinis</i>

O'Donnell [GIBBCI]		and <i>Fusarium circinatum</i> Nirenberg & O'Donnell	(Kill. & Maire) W.L. Gordon and <i>Fusarium circinatum</i> Nirenberg & O'Donnell	(Kill. & Maire) W.L. Gordon and <i>Fusarium circinatum</i> Nirenberg & O'Donnell
<i>Plasmopara halstedii</i> (Farlow) Berlese & de Toni [PLASHA]	<i>Helianthus annuus</i> L.	0%	0%	0%
<i>Sclerotinia sclerotiorum</i> (Libert) de Bary [SCLESC]	<i>Brassica rapa</i> L. var. <i>silvestris</i> (Lam.) Briggs,	Not more than 5 sclerotia or fragments of sclerotia found in a laboratory examination of a representative sample of each seed lot of the specified size (if any)	Not more than 5 sclerotia or fragments of sclerotia found in a laboratory examination of a representative sample of each seed lot of the specified size (if any)	Not more than 5 sclerotia or fragments of sclerotia found in a laboratory examination of a representative sample of each seed lot, of the specified size (if any)
<i>Sclerotinia sclerotiorum</i> (Libert) de Bary [SCLESC]	<i>Brassica napus</i> L. (<i>partim</i>) and <i>Helianthus annuus</i> L.	Not more than 10 sclerotia or fragments of sclerotia found in a laboratory examination of a representative sample of each seed lot of the specified size (if any)	Not more than 10 sclerotia or fragments of sclerotia found in a laboratory examination of a representative sample of each seed lot of the specified size (if any)	Not more than 10 sclerotia or fragments of sclerotia found in a laboratory examination of a representative sample of each seed lot of the specified size (if any)
<i>Sclerotinia sclerotiorum</i> (Libert) de Bary [SCLESC]	<i>Sinapis alba</i> L.	Not more than 5 sclerotia or fragments of sclerotia found in a laboratory examination of a representative sample of each seed lot of a the specified size (if any)	Not more than 5 sclerotia or fragments of sclerotia found in a laboratory examination of a representative sample of each seed lot of the specified size (if any)	Not more than 5 sclerotia or fragments of sclerotia found in a laboratory examination of a representative sample of each seed lot of the specified size (if any)

Status: This is the original version (as it was originally made).

PART H

RNQPs concerning vegetable propagating and planting material other than seeds

Bacteria		
(1)	(2)	(3)
<i>RNQPs or symptoms caused by RNQPs</i>	<i>Plants for planting</i>	<i>Thresholds for the vegetable propagating and planting material concerned</i>
<i>Candidatus Liberibacter</i> 'solanacearum' [LIBEPS]	<i>Solanum lycopersicum</i> L. Liefing <i>et al.</i>	0%
<i>Clavibacter michiganensis</i> ssp. <i>michiganensis</i> (Smith) Davis <i>et al.</i> [CORBMI]	<i>Solanum lycopersicum</i> L.	0%
<i>Xanthomonas euvesicatoria</i> Jones <i>et al.</i> [XANTEU]	<i>Capsicum annuum</i> L. and <i>Solanum lycopersicum</i> L.	0%
<i>Xanthomonas gardneri</i> (ex Šutič 1957) Jones <i>et al.</i> [XANTGA]	<i>Capsicum annuum</i> L. and <i>Solanum lycopersicum</i> L.	0%
<i>Xanthomonas perforans</i> Jones <i>et al.</i> [XANTPF]	<i>Capsicum annuum</i> L. and <i>Solanum lycopersicum</i> L.	0%
<i>Xanthomonas vesicatoria</i> (ex Doidge) Vauterin <i>et al.</i> [XANTVE]	<i>Capsicum annuum</i> L. and <i>Solanum lycopersicum</i> L.	0%
Fungi and oomycetes		
(1)	(2)	(3)
<i>RNQPs or symptoms caused by RNQPs</i>	<i>Plants for planting</i>	<i>Thresholds for the vegetable propagating and planting material concerned</i>
<i>Fusarium</i> Link (anamorphic genus) [1FUSAG] other than <i>Fusarium oxysporum</i> f. sp. <i>albedinis</i> (Kill. & Maire) W.L. Gordon [FUSAAL] and <i>Fusarium circinatum</i> Nirenberg & O'Donnell [GIBBCI]	<i>Asparagus officinalis</i> L.	0%
<i>Helicobasidium brebissonii</i> (Desm.) Donk [HLCBBR]	<i>Asparagus officinalis</i> L.	0%
<i>Stromatinia cepivora</i> [SCLOCE]	Berk. <i>Allium cepa</i> L., <i>Allium fistulosum</i> L., <i>Allium porrum</i> L. and <i>Allium sativum</i> L.	0%
<i>Verticillium dahliae</i> [VERTDA]	Kleb. <i>Cynara cardunculus</i> L.	0%

Nematodes		
(1)	(2)	(3)
<i>RNQPs or symptoms caused by RNQPs</i>	<i>Plants for planting</i>	<i>Thresholds for the vegetable propagating and planting material concerned</i>
<i>Ditylenchus dipsaci</i> (Kuehn) Filipjev [DITYDI]	<i>Allium cepa</i> L., <i>Allium sativum</i> L.	0%
Viruses, viroids, virus-like diseases and phytoplasmas		
(1)	(2)	(3)
<i>RNQPs or symptoms caused by RNQPs</i>	<i>Plants for planting</i>	<i>Thresholds for the vegetable propagating and planting material concerned</i>
Leek yellow stripe virus [LYSV00]	<i>Allium sativum</i> L.	1%
Onion yellow dwarf virus [OYDV00]	<i>Allium cepa</i> L. and <i>Allium sativum</i> L.	1%
Potato spindle tuber viroid [PSTVD0]	<i>Capsicum annuum</i> L. and <i>Solanum lycopersicum</i> L.	0%
Tobacco mild green mosaic virus [TMGMV0]	<i>Capsicum annuum</i> L. and <i>Solanum lycopersicum</i> L.	0%
Tomato apical stunt viroid [TASVD0]	<i>Solanum lycopersicum</i> L.	0%
Tomato chlorotic dwarf viroid [TCDVD0]	<i>Solanum lycopersicum</i> L.	0%
Tomato spotted wilt tospovirus [TSWV00]	<i>Capsicum annuum</i> L., <i>Lactuca sativa</i> L., <i>Solanum lycopersicum</i> L. and <i>Solanum melongena</i> L.	0%

PART I

RNQPs concerning fruit propagating material and fruit plants intended for fruit production

Bacteria		
(1)	(2)	(3)
<i>RNQPs or symptoms caused by RNQPs</i>	<i>Plants for planting (genus or species)</i>	<i>Thresholds for the fruit propagating and fruit plants concerned</i>
<i>Agrobacterium tumefaciens</i> (Smith & Townsend) [AGRBTU]	<i>Cydonia oblonga</i> Mill., Conn	0%

Status: This is the original version (as it was originally made).

	<i>Juglans regia</i> L., <i>Malus</i> Mill., <i>Prunus armeniaca</i> L., <i>Prunus</i> <i>avium</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus</i> <i>dulcis</i> (Mill.) D. A. Webb, <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley, <i>Pyrus</i> L. and <i>Vaccinium</i> L.	
<i>Agrobacterium</i> spp. Conn [IAGRBG]	<i>Rubus</i> L.	0%
<i>Candidatus</i> <i>Phlomobacter</i> 'fragariae' Zreik, Bové & Garnier [PHMBFR]	<i>Fragaria</i> L.	0%
<i>Erwinia amylovora</i> (Burrill) Winslow <i>et al.</i> [ERWIAM]	Plants for planting, other than seeds, of <i>Cydonia</i> Mill., <i>Malus</i> Mill. and <i>Pyrus</i> L.	0%
<i>Pseudomonas avellanae</i> Janse <i>et al.</i> [PSDMAL]	<i>Corylus avellana</i> L.	0%
<i>Pseudomonas savastanoi</i> pv. <i>savastanoi</i> (Smith) Gardan <i>et</i> <i>al.</i> [PSDMSA]	<i>Olea europaea</i> L.	0%
<i>Pseudomonas syringae</i> pv. <i>morsprunorum</i> (Wormald) Young, Dye & Wilkie [PSDMMP]	<i>Prunus armeniaca</i> L., <i>Prunus</i> <i>avium</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus</i> <i>dulcis</i> (Mill.) D. A. Webb, <i>Prunus persica</i> (L.) Batsch and <i>Prunus salicina</i> Lindley	0%
<i>Pseudomonas syringae</i> pv. Syringae van Hall [PSDMSY]	<i>Cydonia oblonga</i> Mill., <i>Malus</i> Mill., <i>Pyrus</i> L. and <i>Prunus</i> <i>armeniaca</i> L.	0%
<i>Pseudomonas viridiflava</i> (Burkholder) Dowson [PSDMVF]	<i>Prunus armeniaca</i> L.	0%
<i>Rhodococcus fascians</i> Tilford [CORBFA]	<i>Rubus</i> L.	0%
<i>Xanthomonas arboricola</i> pv. <i>Corylina</i> (Miller, Bollen, Simmons, Gross & Barss) Vauterin, Hoste, Kersters & Swings [XANTCY]	<i>Corylus avellana</i> L.	0%
<i>Xanthomonas arboricola</i> pv. <i>Juglandi</i> (Pierce) Vauterin <i>et al.</i> [XANTJU]	<i>Jugland regia</i> L.	0%
<i>Xanthomonas campestris</i> pv. <i>fici</i> (Cavara) Dye [XANTFI]	<i>Ficus carica</i> L.	0%

Xanthomonas fragariae Plants for planting, other than 0%
Kennedy & King [XANTFR] seeds, of *Fragaria* L.

Fungi and oomycetes

(1)	(2)	(3)
<i>RNQP</i> s or symptoms caused by <i>RNQP</i> s	Plants for planting (genus or species)	Thresholds for the fruit propagating and fruit plants concerned
<i>Armillariella mellea</i> (Vahl) Kummer [ARMIME]	<i>Corylus avellana</i> L., <i>Cydonia oblonga</i> Mill., <i>Ficus carica</i> L., <i>Juglans regia</i> L., <i>Malus</i> Mill. and <i>Pyrus</i> L.	0%
<i>Chondrostereum purpureum</i> Pouzar [STERPU]	<i>Cydonia oblonga</i> Mill., <i>Juglans regia</i> L., <i>Malus</i> Mill. and <i>Pyrus</i> L.	0%
<i>Colletotrichum acutatum</i> Simmonds [COLLAC]	<i>Fragaria</i> L.	0%
<i>Diaporthe strumella</i> (Fries) Fuckel [DIAPST]	<i>Ribes</i> L.	0%
<i>Exobasidium vaccinii</i> (Fuckel) Woronin [EXOBVA]	<i>Vaccinium</i> L.	0%
<i>Glomerella cingulata</i> (Stoneman) Spaulding & von Schrenk [GLOMCI]	<i>Cydonia oblonga</i> Mill., <i>Malus</i> Mill. and <i>Pyrus</i> L.	0%
<i>Godronia cassandrae</i> (anamorph <i>Topospora myrtilli</i>) Peck [GODRCA]	<i>Vaccinium</i> L.	0%
<i>Microsphaera grossulariae</i> (Wallroth) Léveillé [MCRSGR]	<i>Ribes</i> L.	0%
<i>Mycosphaerella punctiformis</i> Verkley & U. Braun [RAMUEN]	<i>Castanea sativa</i> Mill.	0%
<i>Neofabraea alba</i> Desmazières [PEZIAL]	<i>Cydonia oblonga</i> Mill., <i>Malus</i> Mill. and <i>Pyrus</i> L.	0%
<i>Neofabraea malicorticis</i> Jackson [PEZIMA]	<i>Cydonia oblonga</i> Mill., <i>Malus</i> Mill. and <i>Pyrus</i> L.	0%
<i>Neonectria ditissima</i> (Tulasne & C. Tulasne) Samuels & Rossman [NECTGA]	<i>Cydonia oblonga</i> Mill., <i>Juglans regia</i> L., <i>Malus</i> Mill. and <i>Pyrus</i> L.	0%
<i>Peronospora rubi</i> Rabenhorst [PERORU]	<i>Rubus</i> L.	0%
<i>Phytophthora cactorum</i> (Lebert & Cohn) J.Schröter [PHYTCC]	<i>Cydonia oblonga</i> Mill., <i>Fragaria</i> L., <i>Juglans regia</i> L., <i>Malus</i> Mill., <i>Prunus armeniaca</i> L., <i>Prunus avium</i> L., <i>Prunus</i>	0%

Status: This is the original version (as it was originally made).

		<i>cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus dulcis</i> (Mill.) D. A. Webb, <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley and <i>Pyrus</i> L.	
<i>Phytophthora</i> (Petri) Buisman [PHYTCM]	<i>cambivora</i>	<i>Castanea sativa</i> Mill. and <i>Pistacia vera</i> L.	0%
<i>Phytophthora</i> Rands [PHYTCN]	<i>cinnamomi</i>	<i>Castanea sativa</i> Mill.	0%
<i>Phytophthora</i> (R.E. Smith & E.H. Smith) Leonian [PHYTCO]	<i>citrophthora</i>	<i>Citrus</i> L., <i>Fortunella</i> Swingle and <i>Poncirus</i> Raf.	0%
<i>Phytophthora</i> Pethybridge & [PHYTCR]	<i>cryptogea</i>	<i>Pistacia vera</i> L.	0%
<i>Phytophthora</i> Hickman [PHYTFR]	<i>fragariae</i> C.J.	Plants for planting, other than seeds, of <i>Fragaria</i> L.	0%
<i>Phytophthora</i> (Dastur) [PHYTNP]	<i>nicotianae</i> var. <i>parasitica</i> Waterhouse	<i>Citrus</i> L., <i>Fortunella</i> Swingle and <i>Poncirus</i> Raf.	0%
<i>Phytophthora</i> [1PHYTG]	spp. de Bary	<i>Rubus</i> L.	0%
<i>Podosphaera</i> (Wallroth) Braun & [PODOAP]	<i>aphanis</i>	<i>Fragaria</i> L.	0%
<i>Podosphaera</i> (Schweinitz) Takamatsu [SPHRMU]	<i>mors-uvae</i> Braun &	<i>Ribes</i> L.	0%
<i>Rhizoctonia</i> & W.E. McKeen [RHIZFR]	<i>fragariae</i> Hussain	<i>Fragaria</i> L.	0%
<i>Rosellinia</i> [ROSLNE]	<i>necatrix</i> Prillieux	<i>Pistacia vera</i> L.	0%
<i>Sclerophora</i> Spooner [SKLPPA]	<i>pallida</i> Yao &	<i>Cydonia oblonga</i> Mill., <i>Malus</i> Mill. and <i>Pyrus</i> L.	0%
<i>Verticillium</i> & Berthold [VERTAA]	<i>albo-atrum</i> Reinke	<i>Corylus avellana</i> L., <i>Cydonia oblonga</i> Mill., <i>Fragaria</i> L., <i>Malus</i> Mill. and <i>Pyrus</i> L.	0%
<i>Verticillium</i> [VERTDA]	<i>dahliae</i> Kleb	<i>Corylus avellana</i> L., <i>Cydonia oblonga</i> Mill., <i>Fragaria</i> L., <i>Malus</i> Mill., <i>Olea europaea</i> L., <i>Pistacia vera</i> L., <i>Prunus armeniaca</i> L., <i>Prunus avium</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus dulcis</i> (Mill.) D. A. Webb, <i>Prunus</i>	0%

persica (L.) Batsch, *Prunus salicina* Lindley and *Pyrus* L.

Insects and mites		
(1)	(2)	(3)
<i>RNQPs</i> or symptoms caused by <i>RNQPs</i>	Plants for planting (genus or species)	Thresholds for the fruit propagating and fruit plants concerned
<i>Cecidophyopsis</i> Westwood [ERPHRI]	<i>ribis</i> <i>Ribes</i> L.	0%
<i>Chaetosiphon</i> Cockerell [CHTSFR]	<i>fragaefolii</i> <i>Fragaria</i> L.	0%
<i>Dasineura</i> [DASYTE]	<i>tetensi</i> Rübсаamen <i>Ribes</i> L.	0%
<i>Epidiaspis</i> [EPIDBE]	<i>leperii</i> Signoret <i>Juglans regia</i> L.	0%
<i>Eriosoma</i> Hausmann [ERISLA]	<i>lanigerum</i> <i>Cydonia oblonga</i> Mill., <i>Malus</i> Mill. and <i>Pyrus</i> L.	0%
<i>Phytoptus</i> [ERPHAV]	<i>avellanae</i> Nalepa <i>Corylus avellana</i> L.	0%
<i>Phytonemus</i> [TARSPA]	<i>pallidus</i> Banks <i>Fragaria</i> L.	0%
<i>Pseudaulacaspis</i> Targioni-Tozzetti [PSEAPE]	<i>pentagona</i> <i>Juglans regia</i> L., <i>Prunus armeniaca</i> L., <i>Prunus domestica</i> L., <i>Prunus dulcis</i> (Mill.) D. A. Webb, <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley and <i>Ribes</i> L.	0%
<i>Psylla</i> [1PSYLG]	spp. Geoffroy <i>Cydonia oblonga</i> Mill., <i>Malus</i> Mill. and <i>Pyrus</i> L.	0%
<i>Resseliella</i> [THOMTE]	<i>theobaldi</i> Barnes <i>Rubus</i> L.	0%
<i>Tetranychus</i> [TETRUR]	<i>urticae</i> Koch <i>Ribes</i> L.	0%
Nematodes		
(1)	(2)	(3)
<i>RNQPs</i> or symptoms caused by <i>RNQPs</i>	Plants for planting (genus or species)	Thresholds for the fruit propagating and fruit plants concerned
<i>Aphelenchoides</i> Franklin [APLOBL]	<i>blastophthorus</i> <i>Fragaria</i> L.	0%
<i>Aphelenchoides</i> (Ritzema Bos) [APLOFR]	<i>fragariae</i> <i>Fragaria</i> L. Christie	0%

Status: This is the original version (as it was originally made).

<i>Aphelenchoides ritzemabosi</i> (Schwartz) Steiner & Buhrer [APLORI]	<i>Fragaria</i> L. and <i>Ribes</i> L.	0%
<i>Ditylenchus dipsaci</i> Filipjev [DITYDI]	(Kuehn) <i>Fragaria</i> L. and <i>Ribes</i> L.	0%
<i>Heterodera fici</i> [HETDFI]	Kirjanova <i>Ficus carica</i> L.	0%
<i>Longidorus attenuatus</i> [LONGAT]	Hooper <i>Fragaria</i> L., <i>Prunus avium</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley and <i>Rubus</i> L.	0%
<i>Longidorus elongatus</i> [LONGEL]	(de Man) Thorne & Swanger <i>Fragaria</i> L., <i>Prunus avium</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley, <i>Ribes</i> L. and <i>Rubus</i> L.	0%
<i>Longidorus macrosoma</i> [LONGMA]	Hooper <i>Fragaria</i> L., <i>Prunus avium</i> L., <i>Prunus cerasus</i> L., <i>Ribes</i> L. and <i>Rubus</i> L.	0%
<i>Meloidogyne arenaria</i> [MELGAR]	Chitwood <i>Ficus carica</i> L., <i>Olea europaea</i> L., <i>Prunus avium</i> L., <i>Prunus armeniaca</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus dulcis</i> (Mill.) D. A. Webb, <i>Prunus persica</i> (L.) Batsch and <i>Prunus salicina</i> Lindley	0%
<i>Meloidogyne hapla</i> [MELGHA]	Chitwood <i>Cydonia oblonga</i> Mill., <i>Fragaria</i> L., <i>Malus</i> Mill. and <i>Pyrus</i> L.	0%
<i>Meloidogyne javanica</i> [MELGJA]	Chitwood <i>Cydonia oblonga</i> Mill., <i>Ficus carica</i> L., <i>Malus</i> Mill., <i>Olea europaea</i> L., <i>Prunus avium</i> L., <i>Prunus armeniaca</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus dulcis</i> (Mill.) D.A. Webb, <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley and <i>Pyrus</i> L.	0%
<i>Pratylenchus penetrans</i> [PRATPE]	(Cobb) Filipjev & Schuurmans-Stekhoven <i>Cydonia oblonga</i> Mill., <i>Ficus carica</i> L., <i>Malus</i> Mill., <i>Pistacia vera</i> L., <i>Prunus avium</i> L., <i>Prunus armeniaca</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus dulcis</i> (Mill.) D.A. Webb, <i>Prunus persica</i>	0%

	(L.) Batsch, <i>Prunus salicina</i> Lindley and <i>Pyrus</i> L.	
<i>Pratylenchus vulnus</i> Allen & Jensen [PRATVU]	<i>Citrus</i> L., <i>Cydonia oblonga</i> Mill., <i>Ficus carica</i> L., <i>Fortunella</i> Swingle, <i>Fragaria</i> L., <i>Malus</i> Mill., <i>Olea europaea</i> L., <i>Pistacia vera</i> L., <i>Poncirus Raf.</i> , <i>Prunus avium</i> L., <i>Prunus armeniaca</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus dulcis</i> (Mill.) D. A. Webb, <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley and <i>Pyrus</i> L.	0%
<i>Xiphinema diversicaudatum</i> (Mikoletzky) Thorne [XIPHDI]	<i>Fragaria</i> L., <i>Juglans regia</i> L., <i>Olea europaea</i> L., <i>Prunus avium</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley, <i>Ribes</i> L. and <i>Rubus</i> L.	0%
<i>Xiphinema index</i> Allen [XIPHIN]	<i>Pistacia vera</i> L.	0%
Viruses, viroids, virus-like diseases and phytoplasmas		
(1)	(2)	(3)
<i>RNQPs</i> or symptoms caused by <i>RNQPs</i>	Plants for planting (genus or species)	Thresholds for the fruit propagating and fruit plants concerned
Apple chlorotic leaf spot virus [ACLSV0]	<i>Cydonia oblonga</i> Mill., <i>Malus</i> Mill., <i>Prunus avium</i> L., <i>Prunus armeniaca</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus dulcis</i> (Mill.) D. A. Webb, <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley and <i>Pyrus</i> L.	0%
Apple flat limb agent [AFL000]	<i>Malus</i> Mill.	0%
Apple mosaic virus [APMV00]	<i>Corylus avellana</i> L., <i>Malus</i> Mill., <i>Prunus avium</i> L., <i>Prunus armeniaca</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus dulcis</i> (Mill.) D. A. Webb, <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley and <i>Rubus</i> L.	0%
Apple star crack agent [APHW00]	<i>Malus</i> Mill.	0%

Status: This is the original version (as it was originally made).

Apple rubbery wood agent [ARW000]	<i>Cydonia oblonga</i> Mill., Mill. and <i>Pyrus</i> L.	<i>Malus</i>	0%
Apple scar skin viroid [ASSVD0]	<i>Malus</i> Mill.		0%
Apple stem-grooving virus [ASGV00]	<i>Cydonia oblonga</i> Mill., Mill. and <i>Pyrus</i> L.	<i>Malus</i>	0%
Apple stem-pitting virus [ASPV00]	<i>Cydonia oblonga</i> Mill., Mill. and <i>Pyrus</i> L.	<i>Malus</i>	0%
Apricot latent virus [ALV000]	<i>Prunus armeniaca</i> L. and <i>Prunus persica</i> (L.) Batsch		0%
<i>Arabis</i> mosaic virus [ARMV00]	<i>Fragaria</i> L., <i>Olea europaea</i> L., <i>Prunus avium</i> L., <i>Prunus</i> <i>cerasus</i> L., <i>Ribes</i> L. and <i>Rubus</i> L.		0%
Aucuba mosaic agent and blackcurrant yellows agent combined	<i>Ribes</i> L.		0%
Black raspberry necrosis virus [BRNV00]	<i>Rubus</i> L.		0%
Blackcurrant reversion virus [BRAV00]	<i>Ribes</i> L.		0%
Blueberry mosaic associated virus [BLMAV0]	<i>Vaccinium</i> L.		0%
Blueberry red ringspot virus [BRRV00]	<i>Vaccinium</i> L.		0%
Blueberry shock virus [BLSHV0]	<i>Vaccinium</i> L.		0%
<i>Candidatus</i> Phytoplasma 'asteris' Lee <i>et al.</i> [PHYPPAS]	<i>Fragaria</i> L. and <i>Vaccinium</i> L.		0%
<i>Candidatus</i> Phytoplasma 'fragariae' Valiunas, Staniulis & Davis [PHYPPFG]	<i>Fragaria</i> L.		0%
<i>Candidatus</i> Phytoplasma 'pyri' [PHYPPY]	Plants for planting, other than seeds, of <i>Pyrus</i> L.		0%
<i>Candidatus</i> Phytoplasma Malembic-Maher <i>et al.</i> [PHYPRU]	<i>Rubus</i> L.		0%
Cherry green ring mottle virus [CGRMV0]	<i>Prunus avium</i> L. and <i>Prunus</i> <i>cerasus</i> L.		0%
Cherry leaf roll virus [CLRV00]	<i>Juglans regia</i> L., <i>Olea</i> <i>europaea</i> L., <i>Prunus avium</i> L. and <i>Prunus cerasus</i> L.		0%

Cherry mottle leaf virus [CMLV00]	<i>Prunus avium</i> L. and <i>Prunus cerasus</i> L.	0%
Cherry necrotic rusty mottle virus [CRNRM0]	<i>Prunus avium</i> L. and <i>Prunus cerasus</i> L.	0%
Chestnut mosaic agent	<i>Castanea sativa</i> Mill.	0%
Citrus cristacortis [CSCC00]	<i>Citrus</i> L., <i>Fortunella</i> Swingle and <i>Poncirus</i> Raf.	0%
Citrus impietratura [CSI000]	<i>Citrus</i> L., <i>Fortunella</i> Swingle and <i>Poncirus</i> Raf.	0%
Citrus leaf Blotch [CLBV00]	<i>Citrus</i> L., <i>Fortunella</i> Swingle and <i>Poncirus</i> Raf.	0%
Citrus variegation [CVV000]	<i>Citrus</i> L., <i>Fortunella</i> Swingle and <i>Poncirus</i> Raf.	0%
Clover phyllody [PHYP03]	<i>Fragaria</i> L.	0%
Cranberry false blossom phytoplasma [PHYPFB]	<i>Vaccinium</i> L.	0%
Cucumber mosaic virus [CMV000]	<i>Ribes</i> L. and <i>Rubus</i> L.	0%
Fruit disorders: chat fruit [APCF00], green crinkle [APGC00], bumpy fruit of Ben Davis, rough skin [APRSK0], star crack, russet ring [APLP00], russet wart	<i>Malus</i> Mill.	0%
Gooseberry vein banding associated virus [GOVB00]	<i>Ribes</i> L.	0%
Little cherry virus 1 and 2 [LCHV10], [LCHV20])	<i>Prunus avium</i> L. and <i>Prunus cerasus</i> L.	0%
Myrobalan latent ringspot virus [MLRSV0]	<i>Prunus domestica</i> L. and <i>Prunus salicina</i> Lindley	0%
Olive leaf yellowing associated virus [OLYAV0]	<i>Olea europaea</i> L.	0%
Olive yellow mottling and decline associated virus [OYMDAV]	<i>Olea europaea</i> L.	0%
Peach latent mosaic [PLMVD0]	<i>Prunus persica</i> (L.) Batsch	0%
Pear bark necrosis [PRBN00]	<i>Cydonia oblonga</i> Mill. and <i>Pyrus</i> L.	0%
Pear bark split agent [PRBS00]	<i>Cydonia oblonga</i> Mill. and <i>Pyrus</i> L.	0%

Status: This is the original version (as it was originally made).

Pear blister canker viroid [PBCVD0]	<i>Cydonia oblonga</i> Mill. and <i>Pyrus</i> L.	0%
Pear rough bark agent [PRRB00]	<i>Cydonia oblonga</i> Mill. and <i>Pyrus</i> L.	0%
Plum pox virus [PPV000]	<i>Prunus armeniaca</i> L., <i>Prunus</i> <i>avium</i> L., <i>Prunus cerasifera</i> , <i>Prunus cerasus</i> L., <i>Prunus</i> <i>domestica</i> L., <i>Prunus dulcis</i> (Mill.) D.A. Webb, <i>Prunus</i> <i>persica</i> (L.) Batsch and <i>Prunus</i> <i>salicina</i> Lindley.	0%
	In the case of <i>Prunus</i> hybrids where material is grafted onto rootstocks, other species of <i>Prunus</i> L. rootstocks susceptible to Plum pox virus.	
Prune dwarf virus [PDV000]	<i>Prunus avium</i> L., <i>Prunus</i> <i>armeniaca</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus dulcis</i> (Mill.) D. A. Webb, <i>Prunus persica</i> (L.) Batsch and <i>Prunus salicina</i> Lindley	0%
Prunus necrotic ringspot virus [PNRSV0]	<i>Prunus avium</i> L., <i>Prunus</i> <i>armeniaca</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus dulcis</i> (Mill.) D. A. Webb, <i>Prunus persica</i> (L.) Batsch and <i>Prunus salicina</i> Lindley	0%
Quince yellow blotch agent [ARW000]	<i>Cydonia oblonga</i> Mill. and <i>Pyrus</i> L.	0%
Raspberry bushy dwarf virus [RBDV00]	<i>Rubus</i> L.	0%
Raspberry leaf mottle virus [RLMV00]	<i>Rubus</i> L.	0%
Raspberry ringspot virus [RPRSV0]	<i>Fragaria</i> L., <i>Prunus avium</i> L., <i>Prunus cerasus</i> L., <i>Ribes</i> L. and <i>Rubus</i> L.	0%
Raspberry vein chlorosis virus [RVCV00]	<i>Rubus</i> L.	0%
Raspberry yellow spot [RYS000]	<i>Rubus</i> L.	0%
Rubus yellow net virus [RYNV00]	<i>Rubus</i> L.	0%

Strawberry crinkle virus [SCRV00]	Plants for planting, other than seeds, of <i>Fragaria</i> L.	0%
Strawberry latent ringspot virus [SLRSV0]	<i>Fragaria</i> L., <i>Prunus avium</i> L., <i>Prunus cerasus</i> L., <i>Prunus persica</i> (L.) Batsch, <i>Ribes</i> L. and <i>Rubus</i> L.	0%
Strawberry mild yellow edge virus [SMYEV0]	Plants for planting, other than seeds, of <i>Fragaria</i> L.	0%
Strawberry mottle virus [SMOV00]	<i>Fragaria</i> L.	0%
Strawberry multiplier disease phytoplasma [PHYP75]	<i>Fragaria</i> L.	0%
Tomato black ring virus [TBRV00]	Plants for planting, other than seeds, of <i>Fragaria</i> L., <i>Prunus avium</i> L., <i>Prunus cerasus</i> L. and <i>Rubus</i> L.	0%
Tomato ringspot virus [TORSV0]	<i>Prunus</i> L. and <i>Malus</i> L.	0%

PART J

RNQPs concerning seed of *Solanum tuberosum* L.

Viruses, viroids, virus-like diseases and phytoplasmas		
(1)	(2)	(3)
<i>RNQP</i>	<i>Plants for planting</i>	<i>Threshold for seed</i>
Potato spindle tuber viroid [PSTVD0]	<i>Solanum tuberosum</i> L.	0%

PART K

RNQPs concerning plants for planting of *Humulus lupulus*, other than seeds

Fungi and oomycetes		
(1)	(2)	(3)
<i>RNQP</i>	<i>Plants for planting</i>	<i>Threshold for seed</i>
<i>Verticillium dahliae</i> [VERTDA]	Kleb. <i>Humulus lupulus</i> L.	0%
<i>Verticillium nonalfalfae</i> Inderbitzin, H.W. Platt, Bostock, R.M. Davis & K.V. Subbarao [VERTNO]	<i>Humulus lupulus</i> L.	0% ²