

## SCHEDULE

Regulation 6(2)

Table of Limit Values

Name of agent	EC No <sup>(1)</sup>	CAS No <sup>(2)</sup>	Limit values <sup>(3)</sup>			Notation	Transitional measures
			mg/m <sup>3(4)</sup>	ppm <sup>(5)</sup>	f/ml <sup>(6)</sup>		
Hardwood dusts	—	—	2 <sup>(7)</sup>	—	—	—	Limit value 3 mg/m <sup>3</sup> until 17 January 2023
Chromium (VI) compounds which are carcinogens within the meaning of point (i) of Article 2(a) (as chromium)	—	—	0,005	—	—	—	Limit values:  0,025 mg/m <sup>3</sup> for welding or plasma cutting processes or similar work processes that generate fume until 17 January 2025, and  0,010 mg/m <sup>3</sup> until 17 January 2025 in all other cases
Refractory ceramic fibres which are carcinogens within the meaning of point (i) of Article 2(a)	—	—	—	—	0,3	—	
Respirable crystalline silica dust	—	—	0,1 <sup>(8)</sup>	—	—	—	
Benzene	200-753-7	71-43-2	3,25	1	—	skin <sup>(9)</sup>	

(1) EC No, i.e. EINECS, ELINCS or NLP, is the official number of the substance within the European Union, as defined in Section 1.1.1.2 in Annex VI, Part 1, to Regulation (EC) No 1272/2008.

(2) CAS No: Chemical Abstract Service Registry Number.

(3) Measured or calculated in relation to a reference period of eight hours.

(4) mg/m<sup>3</sup> = milligrams per cubic metre of air at 20 °C and 101,3 kPa (760 mm mercury pressure).

(5) ppm = parts per million by volume in air (ml/m<sup>3</sup>).

(6) f/ml = fibres per millilitre.

(7) Inhalable fraction: if hardwood dusts are mixed with other wood dusts, the limit value shall apply to all wood dusts present in that mixture.

(8) Respirable fraction.

(9) Substantial contribution to the total body burden via dermal exposure possible.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Name of agent	EC No <sup>(1)</sup>	CAS No <sup>(2)</sup>	Limit values <sup>(3)</sup>			Notation	Transitional measures
			mg/m <sup>3</sup> <sup>(4)</sup>	ppm <sup>(5)</sup>	f/ml <sup>(6)</sup>		
Vinyl chloride monomer	200-831-75	101-42-6	2,6	1	—	—	
Ethylene oxide	200-849-75	75-21-8	1,8	1	—	skin <sup>(9)</sup>	
1,2-Epoxypropane	200-879-75	75-56-9	2,4	1	—	—	
Acrylamide	201-173-79	79-06-1	0,1	—	—	skin <sup>(9)</sup>	
2-Nitropropane	201-209-79	79-46-9	18	5	—	—	
o-Toluidine	202-429-95	95-53-4	0,5	0,1	—	skin <sup>(9)</sup>	
1,3-Butadiene	203-450-18	186-99-0	2,2	1	—	—	
Hydrazine	206-114-30	302-01-2	0,013	0,01	—	skin <sup>(9)</sup>	
Bromoethylene	209-800-50	503-60-2	2,4	1	—	—	

- (1) EC No, i.e. EINECS, ELINCS or NLP, is the official number of the substance within the European Union, as defined in Section 1.1.1.2 in Annex VI, Part 1, to Regulation (EC) No 1272/2008.
- (2) CAS No: Chemical Abstract Service Registry Number.
- (3) Measured or calculated in relation to a reference period of eight hours.
- (4) mg/m<sup>3</sup> = milligrams per cubic metre of air at 20 °C and 101,3 kPa (760 mm mercury pressure).
- (5) ppm = parts per million by volume in air (ml/m<sup>3</sup>).
- (6) f/ml = fibres per millilitre.
- (7) Inhalable fraction: if hardwood dusts are mixed with other wood dusts, the limit value shall apply to all wood dusts present in that mixture.
- (8) Respirable fraction.
- (9) Substantial contribution to the total body burden via dermal exposure possible.