

SCHEDULES

SCHEDULE 13

PROTECTIVE PROVISIONS

PART 8

FOR THE PROTECTION OF CADENT GAS LIMITED AS GAS UNDERTAKER

Interpretation

2. In this Part of this Schedule—

“alternative apparatus” means appropriate alternative apparatus to the satisfaction of Cadent to enable it to fulfil its statutory functions in a manner no less efficient than previously;

“apparatus” means any gas mains, pipes, pressure governors, ventilators, cathodic protection, cables or other apparatus belonging to or maintained by Cadent for the purpose of gas supply together with any replacement apparatus and such other apparatus constructed pursuant to the Order that becomes operational apparatus of Cadent for the purposes of transmission, distribution and/or supply and includes any structure in which apparatus is or will be lodged or which gives or will give access to the apparatus;

“authorised works” has the same meaning as is given to the term “authorised development” in article 2 (interpretation) of this Order and includes any associated development authorised by the Order and for the purposes of this Part of this Schedule includes the use and maintenance of the authorised works and construction of any works authorised by this Part of this Schedule;

“Cadent” means Cadent Gas Limited (Company Number 10080864) whose registered office is situated at Ashbrook Court, Prologis Park, Central Boulevard, Coventry, CV7 8EP and any successor in title or assignee including any successor to their license as a gas transporter under Part 1 of the Gas Act 1986^{MI};

“deed of consent” means a deed of consent, crossing agreement, deed of variation or new deed of grant agreed between the parties acting reasonably in order to vary and/or replace existing easements, agreements, enactments and other such interests so as to secure land rights and interests as are necessary to carry out, maintain, operate and use the apparatus in a manner consistent with the terms of this Part of this Schedule;

“functions” includes powers and duties;

“ground mitigation scheme” means a scheme approved by the undertaker (such approval not to be unreasonably withheld or delayed) setting out the necessary measures (if any) for a ground subsidence event;

“ground monitoring scheme” means a scheme for monitoring ground subsidence which sets out the apparatus which is to be subject to such monitoring, the extent of land to be monitored, the manner in which ground levels are to be monitored, the timescales of any monitoring activities and the extent of ground subsidence which, if exceeded, will require the undertaker to submit for Cadent's approval a ground mitigation scheme;

Changes to legislation: There are currently no known outstanding effects for the The West Midlands Rail Freight Interchange Order 2020, Paragraph 2. (See end of Document for details)

“ground subsidence event” means any ground subsidence identified by the monitoring activities set out in the ground monitoring scheme that has exceeded the level described in the ground monitoring scheme as requiring a ground mitigation scheme;

“in”, in a context referring to apparatus or alternative apparatus in land, includes a reference to apparatus or alternative apparatus under, over, across, along or upon such land;

“maintain” and “maintenance” includes the ability and right to do any of the following in relation to any apparatus or alternative apparatus of Cadent including construct, use, repair, alter, inspect, renew or remove the apparatus;

“plan” or “plans” include all designs, drawings, specifications, method statements, soil reports, programmes, calculations, risk assessments and other documents that are reasonably necessary properly and sufficiently to describe and assess the works to be executed; and

“specified works” means any of the authorised works or activities undertaken in association with the authorised works which—

- (a) will or may be situated over, or within 15 metres measured in any direction of any apparatus the removal of which has not been required by the undertaker under paragraph 6(2) of this Part of this Schedule or otherwise; or
- (b) include any of the activities that are referred to in paragraph 8 of T/SP/SSW/22 Cadent policies for safe working in proximity to gas apparatus “Specification for safe working in the vicinity of National Grid, High pressure Gas pipelines and associated installation requirements for third parties T/SP/SSW/22”.

Marginal Citations

M1 1986 c. 44.

Changes to legislation:

There are currently no known outstanding effects for the The West Midlands Rail Freight Interchange Order 2020, Paragraph 2.