#### SCHEDULE 1

Regulation 2(7)

## Insertion of Schedule 5 to the Materials and Articles in Contact with Food (England) Regulations 2012

After Schedule 4 to the Materials and Articles in Contact with Food (England) Regulations 2012 insert—

#### "SCHEDULE 5

Regulation 12(1)

#### LIST OF SUBSTANCES AUTHORISED IN THE MANUFACTURE OF REGENERATED CELLULOSE FILM

#### DESCRIPTION OF REGENERATED CELLULOSE FILM

Regenerated cellulose film is a thin sheet material obtained from a refined cellulose derived from unrecycled wood or cotton. To meet technical requirements, suitable substances may be added either in the mass or on the surface. Regenerated cellulose film may be coated on one or both sides.

# LIST OF SUBSTANCES AUTHORISED IN THE MANUFACTURE OF REGENERATED CELLULOSE FILM

Notes:

- The percentages in this Schedule, in the first and second parts, are expressed in weight/weight (w/w) and are calculated in relation to the quantity of anhydrous uncoated regenerated cellulose film.
- The usual technical denominations are given in square brackets.
- The substances used shall be of good technical quality as regards the purity criteria.

#### First Part: Uncoated regenerated cellulose film

Denominations	Restrictions
A. Regenerated cellulose	Not less than 72 % (w/w)
B. Additives	
1. Softeners	Not more than 27 % (w/w) in total
— Bis (2-hydroxyethyl) ether diethyleneglycol]	[= Only for films intended to be coated and then used for foodstuffs which are not moist, namely which do not contain water which is physically free at the surface. The total amount of bis(2- hydroxyethyl)ether and ethanediol present in foodstuffs that have been in contact with film of this type may not exceed 30 mg/kg of the foodstuff.
— Ethanediol [= monoethyleneglycol]	
— 1.3-butanediol	
— Glycerol	

- 1.2-propanediol [= 1.2 propyleneglycol]

Denominations	Restrictions	
— Polyethylene oxide [= polyethyleneglycol]	Average molecular weight between 250 and 1200.	
— 1.2-polypropylene oxide [= 1.2 polypropyleneglycol]	Average molecular weight not greater than 400 and free 1.3-propanediol content not greater than $1\%$ (w/w) in substance.	
— Sorbitol		
— Tetraethyleneglycol		
— Triethyleneglycol		
— Urea		
2. Other additives	Not more than 1% (w/w) in total.	
First class	The quantity of the substance or group of substances in each indent may not exceed $2 \text{ mg/}$ dm <sup>2</sup> of the uncoated film.	
— Acetic acid and its NH <sub>4</sub> , Ca, Mg, K and Na salts		
— Ascorbic acid and its NH <sub>4</sub> , Ca, Mg, K and Na salts		
- Benzoic acid and sodium benzoate		
— Formic acid and its NH <sub>4</sub> , Ca, Mg, K and Na salts		
— Linear fatty acids, saturated or unsaturated, with an even number of carbon atoms from 8 to 20 inclusive and also behenic and ricinoleic acids and the NH <sub>4</sub> , Ca, Mg, K, Na, Al, Zn salts of these acids		
— Citric, d- and l-lactic, maleic, l-tartaric acids and their Na and K salts		
— Sorbic acid and its NH <sub>4</sub> , Ca, Mg, K and Na salts		
— Amides of linear fatty acids, saturated or unsaturated, with an even number of carbon atoms from 8 to 20 inclusive and also the amides of behenic and ricinoleic acids		
- Natural edible starches and flours		
— Edible starches and flours modified by chemical treatment		
— Amylose		
- Calcium and magnesium carbonates and		

chlorides

Denominations	Restrictions
— Esters of glycerol with linear fatty acids, saturated or unsaturated, with an even number of carbon atoms from 8 to 20 inclusive and/or with adipic, citric, 12-hydroxystearic (oxystearin), ricinoleic acids	
— Esters of polyoxyethylene (8 to 14 oxyethylene groups) with linear fatty acids, saturated or unsaturated, with an even number of carbon atoms from 8 to 20 inclusive	
— Esters of sorbitol with linear fatty acids, saturated or unsaturated, with an even number of carbon atoms from 8 to 20 inclusive	
— Mono-and/or di-esters of stearic acid with ethanediol and/or bis (2-hydroxyethyl) ether and/or triethylene glycol	
— Oxides and hydroxides of aluminium, calcium, magnesium and silicon and silicates and hydrated silicates of aluminium, calcium, magnesium and potassium	
— Polyethylene oxide [= polyethyleneglycol]	Average molecular weight between 1200 and 4000.
— Sodium propionate	
Second class	The total quantity of the substances may not exceed 1 mg/dm <sup>2</sup> of the uncoated film and the quantity of the substance or group of substances in each indent may not exceed $0.2 \text{ mg/dm}^2$ (or a lower limit where one is specified) of the uncoated film.
— Sodium alkyl (C <sub>8</sub> -C <sub>18</sub> ) benzene sulphonate	
— Sodium isopropyl naphthalene sulphonate	
— Sodium alkyl (C <sub>8</sub> -C <sub>18</sub> ) sulphate	
— Sodium alkyl (C <sub>8</sub> -C <sub>18</sub> ) sulphonate	
Sodium dioctylsulphosuccinate	
— Distearate of dihydroxyethyl diethylene triamine monoacetate	Not more than $0.05 \text{ mg/dm}^2$ of the uncoated film.
— Ammonium, magnesium and potassium lauryl sulphates	
— N,N'-distearoyl diaminoethane, N,N'- dipalmitoyl diaminoethane and N,N'-dioleoyl diaminoethane	
— 2-heptadecyl-4.4-bis(methylene-stearate) oxazoline	

Denominations	Restrictions	
- Polyethylene-aminostearamide ethylsulphate	<sup>2</sup> Not more than $0.1 \text{ mg/dm}^2$ of the uncoated film.	
Third class — Anchoring agent	The total quantity of substances may not exceed $1 \text{ mg/dm}^2$ of the uncoated film.	
Condensation product of melamine- formaldehyde unmodified, or which may be modified with one or more of the following products:	Free formaldehyde content not greater than 0.5 mg/dm <sup>2</sup> of the uncoated film. Free melamine content not greater than 0.3 mg/	
butanol, diethylenetriamine, ethanol, triethylenetetramine, tetraethylenepentamine, tri-(2-hydroxyethyl) amine, 3.3'- diaminodipropylamine, 4.4'- diaminodibutylamine	dm <sup>2</sup> of the uncoated film.	
	Free formaldehyde content not greater than $0.5 \text{ mg/dm}^2$ of the uncoated film.	
	Free melamine content not greater than 0.3 mg/ $dm^2$ of the uncoated film.	
- Cross-linked cationic polyalkyleneamines:		
(a) polyamide-epichlorhydrin resin based on diaminopropylmethylamine and epichlorhydrin;		
(b) polyamide-epichlorhydrin resin based on epichlorhydrin, adipic acid, caprolactam, diethylenetriamine and/or ethylenediamine;		
(c) polyamide-epichlorhydrin resin based on adipic acid, diethylenetriamine and epichlorhydrin, or a mixture of epichlorhydrin and ammonia;		
(d) polyamide-polyamine-epichlorhydrin resin based on epichlorhydrin, dimethyl adipate and diethylenetriamine;		
(e) polyamide-polyamine-epichlorhydrin resin based on epichlorhydrin, adipamide and diaminopropylmethylamine		
- Polyethyleneamines and polyethyleneimines	Not more than 0.75 mg/dm $^2$ of the uncoated film.	
— Condensation product of urea-formaldehyde unmodified, or which may be modified with one or more of the following products:	Free formaldehyde content not greater than $0.5$ mg/dm <sup>2</sup> of the uncoated film.	

Denominations	Restrictions
aminomethylsulphonic acid, sulphanilic acid, butanol, diaminobutane, diaminodiethylamine, diaminodipropylamine, diaminopropane, diethylenetriamine, ethanol, guanidine, methanol, tetraethylenepentamine,	
triethylenetetramine, sodium sulphite	
Fourth class	The total quantity of substances may not exceed $0.01 \text{ mg/dm}^2$ of the uncoated film.
— Products resulting from the reaction of the amines of edible oils with polyethylene oxide	
<b>M</b>	

- Monoethanolamine lauryl sulphate

## Second Part: Coated regenerated cellulose film

Denominations	Restrictions
A. Regenerated cellulose	See first part.
B. Additives	See first part.
C. Coating	
1. Polymers	The total quantity of substances may not exceed $50 \text{ mg/dm}^2$ of the coating on the side in contact
	with foodstuffs.
— Ethyl, hydroxyethyl, hydroxypropyl and methyl ethers of cellulose	
— Cellulose nitrate	Not more than 20 mg/dm $^2$ of the coating on the side in contact with foodstuffs; nitrogen content between 10.8 % (w/w) and 12.2 % (w/w) in the cellulose nitrate.
2. Resins	The total quantity of substances may not exceed $12.5 \text{ mg/dm}^2$ of the coating on the side in contact with foodstuffs and which is used solely for the preparation of regenerated cellulose films with cellulose nitrate based coatings.
— Casein	
— Colophony and/or its products of polymerization, hydrogenation, or disproportionation and their esters of methyl, ethyl or C $_2$ to C $_6$ polyvalent alcohols, or mixtures of these alcohols	
— Colophony and/or its products of polymerization, hydrogenation, or disproportionation condensed with acrylic, maleic, citric, fumaric and/or phthalic acids and/or 2.2 bis (4-hydroxyphenyl) propane formaldehyde and esterified with methyl ethyl	

5

Denominations	Restrictions
or C $_2$ to C $_6$ polyvalent alcohols or mixtures of these alcohols	
— Esters derived from bis(2-hydroxyethyl) ether with addition products of betapinene and/or dipentene and/or diterpene and maleic anhydride	
— Edible gelatine	
— Castor oil and its products of dehydration or hydrogenation and its condensation products with polyglycerol, adipic, citric, maleic, phthalic and sebacic acids	
— Natural gum [= damar]	
— Poly-beta-pinene [= terpenic resins]	
— Urea-formaldehyde resins (see anchoring agents)	
3. Plasticisers	The total quantity of substances may not exceed $6 \text{ mg/dm}^2$ of the coating on the side in contact with foodstuffs.
— Acetyl tributyl citrate	
— Acetyl tri(2-ethylhexyl) citrate	
— Di-isobutyl adipate	
— Di-n-butyl adipate	
— Di-n-hexyl azelate	
— Dicyclohexyl phthalate	Not more than $4.0 \text{ mg/dm}^2$ of the coating on the side in contact with foodstuffs.
— 2-ethylhexyl diphenyl phosphate (synonym: phosphoric acid diphenyl 2 ethylhexyl ester)	The amount of 2-ethylhexyl diphenyl phosphate shall not exceed:
	(a) 2.4 mg/kg of the foodstuff in contact with this type of film; or
	(b) $0.4 \text{ mg/dm}^2$ in the coating on the side in contact with foodstuffs.
Glycerol monoacetate [= monoacetin]	
Glycerol diacetate [= diacetin]	
— Glycerol triacetate [= triacetin]	
— Di-butyl sebacate	
— Di-n-butyl tartrate	
— Di-isobutyl tartrate	

Denominations	Restrictions
4. Other additives	The total quantity of substances may not exceed $6 \text{ mg/dm}^2$ in the uncoated regenerated cellulose film, inclusive of the coating on the side in contact with foodstuffs.
4.1. Additives listed in the first part	Same restrictions as in the first part (however the quantities in $mg/dm^2$ refer to the uncoated regenerated cellulose film, inclusive of the coating on the side in contact with foodstuffs).
4.2. Specific coating additives	The quantity of the substance or group of substances in each indent may not exceed $2 \text{ mg/}$ dm <sup>2</sup> (or a lower limit where one is specified) of the coating on the side in contact with foodstuffs.
— 1-hexadecanol and 1-octadecanol	
— Esters of linear fatty acids, saturated or unsaturated, with an even number of carbon atoms from 8 to 20 inclusive and of ricinoleic acid with ethyl, butyl, amyl and oleyl linear alcohols	
— Montan waxes, comprising purified montanic $(C_{26} \text{ to } C_{32})$ acids and/or their esters with ethanediol and/or 1.3 butanediol and/or their calcium and potassium salts	
— Carnauba wax	
— Beeswax	
— Esparto wax	
— Candelilla wax	
— Dimethylpolysiloxane	Not more than $1 \text{ mg/dm}^2$ of the coating on the side in contact with foodstuffs.
— Epoxidised soya-bean oil (oxirane content 6 to 8 %)	
- Refined paraffin and microcrystalline waxes	
- Pentaerythritol tetrastearate	
- Mono and bis(octadecyldiethyleneoxide)- phosphates	Not more than $0.2 \text{ mg/dm}^2$ of the coating on the side in contact with foodstuffs.
— Aliphatic acids (C $_8$ to C $_{20}$ ) esterified with mono- or di-(2-hydroxyethyl)amine	
— 2- and 3-tert.butyl-4-hydroxyanisole [= butylated hydroxyanisole — BHA]	Not more than 0.06 mg/dm $^2$ of the coating on the side in contact with foodstuffs.
-2.6-di-tert.butyl-4-methylphenol [= butylated hydroxytoluene — BHT]	Not more than 0.06 mg/dm $^2$ of the coating on the side in contact with foodstuffs.

Denominations	Restrictions
— Di-n-octyltin-bis(2-ethylhexyl) maleate	Not more than 0.06 mg/dm $^2$ of the coating on the side in contact with foodstuffs.
5. Solvents	The total quantity of substances may not exceed $0.6 \text{ mg/dm}^2$ of the coating on the side in contact with foodstuffs.
— Butyl acetate	
— Ethyl acetate	
— Isobutyl acetate	
— Isopropyl acetate	
— Propyl acetate	
— Acetone	
— 1-butanol	
— Ethanol	
— 2-butanol	
— 2-propanol	
— 1-propanol	
— Cyclohexane	
— Ethyleneglycol monobutyl ether	
Ethyleneglycol monobutyl ether acetate	
— Methyl ethyl ketone	
— Methyl isobutyl ketone	
— Tetrahydrofuran	
— Toluene	Not more than 0.06 mg/dm $^2$ of the coating on the side in contact with foodstuffs. ".

## SCHEDULE 2

Regulation 3(10)

Insertion of Schedule 6 to the Food Additives, Flavourings, Enzymes and Extraction Solvents (England) Regulations 2013

After Schedule 5 to the Food Additives, Flavourings, Enzymes and Extraction Solvents (England) Regulations 2013 insert—

#### "SCHEDULE 6

Regulations 10, 11 and 14

# EXTRACTION SOLVENTS WHICH MAY BE USED DURING THE PROCESSING OF RAW MATERIALS, OF FOODSTUFFS, OF FOOD COMPONENTS OR OF FOOD INGREDIENTS

## Table 1: Extraction solvents to be used in compliance with good manufacturing practice for all uses

Name <sup>(1)</sup>			
Propane			
Butane			
Ethyl acetate			
Ethanol			
Carbon dioxide			
Acetone <sup>(2)</sup>			
Nitrous oxide			

- (1) An extraction solvent is considered as being used in compliance with good manufacturing practice if its use results only in the presence of residues or derivatives in technically unavoidable quantities presenting no danger to human health.
- (2) The use of Acetone in the refining of olive-pomace oil is forbidden.

Name	Conditions of use (summary description of extraction)	Maximum residue limits in the extracted foodstuff or food ingredient
Hexane <sup>(1)</sup>	Production or fractionation of fats and oils and production of cocoa butter	
	Preparation of defatted protein products and defatted flours	10 mg/kg in the food containing the defatted protein products and the defatted flours
		30 mg/kg in the defatted soya products as sold to the final consumer
	Preparation of defatted cereal germs	5 mg/kg in the defatted cereal germs

#### Table 2: Extraction solvents for which conditions of use are specified

(1) Hexane means a commercial product consisting essentially of acyclic saturated hydrocarbons containing six carbon atoms and distilling between 64 °C and 70 °C. The combined use of Hexane and Ethylmethylketone is forbidden.

(2) The level of n-Hexane in this solvent should not exceed 50 mg/kg. The combined use of Hexane and Ethylmethylketone is forbidden.

(3) 'Gelatine' means natural, soluble protein, gelling or non-gelling, obtained by the partial hydrolysis of collagen produced from bones, hides and skins, tendons and sinews of animals, in accordance with the relevant requirements of Regulation (EC) No 853/2004.

(4) 'Collagen' means the protein-based product derived from animal bones, hides, skins and tendons manufactured in accordance with the relevant requirements of Regulation (EC) No 853/2004.

Name	Conditions of use (summary description of extraction)	Maximum residue limits in the extracted foodstuff or food ingredient
Methyl acetate	Decaffeination of, or removal of irritants and bitterings from coffee and tea	20 mg/kg in the coffee or tea
	Production of sugar from molasses	1 mg/kg in the sugar
Ethylmethylketone <sup>(2)</sup>	Fractionation of fats and oils	5 mg/kg in the fat or oil
	Decaffeination of, or removal of irritants and bitterings from coffee and tea	20 mg/kg in the coffee or tea
Dichloromethane	Decaffeination of, or removal of irritants and bitterings from coffee and tea	
Methanol	For all uses	10 mg/kg
Propan-2-ol	For all uses	10 mg/kg
Dimethyl ether	Preparation of defatted animal protein products including gelatine <sup>(3)</sup>	0.009 mg/kg in the defatted animal protein products including gelatine
	Preparation of collagen <sup>(4)</sup> and collagen derivatives, except gelatine	3 mg/kg in the collagen and collagen derivatives, except gelatine

(1) Hexane means a commercial product consisting essentially of acyclic saturated hydrocarbons containing six carbon atoms and distilling between 64 °C and 70 °C. The combined use of Hexane and Ethylmethylketone is forbidden.

<sup>(4) &#</sup>x27;Collagen' means the protein-based product derived from animal bones, hides, skins and tendons manufactured in accordance with the relevant requirements of Regulation (EC) No 853/2004.

Name	Maximum residue limits in the foodstuff due to the use of extraction solvents in the preparation of flavourings from natural flavouring materials	
Diethyl ether	2 mg/kg	
Hexane (*)	1 mg/kg	
Cyclohexane	1 mg/kg	
Methyl acetate	1 mg/kg	
Butan-1-ol	1 mg/kg	

<sup>(2)</sup> The level of n-Hexane in this solvent should not exceed 50 mg/kg. The combined use of Hexane and Ethylmethylketone is forbidden.

<sup>(3) &#</sup>x27;Gelatine' means natural, soluble protein, gelling or non-gelling, obtained by the partial hydrolysis of collagen produced from bones, hides and skins, tendons and sinews of animals, in accordance with the relevant requirements of Regulation (EC) No 853/2004.

Name	Maximum residue limits in the foodstuff due to the use of extraction solvents in the preparation of flavourings from natural flavouring materials
Butan-2-ol	1 mg/kg
Ethylmethylketone (*)	1 mg/kg
Dichloromethane	0.02 mg/kg
Propan-1-ol	1 mg/kg
1,1,1,2-tetrafluoroethane	0.02 mg/kg
Methanol	1.5 mg/kg
Propan-2-ol	1 mg/kg
* The combined use of Hexane and Ethylmethylko	etone is forbidden.".

## SCHEDULE 3

Regulation 4(9)

# Insertion of Schedules 3, 4 and 5 to the Animal Feed (Composition, Marketing and Use) (England) Regulations 2015

After Schedule 2 to the Animal Feed (Composition, Marketing and Use) (England) Regulations 2015 insert—

## "SCHEDULE 3

Regulation 12(2)

Categories of feed materials which may be indicated in place of individual feed materials

Description of the category	Definition	
1.Meat and animal derivatives	All the fleshy parts of slaughtered warm- blooded land animals, fresh or preserved by appropriate treatment, and	
	all products and derivatives of the processing of the carcase or parts of the carcase of warm- blooded land animals	
2.Milk and milk derivatives	All milk products, fresh or preserved by appropriate treatment, and derivatives from their processing	
3.Eggs and egg derivatives	All egg products fresh or preserved by appropriate treatment and derivatives from their processing	
4.Oils and fats	All animal and vegetable oils and fats	
5.Yeasts	All yeasts, the cells of which have been killed and dried	

Description of the category	Definition
6.Fish and fish derivatives	Fish or parts of fish, fresh or preserved by appropriate treatment, and derivatives from their processing
7.Cereals	All types of cereal, regardless of their presentation, or products made from the starchy endosperm
8.Vegetables	All types of vegetables and legumes, fresh or preserved by appropriate treatment
9.Derivatives of vegetable origin	Derivatives resulting from the treatment of vegetable products, in particular cereals, vegetables, legumes and oil seeds
10.Vegetable protein extracts	All products of vegetable origin in which the proteins have been concentrated by an adequate process to contain at least 50% crude protein, as related to the dry matter, and which may be restructured (textured)
11.Minerals	All inorganic substances suitable for animal feed
12.Various sugars	All types of sugar
13.Fruit	All types of fruit, fresh or preserved by appropriate treatment
14.Nuts	All kernels from shells
15.Seeds	All types of seeds as such or roughly crushed
16.Algae	Algae, fresh or preserved by appropriate treatment
17.Molluscs and crustaceans	All types of molluscs, crustaceans, shellfish, fresh or preserved by appropriate treatment, and their processing derivatives
18.Insects	All types of insects and their stages of development
19.Bakery products	All bread, cakes, biscuits and pasta products

### SCHEDULE 4

Regulations 15 and 15A

Maximum levels of undesirable substances

## Table 1: INORGANIC CONTAMINANTS AND NITROGENOUS COMPOUNDS

Undesirable substance	Products intended for animal feed	Maximum content in mg/kg (ppm) relative to a feed with a moisture content of 12 %
1. Arsenic <sup>(1)</sup>	Feed materials	2

Undesirable substance	Products intended for animal feed	Maximum content in mg/kg (ppm) relative to a feed with a moisture content of 12 %
	with the exception of:	
	— meal made from grass, from dried lucerne and from dried clover, and dried sugar beet pulp and dried molasses sugar beet pulp;	4
	— palm kernel expeller;	4
	— peat; leonardite;	5
	— phosphates, calcareous marine algae;	10
	— calcium carbonate; calcium and magnesium carbonate <sup>(2)</sup> ; calcareous marine shells;	15
	— magnesium oxide; magnesium carbonate;	20
	— fish, other aquatic animals and products derived from them;	25
	<ul> <li>— seaweed meal and feed materials derived from seaweed.</li> </ul>	40
	Iron particles used as tracer.	50
	Feed additives belonging to the functional group of compounds of trace elements	30
	with the exception of:	
	<ul> <li>cupric sulphate</li> <li>pentahydrate; cupric carbonate;</li> <li>dicopper chloride trihydroxide;</li> <li>ferrous carbonate; dimanganese</li> <li>chloride trihydroxide</li> </ul>	50
	<ul> <li>— zinc oxide; manganous oxide; cupric oxide.</li> </ul>	100
	Complementary feed	4
	with the exception of:	
	— mineral feed;	12
	— complementary feed for pet animals containing fish, other aquatic animals and products derived from them and/or seaweed meal and	10

Undesirable substance	Products intended for animal feed	Maximum content in mg/kg (ppm) relative to a feed with a moisture content of 12 %
	feed materials derived from seaweed;	
	— long-term supply formulations of feed for particular nutritional purposes with a concentration of trace elements higher than 100 times the established maximum content in complete feed;	30
	Complete feed	2
	with the exception of:	
	— complete feed for fish and fur animals;	10
	— complete feed for pet animals containing fish, other aquatic animals and products derived from them and/or seaweed meal and feed materials derived from seaweed.	10
2. Cadmium	Feed materials of vegetable origin	1
	Feed materials of animal origin	2
	Feed materials of mineral origin	2
	with the exception of:	
	— phosphates.	10
	Feed additives belonging to the functional group of compounds of trace elements	10
	with the exception of:	
	— cupric oxide, manganous oxide, zinc oxide and manganous sulphate monohydrate.	
	Feed additives belonging to the functional groups of binders and anti-caking agents	2
	Premixtures <sup>(3)</sup>	15
	Complementary feed	0.5
	with the exception of:	

Undesirable substance	Products intended for animal feed	Maximum content in mg/kg (ppm) relative to a feed with a moisture content of 12 %
	— mineral feed	
	- $-$ containing $<$ 7 % phosphorus <sup>(4)</sup>	5
	$ -$ containing $\geq$ 7 % phosphorus <sup>(4)</sup>	0.75 per 1 % phosphorus <sup>(4)</sup> , with a maximum of $7.5$
	— complementary feed for pet animals	2
	— long-term supply formulations of feed for particular nutritional purposes with a concentration of trace elements higher than 100 times the established maximum content in complete feed;	15
	Complete feed	0.5
	with the exception of:	
	— complete feed for cattle (except calves), sheep (except lambs), goats (except kids) and fish;	1
	— complete feed for pet animals.	2
3. Fluorine <sup>(5)</sup>	Feed materials	150
	with the exception of:	
	<ul> <li>feed materials of animal origin except marine crustaceans such as marine krill; calcareous marine shells;</li> </ul>	500
	— marine crustaceans such as marine krill;	3 000
	— phosphates;	2 000
	— calcium carbonate; calcium and magnesium carbonate <sup>(2)</sup>	350
	- magnesium oxide;	600
	— calcareous marine algae.	1 250
	Vermiculite (E 561).	3 000
	Complementary feed:	
	$- \text{ containing } \leq 4 \%$ phosphorus <sup>(4)</sup> ;	500

15

Undesirable substance	Products intended for animal feed	Maximum content in mg/kg (ppm) relative to a feed with a moisture content of 12 %
	containing  > 4 % phosphorus <sup>(4)</sup> .	125 per 1 % phosphorus <sup>(4)</sup>
	Complete feed	150
	with the exception of:	
	- complete feed for pigs;	100
	— complete feed for poultry (except chicks) and fish;	350
	— complete feed for chicks;	250
	— complete feed for cattle, sheep and goats	
	- – in lactation;	30
	other.	50
4. Lead <sup>(6)</sup>	Feed materials	10
	with the exception of:	
	— forage <sup>(7)</sup> ;	30
	<ul> <li>phosphates, calcareous marine algae and calcareous marine shells;</li> </ul>	15
	— calcium carbonate; calcium and magnesium carbonate <sup>(2)</sup> ;	20
	— yeasts.	5
	Feed additives belonging to the functional group of compounds of trace elements	100
	with the exception of:	
	— zinc oxide;	400
	— manganous oxide, ferrous carbonate, cupric carbonate, copper (I) oxide.	200
	Feed additives belonging to the functional groups of binders and anti-caking agents	30
	with the exception of:	
	— clinoptilolite of volcanic origin; natrolite-phonolite.	60
	Premixtures <sup>(3)</sup>	200
	Complementary feed	10

Undesirable substance	Products intended for animal feed	Maximum content in mg/kg (ppm) relative to a feed with a moisture content of 12 %
	with the exception of:	
	— mineral feed;	15
	— long-term supply formulations of feed for particular nutritional purposes with a concentration of trace elements higher than 100 times the established maximum content in complete feed.	60
	Complete feed.	5
5. Mercury <sup>(8)</sup>	Feed materials	0.1
	with the exception of:	
	<ul> <li>fish, other aquatic animals and products derived from them intended for the production of compound feed for food producing animals;</li> </ul>	0.5
	— fish, other aquatic animals and products derived from them intended for the production of compound feed for dogs, cats, ornamental fish and fur animals;	1.0 (9)
	<ul> <li>fish, other aquatic animals and products derived from them as canned wet feed material for direct feeding of dogs and cats;</li> </ul>	0.3
	— calcium carbonate; calcium and magnesium carbonate <sup>(2)</sup> .	0.3
	Compound feed	0.1
	with the exception of:	
	— mineral feed;	0.2
	— compound feed for fish;	0.2
	<ul> <li>— compound feed for dogs, cats, ornamental fish and fur animals.</li> </ul>	0.3
6. Nitrite <sup>(10)</sup>	Feed materials	15
	with the exception of:	
	— fishmeal;	30
	— silage;	_

Undesirable substance	Products intended for animal feed	Maximum content in mg/kg (ppm) relative to a feed with a moisture content of 12 %
	— products and by-products from sugar beet and sugarcane and from starch and alcoholic drink production.	_
	Complete feed	15
	with the exception of:	
	— complete feed for dogs and cats with a moisture content exceeding 20 %.	_
7. Melamine <sup>(11)</sup>	Feed	2.5
	with the exception of:	
	— canned pet food	2.5 (12)
	- the following feed additives:	
	— guanidino acetic acid (GAA);	20
	— urea;	_
	— biuret.	_

(1) The maximum levels refer to total arsenic.

- (7) Forage includes products intended for animal feed such as hay, silage, fresh grass, etc.
- (8) The maximum levels refer to total mercury.
- (9) The maximum level is applicable on wet weight basis.
- (10) The maximum levels are expressed as sodium nitrite.
- (11) The maximum level refers to melamine only. The inclusion of the structurally related compounds cyanuric acid, ammeline and ammelide in the maximum level will be considered at a later stage.
- (12) The maximum level is applicable to canned pet food as sold.

<sup>(2)</sup> Calcium and magnesium carbonate refers to the natural mixture of calcium carbonate and magnesium carbonate as described in Commission Regulation (EU) No 68/2013 on the Catalogue of feed materials.

<sup>(3)</sup> The maximum level established for premixtures takes into account the additives with the highest level of lead and cadmium and not the sensitivity of the different animal species to lead and cadmium. As provided in Article 16 of Regulation (EC) No 1831/2003 of the European Parliament and of the Council on additives for use in animal nutrition, in order to protect animal and public health, it is the responsibility of the producer of premixtures to ensure that, in addition to compliance with the maximum levels for premixtures, the instructions for use of the premixture are in accordance with the maximum levels for complementary and complete feed.

<sup>(4)</sup> The % of phosphorus is relative to a feed with a moisture content of 12 %.

<sup>(5)</sup> Maximum levels refer to an analytical determination of fluorine, whereby extraction is performed with hydrochloric acid 1 N for 20 minutes at ambient temperature. Equivalent extraction procedures can be applied for which it can be demonstrated that the used extraction procedure has an equal extraction efficiency.

<sup>(6)</sup> For the determination of lead in kaolinitic clay and in feed containing kaolinitic clay, the maximum level refers to an analytical determination of lead, whereby extraction is performed in nitric acid (5 % w/w) for 30 minutes at boiling temperature. Equivalent extraction procedures can be applied for which it can be demonstrated that the used extraction procedure has an equal extraction efficiency.

#### **Table 2: MYCOTOXINS**

Undesirable substance	Products intended for animal feed	Maximum content in mg/kg (ppm) relative to a feed with a moisture content of 12 %
1. Aflatoxin B1	Feed materials	0.02
	Complementary and complete feed	0.01
	with the exception of:	
	— compound feed for dairy cattle and calves, dairy sheep and lambs, dairy goats and kids, piglets and young poultry animals,	0.005
	— compound feed for cattle (except dairy cattle and calves), sheep (except dairy sheep and lambs), goats (except dairy goats and kids), pigs (except piglets) and poultry (except young animals).	0.02
2. Rye ergot (Claviceps purpurea)	Feed materials and compound feed containing unground cereals.	1 000

## **Table 3: INHERENT PLANT TOXINS**

Undesirable substance	Products intended for animal feed	Maximum content in mg/kg (ppm) relative to a feed with a moisture content of 12 %
1. Free gossypol	Feed materials	20
	with the exception of:	
	— cottonseed,	6 000
	<ul> <li>cottonseed cakes and cottonseed meal.</li> </ul>	1 200
	Complete feed	20
	with the exception of:	
	— complete feed for cattle (except calves),	500

(1) The maximum levels are expressed as allyl isothiocyanate.

<sup>(2)</sup> Upon request of the competent authorities, the responsible operator must perform an analysis to demonstrate that the content of total glucosinolates is lower than 30 mmol/kg. The method of analysis of reference is EN-ISO 9167:2019 (Rapeseed and rapeseed meals — Determination of glucosinolates content — Method using high-performance liquid chromatography); published by the International Organization for Standardization in May 2019, edition 1. Available from the ISO website https://www.iso.org.

Undesirable substance	Products intended for animal feed	Maximum content in mg/kg (ppm) relative to a feed with a moisture content of 12 %
	<ul> <li>complete feed for sheep (except lambs) and goats (except kids),</li> </ul>	300
	— complete feed for poultry (except laying hens) and calves,	100
	— complete feed for rabbits, lambs, kids and pigs (except piglets).	60
2. Hydrocyanic acid	Feed materials	50
	with the exception of:	
	— linseed,	250
	— linseed cakes,	350
	— manioc products and almond cakes.	100
	Complete feed	50
	with the exception of:	
	— complete feed for young chickens (< 6 weeks).	10
3. Theobromine	Complete feed	300
	with the exception of:	
	- complete feed for pigs,	200
	— complete feed for dogs, rabbits, horses and fur animals.	50
4. vinyl thiooxazolidone (5- vinyloxazolidine-2-thione)	Complete feed for poultry	1 000
	with the exception of:	
	— complete feed for laying hens.	500
5. Volatile mustard oil <sup>(1)</sup>	Feed materials	100
	with the exception of:	
	— Camelina seed and products derived from it <sup>(2)</sup> , products derived from mustard seed <sup>(2)</sup> ,	4 000

(1) The maximum levels are expressed as allyl isothiocyanate.

<sup>(2)</sup> Upon request of the competent authorities, the responsible operator must perform an analysis to demonstrate that the content of total glucosinolates is lower than 30 mmol/kg. The method of analysis of reference is EN-ISO 9167:2019 (Rapeseed and rapeseed meals — Determination of glucosinolates content — Method using high-performance liquid chromatography); published by the International Organization for Standardization in May 2019, edition 1. Available from the ISO website https://www.iso.org.

Undesirable substance	Products intended for animal feed	Maximum content in mg/kg (ppm) relative to a feed with a moisture content of 12 %
	rape seed and products derived from them.	
	Complete feed	150
	with the exception of:	
	— complete feed for cattle (except calves), sheep (except lambs) and goats (except kids);	
	— complete feed for pigs (except piglets) and poultry.	500

(1) The maximum levels are expressed as allyl isothiocyanate.

(2) Upon request of the competent authorities, the responsible operator must perform an analysis to demonstrate that the content of total glucosinolates is lower than 30 mmol/kg. The method of analysis of reference is EN-ISO 9167:2019 (Rapeseed and rapeseed meals — Determination of glucosinolates content — Method using high-performance liquid chromatography); published by the International Organization for Standardization in May 2019, edition 1. Available from the ISO website https://www.iso.org.

Undesirable substance	Products intended for animal feed	Maximum content in mg/kg (ppm) relative to a feed with a moisture content of 12 %
1. Aldrin <sup>(1)</sup>	Feed materials and compound feed	0.01 <sup>(2)</sup>
	with the exception of:	
	— fats and oils,	0.1 <sup>(2)</sup>
	— compound feed for fish.	0.02 <sup>(2)</sup>
2. Dieldrin <sup>(1)</sup>	Feed materials and compound feed	0.01 <sup>(2)</sup>
	with the exception of:	
	— fats and oils,	0.1 <sup>(2)</sup>
	- compound feed for fish.	0.02 <sup>(2)</sup>
3. Camphechlor (toxaphene) – sum of indicator congeners CHB 26, 50 and $62^{(3)}$	Fish, other aquatic animals and products derived from them	0.02
	with the exception of:	

#### Table 4: ORGANOCHLORINE COMPOUNDS (EXCEPT DIOXINS AND PCBs)

(1) Singly or combined expressed as dieldrin.

(2) Maximum level for aldrin and dieldrin, singly or combined, expressed as dieldrin.

(3) Numbering system according to Parlar, prefixed by either CHB or 'Parlar':

CHB 26: 2-endo, 3-exo, 5-endo, 6-exo, 8, 8, 10, 10-octochlorobornane,

CHB 50: 2-endo,3-exo,5-endo,6-exo,8,8,9,10,10-nonachlorobornane,

CHB 62: 2,2,5,5,8,9,9,10,10-nonachlorobornane.

Undesirable substance	Products intended for animal feed	Maximum content in mg/kg (ppm) relative to a feed with a moisture content of 12 %
	— fish oil.	0.2
	Complete feed for fish.	0.05
	Feed materials and compound feed	0.02
	with the exception of:	
	— fats and oils.	0.05
5. DDT (sum of DDT-, DDD- (or TDE-) and DDE-isomers, expressed as DDT)	Feed materials and compound feed	0.05
	with the exception of:	
	— fats and oils.	0.5
· · ·	Feed materials and compound feed	0.1
	with the exception of:	
	— cotton seed and products derived from its processing, except crude cotton seed oil	0.3
	— soybean and products derived from its processing, except crude soybean oil	0.5
	— crude vegetable oil	1.0
	— complete feed for fish except for <i>Salmonids</i>	0.005
	- complete feed for <i>Salmonids</i>	0.05
7. Endrin (sum of endrin and of delta-ketoi-endrin, expressed as endrin)	Feed materials and compound feed	0.01
delta-ketoi-endrin, expressed as	1	0.01

(2) Maximum level for aldrin and dieldrin, singly or combined, expressed as dieldrin.

(3) Numbering system according to Parlar, prefixed by either CHB or 'Parlar':

CHB 50: 2-endo,3-exo,5-endo,6-exo,8,8,9,10,10-nonachlorobornane,

CHB 62: 2,2,5,5,8,9,9,10,10-nonachlorobornane.

CHB 26: 2-endo,3-exo,5-endo,6-exo,8,8,10,10-octochlorobornane,

Undesirable substance	Products intended for animal feed	Maximum content in mg/kg (ppm) relative to a feed with a moisture content of 12 %
	Feed materials and compound feed	0.01
	with the exception of:	
	— fats and oils.	0.2
9. Hexachlorobenzene (HCB)	Feed materials and compound feed	0.01
	with the exception of:	
	— fats and oils.	0.2
10. Hexachlorocyclo-		
hexane (HCH)		
— alpha-isomers	Feed materials and compound feed	0.02
	with the exception of:	
	— fats and oils.	0.2
— beta-isomers	Feed materials	0.01
	with the exception of:	
	— fats and oils.	0.1
	Compound feed	0.01
	with the exception of:	
	— compound feed for dairy cattle.	0.005
— gamma-isomers	Feed materials and compound feed	0.2
	with the exception of:	
	— fats and oils.	2.0

(1) Singly or combined expressed as dieldrin.

(2) Maximum level for aldrin and dieldrin, singly or combined, expressed as dieldrin.

(3) Numbering system according to Parlar, prefixed by either CHB or 'Parlar':

CHB 26: 2-endo,3-exo,5-endo,6-exo,8,8,10,10-octochlorobornane,

CHB 50: 2-endo,3-exo,5-endo,6-exo,8,8,9,10,10-nonachlorobornane,

CHB 62: 2,2,5,5,8,9,9,10,10-nonachlorobornane.

## Table 5 (Part 1): DIOXINS AND PCBs

Undesirable substance	Products intended for animal feed	Maximum content in ng WHO-PCDD/F-TEQ/kg (ppt) <sup>(1)</sup> relative to a feed with a moisture content of 12 %
1. Dioxins (sum of polychlorinated dibenzo-para- dioxins (PCDDs) and polychlorinated dibenzofurans (PCDFs) expressed in World Health Organisation (WHO) toxic equivalents, using the WHO-TEFs (toxic equivalency factors, 2005) <sup>(2)</sup> )	Feed materials of plant origin	0.75
	with the exception of:	
	— vegetable oils and their by-products.	0.75
	Feed materials of mineral origin	0.75
	Feed materials of animal origin:	
	— Animal fat, including milk fat and egg fat,	1.50
	— Other land animal products including milk and milk products and eggs and egg products.	0.75
	— Fish oil,	5.0
	— Fish, other aquatic animals, and products derived from them with the exception of fish oil, hydrolysed fish protein containing more than 20 % fat <sup>(3)</sup> and crustacea meal,	1.25
	— Hydrolysed fish protein containing more than 20 % fat; crustacea meal.	1.75
	Feed additives belonging to the functional groups of binders and anti-caking agents <sup>(4)</sup>	0.75
	Feed additives belonging to the functional group of compounds of trace elements.	1.0
	Premixtures	1.0
	Compound feed	0.75
	with the exception of:	
	24	

Undesirable substance	Products intended for animal feed	Maximum content in ng WHO-PCDD/F-TEQ/kg (ppt) <sup>(1)</sup> relative to a feed with a moisture content of 12 %
	— compound feed for pet animals and fish,	1.75
	— compound feed for fur animals.	_
Undesirable substance	Products intended for animal feed	Maximum content in ng WHO- PCDD/F-PCB-TEQ/kg (ppt) <sup>(1)</sup> relative to a feed with a moisture content of 12 %
2. Sum of dioxins and dioxin-like PCBs (sum of polychlorinated dibenzo-para- dioxins (PCDDs), polychlorinated dibenzofurans (PCDFs) and polychlorinated biphenyls (PCBs) expressed in World Health Organisation (WHO) toxic equivalents, using the WHO-TEFs (toxic equivalency factors), 2005 <sup>(2)</sup> )	Feed materials of plant origin	1.25
	with the exception of:	
	— vegetable oils and their by- products	1.5
	Feed materials of mineral origin	1.0
	Feed materials of animal origin:	
	— Animal fat, including milk fat and egg fat	2.0
	— Other land animal products including milk and milk products and eggs and egg products	1.25
	— Fish oil	20.0
	— Fish, other aquatic animals, and products derived from them with the exception of fish oil and fish protein, hydrolysed, containing more than 20 % fat <sup>(3)</sup>	4.0
	— Fish protein, hydrolysed, containing more than 20 % fat	9.0
	Feed additives belonging to the functional groups of binders and anti-caking agents <sup>(4)</sup>	1.5
	25	

Undesirable substance	Products intended for animal feed	Maximum content in ng WHO-PCDD/F-TEQ/kg (ppt) <sup>(1)</sup> relative to a feed with a moisture content of 12 %
	Feed additives belonging to the functional group of compounds of trace elements	1.5
	Premixtures	1.5
	Compound feed	1.5
	with the exception of:	
	— compound feed for pet animals and fish	5.5
	— compound feed for fur animals	_
Undesirable substance	Products intended for animal feed	Maximum content in $\mu$ g/kg (ppb) relative to a feed with a moisture content of 12 % <sup>(1)</sup>
3. Non-dioxin-like PCBs (sum of PCB 28, PCB 52, PCB 101, PCB 138, PCB 153 and PCB 180 (ICES $- 6$ ) <sup>(1)</sup> )	Feed materials of plant origin	10
	Feed materials of mineral origin	10
	Feed materials of animal origin:	
	— Animal fat, including milk fat and egg fat	10
	— Other land animal products including milk and milk products and eggs and egg products	10
	— Fish oil	175
	— Fish, other aquatic animals and products derived from them with the exception of fish oil and fish protein, hydrolysed, containing more than 20 % fat <sup>(5)</sup>	30
	— Fish protein, hydrolysed, containing more than 20 % fat	50
	Feed additives belonging to the functional groups of binders and anti-caking agents <sup>(4)</sup>	10
	Feed additives belonging to the functional group of compounds of trace elements	10

Undesirable substance	Products intended for animal feed	Maximum content in ng WHO-PCDD/F-TEQ/kg (ppt) <sup>(1)</sup> relative to a feed with a moisture content of 12 %
	Premixtures	10
	Compound feed	10
	with the exception of:	
	<ul> <li>— compound feed for per animals and fish</li> </ul>	40
	<ul> <li>— compound feed for fur animals</li> </ul>	·

(1) Upper-bound concentrations; upper-bound concentrations are calculated on the assumption that all values of the different congeners below the limit of quantification are equal to the limit of quantification.

- (2) Table 5 (Part 2): Table of TEF (toxic equivalency factors) for dioxins, furans and dioxin-like PCBs: WHO-TEFs for human risk assessment based on the conclusions of the World Health Organisation (WHO) International Programme on Chemical Safety (IPCS) expert meeting which was held in Geneva in June 2005 (Martin van den Berg et al., The 2005 World Health Organisation Re-evaluation of Human and Mammalian Toxic Equivalency Factors for Dioxins and Dioxin-like Compounds. Toxicological Sciences 93(2), 223–241 (2006)).
- (3) Fresh fish and other aquatic animals directly delivered and used without intermediate processing for the production of feed for fur animals are not subject to the maximum levels, while maximum levels of 3.5 ng WHO-PCDD/F-TEQ/kg product and 6.5 ng WHO-PCDD/F-PCB-TEQ/kg product are applicable to fresh fish and 20.0 ng WHO-PCDD/F-PCB-TEQ/kg product is applicable to fish liver used for the direct feeding of pet animals, zoo and circus animals or used as feed material for the production of pet food. The products or processed animal proteins produced from these animals (fur animals, pet animals, zoo and circus animals) cannot enter the food chain and cannot be fed to farmed animals which are kept, fattened or bred for the production of food.
- (4) The maximum level is also applicable to the feed additives belonging to the functional groups of substances for the control of radionuclide contamination and substances for reduction of the contamination of feed by mycotoxins which also belong to the functional groups of binders and anti-caking agents.
- (5) Fresh fish and other aquatic animals directly delivered and used without intermediate processing for the production of feed for fur animals are not subject to the maximum levels, while maximum levels of 75 μg/kg product are applicable to fresh fish and 200 μg/kg product are applicable to fish liver used for the direct feeding of pet animals, zoo and circus animals or used as feed material for the production of pet food. The products or processed animal proteins produced from these animals (fur animals, pet animals, zoo and circus animals) cannot enter the food chain and cannot be fed to farmed animals which are kept, fattened or bred for the production of food.

Congener	TEF value	
Dibenzo-para-dioxins ('PCDDs') Dibenzo-para-furans (PCDFs)	and	
2,3,7,8-TCDD	1	
1,2,3,7,8-PeCDD	1	
1,2,3,4,7,8-HxCDD	0.1	
1,2,3,6,7,8-HxCDD	0.1	
1,2,3,7,8,9-HxCDD	0.1	
1,2,3,4,6,7,8-HpCDD	0.01	
OCDD	0.0003	

# Table 5 (Part 2): Table of TEF (toxic equivalency factors) for dioxins, furans and dioxin-like PCBs

Congener	TEF value
2,3,7,8-TCDF	0.1
1,2,3,7,8-PeCDF	0.03
2,3,4,7,8-PeCDF	0.3
1,2,3,4,7,8-HxCDF	0.1
1,2,3,6,7,8-HxCDF	0.1
1,2,3,7,8,9-HxCDF	0.1
2,3,4,6,7,8-HxCDF	0.1
1,2,3,4,6,7,8-HpCDF	0.01
1,2,3,4,7,8,9-HpCDF	0.01
OCDF	0.0003

## 'Dioxin-like' PCBs: Non-ortho PCBs + Monoortho PCBs

#### Non-ortho PCBs

PCB 77	0.0001
PCB 81	0.0003
PCB 126	0.1
PCB 169	0.03

#### **Mono-ortho PCBs**

PCB 105	0.00003
PCB 114	0.00003
PCB 118	0.00003
PCB 123	0.00003
PCB 156	0.00003
PCB 157	0.00003
PCB 167	0.00003
PCB 189	0.00003

Abbreviations used: 'T' = tetra; 'Pe' = penta; 'Hx' = hexa; 'Hp' = hepta; 'O' = octa; 'CDD' = chlorodibenzodioxin; 'CDF' = chlorodibenzofuran; 'CB' = chlorobiphenyl.

## **Table 6: HARMFUL BOTANICAL IMPURITIES**

Undesirable substance	Products intended for animal feed	Maximum content in mg/kg (ppm) relative to a feed with a moisture content of 12 %
1. Weed seeds and unground and uncrushed fruits containing alkaloids, glucosides or other toxic substances separately or in combination including	Feed materials and compound feed	3 000
— Datura sp.		1 000
2. Crotalaria spp.	Feed materials and compound feed	100
3. Seeds and husks from Ricinus communis L., Croton tiglium L. and Abrus precatorius L. as well as their processed derivatives <sup>(1)</sup> , separately or in combination	Feed materials and compound feed	10 <sup>(2)</sup>
4. Unhusked beech mast — Fagus sylvatica L.	Feed materials and compound feed	Seeds and fruit as well as their processed derivatives may only be present in feed in trace amounts not quantitatively determinable
5. Purghera — Jatropha curcas L.	Feed materials and compound feed	Seeds and fruit as well as their processed derivatives may only be present in feed in trace amounts not quantitatively determinable
6. Seeds from Ambrosia spp.	Feed materials <sup>(3)</sup>	50
	with the exception of:	
	– Millet (grains of Panicum miliaceum L.) and sorghum (grains of Sorghum bicolor (L) Moench s.l.) not directly fed to animals <sup>(3)</sup>	200
	Compound feed containing unground grains and seeds	50
<ul> <li>7. Seeds from</li> <li>— Indian mustard — Brassica juncea (L.) Czern. and Coss. ssp. integrifolia (West.) Thell.</li> <li>— Sareptian mustard — Brassica juncea (L.) Czern. and Coss. ssp. juncea</li> </ul>	Feed materials and compound feed	Seeds may only be present in feed in trace amounts not quantitatively determinable

Undesirable substance	Products intended for animal feed	Maximum content in mg/kg (ppm) relative to a feed with a moisture content of 12 %
— Chinese mustard —		
Brassica juncea (L.) Czern.		
and Coss. ssp. juncea var. lutea		
Batalin		
— Black mustard — Brassica nigra (L.) Koch		
— Ethiopian mustard — Brassica carinata A. Braun		

- (1) Insofar as determinable by analytical microscopy.
- (2) Includes also seed husk fragments.
- (3) Where unequivocal evidence is provided that the grains and seeds are intended for milling or crushing, there is no need to perform a cleaning of the grains and seeds containing non-compliant levels of seeds of Ambrosia spp. before milling or crushing on the condition that:

— the consignment is transported as a whole to the milling or crushing plant, and the milling or crushing plant is informed in advance of the presence of high levels of Ambrosia spp. seeds in order to take additional prevention measures to avoid dissemination into the environment,

-solid evidence is provided that prevention measures are taken to avoid dissemination of Ambrosia spp. seeds into the environment during transport to the crushing or milling plant, and

-the competent authority agrees to the transport, after having ensured that the abovementioned conditions are fulfilled.

In case these conditions are not fulfilled, the consignment must be cleared before any transport into the country and the screenings must be appropriately destroyed.

## Table 7: AUTHORISED FEED ADDITIVES IN NON-TARGET FEED FOLLOWING UNAVOIDABLE CARRY-OVER

Coccidiostat	<b>Products intended for animal</b> feed <sup>(1)</sup>	Maximum content in mg/kg (ppm) relative to a feed with a moisture content of 12 %
1. Decoquinate	Feed materials	0.4
	Compound feed for	
	<ul> <li>— laying birds and chickens reared for laying (&gt; 16 weeks);</li> </ul>	0.4
	— other animal species	1.2
	Premixtures for use in feed in which the use of decoquinate is not authorised.	
2. Diclazuril	Feed materials	0.01
	Compound feed for	
	— laying birds and chickens reared for laying (> 16 weeks),	0.01
(1) Without prejudice to the au	thorised levels pursuant to Regulation (EC) No 183	1/2003.

(1) Without prejudice to the authorised levels pursuant to Regulation (EC) No 1831/2003.

Coccidiostat	<b>Products intended for animal</b> feed <sup>(1)</sup>	Maximum content in mg/kg (ppm) relative to a feed with a moisture content of 12 %
	<ul> <li>rabbits for fattening and breeding for the period before slaughter in which the use of diclazuril is prohibited (withdrawal feed),</li> </ul>	0.01
	— other animal species other than chickens reared for laying (< 16 weeks), chickens for fattening, guinea fowl and turkeys for fattening.	0.03
	Premixtures for use in feed in which the use of diclazuril is not authorised.	(2)
3. Halofuginone hydrobromide	Feed materials	0.03
	Compound feed for	
	— laying birds, chickens reared for laying and turkeys (> 12 weeks),	0.03
	— chickens for fattening and turkeys (< 12 weeks) for the period before slaughter in which the use of halofuginone hydrobromide is prohibited (withdrawal feed),	0.03
	— other animal species.	0.09
	Premixtures for use in feed in which the use of halofuginone hydrobromide is not authorised.	(2)
4. Lasalocid A sodium	Feed materials	1.25
	Compound feed for	
	— dogs, calves, rabbits, equine species, dairy animals, laying birds, turkeys (> 16 weeks) and chickens reared for laying (> 16 weeks),	1.25
	<ul> <li>chickens for fattening,</li> <li>chickens reared for laying (&lt;</li> <li>16 weeks) and turkeys (&lt;</li> <li>16 weeks) for the period before</li> <li>slaughter in which the use</li> </ul>	1.25

(1) Without prejudice to the authorised levels pursuant to Regulation (EC) No 1831/2003.

Products intended for animal feed <sup>(1)</sup>	Maximum content in mg/kg (ppm) relative to a feed with a moisture content of 12 %
of lasalocid A sodium is prohibited (withdrawal feed),	
— pheasants, guinea fowl, quails and partridges (except laying birds) for the period before slaughter in which the use of lasalocid A sodium is prohibited (withdrawal feed),	1.25
— other animal species.	3.75
Premixtures for use in feed in which the use of lasalocid A sodium is not authorised.	(2)
Feed materials	0.05
Compound feed for	
— equine species, rabbits, turkeys (> 16 weeks), laying birds and chickens reared for laying (> 16 weeks),	0.05
— chickens for fattening and turkeys (< 16 weeks) for the period before slaughter in which the use of maduramicin ammonium alpha is prohibited (withdrawal feed),	0.05
— other animal species.	0.15
Premixtures for use in feed in which the use of maduramicin ammonium alpha is not authorised.	(2)
Feed materials	1.25
Compound feed for	
— equine species, dogs, small ruminants (sheep and goat), ducks, bovine, dairy cattle, laying birds, chickens reared for laying (> 16 weeks) and turkeys (> 16 weeks),	1.25
— chickens for fattening,	1 25
	<ul> <li><i>feed</i><sup>(1)</sup></li> <li>of lasalocid A sodium is prohibited (withdrawal feed),</li> <li>— pheasants, guinea fowl, quails and partridges (except laying birds) for the period before slaughter in which the use of lasalocid A sodium is prohibited (withdrawal feed),</li> <li>— other animal species.</li> <li>Premixtures for use in feed in which the use of lasalocid A sodium is not authorised.</li> <li>Feed materials</li> <li>Compound feed for</li> <li>— equine species, rabbits, turkeys (&gt; 16 weeks), laying birds and chickens reared for laying (&gt; 16 weeks), for the period before slaughter in which the use of maduramicin ammonium alpha is prohibited (withdrawal feed),</li> <li>— other animal species.</li> <li>Premixtures for use in feed in which the use of maduramicin ammonium alpha is not authorised.</li> <li>Feed materials</li> <li>Compound feed for</li> <li>— chickens for fattening and turkeys (&lt; 16 weeks) for the period before slaughter in which the use of maduramicin ammonium alpha is prohibited (withdrawal feed),</li> <li>— other animal species.</li> <li>Premixtures for use in feed in which the use of maduramicin ammonium species.</li> <li>Feed materials</li> <li>Compound feed for</li> <li>— equine species, dogs, small ruminants (sheep and goat), ducks, bovine, dairy cattle, laying birds, chickens reared for laying (&gt; 16 weeks) and turkeys (&gt; 16 weeks), and turkeys (&gt; 1</li></ul>

Coccidiostat	Products intended for animal feed <sup>(1)</sup>	Maximum content in mg/kg (ppm) relative to a feed with a moisture content of 12 %
	16 weeks) and turkeys (< 16 weeks) for the period before slaughter in which the use of monensin sodium is prohibited (withdrawal feed),	
	— other animal species.	3.75
	Premixtures for use in feed in which the use of monensin sodium is not authorised.	(2)
7. Narasin	Feed materials	0.7
	Compound feed for	
	— turkeys, rabbits, equine species, laying birds and chickens reared for laying (> 16 weeks),	0.7
	— other animal species.	2.1
	Premixtures for use in feed in which the use of narasin is not authorised.	(2)
8. Nicarbazin	Feed materials	1.25
	Compound feed for	
	<ul> <li>equine species, laying birds and chickens reared for laying (&gt; 16 weeks),</li> </ul>	1.25
	— other animal species.	3.75
	Premixtures for use in feed in which the use of nicarbazin (alone or in combination with narasin) is not authorised.	(2)
9. Robenidine hydrochloride	Feed materials	0.7
	Compound feed for	
	— laying birds and chickens reared for laying (> 16 weeks),	0.7
	— chickens for fattening, rabbits for fattening and breeding and turkeys for the period before slaughter in which the use of robenidine	0.7

Coccidiostat	<b>Products intended for animal</b> feed <sup>(1)</sup>	Maximum content in mg/kg (ppm) relative to a feed with a moisture content of 12 %	
	hydrochloride is prohibited (withdrawal feed),		
	— other animal species.	2.1	
	Premixtures for use in feed in which the use of robenidine hydrochloride is not authorised.	(2)	
10. Salinomycin sodium	Feed materials	0.7	
	Compound feed for		
	<ul> <li>equine species, turkeys, laying birds and chickens reared for laying (&gt; 12 weeks),</li> </ul>	0.7	
	<ul> <li>chickens for fattening, chickens reared for laying (&lt; 12 weeks) and rabbits for fattening for the period before slaughter in which the use of salinomycin sodium is prohibited (withdrawal feed),</li> </ul>	0.7	
	— other animal species.	2.1	
	Premixtures for use in feed in which the use of salinomycin sodium is not authorised	(2)	
11. Semduramicin sodium	Feed materials	0.25	
	Compound feed for		
	<ul> <li>— laying birds and chickens reared for laying (&gt; 16 weeks),</li> </ul>	0.25	
	<ul> <li>chickens for fattening for the period before slaughter in which the use of semduramicin sodium is prohibited (withdrawal feed),</li> </ul>		
	— other animal species.	0.75	
	Premixtures for use in feed in which the use of semduramicin sodium is not authorised.	(2)	

(1) Without prejudice to the authorised levels pursuant to Regulation (EC) No 1831/2003.

### SCHEDULE 5

Regulations 15 and 15A

## Action thresholds triggering investigations: dioxins and PCBs

## Table 1: DIOXINS AND PCBs

Undesirable substances	Products intended for animal feed	Action threshold in ng WHO-PCDD/F TEQ/ kg (ppt) <sup>(2)</sup> relative to a feedingstuff with a moisture content of 12 %	Comments and additional information (e.g. nature of investigations to be performed)
1. Dioxins (sum of polychlorinated dibenzo-para-dioxins (PCDDs), polychlorinated dibenzofurans (PCDFs) expressed in World Health Organisation (WHO) toxic equivalents, using the WHO-TEFs (toxic equivalency factors, 2005) <sup>(1)</sup> )	Feed materials of plant origin	0.5	(3)
	with the exception of:		
	— vegetable oils and their by-products.	0.5	(3)
	Feed materials of mineral origin	0.5	(3)
	Feed materials of animal origin:		
	— Animal fat, including milk fat and egg fat,	0.75	(3)
	— Other land animal products including milk and milk products and eggs and egg products,	0.5	(3)
	— Fish oil,	4.0	(4)
	— Fish, other aquatic animals and products derived from them, with the exception of fish oil, hydrolysed fish protein containing	0.75	(4)

Undesirable substances	Products intended for animal feed	Action threshold in ng WHO-PCDD/F TEQ/ kg (ppt) <sup>(2)</sup> relative to a feedingstuff with a moisture content of 12 %	Comments and additional information (e.g. nature of investigations to be performed)
	more than 20 % fat and crustacea meal,		
	— Hydrolysed fish protein containing more than 20 % fat; crustacea meal.	1.25	(4)
	Feed additives belonging to the functional groups of binders and anti-caking agents	0.5	(3)
	Feed additives belonging to the functional group of compounds of trace elements	0.5	(3)
	Premixtures	0.5	(3)
	Compound feed	0.5	(3)
	with the exception of:		
	— compound feed for pet animals and fish,	1.25	(4)
	— compound feed for fur animals.	_	
	Feed materials of plant origin	0.35	(3)
	with the exception of:		
	— vegetable oils and their by-products	0.5	(3)
	Feed materials of mineral origin	0.35	(3)

Undesirable substances	Products intended for animal feed	Action threshold in ng WHO-PCDD/F TEQ/ kg (ppt) <sup>(2)</sup> relative to a feedingstuff with a moisture content of 12 %	Comments and additional information (e.g. nature oj investigations to be performed)
	Feed materials of animal origin:		
	<ul> <li>Animal fat, including milk fat and egg fat</li> </ul>	0.75	(3)
	— Other land animal products including milk and milk products and eggs and egg products	0.35	(3)
	— Fish oil	11.0	(4)
	— Fish, other aquatic animals and products derived from them, with the exception of fish oil and fish protein, hydrolysed, containing more than 20 % fat <sup>(3)</sup>	2.0	(4)
	— Fish protein, hydrolysed, containing more than 20 % fat	5.0	(4)
	Feed additives belonging to the functional groups of binders and anti-caking agents	0.5	(3)
	Feed additives belonging to the functional group of compounds of trace elements	0.35	(3)
	Premixtures	0.35	(3)
	Compound feed	0.5	(3)
	with the exception of:		
	— compound feed for pet animals and fish	2.5	(4)
	— compound feed for fur animals	_	

(1) Table 2: Table of TEF (toxic equivalency factors) for dioxins, furans and dioxin-like PCBs: WHO-TEFs for human risk assessment based on the conclusions of the World Health Organisation (WHO) – International Programme on Chemical

Safety (IPCS) expert meeting which was held in Geneva in June 2005 (Martin van den Berg et al., The 2005 World Health Organisation Re-evaluation of Human and Mammalian Toxic Equivalency Factors for Dioxins and Dioxin-like Compounds. Toxicological Sciences 93(2), 223–241 (2006)).

- (2) Upper-bound concentrations; upper-bound concentrations are calculated on the assumption that all values of the different congeners below the limit of quantification are equal to the limit of quantification.
- (3) Identification of source of contamination. Once source is identified, take appropriate measures, where possible, to reduce or eliminate source of contamination.
- (4) In many cases it might not be necessary to perform an investigation into the source of contamination as the background level in some areas is close to or above the action level. However, in cases where the action level is exceeded, all information, such as sampling period, geographical origin, fish species etc., shall be recorded with a view to future measures to manage the presence of dioxins and dioxin-like compounds in these materials for animal nutrition.

#### Table 2: Table of TEF (toxic equivalency factors) for dioxins, furans and dioxin-like PCBs

Congener	TEF value	
Dibenzo-para-dioxins ('PCDDs') Dibenzo-para-furans (PCDFs)	and	
2,3,7,8-TCDD	1	
1,2,3,7,8-PeCDD	1	
1,2,3,4,7,8-HxCDD	0.1	
1,2,3,6,7,8-HxCDD	0.1	
1,2,3,7,8,9-HxCDD	0.1	
1,2,3,4,6,7,8-HpCDD	0.01	
OCDD	0.0003	
2,3,7,8-TCDF	0.1	
1,2,3,7,8-PeCDF	0.03	
2,3,4,7,8-PeCDF	0.3	
1,2,3,4,7,8-HxCDF	0.1	
1,2,3,6,7,8-HxCDF	0.1	
1,2,3,7,8,9-HxCDF	0.1	
2,3,4,6,7,8-HxCDF	0.1	
1,2,3,4,6,7,8-HpCDF	0.01	
1,2,3,4,7,8,9-HpCDF	0.01	
OCDF	0.0003	

### **'Dioxin-like' PCBs: Non-ortho PCBs + Monoortho PCBs**

## Non-ortho PCBs PCB 77

0.0001

Congener	TEF value	
PCB 81	0.0003	
PCB 126	0.1	
PCB 169	0.03	
Mono-ortho PCBs		
PCB 105	0.00003	
PCB 114	0.00003	
PCB 118	0.00003	
PCB 123	0.00003	
PCB 156	0.00003	
PCB 157	0.00003	
PCB 167	0.00003	
PCB 189	0.00003	
Abbreviations used: 'T' = tetra; 'Pe' = penta; 'Hx' = hexa; 'Hp' = hepta; 'O' = octa; 'CDD' = oblam dihama diamine (CDD' = oblam dihama formati (CD)' = oblam di		

chlorodibenzodioxin; 'CDF' = chlorodibenzofuran; 'CB' = chlorobiphenyl.".