SCHEDULE 2

Regulation 3(3)

Amendment to Annex 6

pip [2- (di hyo	• •	zine	10%	In case of combined use of Bis- (Diethylaminohydroxybenzoy Benzoyl) Piperazine and Bis- (Diethylaminohydroxybenzoy Benzoyl) Piperazine (nano), the sum shall not exceed 10 %.	-
				Not to be used in applications that may lead to exposure of the end user's lungs by inhalation.	
pip [2- (di hyo		zine	10%	Only nanomaterials having the following characteristics are allowed:	

```
— Purity
```

 \geq

97

%,

— Median

particle

size

D50

(50

%

of

the

number

below

this

diameter):

 \geq

50

nm

of

number

size

distribution.

Not

to

1

Document Generated: 2023-07-21

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

be
used
in
applications
that
may
lead
to
exposure
of
the
end
user's
lungs
by
inhalation.
т
In
case
of
combined
use
of
Bis-
(Diethylaminohydroxybenzoyl
Benzoyl)
Piperazine
and
Bis-
(Diethylaminohydroxybenzoyl
Benzoyl)
Piperazine
(nano),
the
sum
shall
not
exceed
10
% ₀.
"