
STATUTORY INSTRUMENTS

2023 No. 873

The Electricity and Gas (Energy
Company Obligation) Order 2023

PART 5

ECO4A qualifying actions

CHAPTER 5

Additional requirements for measures

Additional requirements to be met by insulation measures

- 22.**—(1) An insulation measure meets the requirements of this article if—
- (a) before the insulation measure is completed at the domestic premises—
 - (i) an RdSAP assessment of the domestic premises is performed; and
 - (ii) advice on the benefits of using a smart meter is provided to the household occupying the domestic premises;
 - (b) an RdSAP assessment of the domestic premises is performed after the completion of the insulation measure; and
 - (c) where more than one insulation measure is notified to the Administrator in accordance with article 25 in respect of the domestic premises, it is the first of those insulation measures to have been completed at the domestic premises that—
 - (i) meets the requirements of paragraph (1)(a) and (b);
 - (ii) meets the requirements of article 11 (general requirements);
 - (iii) meets the condition in any one of articles 12 to 21 (eligible properties and measures); and
 - (iv) meets the requirements of article 24 (quality assurance and consumer protection).

(2) For the purposes of paragraph (1)(c), where more than one insulation measure is completed at the domestic premises at the same time, the first of those insulation measures to be notified to the Administrator in accordance with article 25 is to be treated as being the first of those insulation measures to have been completed.