

SCHEDULES

SCHEDULE 7

Article 13

STREETS SUBJECT TO ALTERATION OF LAYOUT

PART 1

STREETS SUBJECT TO PERMANENT ALTERATION OF LAYOUT

North Yorkshire Council

<i>(1) Street subject to alteration of layout</i>	<i>(2) Description of alteration of layout as shown on the access, rights of way and public rights of navigation plan</i>
Overton Road	Provision of carriageway widening to aid heavy goods vehicle manoeuvres and access/egress to the proposed Overton Substation. Works comprising site clearance, construction of new road surface, white lining, kerbing and a suitable drainage system as required as shown as JW02 Section B, Sheet 2.
U1720 (ORPA)	At bellmouth AP98 as shown on Section B, Sheet 1 the creation of an access point of sufficient size to accommodate access and egress of vehicles for operation and maintenance requirements of the site. Works comprising site clearance, construction of new road surface, white lining, kerbing and a suitable drainage system as required.
A659	At bellmouth AP31 as shown on Section D Sheet 1 the creation of an access point of sufficient size to accommodate access and egress of vehicles for operation and maintenance requirements. Works comprising site clearance, construction of new road surface, white lining, kerbing and a suitable drainage system as required.
Garnet Lane	At bellmouth AP34 as shown on Section D Sheet 1 the creation of an access point of sufficient size to accommodate access and egress of vehicles for operation and maintenance requirements. Works comprising site clearance, construction of new road surface, white lining, kerbing and a suitable drainage system as required.

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>(1) Street subject to alteration of layout</i>	<i>(2) Description of alteration of layout as shown on the access, rights of way and public rights of navigation plan</i>
Rawfield Lane	At bellmouth AP3 as shown on Section F Sheet 1 the creation of an access point of sufficient size to accommodate access and egress of vehicles for operation and maintenance requirements. Works comprising site clearance, construction of new road surface, white lining, kerbing and a suitable drainage system as required.
Overton Road	At bellmouth AP89 as shown on Section B Sheet 2 the creation of an access point of sufficient size to accommodate access and egress of vehicles for operation and maintenance requirements. Works comprising site clearance, construction of new road surface, white lining, kerbing and a suitable drainage system as required.

PART 2

STREETS SUBJECT TO TEMPORARY ALTERATION OF LAYOUT

City of York Council

<i>(1) Street subject to alteration of layout</i>	<i>(2) Description of alteration of layout as shown on the access, rights of way and public rights of navigation plan</i>
Planville Lane	At AP101 as shown on Section B, Sheet 1 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
At the Junction of Corban Lane/U1720 (ORPA)	At JW01 (adjacent to AP95) as shown on Section B, Sheet 1 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
Corban Lane	At AP94 as shown on Section B, Sheet 1 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
Common Croft Lane	At AP78 as shown on Section B, Sheet 4 the creation of temporary bellmouth to enable access/egress with sufficient size to

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>(1) Street subject to alteration of layout</i>	<i>(2) Description of alteration of layout as shown on the access, rights of way and public rights of navigation plan</i>
	accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.

North Yorkshire Council

<i>(1) Street subject to alteration of layout</i>	<i>(2) Description of alteration of layout as shown on the access, rights of way and public rights of navigation plan</i>
U1720 (ORPA)	Between AP95 and AP98 on Section B, Sheet 1 the provision of passing places to allow for safe two way passage of traffic.
U1720 (ORPA)	At AP96 as shown on Section B, Sheet 1 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
U1720 (ORPA)	At AP97 as shown on Section B, Sheet 1 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
A19	At AP93 as shown on Section B, Sheet 3 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
A19	At AP91 as shown on Section B, Sheet 2 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
Overton Road	At AP86 as shown on Section B, Sheet 2 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
Overton Road	At AP87 as shown on Section B, Sheet 2 the creation of temporary bellmouth to enable access/egress with sufficient size to

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>(1) Street subject to alteration of layout</i>	<i>(2) Description of alteration of layout as shown on the access, rights of way and public rights of navigation plan</i>
	accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
Overton Road	At AP90 as shown on Section B, Sheet 2 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
Overton Road	At AP82 as shown on Section B, Sheet 3 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
Overton Road	At AP84 as shown on Section B, Sheet 3 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
Overton Road	At AP85 as shown on Section B, Sheet 3 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
Stripe Lane	At AP80 as shown on Section B, Sheet 3 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
Stripe Lane	At AP81 as shown on Section B, Sheet 3 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
Church Lane	At AP77 as shown on Section C, Sheet 1 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>(1) Street subject to alteration of layout</i>	<i>(2) Description of alteration of layout as shown on the access, rights of way and public rights of navigation plan</i>
Church Lane	At AP74 as shown on Section C, Sheet 1 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
A59	At AP72 as shown on Section C, Sheet 1 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
Marston Lane	At AP68 as shown on Section C, Sheet 2 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
Marston Lane	At AP69 as shown on Section C, Sheet 2 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
Marston Lane	At AP70 as shown on Section C, Sheet 2 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
Marston Lane	At AP71 as shown on Section C, Sheet 2 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
Atterwith Lane	At AP65 as shown on Section C, Sheet 3 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
Atterwith Lane	At AP66 as shown on Section C, Sheet 3 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>(1) Street subject to alteration of layout</i>	<i>(2) Description of alteration of layout as shown on the access, rights of way and public rights of navigation plan</i>
	installation of a new road surface and a suitable drainage system.
Tockwith Road	At AP62 as shown on Section C, Sheet 3 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
Tockwith Road	At AP63 as shown on Section C, Sheet 3 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
Tockwith Road	At AP64 as shown on Section C, Sheet 3 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
B1224 Weatherby Road	At AP61 as shown on Section C, Sheet 4 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
Healaugh Lane	At AP59 as shown on Section C, Sheet 4 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
Wighill Lane	At AP56 as shown on Section C, Sheet 6 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
Wighill Lane	At AP55 as shown on Section C, Sheet 6 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>(1) Street subject to alteration of layout</i>	<i>(2) Description of alteration of layout as shown on the access, rights of way and public rights of navigation plan</i>
Wighill Lane	At AP54 as shown on Section C, Sheet 7 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
Wighill Lane	At AP53 as shown on Section C, Sheet 7 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
Wighill Lane	At AP52 as shown on Section C, Sheet 8 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
Wighill Lane	At AP50 as shown on Section C, Sheet 8 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
Wighill Lane	At AP49 as shown on Section C, Sheet 8 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
A659	At AP45 as shown on Section C, Sheet 8 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
A659	At AP47 as shown on Section C, Sheet 8 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
A659	At AP44 as shown on Section C, Sheet 9 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>(1) Street subject to alteration of layout</i>	<i>(2) Description of alteration of layout as shown on the access, rights of way and public rights of navigation plan</i>
	installation of a new road surface and a suitable drainage system.
A659	At AP41 as shown on Section C, Sheet 9 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
Garnet Lane	At AP33 as shown on Section D, Sheet 1 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
A659	At AP29 as shown on Section D, Sheet 1 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
A659	At AP30 as shown on Section D, Sheet 1 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
A659	At AP32 as shown on Section D, Sheet 1 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
A659/A64 Onslip Road	At AP28 as shown on Section D, Sheet 1 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
B1217 Wakefield Road	At AP26 as shown on Section E, Sheet 3 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>(1) Street subject to alteration of layout</i>	<i>(2) Description of alteration of layout as shown on the access, rights of way and public rights of navigation plan</i>
Coldhill Lane	At AP22 as shown on Section E, Sheet 3 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
Coldhill Lane	At AP21 as shown on Section E, Sheet 4 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
Coldhill Lane	At AP20 as shown on Section E, Sheet 4 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
Laith Staid Lane	At AP18 as shown on Section E, Sheet 5 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
Laith Staid Lane	At AP19 as shown on Section E, Sheet 5 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
B1222	At AP17 as shown on Section E, Sheet 5 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
B1222	At AP16 as shown on Section E, Sheet 6 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
B1222	At AP14 as shown on Section E, Sheet 6 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>(1) Street subject to alteration of layout</i>	<i>(2) Description of alteration of layout as shown on the access, rights of way and public rights of navigation plan</i>
	installation of a new road surface and a suitable drainage system.
Whitecote Lane	At AP11 as shown on Section E, Sheet 6 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
Westfield Lane	At AP10 as shown on Section E, Sheet 7 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
Westfield Lane	At AP9 as shown on Section E, Sheet 7 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
A63	At AP7 as shown on Section E, Sheet 7 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
A63	At AP6 as shown on Section F, Sheet 1 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
Rawfield Lane	At AP5 as shown on Section F, Sheet 1 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.
Rawfield Lane	At AP4 as shown on Section F, Sheet 1 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>(1) Street subject to alteration of layout</i>	<i>(2) Description of alteration of layout as shown on the access, rights of way and public rights of navigation plan</i>
Rawfield Lane	At AP2 as shown on Section F, Sheet 1 the creation of temporary bellmouth to enable access/egress with sufficient size to accommodate a HGV vehicle. Comprising the installation of a new road surface and a suitable drainage system.