## SCHEDULE Regulation 2

## Entries to comprise Chapter E of Schedule 5 to the Feeding Stuffs (Wales) Regulations 2006

Column 1 Undesirable substances	Column 2 Products intended for animal feed	Column 3  Maximum content in mg/kg of feeding stuffs referred to a moisture content of 12%
	CHAPTER E	
Lasalocid sodium	Feed materials	1.25
	Compound feeding stuffs for:	
	<ul> <li>dogs, calves, rabbits, equine species, dairy animals, laying birds, turkeys (&gt; 12 weeks old) and chickens reared for laying (&gt; 16 weeks old)</li> </ul>	1.25
	<ul> <li>chickens for fattening,</li> <li>chickens reared for laying (&lt;</li> <li>16 weeks old) and turkeys (&lt;</li> <li>12 weeks old) for the period</li> <li>before slaughter in which the</li> <li>use of lasalocid sodium is</li> <li>prohibited</li> </ul>	1.25
	<ul> <li>other animal species</li> </ul>	3.75
	Premixtures for use in feed in which the use of lasalocid sodium is not authorised	(1)
Narasin	Feed materials	0.7
	Compound feeding stuffs for:	
	<ul> <li>turkeys, rabbits, equine species, laying birds and chickens reared for laying (&gt; 16 weeks old)</li> </ul>	0.7
	<ul> <li>chickens for fattening for the period before slaughter in which the use of narasin is prohibited</li> </ul>	0.7
	<ul> <li>other animal species</li> </ul>	2.1
	Premixtures for use in feed in which the use of narasin is not authorised	(1)
Salinomycin sodium	Feed materials	0.7

<sup>(1)</sup> The maximum level of the substance in the premixture is the concentration which shall not result in a level of the substance higher than 50% of the maximum levels established in the feed when the instructions for use of the premixture are followed.

Column 1 Undesirable substances	Column 2 Products intended for animal feed	Column 3  Maximum content in mg/kg of feeding stuffs referred to a moisture content of 12%
	Compound feeding stuffs for:	
	<ul> <li>equine species, turkeys,</li> <li>laying birds and chickens</li> <li>reared for laying (&gt; 12 weeks</li> <li>old)</li> </ul>	0.7
	<ul> <li>chickens for fattening,</li> <li>chickens reared for laying</li> <li>12 weeks old) and rabbits</li> <li>for fattening for the period</li> <li>before slaughter in which the</li> <li>use of salinomycin sodium is</li> <li>prohibited</li> </ul>	0.7
	<ul> <li>other animal species</li> </ul>	2.1
	Premixtures for use in feed in which the use of salinomycin sodium is not authorised	(1)
Monensin sodium	Feed materials	1.25
	Compound feeding stuffs for:	
	<ul> <li>equine species, dogs, small ruminants (sheep and goats), ducks, dairy cattle and other bovines, laying birds, chickens reared for laying (&gt; 16 weeks old) and turkeys (&gt;16 weeks old)</li> </ul>	1.25
	<ul> <li>chickens for fattening,</li> <li>chickens reared for laying (&lt;</li> <li>16 weeks old) and turkeys (&lt;</li> <li>16 weeks old) for the period</li> <li>before slaughter in which the</li> <li>use of monensin sodium is</li> <li>prohibited</li> </ul>	1.25
	<ul> <li>other animal species</li> </ul>	3.75
	Premixtures for use in feed in which the use of monensin sodium is not authorised	(1)
Semduramicin sodium	Feed materials	0.25
	Compound feeding stuffs for:	

<sup>(1)</sup> The maximum level of the substance in the premixture is the concentration which shall not result in a level of the substance higher than 50% of the maximum levels established in the feed when the instructions for use of the premixture are followed.

Column 1 Undesirable substances	Column 2 Products intended for animal feed	Column 3  Maximum content in mg/kg of feeding stuffs referred to a moisture content of 12%
	<ul><li>laying birds and chickens reared for laying (&gt; 16 weeks old)</li></ul>	0.25
	<ul> <li>chickens for fattening for the period before slaughter in which the use of semduramicin sodium is prohibited</li> </ul>	0.25
	- other animal species	0.75
	Premixtures for use in feed in which the use of semduramicin sodium is not authorised	(1)
Maduramicin ammonium alpha	Feed materials	0.05
	Compound feeding stuffs for:	
	<ul> <li>equine species, rabbits,</li> <li>turkeys (&gt; 16 weeks old),</li> <li>laying birds and chickens</li> <li>reared for laying (&gt; 16 weeks old)</li> </ul>	0.05
	- chickens for fattening and turkeys ( < 16 weeks old) for the period before slaughter in which the use of maduramicin ammonium alpha is prohibited	0.05
	- other animal speceis	0.15
	Premixtures for use in feed in which the use of maduramicin ammonium alpha is not authorised	(1)
Robenidine hydrochloride	Feed materials	0.7
	Compound feeding stuffs for:	
	<ul><li>laying birds and chickens reared for laying (&gt; 16 weeks old)</li></ul>	0.7
	- chickens for fattening, rabbits for fattening and breeding and turkeys for the period before slaughter in which the use of robenidine hydrochloride is prohibited	0.7

<sup>(1)</sup> The maximum level of the substance in the premixture is the concentration which shall not result in a level of the substance higher than 50% of the maximum levels established in the feed when the instructions for use of the premixture are followed.

Column 1 Undesirable substances	Column 2 Products intended for animal feed	Column 3 Maximum content in mg/kg of feeding stuffs referred to a moisture content of 12%
	<ul> <li>other animal species</li> </ul>	2.1
	Premixtures for use in feed in which the use of robenidine hydrochloride is not authorised	(1)
Decoquinate	Feed materials	0.4
	Compound feeding stuffs for:	
	<ul> <li>laying birds and chickens reared for laying (&gt; 16 weeks old)</li> </ul>	0.4
	<ul> <li>chickens for fattening for the period before slaughter in which the use of decoquinate is prohibited</li> </ul>	0.4
	- other animal species	1.2
	Premixtures for use in feed in which the use of decoquinate is not authorised	(1)
Halofuginone hydrobromide	Feed materials	0.03
	Compound feeding stuffs for:	
	<ul> <li>laying birds and chickens reared for laying (&gt; 16 weeks old) and turkeys (&gt; 12 weeks old)</li> </ul>	0.03
	- chickens for fattening and turkeys (< 12 weeks old) for the period before slaughter in which the use of halofuginone hydrobromide is prohibited	0.03
	<ul><li>other animal species other than chickens reared for laying (&lt; 16 weeks old)</li></ul>	0.09
	Premixtures for use in feed in which the use of halofuginone hydrobromide is not authorised	(1)
Nicarbazin	Feed materials	0.5
	Compound feeding stuffs for:	

<sup>(1)</sup> The maximum level of the substance in the premixture is the concentration which shall not result in a level of the substance higher than 50% of the maximum levels established in the feed when the instructions for use of the premixture are followed.

Column 1 Undesirable substances	Column 2 Products intended for animal feed	Column 3  Maximum content in mg/kg of feeding stuffs referred to a moisture content of 12%
	<ul> <li>equine species, laying birds</li> <li>and chickens reared for laying</li> <li>16 weeks old)</li> </ul>	0.5
	<ul> <li>chickens for fattening for the period before slaughter in which the use of nicarbazin (in combination with narasin) is prohibited</li> </ul>	0.5
	<ul> <li>other animal species</li> </ul>	1.5
	Premixtures for use in feed in which the use of nicarbazin (in combination with narasin) is not authorised	(1)
Diclazuril	Feed materials	0.01
	Compound feeding stuffs for:	
	<ul> <li>laying birds, chickens reared for laying (&gt; 16 weeks old)</li> <li>and turkeys for fattening (&gt; 12 weeks old)</li> </ul>	0.01
	<ul> <li>rabbits for fattening and breeding for the period before slaughter in which the use of diclazuril is prohibited</li> </ul>	0.01
	- other animal species other than chickens reared for laying (< 16 weeks old), chickens for fattening and turkeys for fattening (< 12 weeks old)	0.03
	Premixtures for use in feed in which the use of diclazuril is not authorised	(1)

<sup>(1)</sup> The maximum level of the substance in the premixture is the concentration which shall not result in a level of the substance higher than 50% of the maximum levels established in the feed when the instructions for use of the premixture are followed.