STATUTORY INSTRUMENTS

2005 No. 3525

ENVIRONMENTAL PROTECTION

The Noise Emission in the Environment by Equipment for Use Outdoors (Amendment) Regulations 2005

Made - - - - 29th December 2005

Laid before Parliament 30th December 2005

Coming into force - - 3rd January 2006

The Secretary of State, being a Minister designated(1) for the purposes of section 2(2) of the European Communities Act 1972(2) in relation to measures relating to noise emission in the environment by equipment for use outdoors, in exercise of the powers conferred on him by that section, makes the following Regulations:

Citation and commencement

1. These Regulations may be cited as the Noise Emission in the Environment by Equipment for Use Outdoors (Amendment) Regulations 2005 and shall come into force on 3rd January 2006.

Commencement Information 11 Reg. 1 in force at 3.1.2006, see reg. 1

Amendment to the Noise Emission in the Environment by Equipment for Use Outdoors Regulations 2001

2. The Noise Emission in the Environment by Equipment for Use Outdoors Regulations 2001(3) are amended by substituting for the table in Schedule 3 the table set out in the Schedule to these Regulations.

Comi	mencement Information Reg. 2 in force at 3.1.2006, see reg. 1

⁽¹⁾ S.I. 2001/3238.

^{(2) 1972} c. 68.

⁽³⁾ S.I. 2001/1701 as amended by S.I. 2001/3958.

Malcolm Wicks
Minister for Energy
Department of Trade and Industry

29th December 2005

SCHEDULE

Regulation 2

Commencement Information

Sch. in force at 3.1.2006, see reg. 1

Type of equipment	Net installed power <i>P</i> (in kW) Electric power P _{el} ^a in kW	Permissible sound power level in dB/1 pW		
	Mass of appliance <i>m</i> in kg			
	Cutting width <i>L</i> in cm			
		Stage I as from 3 January 2002	Stage II as from 3 January 2006	
Compaction machines	<i>P</i> ≤ £ 8	108	105 ^b	
(vibrating rollers, vibratory plates,	$8 < P \le £70$	109	106 ^b	
vibratory rammers)	P > 70	89 + 11 1g P	$86 + 11 \log P^{b}$	
Tracked dozers,	$P \le 55$	106	103 ^b	
tracked loaders, tracked excavator- loaders	<i>P</i> > 55	87 + 11 1g P	$84 + 11 \lg P^{b}$	
Wheeled	<i>P</i> ≤ 55	104	101 ^b	
dozers, wheeled loaders, wheeled excavator-loaders, dumpers, graders, loader-type landfill compactors, combustion- engine driven counterbalanced	P > 55	85 + 11 1g P	82 + 11 1g P ^b	

- P_{el} for welding generators: conventional welding current multiplied by the conventional load voltage for the lowest value of the duty factor given by the manufacturer. P_{el} for power generators: prime power according to ISO 8528-1:1993, clause
- For the following types of equipment the figures for Stage I shall continue to apply for Stage II—Walk-behind vibrating rollers;

Vibratory plates (>3 kW);

Vibratory rammers;

Dozers (steel tracked);

Loaders (steel tracked >55 kW);

Combustion-engine driver counterbalanced lift trucks;

Compacting screed paver-finishers; and

Hand-held internal combustion-engine concrete-breakers and picks (15< m<30).

For single engine mobile cranes the figures for Stage I shall continue to apply until 3rd January 2008. After that date, Stage II figures shall apply.

Type of equipment	Net installed power <i>P</i> (in kW)	Permissible sound power level in dB/1 pW	
	Electric power P _{el} ^a in kW		
	Mass of appliance <i>m</i> in kg		
	Cutting width <i>L</i> in cm		
		Stage I as from 3 January 2002	Stage II as from 3 January 2006
lift trucks, compaction machines (non-vibrating rollers),paver- finishers, hydraulic power packs			
Mobile cranes	$P \le 55$	104	101°
	<i>P</i> > 55	85 + 11 1g P	$82 + 11 \log P 101^{c}$
Excavators, builders'	$P \le 15$	96	93
hoists for the transport of goods, construction winches, motor hoes	<i>P</i> > 15	83 + 11 1g <i>P</i>	80 + 11 1g P
Hand-held concrete-	$m \le 15$	107	105
breakers and picks	15 < m < 30	94 + 11 1g m	$92 + 11 1g m^{\rm b}$
	$m \ge 30$	96 + 11 1g m	94 + 11 1g m
Tower cranes		98 + 1g P	96 + 1g P
Welding and power	$P_{el} \le 2$	$97 + 1g P_{el}$	$95 + 1g P_{el}$
generators	$2 < P_{el} \le 10$	$98 + 1g P_{el}$	$96 + \lg P_{el}$
	$10 > P_{el}$	$97 + 1g P_{el}$	$95 + 1g P_{el}$
Compressors	$P \le 15$	99	97

a P_{el} for welding generators: conventional welding current multiplied by the conventional load voltage for the lowest value of the duty factor given by the manufacturer. P_{el} for power generators: prime power according to ISO 8528-1:1993, clause 13.3.2.

b For the following types of equipment the figures for Stage I shall continue to apply for Stage II—

Walk-behind vibrating rollers;

Vibratory plates (>3 kW);

Vibratory rammers;

Dozers (steel tracked);

Loaders (steel tracked >55 kW);

Combustion-engine driver counterbalanced lift trucks;

Compacting screed paver-finishers; and

Hand-held internal combustion-engine concrete-breakers and picks (15< m<30).

c For single engine mobile cranes the figures for Stage I shall continue to apply until 3rd January 2008. After that date, Stage II figures shall apply.

Changes to legislation: There are currently no known outstanding effects for the The Noise Emission in the Environment by Equipment for Use Outdoors (Amendment) Regulations 2005. (See end of Document for details)

Type of equipment	Net installed power <i>P</i> (in kW)	Permissible sound power level in dB/1 pW	
	Electric power P _{el} ^a in kW		
	Mass of appliance <i>m</i> in kg		
	Cutting width L in cm		
		Stage I as from 3 January 2002	Stage II as from 3 January 2006
	P > 15	97 + 2 1g P _{el}	95 + 2 1g P _{el}
Lawnmowers, lawn	$L \le 50$	96	96
trimmers/lawn-edge trimmers	$50 < L \le 70$	100	98
	$70 < L \le 120$	100	100
	<i>L</i> > 120	105	105

The permissible sound power level shall be rounded up or down to the nearest integer number (less than 0.5, use lower number; greater than or equal to 0.5, use higher number).

b For the following types of equipment the figures for Stage I shall continue to apply for Stage II—

Walk-behind vibrating rollers;

Vibratory plates (>3 kW);

Vibratory rammers; Dozers (steel tracked);

Loaders (steel tracked >55 kW);

Combustion-engine driver counterbalanced lift trucks;

Compacting screed paver-finishers; and

Hand-held internal combustion-engine concrete-breakers and picks (15< m<30).

c For single engine mobile cranes the figures for Stage I shall continue to apply until 3rd January 2008. After that date, Stage II figures shall apply.

EXPLANATORY NOTE

(This note is not part of the Regulations)

These Regulations amend the Noise Emission in the Environment by Equipment for Use Outdoors Regulations 2001 (S.I.2001/1701), as amended by S.I. 2001/3958.

These Regulations implement European Parliament and Council Directive 2005/88/EC (OJNo. L344, 27.12.2005, p44) which amends European Parliament and Council Directive 2000/14/EC (OJ No. L162, 3.7.2000, p1) on the approximation of the laws of the Member States relating to the noise emission in the environment by equipment for use outdoors.

a P_{el} for welding generators: conventional welding current multiplied by the conventional load voltage for the lowest value of the duty factor given by the manufacturer. P_{el} for power generators: prime power according to ISO 8528-1:1993, clause 13 3 2

The table in these Regulations amends the sound power limits for the following categories of equipment—

- walk-behind vibrating rollers;
- vibratory plates (>3 kW);
- vibratory rammers;
- dozers (steel tracked);
- loaders (steel tracked >55 kW);
- combustion-engine driven counterbalanced lift trucks;
- compacting screed paver-finishers;
- hand-held internal combustion-engine concrete-breakers and picks (15<m<30); and
- single engine mobile cranes.

A Regulatory Impact Assessment and a Transposition Note have been prepared. Copies can be obtained from the Department of Trade and Industry, Standards and Technical Regulations Directorate, 151 Buckingham Palace Road, London SW1W 9SS, telephone 020 7215 5000. Copies have also been placed in the libraries of both Houses of Parliament.

Changes to legislation:
There are currently no known outstanding effects for the The Noise Emission in the Environment by Equipment for Use Outdoors (Amendment) Regulations 2005.